



JUMP STARTER CAR AIR PUMP

Professional manufacturer





Great for Car/RV/SUV/Light Truck Tires and small inflatables



CE RoHS

专业车载充气泵制造商 | 中国宁波

本公司扎根中国宁波，专注设计、研发与生产高品质车载充气泵10逾年。我们深谙汽车后市场需求，产品以便携高效、性能稳定、安全耐用为核心优势。

依托先进的自动化生产线、严格的质量管控体系（符合CE/ROHS等标准）及经验丰富的技术团队，我们确保每一台充气泵都具备出色的充气速度、精准胎压监测及多重安全保护。产品涵盖多类型号，适配轿车、SUV、摩托车乃至小型轮胎，满足不同场景充气需求。

我们致力于为全球客户提供可靠的移动充气解决方案和优质的OEM/ODM服务，是您值得信赖的合作伙伴。

Professional Vehicle Inflation Pump Manufacturer | CHINA NINGBO

Our factory has been deeply rooted in Yuyao, Ningbo, specializing in the design, research, and production of high-quality vehicle inflators for over 10 years. We have a profound understanding of the demands of the automotive aftermarket, and our products are characterized by portability, efficiency, stable performance, and durability as core advantages.

Relying on advanced automated production lines, a rigorous quality control system (compliant with CE/ROHS standards), and experienced technical teams, we ensure that each inflator boasts impressive inflating speeds, precise tire pressure monitoring, and multiple safety features. Our products come in various types and sizes, suitable for cars, SUVs, motorcycles, and even small tires, catering to diverse inflating needs across different scenarios.

We are dedicated to providing reliable mobile inflating solutions and high-quality OEM/ODM services for global customers, making us a trustworthy partner for you.




CAR AIR PUMP

锂电池充气泵

Lithium Battery Car Air Pump



型号: Type:	YD-2122A
电池容量 Battery:	2000mAh*3(5C)
充电输入电压 Charging input voltage	5V= 2A
工作电压: Working voltage:	DC13.7V
电源显示: Inflation time:	LED Digital display
功率: Power:	70W
电流: Max current:	12V/5.5A
续航时间: Working Time:	20-35min
充电时间 Charging Time	4-5h
最大气压 Max air pressure	120psi
流量(缸径) Flow	20L/min(Ø22mm)
气管长度 Air hose length	15cm
USB充电线 USB charging cable	1.0m
车载电源线 Power line	3.0m±0.2m
充气时间 Inflation time (195/65R15)	0~30 PSI / 6-7mins 0~40 PSI / 8-9mins
产品尺寸: Product size	8.3*5.8*18.3cm



Product bottom




1. Air-filled toy converter
2. Ball needle
3. French nozzle converter
4. Fuse


DC 12V 点烟器电源线
Power cable of cigarette lighter



Car Air Pump




Emergency Lighting






Digital Charging

型号: Type:	YD-2122B
电池容量 Battery:	2000mAh*4(60C)
充电输入电压 Charging input voltage	5V=2A
工作电压: Working voltage:	DC14.8V
电源显示: Inflation time:	LED Digital display
功率: Power:	70W
电流: Max current:	12V/5.5A
续航时间: Working Time:	20-35min
充电时间 Charging Time	4-5h
最大气压 Max air pressure	120psi
流量(缸径) Flow	20L/min(Ø22mm)
气管长度 Air hose length	15cm
USB充电线 USB charging cable	1.0m
车载电源线 Power line	3.0m±0.2m
充气时间 Inflation time (195/65R15)	0~30 PSI / 6-7mins 0~40 PSI / 8-9mins
产品尺寸: Product size	8.3*5.8*18.3cm



DC 12V 点烟器电源线
Power cable of cigarette lighter



AC/DC充气泵

CE RoHS    

Tire Inflator Portable Air Compressor Pump 150PSI 12V DC/110V AC

型号: Type:	YD-2322A
电池容量 Battery:	2000mAh*3(5C)
充电输入电压 Charging input voltage	5V= 2A
工作电压: Working voltage:	DC13.7V
电源显示: Inflation time:	LED Digital display
功率: Power:	70W
电流: Max current:	12V/5.5A
续航时间: Working Time:	20-35min
充电时间 Charging Time	4-5h
最大气压 Max air pressure	120psi
流量(缸径) Flow	20L/min(Ø22mm)
气管长度 Air hose length	15cm
USB充电线 USB charging cable	1.0m
车载电源线 Power line	3.0m±0.2m
充气时间 Inflation time (195/65R15)	0~30 PSI / 6-7mins 0~40 PSI / 8-9mins
产品尺寸: Product size	9.8*6.5*18.3cm




1. Air-filled toy converter
2. Ball needle
3. French nozzle converter
4. Fuse

DC 12V 点烟器电源线
Power cable of cigarette lighter





型号: Type:	YD-2322B
电池容量 Battery:	2000mAh*4(60C)
充电输入电压 Charging input voltage:	5V=2A
工作电压: Working voltage:	DC14.8V
电源显示: Inflation time:	LED Digital display
功率: Power:	70W
电流: Max current:	12V/5.5A
续航时间: Working Time:	20-35min
充电时间 Charging Time	4-5h
最大气压 Max air pressure	120psi
流量(缸径) Flow	20L/min(Ø22mm)
气管长度 Air hose length	15cm
USB充电线 USB charging cable	1.0m
车载电源线 Power line	3.0m±0.2m
充气时间 Inflation time (195/65R15)	0~30 PSI / 6-7mins 0~40 PSI / 8-9mins
产品尺寸: Product size	9.8*6.5*18.3cm



- ① ② ③ ④
1. Air-filled toy converter
2. Ball needle
3. French nozzle converter
4. Fuse



DC 12V 点烟器电源线
Power cable of cigarette lighter



锂电池充气泵

Lithium Battery Car Air Pump




型号: Type:	YD-2219A
充电输入电压 Charging input voltage	AC110V DC12V
功率: Power:	100W
电流: Max current:	12V/ 7A
最大气压 Max air pressure	120psi
流量(缸径) Flow	22L/min(Ø22mm)
气管长度 Air hose length	50cm
车载电源线 Power line	AC1m DC3m
充气时间 Inflation time (195/65R15)	0~30 PSI / 4-5mins 0~40 PSI / 6-7mins
产品尺寸: Product size	13*6.5*19cm




- ① Air-filled toy converter
- ② Ball needle
- ③ French nozzle converter

DC 12V 点烟器电源线
Power cable of cigarette lighter





型号: Type:	YD-2219B
电池容量 Battery:	5000mAh*4(60C)
充电输入电压 Charging input voltage	5V= 2A
工作电压: Working voltage:	DC14.8V
功率: Power:	120W
电流: Max current:	15V/8A
续航时间: Working Time:	30-60min
充电时间 Charging Time	8-9h
最大气压 Max air pressure	120psi
流量(缸径) Flow	35L/min(Ø25mm)
气管长度 Air hose length	50cm
USB充电线 USB charging cable	1.0m
充气时间 Inflation time (195/65R15)	0~30 PSI / 4-5mins 0~40 PSI / 5-6mins
产品尺寸: Product size	13*6.5*19cm



1. Air-filled toy converter
2. Ball needle
3. French nozzle converter



Great for Car/RV/SUV/Light Truck Tires and small inflatables



Emergency Lighting



2 Lighting modes
Spotlight SOS Light



Input USB-A Power bank

锂电池充气泵

Lithium Battery Car Air Pump



型号: Type:	YD-3319
电池容量 Battery:	2000mAh*3
电压: Rated voltage:	锂电12V
功率: Power:	80W
电流: Max current:	12V/5.5A
续航时间: Working Time:	25-40min
充电时间 Charging Time	4-5h
最大气压 Max air pressure	150psi
流量(缸径) Flow	20L/min(Ø19mm)
气管长度 Air hose length	23cm
USB充电线 USB charging cable	0.5~1.0m
充气时间 Inflation time (195/65R15)	0~30 PSI / 6-7mins 0~40 PSI / 8-9mins
产品尺寸: Product size	9*58*15cm




- ① Air-filled toy converter
- ② Ball needle
- ③ French nozzle converter
- ④ Fuse


AC, DC, USB




Charge with AC, DC, or USB.



USB Charger
LED light
Input USB-C



Great for Car/RV/SUV/Light
Truck Tires and small inflatables



2 Lighting modes



型号: Type:	YD-9617
电池容量 Battery:	2000mAh*2
电压: Rated voltage:	DC12V/锂电7.4V
功率: Power:	70W
电流: Max current:	12V/5.5A
续航时间: Working Time:	20-35min
充电时间 Charging Time	4-5h
最大气压 Max air pressure	120psi
流量(缸径) Flow	15L/min(Ø17mm)
气管长度 Air hose length	23cm
USB充电线 USB charging cable	0.5~1.0m
车载电源线 Power line	3.0m±0.2m
充气时间 Inflation time (195/65R15)	0~30 PSI / 8-9mins 0~40 PSI / 10-12mins
产品尺寸: Product size	8*4.5*15cm



DC 12V 点烟器电源线
Power cable of cigarette lighter



AC, DC, USB



Charge with AC, DC, or USB.



Nozzle 4 pieces

Fuse



Great for Car/RV/SUV/Light
Truck Tires and small inflatables



Extra-large Capacity
~2000mAh x 2



Input USB-A

Power bank

2 Lighting modes



Spotlight



SOS Light



锂电池充气泵

Lithium Battery Car Air Pump

CE RoHS



型号: Type:	YD-9122
电池容量 Battery:	2000mAh*5
电压: Rated voltage:	DC12V/锂电18.5V
功率: Power:	120W
电流: Max current:	12V/9A
续航时间: Working Time:	20-30min
充电时间 Charging Time	2-4h
最大气压 Max air pressure	120psi
流量(缸径) Flow	22L/min(Ø22mm)
气管长度 Air hose length	60cm
车载电源线 Power line	3.0m±0.2m
充气时间 Inflation time (195/65R15)	0~30 PSI / 4-5mins 0~40 PSI / 5-6mins
产品尺寸: Product size	26*10.5*17.5cm



Nozzle 3 pieces

Fuse


21V 锂电池包 Lithium battery pack



21V 锂电池包充电器 Lithium battery pack charger



DC 12V 点烟器电源线 Power cable of cigarette lighter



可根据客户电池包更换脚板
The foot plate can be replaced according to the customer's battery pack




Makita



Milwaukee



Dewalt



型号: Type:	YD-9325
电池容量 Battery:	2000mAh*5
电压: Rated voltage:	DC12V/锂电18.5V
功率: Power:	120W
电流: Max current:	12V/8A
续航时间: Working Time:	20-30min
充电时间 Charging Time	2-4h
最大气压 Max air pressure	120psi
流量(缸径) Flow	35L/min(Ø25mm)
气管长度 Air hose length	60cm
车载电源线 Power line	3.0m±0.2m
充气时间 Inflation time (195/65R15)	0~30 PSI / 4-5mins 0~40 PSI / 5-6mins
产品尺寸: Product size	27.5*9*18cm



Nozzle 3 pieces

Fuse

21V 锂电池包 Lithium battery pack



21V 锂电池包充电器 Lithium battery pack charger



DC 12V 点烟器电源线 Power cable of cigarette lighter



2 Lighting modes



Spotlight



SOS Light



可根据客户电池包更换脚板

The foot plate can be replaced according to the customer's battery pack



Makita



Milwaukee



Dewalt



锂电池充气泵

Lithium Battery Car Air Pump

型号: Type:	YD-9722
电池容量 Battery:	2000mAh*5
电压: Rated voltage:	DC12V/锂电18.5V
功率: Power:	120W
电流: Max current:	12V/9A
续航时间: Working Time:	20-30min
充电时间 Charging Time	2-4h
最大气压 Max air pressure	120psi
流量(缸径) Flow	35L/min(Ø25mm)
气管长度 Air hose length	60cm
车载电源线 Power line	3.0m±0.2m
充气时间 Inflation time (195/65R15)	0-30 PSI / 4-5mins 0-40 PSI / 5-6mins
产品尺寸: Product size	27.5*9*18cm



2 Lighting modes



Spotlight



SOS Light



Nozzle 3 pieces

Fuse

21V 锂电池包

Lithium battery pack




21V 锂电池包充电器

Lithium battery pack charger



DC 12V 点烟器电源线

Power cable of cigarette lighter



可根据客户电池包更换脚板

The foot plate can be replaced according to the customer's battery pack



Makita



Milwaukee



Dewalt



型号: Type:	YD-9825
电池容量 Battery:	2000mAh*5
电压: Rated voltage:	DC12V/锂电18.5V
功率: Power:	120W
电流: Max current:	12V/8A
续航时间: Working Time:	20-30min
充电时间 Charging Time	2-4h
最大气压 Max air pressure	120psi
流量(缸径) Flow	35L/min(Ø25mm)
气管长度 Air hose length	60cm
车载电源线 Power line	3.0m±0.2m
充气时间 Inflation time (195/65R15)	0~30 PSI / 5mins 0~40 PSI / 8mins
产品尺寸: Product size	20*6.7*22cm



Nozzle 3 pieces

Fuse

21V 锂电池包
Lithium battery pack



21V 锂电池包充电器
Lithium battery pack charger



DC 12V 点烟器电源线
Power cable of cigarette lighter



可根据客户电池包更换脚板
The foot plate can be replaced according to the customer's battery pack



车用充气泵

Automobile Air Compressor

CE RoHS    

Single Cylinder
Air Compressor



精准测压
ACCURATE
PRESSURE



金属缸体
METAL
CYLINDER



应急照明
EMERGENCY
LIGHTING



充满即停
AUTO STOP



快接气嘴
QUICK
CONNECTOR



LED数显
DIGITAL
DISPLAY



Nozzle 3 pieces

Fuse



Optional

Model 型号	Voltage 电压	Power 功率	Cylinder size 缸径	Pressure meter 压力计	Flow 流量	Air hose length 气管长度	Cord length 电线长度	Inflation time 充气时间	Product size 产品尺寸
YD-51D30-ZZ	DC12V	120W	Ø30mm	 Pointer	30L/min	60cm	3.0m	195/65R15 0~30 PSI / 4mins	23*10.5*18.5cm
YD-51D30-SX				 Digital				195/65R15 0~40 PSI / 5.5mins	

Double Cylinder
Air Compressor



精准测压
ACCURATE
PRESSURE



金属缸体
METAL
CYLINDER



应急照明
EMERGENCY
LIGHTING




充满即停
AUTO STOP



快接气嘴
QUICK
CONNECTOR



LED数显
DIGITAL
DISPLAY



Nozzle 3 pieces

Fuse

2m extend hose

Battery clamp



Optional

Model 型号	Voltage 电压	Power 功率	Cylinder size 缸径	Pressure meter 压力计	Flow 流量	Air hose length 气管长度	Cord length 电线长度	Inflation time 充气时间	Product size 产品尺寸
YD-52S30-ZZ	DC12V	150W	Ø30mm*2	 Pointer	45L/min	60cm	3.0m	195/65R15 0~30 PSI / 3mins	26*10.5*18.5cm
YD-52S30-SX				 Digital				195/65R15 0~40 PSI / 4.5mins	

车用充气泵

Automobile Air Compressor

CE RoHS    

Air Compressor



精准测压
ACCURATE
PRESSURE



金属缸体
METAL
CYLINDER



应急照明
EMERGENCY
LIGHTING



充满即停
AUTO STOP



快接气嘴
QUICK
CONNECTOR



LED数显
DIGITAL
DISPLAY




Nozzle 3 pieces

Fuse

Model 型号	Voltage 电源	Battery capacity 电池容量	Power 功率	Cylinder size 缸径	Flow 流量	Air hose length 气管长度	Cord length 电线长度	Inflation time 充气时间	Product size 产品尺寸
YD-929B-22SX	DC12V	-	100W	Ø22mm	25L/min	60cm	3.0m	195/65R15 0~30 PSI / 4-5mins	14.5*7.5*20cm
YD-929B-22SX-LD	锂电款	2000mAh*3						195/65R15 0~40 PSI / 6-7mins	

充气	Air inflation
照明	Lighting
自动停止	Auto stop
	  

Air Compressor




Nozzle 3 pieces Fuse

Model 型号	Voltage 电源	Battery capacity 电池容量	Power 功率	Cylinder size 缸径	Flow 流量	Air hose length 气管长度	Cord length 电线长度	Inflation time 充气时间	Product size 产品尺寸
YD-929A-22SX	DC12V	-	100W	Ø22mm	25L/min	60cm	3.0m	195/65R15 0~30 PSI / 4-5mins	14.5*7.5*20cm
YD-929A-22SX-LD	锂电款	2000mAh*3						195/65R15 0~40 PSI / 6-7mins	

车用充气泵

Automobile Air Compressor

CE RoHS



Full set of tools:
Tire inflator / Screwdriver suites /
Nipper plier / Tire repair kit /
Art knife / Inflation nozzle / Fuse



Nozzle 3 pieces

Fuse

Model 型号	Voltage 电压	Power 功率	Cylinder size 缸径	Pressure meter 压力计	Function 流量	Air hose length 气管长度	Cord length 电线长度	Inflation time 充气时间	Product size 产品尺寸
YD-767ZZ-19	DC12V	80W	19mm	 Pointer	18L/min	60cm	3.0m	195/65R15	15*7.5*21cm
YD-767SX-19				 Digital				0~30 PSI / 5-6mins 0~40 PSI / 8-9mins	
YD-767ZZ-22		100W	22mm	 Pointer	25L/min			195/65R15	
YD-767SX-22				 Digital				0~30 PSI / 5mins 0~40 PSI / 7.5mins	



充气	Air inflation
照明	Lighting
自动停止	Auto stop
	
	



Nozzle 3 pieces Fuse

Full set of tools:
Tire inflator / Screwdriver suites /
Nipper plier / Tire repair kit /
Art knife / Inflation nozzle / Fuse

Model 型号	Voltage 电压	Power 功率	Cylinder size 缸径	Pressure meter 压力计	Function 流量	Air hose length 气管长度	Cord length 电线长度	Inflation time 充气时间	Product size 产品尺寸
YD-787ZZ-19	DC12V	80W	19mm	 Pointer	18L/min	60cm	3.0m	195/65R15	15.5*8*21.5cm
YD-787SX-19				 Digital				0~30 PSI / 5-6mins 0~40 PSI / 8-9mins	
YD-787ZZ-22		100W	22mm	 Pointer	25L/min			195/65R15	
YD-787SX-22				 Digital				0~30 PSI / 5mins 0~40 PSI / 7.5mins	

Air Compressor

充气	Air inflation
照明	Lighting
自动停止	Auto stop
	  



Nozzle 3 pieces

Fuse

Model 型号	Voltage 电压	Power 功率	Cylinder size 缸径	Pressure meter 压力计	Function 流量	Air hose length 气管长度	Cord length 电线长度	Inflation time 充气时间	Product size 产品尺寸
YD-828ZZ-19	DC12V	80W	19mm	 Pointer	20L/min	60cm	3.0m	195/65R15 0~30 PSI / 6.5mins 0~40 PSI / 9.5mins	13.5*7*17cm
YD-828SX-19				 Digital					

Air Compressor

Inflate standard vehicle tire within 3 minutes.



Nozzle 3 pieces

Fuse

Model 型号	Voltage 电压	Power 功率	Cylinder size 缸径	Pressure meter 压力计	Flow 流量	Air hose length 气管长度	Cord length 电线长度	Inflation time 充气时间	Product size 产品尺寸
YD-747ZZ-22	DC12V	100W	Ø22mm	 Pointer	25L/min	60cm	3.0m	195/65R15 0~30 PSI / 5mins	17.5*7.5*23cm
YD-747SX-22				 Digital				195/65R15 0~40 PSI / 7.5mins	

车用充气泵

Automobile Air Compressor

CE RoHS    

Air Compressor



Spotlight



Nozzle 3 pieces

Fuse

Model 型号	Voltage 电压	Power 功率	Cylinder size 缸径	Pressure meter 压力计	Function 流量	Air hose length 气管长度	Cord length 电线长度	Inflation time 充气时间	Product size 产品尺寸
YD-818ZZ-19	DC12V	80W	19mm	 Pointer	20L/min	45cm	3.0m	195/65R15	13.5*7*17cm
YD-818SX-19				 Digital				0~30 PSI / 6.5mins 0~40 PSI / 9.5mins	

Air Compressor



Automobile Air Compressor	
充气	Air inflation
照明	Lighting
自动停止	Auto stop
   	



Nozzle 3 pieces

Fuse

Model 型号	Voltage 电压	Power 功率	Cylinder size 缸径	Pressure meter 压力计	Function 流量	Air hose length 气管长度	Cord length 电线长度	Inflation time 充气时间	Product size 产品尺寸
YD-777SX-22	DC12V	100W	22mm	Digital	25L/min	45cm	3.0m	195/65R15 0~30 PSI / 5mins 0~40 PSI / 8mins	16*8*17.5cm

锂电池充气泵

Lithium Battery Car Air Pump

CE RoHS    

型号: Type:	YD-797B-22SX
电池容量 Battery:	2000mAh*3
电压: Rated voltage:	12V Li-ion
功率: Power:	100W
电流: Max current:	12V/8A
续航时间: Working Time:	25-30min
充电时间 Charging Time	7-9h
最大气压 Max air pressure	120psi
流量(缸径) Flow	20L/min(Ø22mm)
气管长度 Air hose length	60cm
充气时间 Inflation time (195/65R15)	0~30 PSI / 5.5mins 0~40 PSI / 7.5mins
产品尺寸: Product size	11*11*15cm



DC 12V 点烟器电源线
Power cable of cigarette lighter



AC, DC, USB



Charge with AC, DC, or USB.



Nozzle 4 pieces

Fuse



