



JINNAN 金楠

余姚市金楠电器有限公司

Yuyao Jinnan Electrical Appliance Co., Ltd.

2025-2026 产品手册
PRODUCT MANUAL

公司介绍

Company Profile

Main Products

We specialize in the R&D and production of portable on-board equipment, covering car air pumps, bicycle inflators, multi-functional car jump starter all-in-one machines, car vacuum cleaners, high-power blowers and SUP inflators. Our products serve multiple scenarios including self-driving trips, outdoor water sports, daily cleaning and vehicle emergency rescue, delivering one-stop solutions for portable on-board electrical appliances.

R&D Strength

We have 15 years of experience focused on the manufacturing and development of vehicle-mounted devices, deeply cultivating the track of inflating and energy storage electrical appliances with continuous technical iteration and implementation.

We launch more than 20 new private mold products every year and hold multiple independent product patents. Original independent R&D builds our exclusive technical barriers, enabling us to continuously upgrade product designs and functions to meet differentiated demands from cross-border e-commerce, offline auto parts stores and foreign trade bulk clients.

Factory Scale & Production Capacity

Our factory covers an area of 24,000 square meters with 300 professional employees. We are equipped with 14 injection molding machines and 12 standardized assembly production lines, achieving a stable daily output of over 10,000 units and an annual capacity of 3 million units.

Supported by a complete supply chain, we provide rapid sample development to satisfy clients, and deliver stable shipments for both small and bulk orders. Large-scale production effectively shortens lead times and optimizes cost control.

Strict Quality Control System

Adhering to precision manufacturing standards, we implement a full-process multi-layer quality assurance system:

- 100% full function inspection for all finished products before delivery with standardized and rigorous production control;

- Cell aging simulation tests to ensure long-term stability and safety of built-in batteries;

- Thousands of cycles of extreme lifespan tests for core components to verify durability.

We adopt transparent whole-process quality inspection with test records reserved for every batch, strictly preventing defective products from shipment, and our products comply with global certification standards such as CE and RoHS.

Customization Services

We support in-depth OEM & ODM customization and development. Based on clients' requirements, we provide customized services including exclusive private mold development, functional adjustment, logo silk printing, color box packaging design, hardware & software optimization, etc.

We cater to various partners such as cross-border brands, offline distributors and foreign trade wholesalers, offering one-stop supply services covering R&D sampling, mass production and after-sales support.

Core Advantages

As a vertical manufacturer of vehicle-mounted electrical appliances with 15 years of industry experience, we own a large production plant with complete injection molding and assembly lines to guarantee stable delivery via sufficient capacity.

We boast abundant self-developed patented private mold products, and rigorous inspection procedures to guarantee premium quality. Flexible customization solutions fit global market demands, while our full supply chain enables fast sampling and stable mass supply. We are a reliable original manufacturer of vehicle inflators, energy storage equipment and cleaning appliances.

余姚市金楠电器有限公司
Yuyao Jinnan Electrical Appliance Co., Ltd.





搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR

JN-088D

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



产品参数/Product Parameters

产品型号/Model	JN-088D
电池容量/Battery Capacity	6000/8000mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	19mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1


产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



应急启动
Emergency Starting



智能补气
Smart Air Inflation



双屏数显
Dual Digital Display

JN-058D

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



产品参数/Product Parameters

产品型号/Model	JN-058D
电池容量/Battery Capacity	6000/8000mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	19mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI,≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



应急启动
Emergency Starting



智能补气
Smart Air Inflation

JN-8117

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



产品参数/Product Parameters

产品型号/Model	JN-8117
电池容量/Battery Capacity	6000/8000/10000/12000/15200mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



应急启动
Emergency Starting



智能补气
Smart Air Inflation

JN-8116

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



产品参数/Product Parameters

产品型号/Model	JN-8116
电池容量/Battery Capacity	6000/8000/10000/12000/15200mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



普通夹
Ordinary Clamp



智能夹
Anti-reverse Smart Clamp



EVA包
EVA Bag



收纳袋
Storage Bag



充气管
AIR HOSE



充气嘴
Inflation Nozzle



充电线
Charging Cable



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



应急启动
Emergency Starting



智能补气
Smart Air Inflation

JN-8115

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



产品参数/Product Parameters

产品型号/Model	JN-8115
电池容量/Battery Capacity	6000/8000/10000/12000/15200mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



应急启动
Emergency Starting



智能补气
Smart Air Inflation

JN-8103

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



产品参数/Product Parameters

产品型号/Model	JN-8103
电池容量/Battery Capacity	6000/8000/10000/12000mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



应急启动
Emergency Starting



智能补气
Smart Air Inflation

JN-8135

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



产品参数/Product Parameters

产品型号/Model	JN-8135
电池容量/Battery Capacity	6000/8000/10000mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



JN-8113

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



产品参数/Product Parameters

产品型号/Model	JN-8113
电池容量/Battery Capacity	6000/8000/10000mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



JN-8121

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



产品参数/Product Parameters

产品型号/Model	JN-8121
电池容量/Battery Capacity	6000/8000/10000/12000/15200mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI,≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



JN-8122

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



产品参数/Product Parameters

产品型号/Model	JN-8122
电池容量/Battery Capacity	6000/8000mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



JN-8109

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



产品参数/Product Parameters

产品型号/Model	JN-8109
电池容量/Battery Capacity	6000/8000mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



应急启动
Emergency Starting



智能补气
Smart Air Inflation

JN-8112

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



产品参数/Product Parameters

产品型号/Model	JN-8112
电池容量/Battery Capacity	6000/8000/10000/12000/15200mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



普通夹
Ordinary Clamp



智能夹
Anti-reverse Smart Clamp



EVA包
EVA Bag



收纳袋
Storage Bag



充气管
AIR HOSE



充气嘴
Inflation Nozzle



充电线
Charging Cable



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



应急启动
Emergency Starting



智能补气
Smart Air Inflation



双屏数显
Dual Digital Display

JN-015D

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



产品参数/Product Parameters

产品型号/Model	JN-015D
电池容量/Battery Capacity	6000/8000/10000/12000mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI,≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



普通夹
Ordinary Clamp



智能夹
Anti-reverse Smart Clamp



EVA包
EVA Bag



收纳袋
Storage Bag



充气管
AIR HOSE



充气嘴
Inflation Nozzle



充电线
Charging Cable



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



应急启动
Emergency Starting



智能补气
Smart Air Inflation



双屏数显
Dual Digital Display

JN-088D-22G

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



产品参数/Product Parameters

产品型号/Model	JN-088D-22G
电池容量/Battery Capacity	6000/8000/10000/12000mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



JN-089D

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



产品参数/Product Parameters

产品型号/Model	JN-089D
电池容量/Battery Capacity	6000/8000mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	19mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤9min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



应急启动
Emergency Starting



智能补气
Smart Air Inflation

JN-8140

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



产品参数/Product Parameters

产品型号/Model	JN-8140
电池容量/Battery Capacity	6000/8000/10000/12000/15200mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



普通夹
Ordinary Clamp



智能夹
Anti-reverse Smart Clamp



EVA包
EVA Bag



收纳袋
Storage Bag



充气管
AIR HOSE



充气嘴
Inflation Nozzle



充电线
Charging Cable



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



应急启动
Emergency Starting



智能补气
Smart Air Inflation

JN-8147

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



产品参数/Product Parameters

产品型号/Model	JN-8147
电池容量/Battery Capacity	6000/8000/10000mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



普通夹
Ordinary Clamp



智能夹
Anti-reverse Smart Clamp



EVA包
EVA Bag



收纳袋
Storage Bag



充气管
AIR HOSE



充气嘴
Inflation Nozzle



充电线
Charging Cable



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



应急启动
Emergency Starting



智能补气
Smart Air Inflation



双屏数显
Dual Digital Display

JN-8150

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



产品参数/Product Parameters

产品型号/Model	JN-8150
电池容量/Battery Capacity	6000/8000/10000/12000/15200mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



普通夹
Ordinary Clamp



智能夹
Anti-reverse Smart Clamp



EVA包
EVA Bag



收纳袋
Storage Bag



充气管
AIR HOSE



充气嘴
Inflation Nozzle



充电线
Charging Cable



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



应急启动
Emergency Starting



智能补气
Smart Air Inflation

JN-8151

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



产品参数/Product Parameters

产品型号/Model	JN-8151
电池容量/Battery Capacity	6000/8000/10000/12000mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI,≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



JN-8146

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



产品参数/Product Parameters

产品型号/Model	JN-8146
电池容量/Battery Capacity	6000/8000/10000/12000/15200mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



应急启动
Emergency Starting



智能补气
Smart Air Inflation



双屏数显
Dual Digital Display

JN-8114

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR

产品参数/Product Parameters

产品型号/Model	JN-8114
电池容量/Battery Capacity	6000/8000/10000mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



普通夹
Ordinary Clamp



智能夹
Anti-reverse Smart Clamp



EVA包
EVA Bag



收纳袋
Storage Bag



充气管
AIR HOSE



充气嘴
Inflation Nozzle



充电线
Charging Cable



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



应急启动
Emergency Starting



智能补气
Smart Air Inflation



双屏数显
Dual Digital Display

JN-8129

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



产品参数/Product Parameters

产品型号/Model	JN-8129
电池容量/Battery Capacity	6000/8000/10000mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI,≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



应急启动
Emergency Starting



智能补气
Smart Air Inflation



双屏数显
Dual Digital Display

JN-8187

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



产品参数/Product Parameters

产品型号/Model	JN-8187
电池容量/Battery Capacity	6000/8000/10000/12000/15200mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



JN-8193

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



产品参数/Product Parameters

产品型号/Model	JN-8193
电池容量/Battery Capacity	6000/8000/10000/12000/15200mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



JN-8201

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



产品参数/Product Parameters

产品型号/Model	JN-8201
电池容量/Battery Capacity	6000/8000/10000/12000/15200mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



JN-8203

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



产品参数/Product Parameters

产品型号/Model	JN-8203
电池容量/Battery Capacity	6000/8000/10000/12000/15200mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



JN-8208

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



产品参数/Product Parameters

产品型号/Model	JN-8208
电池容量/Battery Capacity	6000/8000/10000/12000/15200mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



JN-8214

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



产品参数/Product Parameters

产品型号/Model	JN-8214
电池容量/Battery Capacity	6000/8000/10000/12000/15200mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



JN-8213

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



产品参数/Product Parameters

产品型号/Model	JN-8214
电池容量/Battery Capacity	6000/8000/10000/12000/15200mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



JN-8209

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



产品参数/Product Parameters

产品型号/Model	JN-8209
电池容量/Battery Capacity	6000/8000/10000/12000/15200mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI,≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



JN-8123

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



产品参数/Product Parameters

产品型号/Model	JN-8123
电池容量/Battery Capacity	6000/8000/10000mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



JN-8216

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



产品参数/Product Parameters

产品型号/Model	JN-8216
电池容量/Battery Capacity	6000/8000/10000/12000/15200mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



JN-8222

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



产品参数/Product Parameters

产品型号/Model	JN-8222
电池容量/Battery Capacity	6000/8000/10000/12000/15200mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



JN-8223

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



产品参数/Product Parameters

产品型号/Model	JN-8223
电池容量/Battery Capacity	6000/8000/10000/12000/15200mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



JN-8224

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



产品参数/Product Parameters

产品型号/Model	JN-8224
电池容量/Battery Capacity	6000/8000/10000/12000/15200mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



JN-8225

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



产品参数/Product Parameters

产品型号/Model	JN-8225
电池容量/Battery Capacity	6000/8000/10000/12000/15200mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI,≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



JN-8226

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



产品参数/Product Parameters

产品型号/Model	JN-8226
电池容量/Battery Capacity	6000/8000/10000/12000/15200mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



应急启动
Emergency Starting



智能补气
Smart Air Inflation



双屏数显
Dual Digital Display

JN-8227

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



产品参数/Product Parameters

产品型号/Model	JN-8227
电池容量/Battery Capacity	6000/8000/10000/12000/15200mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



应急启动
Emergency Starting



智能补气
Smart Air Inflation



双屏数显
Dual Digital Display

JN-8228

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



产品参数/Product Parameters

产品型号/Model	JN-8228
电池容量/Battery Capacity	6000/8000/10000/12000/15200mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



JN-8229

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



产品参数/Product Parameters

产品型号/Model	JN-8229
电池容量/Battery Capacity	6000/8000/10000/12000/15200mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI,≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



JN-8233

搭电充气一体机

JUMP STARTER WITH AIR COMPRESSOR



产品参数/Product Parameters

产品型号/Model	JN-8233
电池容量/Battery Capacity	6000/8000/10000/12000/15200mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22mm
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features





应急电源

JUMP STARTER

JN-8104

应急启动电源

JUMP STARTER



产品参数/Product Parameters

产品型号/Model	JN-8104
电池容量/Battery Capacity	6000/8000mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	/
压力范围/Pressure Range	/
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	/
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	/
单位切换/Unit Switching	/
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



普通夹
Ordinary Clamp



智能夹
Anti-reverse Smart Clamp



EVA包
EVA Bag



收纳袋
Storage Bag



充电线
Charging Cable



应急照明
Emergency Lighting



充电宝
Power Bank



应急启动
Emergency Starting

JN-8148

应急启动电源

JUMP STARTER



普通夹
Ordinary Clamp



智能夹
Anti-reverse Smart Clamp



EVA包
EVA Bag



收纳袋
Storage Bag



充电线
Charging Cable

产品参数/Product Parameters

产品型号/Model	JN-8148
电池容量/Battery Capacity	6000/8000/10000/12000mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	/
压力范围/Pressure Range	/
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	/
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	/
单位切换/Unit Switching	/
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



应急启动
Emergency Starting

JN-8166

应急启动电源

JUMP STARTER



产品参数/Product Parameters

产品型号/Model	JN-8166
电池容量/Battery Capacity	6000/8000/10000/12000mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	/
压力范围/Pressure Range	/
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	/
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	/
单位切换/Unit Switching	/
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



JN-8167

应急启动电源

JUMP STARTER



产品参数/Product Parameters

产品型号/Model	JN-8167
电池容量/Battery Capacity	6000/8000/10000/12000mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	/
压力范围/Pressure Range	/
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	/
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	/
单位切换/Unit Switching	/
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



应急启动
Emergency Starting

JN-8160

应急启动电源

JUMP STARTER



产品参数/Product Parameters

产品型号/Model	JN-8160
电池容量/Battery Capacity	6000/8000/10000/12000mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	/
压力范围/Pressure Range	/
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	/
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	/
单位切换/Unit Switching	/
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



应急启动
Emergency Starting



充气泵
AIR PUMP

JN-088

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-088
电池容量/Battery Capacity	3*1500mah
工作电压/Working Voltage	12V
气缸直径/Cylinder Diameter	19MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V1A
充电电压/Charging Voltage	5V1A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤9min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-058

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-058
电池容量/Battery Capacity	3*1500mah
工作电压/Working Voltage	12V
气缸直径/Cylinder Diameter	19MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V1A
充电电压/Charging Voltage	5V1A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤9min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-015

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-015
电池容量/Battery Capacity	3*2000mah
工作电压/Working Voltage	12V
气缸直径/Cylinder Diameter	22MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V1A
充电电压/Charging Voltage	5V1A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI,≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-8108

便携式充气泵


PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8108
电池容量/Battery Capacity	3*2000mah
工作电压/Working Voltage	12V
气缸直径/Cylinder Diameter	22MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V1A
充电电压/Charging Voltage	5V1A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-8111

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8111
电池容量/Battery Capacity	2*2000mah
工作电压/Working Voltage	7.4V/12V
气缸直径/Cylinder Diameter	19MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V1A
充电电压/Charging Voltage	5V1A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤9min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-8155

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8155
电池容量/Battery Capacity	2*1500mah/2*2000mah
工作电压/Working Voltage	7.4V/12V
气缸直径/Cylinder Diameter	19MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V1A
充电电压/Charging Voltage	5V1A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤9min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection




智能补气
Smart Air Inflation

JN-8156

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8156
电池容量/Battery Capacity	2*1500mah/2*2000mah
工作电压/Working Voltage	7.4V/12V
气缸直径/Cylinder Diameter	19MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V1A
充电电压/Charging Voltage	5V1A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤9min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



JN-8157

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8157
电池容量/Battery Capacity	2*1500mah/2*2000mah
工作电压/Working Voltage	7.4V/12V
气缸直径/Cylinder Diameter	19MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V1A
充电电压/Charging Voltage	5V1A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤9min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-8155-1

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8157-1
电池容量/Battery Capacity	2*1500mah/2*2000mah
工作电压/Working Voltage	7.4V/12V
气缸直径/Cylinder Diameter	19MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V1A
充电电压/Charging Voltage	5V1A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤9min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-8113

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8113
电池容量/Battery Capacity	3*1500mah/3*2000mah
工作电压/Working Voltage	12V
气缸直径/Cylinder Diameter	22MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V1A
充电电压/Charging Voltage	5V1A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-8015

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8015
电池容量/Battery Capacity	2*2000mah
工作电压/Working Voltage	7.4V/12V
气缸直径/Cylinder Diameter	19MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V1A
充电电压/Charging Voltage	5V1A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤9min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection




智能补气
Smart Air Inflation

JN-8219

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8219
电池容量/Battery Capacity	3*2000mah/3*1500mah
工作电压/Working Voltage	12V
气缸直径/Cylinder Diameter	19MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V1A
充电电压/Charging Voltage	5V1A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤9min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



JN-8220

便携式充气泵


PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8220
电池容量/Battery Capacity	2*2000mah/2*1500mah
工作电压/Working Voltage	7.4V/12V
气缸直径/Cylinder Diameter	19MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V1A
充电电压/Charging Voltage	5V1A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤9min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-8131

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8131
电池容量/Battery Capacity	2*2000mah
工作电压/Working Voltage	7.4V/12V
气缸直径/Cylinder Diameter	19MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V1A
充电电压/Charging Voltage	5V1A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤9min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-8130

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8130
电池容量/Battery Capacity	2*2000mah
工作电压/Working Voltage	7.4V/12V
气缸直径/Cylinder Diameter	19MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V1A
充电电压/Charging Voltage	5V1A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤9min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection




智能补气
Smart Air Inflation

JN-8142

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8143
电池容量/Battery Capacity	2*2000mah
工作电压/Working Voltage	7.4V/12V
气缸直径/Cylinder Diameter	19MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V1A
充电电压/Charging Voltage	5V1A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤9min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1


产品特点/Product Features



JN-8170

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8170
电池容量/Battery Capacity	2*2000mah
工作电压/Working Voltage	7.4V/12V
气缸直径/Cylinder Diameter	19MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V1A
充电电压/Charging Voltage	5V1A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤9min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-8060

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8060
电池容量/Battery Capacity	2*2000mah
工作电压/Working Voltage	7.4V/12V
气缸直径/Cylinder Diameter	19MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V1A
充电电压/Charging Voltage	5V1A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤9min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-8010

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8010
电池容量/Battery Capacity	2*2000mah
工作电压/Working Voltage	7.4V/12V
气缸直径/Cylinder Diameter	19MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V1A
充电电压/Charging Voltage	5V1A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤9min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-8185

便携式充气泵


PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8185
电池容量/Battery Capacity	2*2000mah
工作电压/Working Voltage	7.4V/12V
气缸直径/Cylinder Diameter	19MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V1A
充电电压/Charging Voltage	5V1A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤9min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-8207

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8207
电池容量/Battery Capacity	2*2000mah/2*1500mah
工作电压/Working Voltage	7.4V/12V
气缸直径/Cylinder Diameter	19MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V1A
充电电压/Charging Voltage	5V1A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤9min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-8055

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8055
电池容量/Battery Capacity	3*1500mah/2*1500mah
工作电压/Working Voltage	7.4V/12V
气缸直径/Cylinder Diameter	19MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V1A
充电电压/Charging Voltage	5V1A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤9min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-8162

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8162
电池容量/Battery Capacity	3*2000mah/3*1500mah
工作电压/Working Voltage	12V
气缸直径/Cylinder Diameter	22MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V1A
充电电压/Charging Voltage	5V1A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



JN-8163

便携式充气泵


PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8163
电池容量/Battery Capacity	3*2000mah/3*1500mah
工作电压/Working Voltage	12V
气缸直径/Cylinder Diameter	22MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V1A
充电电压/Charging Voltage	5V1A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-8164

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8164
电池容量/Battery Capacity	3*2000mah/3*1500mah
工作电压/Working Voltage	12V
气缸直径/Cylinder Diameter	22MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V1A
充电电压/Charging Voltage	5V1A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-8165

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8165
电池容量/Battery Capacity	3*2000mah/3*1500mah
工作电压/Working Voltage	12V
气缸直径/Cylinder Diameter	22MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V1A
充电电压/Charging Voltage	5V1A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-8168

便携式充气泵


PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8168
电池容量/Battery Capacity	3*2000mah/3*1500mah
工作电压/Working Voltage	12V
气缸直径/Cylinder Diameter	22MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V1A
充电电压/Charging Voltage	5V1A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-8158

便携式充气泵


PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8158
电池容量/Battery Capacity	3*2000mah/3*1500mah
工作电压/Working Voltage	12V
气缸直径/Cylinder Diameter	22MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V1A
充电电压/Charging Voltage	5V1A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



JN-8171

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8171
电池容量/Battery Capacity	3*2000mah/3*1500mah
工作电压/Working Voltage	12V
气缸直径/Cylinder Diameter	22MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V1A
充电电压/Charging Voltage	5V1A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-8172

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8172
电池容量/Battery Capacity	3*2000mah/3*1500mah
工作电压/Working Voltage	12V
气缸直径/Cylinder Diameter	22MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V1A
充电电压/Charging Voltage	5V1A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI,≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-8173

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8173
电池容量/Battery Capacity	3*2000mah/3*1500mah
工作电压/Working Voltage	12V
气缸直径/Cylinder Diameter	22MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V1A
充电电压/Charging Voltage	5V1A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection




智能补气
Smart Air Inflation

JN-8174

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8174
电池容量/Battery Capacity	3*2000mah/3*1500mah
工作电压/Working Voltage	12V
气缸直径/Cylinder Diameter	22MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V1A
充电电压/Charging Voltage	5V1A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection




智能补气
Smart Air Inflation

JN-8196

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8196
电池容量/Battery Capacity	3*2000mah/3*1500mah
工作电压/Working Voltage	12V
气缸直径/Cylinder Diameter	22MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V1A
充电电压/Charging Voltage	5V1A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-8197

便携式充气泵


PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8197
电池容量/Battery Capacity	3*2000mah/3*1500mah
工作电压/Working Voltage	12V
气缸直径/Cylinder Diameter	22MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	/
充电电压/Charging Voltage	5V1A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-8043

便携式充气泵

PORTABLE AIR PUMP



充气管
AIR HOSE



充气嘴
Inflation Nozzle



充电线
Charging Cable

产品参数/Product Parameters

产品型号/Model	JN-8043
电池容量/Battery Capacity	5*1500mah
工作电压/Working Voltage	21V
气缸直径/Cylinder Diameter	22MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	/
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI,≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-8042

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8042
电池容量/Battery Capacity	5*1500mah
工作电压/Working Voltage	21V
气缸直径/Cylinder Diameter	22MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	/
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI,≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-8128

便携式充气泵


PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8128
电池容量/Battery Capacity	3*2000mah
工作电压/Working Voltage	12V
气缸直径/Cylinder Diameter	22MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	/
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-8152

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8152
电池容量/Battery Capacity	/
工作电压/Working Voltage	12V
气缸直径/Cylinder Diameter	22MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	/
充电电压/Charging Voltage	/
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	/
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-8149

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8149
电池容量/Battery Capacity	/
工作电压/Working Voltage	12V
气缸直径/Cylinder Diameter	22MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	/
充电电压/Charging Voltage	/
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	/
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-8145

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8145
电池容量/Battery Capacity	3*2000mah
工作电压/Working Voltage	12V
气缸直径/Cylinder Diameter	22MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5h
充气效率/Inflation Efficiency	195/60 R18,0-36PSI,≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-8012

便携式充气泵


PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8012
电池容量/Battery Capacity	3*2000mah
工作电压/Working Voltage	12V
气缸直径/Cylinder Diameter	22MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	/
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5h
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-6031

便携式充气泵

PORTABLE AIR PUMP



充气嘴
Inflation Nozzle

产品参数/Product Parameters

产品型号/Model	JN-6031
电池容量/Battery Capacity	/
工作电压/Working Voltage	12V
气缸直径/Cylinder Diameter	19MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	/
充电电压/Charging Voltage	/
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5h
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤9min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-8134

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8134
电池容量/Battery Capacity	3*2000mah/3*1500mah
工作电压/Working Voltage	12V
气缸直径/Cylinder Diameter	22MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	/
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	74W
充电时间/Charging Time	4-5h
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤7min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-8009

便携式充气泵

PORTABLE AIR PUMP

产品规格/Product Specifications:

有线指针/Wired Pointer Type

有线数显/Wired Digital Display Type

无线指针/Wireless Pointer Type

无线数显/Wireless Digital Display Type



收纳袋
Storage Bag



充气管
AIR HOSE



充气嘴
Inflation Nozzle



充电线
Charging Cable



车载线
Vehicle-mounted Cable

产品参数/Product Parameters

产品型号/Model	JN-8009
电池容量/Battery Capacity	2*2000mah/2*1500mah
工作电压/Working Voltage	12V/7.4V
气缸直径/Cylinder Diameter	19MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	/
充电电压/Charging Voltage	5V1A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	60W
充电时间/Charging Time	4-5h
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤9min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-8019

便携式充气泵

PORTABLE AIR PUMP

产品规格/Product Specifications:

有线指针/Wired Pointer Type

有线数显/Wired Digital Display Type

无线指针/Wireless Pointer Type

无线数显/Wireless Digital Display Type



产品参数/Product Parameters

产品型号/Model	JN-8019
电池容量/Battery Capacity	3*1500mah
工作电压/Working Voltage	12V
气缸直径/Cylinder Diameter	19MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	/
充电电压/Charging Voltage	5V1A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	70W
充电时间/Charging Time	4-5h
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤9min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-8008

便携式充气泵

PORTABLE AIR PUMP

产品规格/Product Specifications:

有线指针/Wired Pointer Type

有线数显/Wired Digital Display Type

无线指针/Wireless Pointer Type

无线数显/Wireless Digital Display Type



收纳袋
Storage Bag



充气管
AIR HOSE



充气嘴
Inflation Nozzle



充电线
Charging Cable



车载线
Vehicle-mounted Cable

产品参数/Product Parameters

产品型号/Model	JN-8008
电池容量/Battery Capacity	2*2000mah
工作电压/Working Voltage	12V/7.4V
气缸直径/Cylinder Diameter	19MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	/
充电电压/Charging Voltage	5V1A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	60W
充电时间/Charging Time	4-5h
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤9min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation



应急电源充气鼓风一体机

JUMP STARTER INFLATOR AIR BLOWER INTEGRATED MACHINE

JN-8136

应急电源充气泵鼓风机一体机

JUMP STARTER INFLATOR AIR BLOWER INTEGRATED MACHINE



产品参数/Product Parameters

产品型号/Model	JN-8136
电池容量/Battery Capacity	8000mah/10000mah/12000mah/148000mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5h
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤5min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
吸力/Suction	18000pa
鼓风机气流量/High Volume Air Flow	600L/min
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



JN-8192

应急电源充气泵鼓风机一体机

JUMP STARTER INFLATOR AIR BLOWER INTEGRATED MACHINE



产品参数/Product Parameters

产品型号/Model	JN-8192
电池容量/Battery Capacity	8000mah/10000mah/12000mah/148000mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5h
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤5min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm²
吸力/Suction	18000pa
鼓风机气流量/High Volume Air Flow	600L/min
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



鼓风气管
High Volume Air Hose



普通夹
Ordinary Clamp



智能夹
Anti-reverse Smart Clamp



EVA包
EVA Bag



收纳袋
Storage Bag



充气管
AIR HOSE



充气嘴
Inflation Nozzle



充电线
Charging Cable



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



应急启动
Emergency Starting



智能补气
Smart Air Inflation



双屏数显
Dual Digital Display



鼓风吸尘器功能
Blower &
Vacuum Cleaner
Function

JN-8137

应急电源充气泵鼓风机一体机

JUMP STARTER INFLATOR AIR BLOWER INTEGRATED MACHINE



产品参数/Product Parameters

产品型号/Model	JN-8137
电池容量/Battery Capacity	8000mah/10000mah/12000mah/148000mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5h
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤5min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
吸力/Suction	18000pa
鼓风机气流量/High Volume Air Flow	600L/min
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



JN-8210

应急电源充气泵鼓风机一体机

JUMP STARTER INFLATOR AIR BLOWER INTEGRATED MACHINE



产品参数/Product Parameters

产品型号/Model	JN-8210
电池容量/Battery Capacity	8000mah/10000mah/12000mah/148000mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5h
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤5min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
吸力/Suction	18000pa
鼓风机气流量/High Volume Air Flow	600L/min
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



鼓风气管
High Volume Air Hose



普通夹
Ordinary Clamp



智能夹
Anti-reverse Smart Clamp



EVA包
EVA Bag



收纳袋
Storage Bag



充气管
AIR HOSE



充气嘴
Inflation Nozzle



充电线
Charging Cable



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



应急启动
Emergency Starting



智能补气
Smart Air Inflation



双屏数显
Dual Digital Display



鼓风吸尘器功能
Blower &
Vacuum Cleaner
Function

JN-8231

应急电源充气泵鼓风机一体机

JUMP STARTER INFLATOR AIR BLOWER INTEGRATED MACHINE



产品参数/Product Parameters

产品型号/Model	JN-8231
电池容量/Battery Capacity	8000mah/10000mah/12000mah/148000mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	22MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	5V2A
充电电压/Charging Voltage	5V2A
启动电流/Starting Current	300A
峰值电流/Peak Current	1000A
额定功率/Rated Power	74W
充电时间/Charging Time	4-5h
充气效率/Inflation Efficiency	195/60 R18,0-36PSI, ≤5min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
吸力/Suction	4500pa
鼓风机气流量/High Volume Air Flow	50L/min
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



鼓风气管
High Volume Air Hose



普通夹
Ordinary Clamp



智能夹
Anti-reverse Smart Clamp



EVA包
EVA Bag



收纳袋
Storage Bag



充气管
AIR HOSE



充气嘴
Inflation Nozzle



充电线
Charging Cable



应急照明
Emergency Lighting



充电宝
Power Bank



检测胎压
Tire Pressure Detection



应急启动
Emergency Starting



智能补气
Smart Air Inflation



双屏数显
Dual Digital Display



鼓风吸尘器功能
Blower &
Vacuum Cleaner
Function



吸尘器
VACUUM CLEANER

JN-8028

车载吸尘器

CAR VACUUM CLEANER



产品参数/Product Parameters

产品型号/Model	有刷/Brush	无刷/Brushless
电池容量/Battery Capacity	2*2000mah	
工作电压/Working Voltage	7.4V	
档位/Gear Position	1	2
吸力/Suction	4500pa	12000pa
放电时间/Work Time	20min	15min
充电电压/Charging Voltage	5V2A	
供电方式/Power supply	USB	
尘仓容量/Dust bin	150ml	
额定功率/Rated Power	60W	
充电时间/Charging Time	4-5h	
工作电流/Operating Current	7A	
单位切换/Unit Switching	/	
产品尺寸/Product Dimensions	1	
产品重量/Product Net Weight	1	
彩盒尺寸/Color Box Dimensions	1	
彩盒重量/Color Box Weight	1	
外箱尺寸/Outer Carton Dimensions	1	
装箱重量/Carton Gross Weight	1	

产品特点/Product Features



高效过滤
High Efficiency
Filtration



家车两用
Car&Home Dual Use



吹吸抽一体
Suction, Blow and
Air extraction Function



可水洗海帕
Washable HEPA

JN-8036

车载吸尘器

CAR VACUUM CLEANER



产品参数/Product Parameters

产品型号/Model	有刷/Brush	无刷/Brushless
电池容量/Battery Capacity	5*1500mah	
工作电压/Working Voltage	18.5V	
档位/Gear Position	1	3
吸力/Suction	7000pa	18000pa
放电时间/Work Time	20min	15min
充电电压/Charging Voltage	5V2A	
供电方式/Power supply	USB	
尘仓容量/Dust bin	200ml	
额定功率/Rated Power	120W	
充电时间/Charging Time	4-5h	
工作电流/Operating Current	7A	
单位切换/Unit Switching	/	
产品尺寸/Product Dimensions	1	
产品重量/Product Net Weight	1	
彩盒尺寸/Color Box Dimensions	1	
彩盒重量/Color Box Weight	1	
外箱尺寸/Outer Carton Dimensions	1	
装箱重量/Carton Gross Weight	1	

产品特点/Product Features



高效过滤
High Efficiency
Filtration



家车两用
Car&Home Dual Use



吹吸抽一体
Suction, Blow and
Air extraction Function



可水洗海帕
Washable HEPA

JN-8101

车载吸尘器

CAR VACUUM CLEANER



产品参数/Product Parameters

产品型号/Model	有刷/Brush	无刷/Brushless
电池容量/Battery Capacity	2*2000mah	
工作电压/Working Voltage	7.4V	
档位/Gear Position	1	2
吸力/Suction	4500pa	12000pa
放电时间/Work Time	20min	15min
充电电压/Charging Voltage	5V2A	
供电方式/Power supply	USB	
尘仓容量/Dust bin	150ml	
额定功率/Rated Power	60W	
充电时间/Charging Time	4-5h	
工作电流/Operating Current	7A	
单位切换/Unit Switching	/	
产品尺寸/Product Dimensions	1	
产品重量/Product Net Weight	1	
彩盒尺寸/Color Box Dimensions	1	
彩盒重量/Color Box Weight	1	
外箱尺寸/Outer Carton Dimensions	1	
装箱重量/Carton Gross Weight	1	

产品特点/Product Features



高效过滤
High Efficiency
Filtration



家车两用
Car&Home Dual Use



吹吸抽一体
Suction, Blow and
Air extraction Function



可水洗海帕
Washable HEPA

JN-8119

车载吸尘器

CAR VACUUM CLEANER



产品参数/Product Parameters

产品型号/Model	有刷/Brush	无刷/Brushless
电池容量/Battery Capacity	3*2000mah	
工作电压/Working Voltage	7.4V	
档位/Gear Position	1	3
吸力/Suction	7000pa	18000pa
放电时间/Work Time	25min	20min
充电电压/Charging Voltage	5V2A	
供电方式/Power supply	USB	
尘仓容量/Dust bin	200ml	
额定功率/Rated Power	80W	
充电时间/Charging Time	4-5h	
工作电流/Operating Current	7A	
单位切换/Unit Switching	/	
产品尺寸/Product Dimensions	1	
产品重量/Product Net Weight	1	
彩盒尺寸/Color Box Dimensions	1	
彩盒重量/Color Box Weight	1	
外箱尺寸/Outer Carton Dimensions	1	
装箱重量/Carton Gross Weight	1	

产品特点/Product Features



高效过滤
High Efficiency
Filtration



家车两用
Car&Home Dual Use



吹吸抽一体
Suction, Blow and
Air extraction Function



可水洗海帕
Washable HEPA



电量显示
Battery display



全包围涡轮风叶
All surrounding
turbine blades

JN-8035

车载吸尘器

CAR VACUUM CLEANER



产品参数/Product Parameters

产品型号/Model	有刷/Brush	无刷/Brushless
电池容量/Battery Capacity	2*2000mah	
工作电压/Working Voltage	7.4V	
档位/Gear Position	1	2
吸力/Suction	4500pa	12000pa
放电时间/Work Time	20min	15min
充电电压/Charging Voltage	5V2A	
供电方式/Power supply	USB	
尘仓容量/Dust bin	200ml	
额定功率/Rated Power	60W	
充电时间/Charging Time	4-5h	
工作电流/Operating Current	7A	
单位切换/Unit Switching	/	
产品尺寸/Product Dimensions	1	
产品重量/Product Net Weight	1	
彩盒尺寸/Color Box Dimensions	1	
彩盒重量/Color Box Weight	1	
外箱尺寸/Outer Carton Dimensions	1	
装箱重量/Carton Gross Weight	1	

产品特点/Product Features



高效过滤
High Efficiency
Filtration



家车两用
Car&Home Dual Use



吹吸抽一体
Suction, Blow and
Air extraction Function



可水洗海帕
Washable HEPA

JN-8169

车载吸尘器

CAR VACUUM CLEANER



多功能配件
Multi-function air nozzle



充电线
USB

产品参数/Product Parameters

产品型号/Model	有刷/Brush
电池容量/Battery Capacity	5*1500mah
工作电压/Working Voltage	18.5V
档位/Gear Position	1
吸力/Suction	7000pa
放电时间/Work Time	30min
充电电压/Charging Voltage	5V2A
供电方式/Power supply	USB
尘仓容量/Dust bin	600ml
额定功率/Rated Power	100W
充电时间/Charging Time	4-5h
工作电流/Operating Current	7A
单位切换/Unit Switching	/
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



高效过滤
High Efficiency
Filtration



家车两用
Car&Home Dual Use



吹吸抽一体
Suction, Blow and
Air extraction Function



可水洗海帕
Washable HEPA



应急照明
Emergency Lighting

JN-8191

车载吸尘器

CAR VACUUM CLEANER



多功能配件
Multi-function air nozzle



充电线
USB

产品参数/Product Parameters

产品型号/Model	无刷/Brushless
电池容量/Battery Capacity	3*2000mah
工作电压/Working Voltage	12V
档位/Gear Position	3
吸力/Suction	18000pa
放电时间/Work Time	25min
充电电压/Charging Voltage	5V2A
供电方式/Power supply	USB
尘仓容量/Dust bin	300ml
额定功率/Rated Power	10W
充电时间/Charging Time	4-5h
工作电流/Operating Current	10A
单位切换/Unit Switching	/
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



高效过滤
High Efficiency
Filtration



家车两用
Car&Home Dual Use



吹吸抽一体
Suction, Blow and
Air extraction Function



可水洗海帕
Washable HEPA



电量显示
Battery display



全包围涡轮风叶
All surrounding
turbine blades



应急照明
Emergency Lighting

JN-8195

车载吸尘器

CAR VACUUM CLEANER



多功能配件
Multi-function air nozzle



充电线
USB

产品参数/Product Parameters

产品型号/Model	无刷/Brushless
电池容量/Battery Capacity	3*2000mah
工作电压/Working Voltage	12V
档位/Gear Position	3
吸力/Suction	18000pa
放电时间/Work Time	25min
充电电压/Charging Voltage	5V2A
供电方式/Power supply	USB
尘仓容量/Dust bin	300ml
额定功率/Rated Power	100W
充电时间/Charging Time	4-5h
工作电流/Operating Current	10A
单位切换/Unit Switching	/
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



高效过滤
High Efficiency
Filtration



家车两用

Car&Home Dual Use



吹吸抽一体

Suction, Blow and
Air extraction Function



可水洗海帕
Washable HEPA



电量显示
Battery display



全包围涡轮风叶
All surrounding
turbine blades



应急照明
Emergency Lighting

JN-8196

车载吸尘器

CAR VACUUM CLEANER



多功能配件
Multi-function air nozzle



充电线
USB

产品参数/Product Parameters

产品型号/Model	无刷/Brushless
电池容量/Battery Capacity	3*2000mah
工作电压/Working Voltage	12V
档位/Gear Position	3
吸力/Suction	18000pa
放电时间/Work Time	25min
充电电压/Charging Voltage	5V2A
供电方式/Power supply	USB
尘仓容量/Dust bin	300ml
额定功率/Rated Power	100W
充电时间/Charging Time	4-5h
工作电流/Operating Current	10A
单位切换/Unit Switching	/
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features

高效过滤 High Efficiency Filtration	家车两用 Car&Home Dual Use	吹吸抽一体 Suction, Blow and Air extraction Function	可水洗海帕 Washable HEPA	电量显示 Battery display	全包围涡轮风叶 All surrounding turbine blades	应急照明 Emergency Lighting

JN-8200

车载吸尘器

CAR VACUUM CLEANER



多功能配件
Multi-function air nozzle



充电线
USB

产品参数/Product Parameters

产品型号/Model	无刷/Brushless
电池容量/Battery Capacity	5*1500mah
工作电压/Working Voltage	21V
档位/Gear Position	3
吸力/Suction	18000pa
放电时间/Work Time	25min
充电电压/Charging Voltage	5V2A
供电方式/Power supply	USB
尘仓容量/Dust bin	300ml
额定功率/Rated Power	100W
充电时间/Charging Time	4-5h
工作电流/Operating Current	10A
单位切换/Unit Switching	/
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



高效过滤
High Efficiency
Filtration



家车两用
Car&Home Dual Use



吹吸抽一体
Suction, Blow and
Air extraction Function



可水洗海帕
Washable HEPA



电量显示
Battery display



全包围涡轮风叶
All surrounding
turbine blades



应急照明
Emergency Lighting

JN-8202

车载吸尘器

CAR VACUUM CLEANER



多功能配件
Multi-function air nozzle



充电线
USB

产品参数/Product Parameters

产品型号/Model	无刷/Brushless
电池容量/Battery Capacity	3*2000mah
工作电压/Working Voltage	12V
档位/Gear Position	3
吸力/Suction	18000pa
放电时间/Work Time	25min
充电电压/Charging Voltage	5V2A
供电方式/Power supply	USB
尘仓容量/Dust bin	500ml
额定功率/Rated Power	100W
充电时间/Charging Time	4-5h
工作电流/Operating Current	10A
单位切换/Unit Switching	/
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



高效过滤
High Efficiency
Filtration



家车两用
Car&Home Dual Use



吹吸抽一体
Suction, Blow and
Air extraction Function



可水洗海帕
Washable HEPA



电量显示
Battery display



全包围涡轮风叶
All surrounding
turbine blades



应急照明
Emergency Lighting

JN-8204

车载吸尘器

CAR VACUUM CLEANER



产品参数/Product Parameters

产品型号/Model	有刷/Brush
电池容量/Battery Capacity	4*1500mah/3*2000mah
工作电压/Working Voltage	12V
档位/Gear Position	3
吸力/Suction	8000pa
放电时间/Work Time	30min
充电电压/Charging Voltage	5V2A
供电方式/Power supply	USB
尘仓容量/Dust bin	500ml
额定功率/Rated Power	100W
充电时间/Charging Time	4-5h
工作电流/Operating Current	10A
单位切换/Unit Switching	/
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



高效过滤
High Efficiency
Filtration



家车两用
Car&Home Dual Use



吹吸抽一体
Suction, Blow and
Air extraction Function



电量显示
Battery display



全包围涡轮风叶
All surrounding
turbine blades



应急照明
Emergency Lighting

JN-8030

车载吸尘器

CAR VACUUM CLEANER



多功能配件
Multi-function air nozzle



充电线
USB

产品参数/Product Parameters

产品型号/Model	车载/Vehicle-mounted	充电/Rechargeable
电池容量/Battery Capacity	/	2*1500mah
工作电压/Working Voltage	12V	7.4V
档位/Gear Position	1	1
吸力/Suction	4500pa	
放电时间/Work Time	/	15min
充电电压/Charging Voltage	5V1A	
供电方式/Power supply	DC power cord	USB
尘仓容量/Dust bin	500ml	
额定功率/Rated Power	100W	60W
充电时间/Charging Time	/	4-5h
工作电流/Operating Current	7A	
单位切换/Unit Switching	/	
产品尺寸/Product Dimensions	1	
产品重量/Product Net Weight	1	
彩盒尺寸/Color Box Dimensions	1	
彩盒重量/Color Box Weight	1	
外箱尺寸/Outer Carton Dimensions	1	
装箱重量/Carton Gross Weight	1	

产品特点/Product Features



高效过滤
High Efficiency
Filtration



家车两用
Car&Home Dual Use



可水洗海帕
Washable HEPA

JN-8023

车载吸尘器

CAR VACUUM CLEANER



多功能配件
Multi-function air nozzle



充电线
USB

产品参数/Product Parameters

产品型号/Model	车载/Vehicle-mounted	充电/Rechargeable
电池容量/Battery Capacity	/	2*1500mah
工作电压/Working Voltage	12V	7.4V
档位/Gear Position	1	1
吸力/Suction	4500pa	
放电时间/Work Time	/	15min
充电电压/Charging Voltage	5V1A	
供电方式/Power supply	DC power cord	USB
尘仓容量/Dust bin	500ml	
额定功率/Rated Power	100W	60W
充电时间/Charging Time	/	4-5h
工作电流/Operating Current	7A	
单位切换/Unit Switching	/	
产品尺寸/Product Dimensions	1	
产品重量/Product Net Weight	1	
彩盒尺寸/Color Box Dimensions	1	
彩盒重量/Color Box Weight	1	
外箱尺寸/Outer Carton Dimensions	1	
装箱重量/Carton Gross Weight	1	

产品特点/Product Features



高效过滤
High Efficiency
Filtration



家车两用
Car&Home Dual Use



可水洗海帕
Washable HEPA

JN-8110

车载吸尘器

CAR VACUUM CLEANER



多功能配件
Multi-function air nozzle



充电线
USB

产品参数/Product Parameters

产品型号/Model	车载/Vehicle-mounted	充电/Rechargeable
电池容量/Battery Capacity	/	3*2000mah
工作电压/Working Voltage	12V	12V
档位/Gear Position	1	1
吸力/Suction	7000pa	
放电时间/Work Time	/	20min
充电电压/Charging Voltage	5V1A	
供电方式/Power supply	DC power cord	USB
尘仓容量/Dust bin	500ml	
额定功率/Rated Power	100W	100W
充电时间/Charging Time	/	4-5h
工作电流/Operating Current	7A	
单位切换/Unit Switching	/	
产品尺寸/Product Dimensions	1	
产品重量/Product Net Weight	1	
彩盒尺寸/Color Box Dimensions	1	
彩盒重量/Color Box Weight	1	
外箱尺寸/Outer Carton Dimensions	1	
装箱重量/Carton Gross Weight	1	

产品特点/Product Features



高效过滤
High Efficiency
Filtration



家车两用
Car&Home Dual Use



可水洗海帕
Washable HEPA

JN-8153

车载吸尘器

CAR VACUUM CLEANER



多功能配件
Multi-function air nozzle



充电线
USB

产品参数/Product Parameters

产品型号/Model	车载/Vehicle-mounted	充电/Rechargeable
电池容量/Battery Capacity	/	3*2000mah
工作电压/Working Voltage	12V	12V
档位/Gear Position	1	1
吸力/Suction	7000pa	
放电时间/Work Time	/	20min
充电电压/Charging Voltage	5V1A	
供电方式/Power supply	DC power cord	USB
尘仓容量/Dust bin	500ml	
额定功率/Rated Power	100W	100W
充电时间/Charging Time	/	4-5h
工作电流/Operating Current	7A	
单位切换/Unit Switching	/	
产品尺寸/Product Dimensions	1	
产品重量/Product Net Weight	1	
彩盒尺寸/Color Box Dimensions	1	
彩盒重量/Color Box Weight	1	
外箱尺寸/Outer Carton Dimensions	1	
装箱重量/Carton Gross Weight	1	

产品特点/Product Features



高效过滤
High Efficiency
Filtration



家车两用
Car&Home Dual Use



可水洗海帕
Washable HEPA

JN-0217

车载吸尘器

CAR VACUUM CLEANER



多功能配件
Multi-function air nozzle



充电线
USB

产品参数/Product Parameters

产品型号/Model	有刷/Brush	无刷/Brushless
电池容量/Battery Capacity	2*2000mah/3*2000mah	
工作电压/Working Voltage	7.4V/12V	
档位/Gear Position	1	2
吸力/Suction	6000pa	12000pa
放电时间/Work Time	25min	20min
充电电压/Charging Voltage	5V2A	
供电方式/Power supply	USB	
尘仓容量/Dust bin	300ml	
额定功率/Rated Power	100W	
充电时间/Charging Time	4-5h	
工作电流/Operating Current	10A	
单位切换/Unit Switching	/	
产品尺寸/Product Dimensions	1	
产品重量/Product Net Weight	1	
彩盒尺寸/Color Box Dimensions	1	
彩盒重量/Color Box Weight	1	
外箱尺寸/Outer Carton Dimensions	1	
装箱重量/Carton Gross Weight	1	

产品特点/Product Features



高效过滤
High Efficiency
Filtration



家车两用
Car&Home Dual Use



可水洗海帕
Washable HEPA

JN-8029

车载吸尘器

CAR VACUUM CLEANER



多功能配件
Multi-function air nozzle



充电线
USB

产品参数/Product Parameters

产品型号/Model	无刷/Brushless
电池容量/Battery Capacity	2*2000mah
工作电压/Working Voltage	7.4V
档位/Gear Position	2
吸力/Suction	12000pa
放电时间/Work Time	20min
充电电压/Charging Voltage	5V2A
供电方式/Power supply	USB
尘仓容量/Dust bin	200ml
额定功率/Rated Power	60W
充电时间/Charging Time	4-5h
工作电流/Operating Current	7A
单位切换/Unit Switching	/
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



高效过滤
High Efficiency
Filtration



家车两用
Car&Home Dual Use



吹吸抽一体
Suction, Blow and
Air extraction Function



可水洗海帕
Washable HEPA



自行车泵
BICYCLE PUMP

JN-8143

自行车充气泵

BICYCLE PUMP



产品参数/Product Parameters

产品型号/Model	JN-8143
电池容量/Battery Capacity	2*2000mah
工作电压/Working Voltage	7.4V
气缸直径/Cylinder Diameter	14MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	/
充电电压/Charging Voltage	5V1A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	60W
充电时间/Charging Time	4-5h
充气效率/Inflation Efficiency	700*28C 0~60PSI, ≤2min
单位切换/Unit Switching	BAR-PSI
产品尺寸/Product Dimensions	10.8*6.7*4 cm
产品重量/Product Net Weight	395g±3g
彩盒尺寸/Color Box Dimensions	13.5*12.4*4.5*cm
彩盒重量/Color Box Weight	540g±5g
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



收纳袋
Storage Bag



充气管
AIR HOSE



充气嘴
Inflation Nozzle



充电线
Charging Cable



应急照明
Emergency Lighting



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-8182

自行车充气泵

BICYCLE PUMP



产品参数/Product Parameters

产品型号/Model	JN-8182
电池容量/Battery Capacity	2*480mah
工作电压/Working Voltage	7.4V
气缸直径/Cylinder Diameter	14MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	/
充电电压/Charging Voltage	5V0.5A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	60W
充电时间/Charging Time	4-5h
充气效率/Inflation Efficiency	700x23c, 0~120PSI, ≤3min
单位切换/Unit Switching	BAR-PSI
产品尺寸/Product Dimensions	/
产品重量/Product Net Weight	/
彩盒尺寸/Color Box Dimensions	/
彩盒重量/Color Box Weight	/
外箱尺寸/Outer Carton Dimensions	/
装箱重量/Carton Gross Weight	/

产品特点/Product Features



收纳袋
Storage Bag



充气管
AIR HOSE



充气嘴
Inflation Nozzle



充电线
Charging Cable



应急照明
Emergency Lighting



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-8183

自行车充气泵

BICYCLE PUMP



产品参数/Product Parameters

产品型号/Model	JN-8183
电池容量/Battery Capacity	2*480mah
工作电压/Working Voltage	7.4V
气缸直径/Cylinder Diameter	14MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	/
充电电压/Charging Voltage	5V0.5A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	60W
充电时间/Charging Time	4-5h
充气效率/Inflation Efficiency	700x23c, 0~120PSI, ≤3min
单位切换/Unit Switching	BAR-PSI
产品尺寸/Product Dimensions	/
产品重量/Product Net Weight	/
彩盒尺寸/Color Box Dimensions	/
彩盒重量/Color Box Weight	/
外箱尺寸/Outer Carton Dimensions	/
装箱重量/Carton Gross Weight	/

产品特点/Product Features



收纳袋
Storage Bag



充气管
AIR HOSE



充气嘴
Inflation Nozzle



充电线
Charging Cable



应急照明
Emergency Lighting



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-8184

自行车充气泵

BICYCLE PUMP



产品参数/Product Parameters

产品型号/Model	JN-8184
电池容量/Battery Capacity	2*480mah
工作电压/Working Voltage	7.4V
气缸直径/Cylinder Diameter	14MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
USB输出/USB Output	/
充电电压/Charging Voltage	5V0.5A
启动电流/Starting Current	/
峰值电流/Peak Current	/
额定功率/Rated Power	60W
充电时间/Charging Time	4-5h
充气效率/Inflation Efficiency	700x23c, 0~120PSI, ≤3min
单位切换/Unit Switching	BAR-PSI
产品尺寸/Product Dimensions	/
产品重量/Product Net Weight	/
彩盒尺寸/Color Box Dimensions	/
彩盒重量/Color Box Weight	/
外箱尺寸/Outer Carton Dimensions	/
装箱重量/Carton Gross Weight	/

产品特点/Product Features



收纳袋
Storage Bag



充气管
AIR HOSE



充气嘴
Inflation Nozzle



充电线
Charging Cable



应急照明
Emergency Lighting



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation




SUP充气泵
SUP AIR PUMP

JN-8138

桨板泵

SUP PUMP



产品参数/Product Parameters

产品型号/Model	JN-8138
电池容量/Battery Capacity	2500*4mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	35mm
压力范围/Pressure Range	3-50PSI
版本/Version	车载数显/Corded Digital display 充电数显/Cordless Digital display
充电电压/Charging Voltage	5V2A
气流量/Air Flow	Low pressure stage: 320 L/Min High pressure stage: 70 L/Min
压力单位/Pressure Unit	PSI,BAR
额定功率/Rated Power	150W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI,3min Around 10' (From 0-15psi)
单位切换/Unit Switching	BAR-PSI
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充放两用
Inflate & Deflate
Dual Use



检测胎压
Tire Pressure Detection



车充两用
Corded & Cordless
Dual use



智能补气
Smart Air Inflation




双屏数显
Dual Digital Display

JN-8178

桨板泵

SUP PUMP



产品参数/Product Parameters

产品型号/Model	JN-8178
电池容量/Battery Capacity	2500*4mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	43mm
压力范围/Pressure Range	3-50PSI
版本/Version	车载数显/Corded Digital display 充电数显/Cordless Digital display
充电电压/Charging Voltage	5V2A
气流量/Air Flow	Low pressure stage: 320 L/Min High pressure stage: 70 L/Min
压力单位/Pressure Unit	PSI,BAR
额定功率/Rated Power	150W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI,3min Around 10' (From 0-15psi)
单位切换/Unit Switching	BAR-PSI
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1


产品特点/Product Features



JN-8176

桨板泵

SUP PUMP



产品参数/Product Parameters

产品型号/Model	JN-8176
电池容量/Battery Capacity	2500*4mah
工作电压/Working Voltage	14.8V
气缸直径/Cylinder Diameter	43mm
压力范围/Pressure Range	3-50PSI
版本/Version	车载数显/Corded Digital display 充电数显/Cordless Digital display
充电电压/Charging Voltage	5V2A
气流量/Air Flow	Low pressure stage: 320 L/Min High pressure stage: 70 L/Min
压力单位/Pressure Unit	PSI,BAR
额定功率/Rated Power	150W
充电时间/Charging Time	4-5H
充气效率/Inflation Efficiency	195/60 R18,0-36PSI,3min Around 10' (From 0-15psi)
单位切换/Unit Switching	BAR-PSI
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



充放两用
Inflate & Deflate
Dual Use



检测胎压
Tire Pressure Detection



车充两用
Corded & Cordless
Dual use



智能补气
Smart Air Inflation



双屏数显
Dual Digital Display



球泵
BALL PUMP

JN-001

球泵

BALL PUMP



气嘴配件
Air Nozzle



TYPE-C 线
TYPE-C Cord



气管
Air Hose



收纳袋
Storage Bag

产品参数/Product Parameters

产品型号/Model	JN-001
电池容量/Battery Capacity	2000*1mah
工作电压/Working Voltage	3.7V
气缸直径/Cylinder Diameter	14mm
压力范围/Pressure Range	15PSI
版本/Version	充电数显/Cordless Digital display
充电电压/Charging Voltage	5V1A
气流量/Air Flow	15L/Min
压力单位/Pressure Unit	PSI
额定功率/Rated Power	15W
充电时间/Charging Time	2-3H
充气效率/Inflation Efficiency	Around 2' (balls #7)
单位切换/Unit Switching	PSI
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



预设压力
Preset Pressure



双屏数显
Dual Digital Display



胎压记忆功能
Tire Pressure
Memory Function

JN-002

球泵

BALL PUMP



气嘴配件
Air Nozzle



TYPE-C 线
TYPE-C Cord



气管
Air Hose



收纳袋
Storage Bag

产品参数/Product Parameters

产品型号/Model	JN-002
电池容量/Battery Capacity	2000*1mah
工作电压/Working Voltage	3.7V
气缸直径/Cylinder Diameter	14mm
压力范围/Pressure Range	15PSI
版本/Version	充电数显/Cordless Digital display
充电电压/Charging Voltage	5V1A
气流量/Air Flow	15L/Min
压力单位/Pressure Unit	PSI
额定功率/Rated Power	15W
充电时间/Charging Time	2-3H
充气效率/Inflation Efficiency	Around 2' (balls #7)
单位切换/Unit Switching	PSI
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



预设压力
Preset Pressure



双屏数显
Dual Digital Display



胎压记忆功能
Tire Pressure
Memory Function



车载充气泵

CAR AIR PUMP

JN-8124

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8124
额定电流/Rated current	15A
工作电压/Working Voltage	12V
气缸直径/Cylinder Diameter	30MM+30MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
使用方式/Mode of use	点烟器 / Cigarette lighter
充电电压/Charging Voltage	/
气缸材质/Cylinder material	金属/metal
峰值电流/Peak Current	/
额定功率/Rated Power	180W
充电时间/Charging Time	/
充气效率/Inflation Efficiency	195/60 R18,0-36PSI,3min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-8024

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8024
额定电流/Rated current	15A
工作电压/Working Voltage	12V
气缸直径/Cylinder Diameter	30MM+30MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
使用方式/Mode of use	点烟器 / Cigarette lighter
充电电压/Charging Voltage	/
气缸材质/Cylinder material	耐高温尼龙塑料/High temperature resistant nylon plastic
峰值电流/Peak Current	/
额定功率/Rated Power	180W
充电时间/Charging Time	/
充气效率/Inflation Efficiency	195/60 R18,0-36PSI,3min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-8024

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8024
额定电流/Rated current	15A
工作电压/Working Voltage	12V
气缸直径/Cylinder Diameter	30MM+30MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
使用方式/Mode of use	点烟器 / Cigarette lighter
充电电压/Charging Voltage	/
气缸材质/Cylinder material	耐高温尼龙塑料/High temperature resistant nylon plastic
峰值电流/Peak Current	/
额定功率/Rated Power	180W
充电时间/Charging Time	/
充气效率/Inflation Efficiency	195/60 R18,0-36PSI,3min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-6001

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-6001
额定电流/Rated current	15A
工作电压/Working Voltage	12V
气缸直径/Cylinder Diameter	30MM+30MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
使用方式/Mode of use	点烟器 / Cigarette lighter
充电电压/Charging Voltage	/
气缸材质/Cylinder material	金属/metal
峰值电流/Peak Current	/
额定功率/Rated Power	180W
充电时间/Charging Time	/
充气效率/Inflation Efficiency	195/60 R18,0-36PSI,3min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-6003

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-6003
额定电流/Rated current	15A
工作电压/Working Voltage	12V
气缸直径/Cylinder Diameter	30MM+30MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
使用方式/Mode of use	点烟器 / Cigarette lighter
充电电压/Charging Voltage	/
气缸材质/Cylinder material	金属/metal
峰值电流/Peak Current	/
额定功率/Rated Power	180W
充电时间/Charging Time	/
充气效率/Inflation Efficiency	195/60 R18,0-36PSI,3min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-6003

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-6003
额定电流/Rated current	15A
工作电压/Working Voltage	12V
气缸直径/Cylinder Diameter	30MM+30MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
使用方式/Mode of use	点烟器 / Cigarette lighter
充电电压/Charging Voltage	/
气缸材质/Cylinder material	金属/metal
峰值电流/Peak Current	/
额定功率/Rated Power	180W
充电时间/Charging Time	/
充气效率/Inflation Efficiency	195/60 R18,0-36PSI,3min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



应急照明
Emergency Lighting



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-6007

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-6007
额定电流/Rated current	15A
工作电压/Working Voltage	12V
气缸直径/Cylinder Diameter	30MM+30MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
使用方式/Mode of use	点烟器 / Cigarette lighter
充电电压/Charging Voltage	/
气缸材质/Cylinder material	金属/metal
峰值电流/Peak Current	/
额定功率/Rated Power	180W
充电时间/Charging Time	/
充气效率/Inflation Efficiency	195/60 R18,0-36PSI,3min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-6022

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-6022
额定电流/Rated current	15A
工作电压/Working Voltage	220V /110V
气缸直径/Cylinder Diameter	30MM+30MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
使用方式/Mode of use	家用取电/Home power collection
充电电压/Charging Voltage	/
气缸材质/Cylinder material	金属/metal
峰值电流/Peak Current	/
额定功率/Rated Power	180W
充电时间/Charging Time	/
充气效率/Inflation Efficiency	195/60 R18,0-36PSI,3min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-6023

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-6023
额定电流/Rated current	15A
工作电压/Working Voltage	220V /110V
气缸直径/Cylinder Diameter	30MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
使用方式/Mode of use	家用取电/Home power collection
充电电压/Charging Voltage	/
气缸材质/Cylinder material	金属/metal
峰值电流/Peak Current	/
额定功率/Rated Power	180W
充电时间/Charging Time	/
充气效率/Inflation Efficiency	195/60 R18,0-36PSI,3min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-6033

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-6033
额定电流/Rated current	10A
工作电压/Working Voltage	12V
气缸直径/Cylinder Diameter	30MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
使用方式/Mode of use	点烟器 / Cigarette lighter
充电电压/Charging Voltage	/
气缸材质/Cylinder material	金属/metal
峰值电流/Peak Current	/
额定功率/Rated Power	120W
充电时间/Charging Time	/
充气效率/Inflation Efficiency	195/60 R18,0-36PSI,4min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-6032

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-6032
额定电流/Rated current	10A
工作电压/Working Voltage	12V
气缸直径/Cylinder Diameter	30MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
使用方式/Mode of use	点烟器 / Cigarette lighter
充电电压/Charging Voltage	/
气缸材质/Cylinder material	金属/metal
峰值电流/Peak Current	/
额定功率/Rated Power	150W
充电时间/Charging Time	/
充气效率/Inflation Efficiency	195/60 R18,0-36PSI,4min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-6099

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-6099
额定电流/Rated current	50A
工作电压/Working Voltage	12V
气缸直径/Cylinder Diameter	45MM+45MM/60MM+60MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
使用方式/Mode of use	汽车电瓶取电/ car battery power take-off
充电电压/Charging Voltage	/
气缸材质/Cylinder material	金属/metal
峰值电流/Peak Current	/
额定功率/Rated Power	720W
充电时间/Charging Time	/
充气效率/Inflation Efficiency	195/60 R18,0-36PSI,3min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-6088

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-6088
额定电流/Rated current	30A
工作电压/Working Voltage	12V
气缸直径/Cylinder Diameter	45MM/60MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
使用方式/Mode of use	汽车电瓶取电/ car battery power take-off
充电电压/Charging Voltage	/
气缸材质/Cylinder material	金属/metal
峰值电流/Peak Current	/
额定功率/Rated Power	360W
充电时间/Charging Time	/
充气效率/Inflation Efficiency	195/60 R18,0-36PSI,3min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation

JN-8186

便携式充气泵

PORTABLE AIR PUMP



产品参数/Product Parameters

产品型号/Model	JN-8186
额定电流/Rated current	30A
工作电压/Working Voltage	12V
气缸直径/Cylinder Diameter	45MM/60MM
压力范围/Pressure Range	0.3-10.5BAR/3-150PSI
使用方式/Mode of use	汽车电瓶取电/ car battery power take-off
充电电压/Charging Voltage	/
气缸材质/Cylinder material	金属/metal
峰值电流/Peak Current	/
额定功率/Rated Power	360W
充电时间/Charging Time	/
充气效率/Inflation Efficiency	195/60 R18,0-36PSI,3min
单位切换/Unit Switching	BAR-PSI-KPA-Kg/cm ²
产品尺寸/Product Dimensions	1
产品重量/Product Net Weight	1
彩盒尺寸/Color Box Dimensions	1
彩盒重量/Color Box Weight	1
外箱尺寸/Outer Carton Dimensions	1
装箱重量/Carton Gross Weight	1

产品特点/Product Features



检测胎压
Tire Pressure Detection



智能补气
Smart Air Inflation