

20W/30W/45W

Super Mini Size GaN Quick Charger

Matte
PC Fireproof



US

Foldable US Pin Size: L33.5*W33.5*H33.5mm

GaN 20W QC&PD 2 Port Charger

Input: 110-240V 50/60Hz, 0.6A Max
Out Type-C: 5V/3.0A, 9V/2.22A, 12V/1.67A (20W Max)
Out USB-A: 5V/3.0A, 9V/2.0A, 12V/1.50A (18W Max)
Out Type-C + USB-A: 5V/3.0A Max

One Type-C are in available



US

Straight US Pin Size: L51*W33.5*H33.5mm

GaN 30W QC&PD 2 Port Charger

Input: 110-240V 50/60Hz, 1.0A Max
Output Type-C: 5V/3.0A, 9V/3.0A, 12V/2.5A, 15V/2.0A, 20V/1.5A (30W Max)
Output USB-A: 5V/3.0A, 9V/2.0A, 12V/1.5A (18W Max)
Output Type-C + USB-A: 5V/3.0A Max

One Type-C are in available



EU

EU Pin Size: L71*W33.5*H33.5mm

GaN 45W 1 Port Charger

Input: 110-240V 50/60Hz, 1.2A Max
Out Type-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A (45W Max)

20W/30W/35W

GaN Quick Charger

Matte
PC Fireproof



US

Straight US Pin Size: L59*W29*H41mm



EU

EU Pin Size: L81*W29*H41mm



UK

UK Pin Size: L65*W50*H41mm



IN

INIDA Pin Size: L61*W29*H41mm



THAI

THAI Pin Size: L81*W29*H41mm

GaN 20W QC&PD 2 Port Charger

Input: 110-240V 50/60Hz, 0.6A Max
Out Type-C: 5V/3.0A, 9V/2.22A, 12V/1.67A (20W Max)
Out USB-A: 5V/3.0A, 9V/2.0A, 12V/1.50A (18W Max)
Out Type-C + USB-A: 5V/3.0A Max

One Type-C are in available
One USB-A are in available

GaN 30W QC&PD 2 Port Charger

Input: 110-240V 50/60Hz, 1.0A Max
Output Type-C: 5V/3.0A, 9V/3.0A, 12V/2.5A, 15V/2.0A, 20V/1.5A(30W Max)
Output USB-A: 5V/3.0A, 9V/2.0A, 12V/1.5A (18W Max)
Output Type-C+ USB-A: 5V/3.0A Max

One Type-C are in available

GaN 35W QC&PD 2 Port Charger

Input: 110-240V 50/60Hz, 1.0A Max
Output Type-C: 5V/3.0A, 9V/3.0A, 12V/2.92A, 15V/2.33A, 20V/1.75A(35W Max)
Output USB-A: 5V/3.0A, 9V/3.0A, 12V/2.92A, 20V/1.75A(35W Max)
Output Type-C + USB-A: 5V/3.0A Max

35W/45W/65W

GaN Quick Charger & two-color molding

Matte
PC Fireproof



US

Foldable US Pin Size: L45*W35*H35mm
Straight US Pin Size: L61*W35*H35mm

GaN 35W QC&PD 2 Port Charger

Input: 110-240V 50/60Hz, 1.0A Max

Output Type-C: 5V/3.0A, 9V/3.0A, 12V/2.5A, 15V/2.0A, 20V/1.5A (30W Max)

Output USB-A: 5V/3.0A, 9V/2.0A, 12V/1.5A (18W Max)

Output Type-C+ USB-A: 5V/3.0A Max

One Type-C are in available



EU

EU Pin Size: L79*W35*H35mm

GaN 45W QC&PD 2 Port Charger

Input: 110-240V 50/60Hz, 1.2A Max

Out Type-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A (45W Max)

Out USB-A: 5V/3A, 9V/2A, 12V/1.5A (18W Max)

Out Type-C+USB-A: 5V3A Max

One Type-C are in available



UK

UK Pin Size: L65*W35*H35mm

GaN 65W 1- Port Charger

Input: 110-240V 50/60Hz, 1.6A Max

Output Type-C1/2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (65W Max)

20W/35W/45W/65W

GaN Quick Charger

Matte
PC Fireproof



US 20W

Foldable US Pin Size: L43*W41*H29mm

GaN 20W QC&PD 2- Port Charger

Input: 110-240V 50/60Hz, 0.6A Max
Out Type-C: 5V/3.0A, 9V/2.22A, 12V/1.67A (20W Max)
Out USB-A: 5V/3.0A, 9V/2.0A, 12V/1.50A (18W Max)
Out Type-C + USB-A: 5V/3.0A Max



US 35W

Foldable US Pin Size: L43*W41*H29mm

GaN 35W QC&PD GaN 2 Port Charger

Input: 110-240V 50/60Hz, 1.0A Max
Output Type-C: 5V/3.0A, 9V/3.0A, 12V/2.92A, 15V/2.33A, 20V/1.75A(35W Max)
Output USB-A: 5V/3.0A, 9V/3.0A, 12V/2.92A, 20V/1.75A(35W Max)
Output Type-C + USB-A: 5V/3.0A Max
Two Type-C are in available



US 45W

Foldable US Pin Size: L52*W41*H29mm

GaN 45W QC&PD GaN 2 Port Charger

Input: 110-240V 50/60Hz, 1.2A Max
Out Type-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A,20V/2.25A(45W Max)
Out USB-A: 5V/3A, 9V/2A, 10V/2.25A,12V/1.5A(22.5W Max)
Out Type-C+USB-A: 30W+15W Max
Two Type-C are in available

US 65W

Foldable US Pin Size: L62*W41*H29mm

GaN 65W A+C+C 3- Port Charger

Input: 110-240V 50/60Hz, 1.6A Max
Output Type-C1/2: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A(65W Max)
Output USB-A: 5V/3A,9V/2A,10V/2.25A,12V/1.5A(22.5W Max)
Output Type-C1+Type-C2: 45W+18W Max
Output Type-C1+USB-A: 45W+18W Max
Output Type-C2+USB-A: 18W Max
Output Type-C1+Type-C2+USB-A: 45W+18W Max

QC&PD GaN 2 Port Charger are in available

20W/30W/45W/65W

GaN Quick Charger

**Matte
PC Fireproof**



GaN 20W QC&PD 2 Port Charger

Input: 110-240V 50/60Hz, 0.6A Max
Out Type-C: 5V/3.0A, 9V/2.22A, 12V/1.67A (20W Max)
Out USB-A: 5V/3.0A, 9V/2.0A, 12V/1.50A (18W Max)
Out Type-C + USB-A: 5V/3.0A Max

One Type-C are in available
Straight US Pin Size: L60*W44*H29mm
EU Pin Size: L80*W44*H29mm

GaN 30W QC&PD 2 Port Charger

Input: 110-240V 50/60Hz, 1.0A Max
Output Type-C: 5V/3.0A, 9V/3.0A, 12V/2.5A, 15V/2.0A, 20V/1.5A(30W Max)
Output USB-A: 5V/3.0A, 9V/2.0A, 12V/1.5A (18W Max)
Output Type-C+ USB-A: 5V/3.0A Max

One Type-C are in available
Straight US Pin Size: L60*W44*H29mm
EU Pin Size: L80*W44*H29mm

GaN 45W QC&PD 2 Port Charger

Input: 110-240V 50/60Hz, 1.2A Max
Out Type-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A,20V/2.25A(45W Max)
Out USB-A: 5V/3A, 9V/2A,12V/1.5A(18W Max)
Out Type-C+USB-A: 25W+18W Max

One Type-C are in available
Straight US Pin Size: L65*W49*H29mm
EU Pin Size: L85*W49*H29mm

GaN 65W A+C+C 3- Port Charger

Input: 110-240V 50/60Hz, 1.6A Max
Output Type-C1/2: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A(65W Max)
Output USB-A: 5V/3A,9V/2A,12V/1.5A(18W Max)
Output Type-C1+Type-C2: 45W+18W Max
Output Type-C1+USB-A: 45W+18W Max
Output Type-C2+USB-A: 15W Max
Output Type-C1+Type-C2+USB-A: 45W+15W Max

One Type-C are in available
QC&PD are in available
Straight US Pin Size: L70*W54*H29mm
EU Pin Size: L90*W54*H29mm

20W/30W/35W GaN Quick Charger

**Matte
PC Fireproof**



US

Straight US Pin Size: L59*W29*H41mm
Foldable US Pin Size: L43*W29*H41mm



EU

EU Pin Size: L81*W29*H41mm



UK

UK Pin Size: L65*W50*H41mm



IN

INIDA Pin Size: L61*W29*H41mm



AU

AU Pin Size: L59*W29*H41mm

GaN 20W QC&PD 2 Port Charger

Input: 110-240V 50/60Hz, 0.6A Max
Out Type-C: 5V/3.0A, 9V/2.22A, 12V/1.67A (20W Max)
Out USB-A: 5V/3.0A, 9V/2.0A, 12V/1.50A (18W Max)
Out Type-C + USB-A: 5V/3.0A Max

One Type-C are in available

GaN 30W QC&PD 2 Port Charger

Input: 110-240V 50/60Hz, 1.0A Max
Output Type-C: 5V/3.0A, 9V/3.0A, 12V/2.5A, 15V/2.0A, 20V/1.5A(30W Max)
Output USB-A: 5V/3.0A, 9V/2.0A, 12V/1.5A (18W Max)
Output Type-C+ USB-A: 5V/3.0A Max

One Type-C are in available

GaN 35W QC&PD 2 Port Charger

Input: 110-240V 50/60Hz, 1.0A Max
Output Type-C: 5V/3.0A, 9V/3.0A, 12V/2.92A , 15V/2.33A, 20V/1.75A(35W Max)
Output USB-A: 5V/3.0A, 9V/3.0A, 12V/2.92A, 20V/1.75A(35W Max)
Output Type-C + USB-A: 5V/3.0A Max

Two Type-C are in available

45W

GaN Quick Charger

**Matte
PC Fireproof**



US

Straight US Pin Size: L69*W29*H41mm
Foldable US Pin Size: L53*W29*H41mm

EU

EU Pin Size: L90*W29*H41mm

UK

UK Pin Size: L75*W50*H41mm

IN

INDA Pin Size: L71*W29*H41mm

AU

AU Pin Size: L69*W29*H41mm

GaN 45W 1- Port Charger

Input: 110-240V 50/60Hz, 1.2A Max

Out Type-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A(45W Max)

GaN 45W QC&PD 2- Port Charger

Input: 110-240V 50/60Hz, 1.2A Max

Out Type-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A(45W Max)

Out USB-A: 5V/3A, 9V/2A, 10V/2.25A, 12V/1.5A(22.5W Max)

Out Type-C+USB-A: 30W+15W Max

GaN 45W C+C 2- Port Charger

Input: 110-240V 50/60Hz, 1.2A Max

Out Type-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A(45W Max)

Out Type-C2: 5V/3A, 9V/1.66A, 12V/1.25A(15W Max)

Out Type-C1+Type-C2: 30W+15W Max

65W

GaN Quick Charger

Matte
PC Fireproof



US

Straight US Pin Size: L79*W29*H41mm
Foldable US Pin Size: L62*W29*H41mm

EU

EU Pin Size: L100*W29*H41mm

UK

UK Pin Size: L85*W50*H41mm

IN

INIDA Pin Size: L79*W29*H41mm

AU

AU Pin Size: L79*W29*H41mm

GaN 65W 1- Port Charger

Input: 110-240V 50/60Hz, 1.6A Max
Output Type-C: 5.0V/3.0A, 9.0V/3.0A, 12.0V/3.0A,
15.0V/3.0A, 20.0V/3.25A (65W Max)

GaN 65W QC&PD 2- Port Charger

Input: 110-240V 50/60Hz, 1.6A Max
Output Type-C: 5.0V/3.0A, 9.0V/3.0A, 12.0V/3.0A,
15.0V/3.0A, 20.0V/3.25A(65W Max)
Output USB-A: 5.0V/3.0A, 9.0V/2.0A,
10.0V/2.25A, 12.0V/1.5A(22.5W Max)
Output Type-C+USB-A: 45.0W+18.0W Max

GaN 65W C+C 2- Port Charger

Input: 110-240V 50/60Hz, 1.6A Max
Output Type-C1/2: 5.0V/3.0A, 9.0V/3.0A, 12.0V/3.0A,
15.0V/3.0A, 20.0V/3.25A(65W Max)
Output Type-C1+Type-C2: 45.0W+18.0W Max

GaN 65W A+C+C 3- Port Charger

Input: 110-240V 50/60Hz, 1.6A Max
Output Type-C1/2: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A(65W Max)
Output USB-A: 5V/3A,9V/2A,10V/2.25A,12V/1.5A(22.5W Max)
Output Type-C1+Type-C2: 45W+18W Max
Output Type-C1+USB-A: 45W+18W Max
Output Type-C2+USB-A: 18W Max
Output Type-C1+Type-C2+USB-A: 45W+18W Max

65W

Mini Size GaN Quick Charger

Matte
PC Fireproof



US

Straight US Pin Size: L72*W35*H33mm



EU

EU Pin Size: L78*W35*H33mm



UK

UK Pin Size: L75*W35*H33mm

GaN 65W 1- Port Charger

Input: 110-240V 50/60Hz, 1.5A Max

Output Type-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (65W Max)

65W

GaN Quick Charger

Matte
PC Fireproof



US

Straight US Pin Size: L67*W44*H31mm



US

Foldable US Pin Size: L57*W44*H31mm



EU

EU Pin Size: L89*W44*H31mm



UK

UK Pin Size: L79*W44*H31mm

GaN 65W A+C+C 3- Port Charger

Input: 110-240V 50/60Hz, 1.5A Max

Output Type-C1: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A(65W Max)

Output Type-C2: 5V/3A,9V/3A,12V/2.25A,20V/1.35A(27W Max)

Output USB-A: 5V/3A,9V/3A,12V/2.25A,20V/1.35A(27W Max)

Output Type-C1+Type-C2/A1: 45W+12W Max

Output Type-C2+USB-A: 12W Max

Output Type-C1+Type-C2+USB-A: 45W+12W Max

One Type-C are in available

65W

GaN Quick Charger

Matte
PC Fireproof



US

Foldable US Pin Size: L56*W52*H32mm



EU

EU Pin Size: L89*W52*H32mm

UK

UK Pin Size: L75*W52*H32mm

GaN 65W A+C+C 3- Port Charger

Input: 110-240V 50/60Hz, 1.3A Max
Output Type-C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A(65W Max)
Output USB-A: 5V/3A, 9V/2A, 12V/2.5A/20V1.5A(30W Max)
Output Type-C1+Type-C2: 45W+15W Max
Output Type-C1+USB-A: 45W+15W Max
Output Type-C2+USB-A: 15W Max
Output Type-C1+Type-C2+USB-A: 45W+15W Max

65W

GaN Quick Charger & interchangeable EU and UK plugs

Matte
PC Fireproof

US



EU



UK

GaN 65W A+C+C 3- Port Charger

Input: 110-240V 50/60Hz, 1.3A Max
 Output Type-C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (65W Max)
 Output USB-A: 5V/3A, 9V/2A, 12V/1.5A (18W Max)
 Output Type-C1+Type-C2: 45W+18W Max
 Output Type-C1+USB-A: 45W+18W Max
 Output Type-C2+USB-A: 18W Max
 Output Type-C1+Type-C2+USB-A: 45W+15W Max

One Type-C are in available

Two Type-C are in available

QC&PD GaN 2 Port are in available

Foldable US Pin Size: L55*W55*H28.2mm

45W/65W/100W

GaN Quick Charger

Matte
PC Fireproof



45 W

GaN 45W QC&PD GaN 2 Port Charger

Input: 110-240V 50/60Hz, 1.2A Max

Out Type-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A (45W Max)

Out USB-A: 5V/3A, 9V/3A, 12V/3.5A (30W Max)

Out Type-C+USB-A: 18W Max

One Type-C are in available

Foldable US Pin Size: L*W*Hmm

EU Pin Size: L*W*Hmm

UK Pin Size: L*W*Hmm



65 W

GaN 65W A+C 3- Port Charger

Input: 110-240V 50/60Hz, 1.6A Max

Output Type-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (65W Max)

Output Type-C2: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

Output USB-A: 5V/3A, 9V/2A, 12V/1.5A (18W Max)

Output Type-C1+Type-C2: 45W+18W Max

Output Type-C1+USB-A: 45W+18W Max

Output Type-C2+USB-A: 15W Max

Output Type-C1+Type-C2+USB-A: 45W+15W Max

Foldable US Pin Size: L52*W40*H40mm

EU Pin Size: L*W*Hmm

UK Pin Size: L*W*Hmm



100 W

GaN 100W A+C 3- Port Charger

Input: 110-240V 50/60Hz, 2.5A Max

Output Type-C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A (100W Max)

Output USB-A: 5V/3A, 9V/2A, 12V/1.5A (18W Max)

Output Type-C1+Type-C2: 65W+30W Max

Output Type-C1+USB-A: 65W+18W Max

Output Type-C2+USB-A: 15W Max

Output Type-C1+(Type-C2+USB-A): 65W+15W Max

Foldable US Pin Size: L*W*Hmm

EU Pin Size: L*W*Hmm

UK Pin Size: L*W*Hmm

20W/30W

Ultra-Thin GaN Quick Charger & Only EU Plug

Matte
PC Fireproof



GaN 20W QC&PD 2 Port Charger

Input: 110-240V 50/60Hz, 0.6A Max
Out Type-C: 5V/3.0A, 9V/2.22A, 12V/1.67A (20W Max)
Out USB-A: 5V/3.0A, 9V/2.0A, 12V/1.50A (18W Max)
Out Type-C + USB-A: 5V/3.0A Max

One Type-C are in available

EU Pin Size: L82*W38*H16mm

GaN 30W QC&PD 2 Port Charger

Input: 110-240V 50/60Hz, 0.6A Max
Out Type-C: 5V/3.0A, 9V/3.0A, 12V/2.5A, 15V/2.0A, 20V/1.5A(30W Max)
Out USB-A: 5V/3.0A, 9V/2.0A, 12V/1.50A (18W Max)
Out Type-C + USB-A: 5V/3.0A Max

One Type-C are in available

Two Type-C are in available

EU Pin Size: L82*W38*H16mm

45W/65W

Ultra-Thin GaN Quick Charger & interchangeable EU and UK plugs

Matte
PC Fireproof



GaN 45W QC&PD 2 Port Charger

Input: 110-240V 50/60Hz, 1.3A Max

Output Type-C: 5V/3.0A, 9V/3.0A, 12V/3A, 15V/3A, 20V/2.25A(45W Max)

Output USB-A: 5V/3.0A, 9V/3.0A, 12V/2.25A, 20V/1.35A (27W Max)

Output Type-C+ USB-A: 30W+12W Max

Two Type-C are in available

Foldable US Pin Size: L78*W43.4*H14.5mm

GaN 65W QC&PD 2 Port Charger

Input: 110-240V 50/60Hz, 1.3A Max

Output Type-C: 5V/3.0A, 9V/3.0A, 12V/3A, 15V/3A, 20V/3.25A(65W Max)

Output USB-A: 5V/3.0A, 9V/3.0A, 12V/2.25A, 20V/1.35A (27W Max)

Output Type-C+ USB-A: 45W+12W Max

Two Type-C are in available

Foldable US Pin Size: L84*W46.2*H14.7mm

65W

Ultra-Thin GaN Quick Charger & Foldable EU Plug

Matte
PC Fireproof



GaN 65W Type-C +C 2 Port Charger

Input: 110-240V 50/60Hz, 1.3A Max

Output Type-C1/C2: 5V/3.0A, 9V/3.0A, 12V/3A, 15V/3A, 20V/3.25A(65W Max)

Output Type-C+ Type-C2: 45W+12W Max

QC&PD are in available

Foldable EU Pin Size: L85.7*W46.2*H15.2mm

35W/45W/65W

Dual PD+QC GaN Quick Charger & Retractable cable

**Matte
PC Fireproof**



US

Foldable US Pin Size: L50*W50*H46mm

GaN 35W A+C+C 3- Port Charger

Input: 110-240V 50/60Hz, 1.5A Max
Output Type-C1/2: 5V/3A, 9V/3A, 12V/2.91A, 15V/2.33A, 20V/1.75A (35W Max)
Output USB-A: 5V/3A, 9V/2A, 12V/1.5A (18W Max)
Output Type-C1 + Type-C2 + USB-A: 15W Max



EU

EU Pin Size: L86*W50*H46mm

GaN 45W A+C+C 3- Port Charger

Input: 110-240V 50/60Hz, 1.5A Max
Output Type-C1: 5V/3A, 9V/3A, 12V/2.91A, 15V/2.33A, 20V/1.75A (35W Max)
Output Type-C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A (45W Max)
Output USB-A: 5V/3A, 9V/2A, 12V/1.5A (18W Max)
Output Type-C1 + Type-C2 + USB-A: 15W Max



UK

UK Pin Size: L70*W50*H46mm

GaN 65W A+C+C 3- Port Charger

Input: 110-240V 50/60Hz, 1.5A Max
Output Type-C1: 5V/3A, 9V/3A, 12V/2.91A, 15V/2.33A, 20V/1.75A (35W Max)
Output Type-C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.35A (65W Max)
Output USB-A: 5V/3A, 9V/2A, 12V/1.5A (18W Max)
Output Type-C1 + Type-C2 + USB-A: 15W Max

35W/45W/65W

Dual PD+QC GaN Quick Charger & Retractable cable

Matte
PC Fireproof



US

Foldable US Pin Size: L60*W40*H45mm

GaN 35W A+C+C 3- Port Charger

Input: 110-240V 50/60Hz, 1.5A Max

Output Type-C1/2: 5V/3A, 9V/3A, 12V/2.91A, 15V/2.33A, 20V/1.75A (35W Max)

Output USB-A: 5V/3A, 9V/2A, 12V/1.5A (18W Max)

Output Type-C1 + Type-C2 + USB-A: 15W Max



EU

EU Pin Size: L100*W40*H45mm

GaN 45W A+C+C 3- Port Charger

Input: 110-240V 50/60Hz, 1.5A Max

Output Type-C1: 5V/3A, 9V/3A, 12V/2.91A, 15V/2.33A, 20V/1.75A (35W Max)

Output Type-C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A (45W Max)

Output USB-A: 5V/3A, 9V/2A, 12V/1.5A (18W Max)

Output Type-C1 + Type-C2 + USB-A: 15W Max



UK

UK Pin Size: L83*W40*H45mm

GaN 65W A+C+C 3- Port Charger

Input: 110-240V 50/60Hz, 1.5A Max

Output Type-C1: 5V/3A, 9V/3A, 12V/2.91A, 15V/2.33A, 20V/1.75A (35W Max)

Output Type-C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.35A (65W Max)

Output USB-A: 5V/3A, 9V/2A, 12V/1.5A (18W Max)

Output Type-C1 + Type-C2 + USB-A: 15W Max

65W

Dual PD+QC GaN Quick Charger

Retractable cable & TFT screen display

Matte
PC Fireproof

US

Foldable US Pin Size: L*W*Hmm



EU

EU Pin Size: L*W*Hmm



UK

UK Pin Size: L*W*Hmm

GaN 65W A+C+C 3- Port Charger

Input: 110-240V 50/60Hz, 1.5A Max

Output Type-C1/2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (65W Max)

Output USB-A: 5V/3A, 9V/2A, 12V/1.5A (18W Max)

Output Type-C1+Type-C2: 45W+18W Max

Output Type-C1+USB-A: 45W+15W Max

Output Type-C2+USB-A: 15W Max

Output Type-C1+(Type-C2+USB-A): 45W+15W Max

65W

Dual PD+QC GaN Quick Charger & Retractable cable

Matte
PC Fireproof

US

Foldable US Pin Size: L62*W61*H31mm



EU

EU Pin Size: L99*W61*H31mm



UK

UK Pin Size: L89*W61*H31mm

GaN 65W A+C+C 3- Port Charger

Input: 110-240V 50/60Hz, 1.5A Max

Output Type-C1/2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (65W Max)

Output USB-A: 5V/3A, 9V/2A, 12V/1.5A (18W Max)

Output Type-C1+Type-C2: 45W+15W Max

Output Type-C1+USB-A: 45W+15W Max

Output Type-C2+USB-A: 15W Max

Output Type-C1+(Type-C2+USB-A): 45W+15W Max

65W / 100W

Dual PD+QC GaN Quick Charger

Retractable cable & TFT screen display

**Matte
PC Fireproof**



US

Foldable US Pin Size: L73*W64 (73) *H31mm

EU

EU Pin Size: L101 (110) *W73*H31mm

UK

UK Pin Size: L93 (103) *W73*H31mm

GaN 65W A+C+C 3- Port Charger

Input: 110-240V 50/60Hz, 1.5A Max

Output Type-C1/2: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A(65W Max)

Output USB-A: 5V/3A,9V/2A,12V/1.5A(18W Max)

Output Type-C1+Type-C2: 45W+15W Max

Output Type-C1+USB-A: 45W+15W Max

Output Type-C2+USB-A: 15W Max

Output Type-C1+(Type-C2+USB-A): 45W+15W Max

GaN 100W A+C+C 3- Port Charger

Input: 110-240V 50/60Hz, 1.5A Max

OutputType-C1/2: 5V/3A,9V/3A,12V/3A,15V/3A,20V/ 5A(100W Max)

Output USB-A: 5V/3A,9V/2A,12V/1.5A(18W Max)

Output Type-C1+Type-C2: 65W+30W Max

Output Type-C1+USB-A: 65W+18W Max

Output Type-C2+USB-A: 15W Max

Output Type-C1+(Type-C2+USB-A): 65W+15W Max

70W

Dual PD+QC GaN Quick Charger

Retractable cable & TFT screen display

Matte
PC Fireproof

US

Foldable US Pin Size: L57*W50*H50mm



EU

EU Pin Size: L94*W50*H50mm



UK

UK Pin Size: L85*W50*H50mm

GaN 70W A+C+C 3- Port Charger

Input: 110-240V 50/60Hz, 1.5A Max

Output Type-C1/2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.35A (70W Max)

Output USB-A: 5V/3A, 9V/2A, 12V/1.5A (18W Max)

Output Type-C1+Type-C2: 45W+15W Max

Output Type-C1+USB-A: 45W+15W Max

Output Type-C2+USB-A: 15W Max

Output Type-C1+(Type-C2+USB-A): 45W+15W Max

100W

3 PD+QC GaN Quick Charger

Matte
PC Fireproof

US

Foldable US Pin Size: L*W*Hmm



EU

EU Pin Size: L*W*Hmm



UK

UK Pin Size: L*W*Hmm

GaN 100W A+C+C+C 4 - Port Charger

Input: 110-240V 50/60Hz, 2A Max

Output Type-C1/2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/ 5A(100W Max)

Output Type-C3: 5V/3A, 9V2.22A, 12V1.67A(20W Max)

Output USB-A: 5V/3A, 9V/2A, 12V/1.5A(18W Max)

Output Type-C1+Type-C2: 65W+30W Max

Output Type-C1/C2+Type-C3: 65W+20W Max

Output Type-C1/C2+USB-A: 65W+18W Max

Output Type-C3+USB-A: 15W Max

Output Type-C1+Type-C2+Type-C3: 45W+30W+20W Max

Output Type-C1+Type-C2+Type-C3+USB-A: 45W+30W+15W Max

100W

2 PD+QC GaN Quick Charger

Matte
PC Fireproof

US

Foldable US Pin Size: L77*W63*H30mm

EU

EU Pin Size: L115*W63*H30mm

UK

UK Pin Size: L106*W63*H30mm

GaN 100W A+C+C 3 - Port Charger

Input: 110-240V 50/60Hz, 2A Max

Output Type-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/ 5A(100W Max)

Output Type-C2: 5V/3A, 9V3A, 12V2.5A, 15V/2A, 20V1.5A(30W Max)

Output USB-A: 5V/3A, 9V3A, 12V2.5A, 20V1.5A(30W Max)

Output Type-C1+Type-C2: 65W+30W Max

Output Type-C1+USB-A: 65W+30W Max

Output Type-C2+USB-A: 15W Max

Output Type-C1+Type-C2+USB-A: 65W+15W Max

140W

3 PD+QC GaN Quick Charger

Matte
PC Fireproof

US

Foldable US Pin Size: L73.39*W72.5*H30.5mm

EU

EU Pin Size: L110*W72.5*H30.5mm

UK

UK Pin Size: L103*W72.5*H30.5mm

GaN 140W A+C+C+C 4 - Port Charger

Input: 110-240V 50/60Hz, 2A Max

Output Type-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/ 5A, 28V/5A(140W Max)

Output Type-C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/ 5A(100W Max)

Output Type-C3: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A(30W Max)

Output USB-A: 5V/3A, 9V/3A, 12V/2.5A(30W Max)

Output Type-C1+Type-C2/C3: 65W+30W

Output Type-C1+USB-A: 65W+30W Max

Output Type-C2+Type-C3: 65W+30W Max

Output Type-C2+USB-A: 65W+30W Max

Output Type-C3+USB-A: 15W Max

Output Type-C1+Type-C2+Type-C3: 45W+30W+30W Max

Output Type-C1+Type-C2+USB-A: 45W+30W+30W Max

Output Type-C1+Type-C3+USB-A: 65W+15W Max

Output Type-C2+Type-C3+USB-A: 65W+15W Max

Output Type-C1+Type-C2+Type-C3+USB-A: 45W+30W+15W Max

140W

3 PD+QC GaN Quick Charger

Matte
PC Fireproof

US

Foldable US Pin Size: L*W*Hmm



EU

EU Pin Size: L*W*Hmm



UK

UK Pin Size: L*W*Hmm

GaN 140W A+C+C+C 4 - Port Charger

Input: 110-240V 50/60Hz, 1.5A Max

Output Type-C1/2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/ 5A, 28V/5A (140W Max)

Output Type-C3: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A (30W Max)

Output USB-A: 5V/3A, 9V/2A, 12V/1.5A, 20V/1.5A (30W Max)

Output Type-C1+Type-C2: 65W+30W Max

Output Type-C1+C2+C3/USB-A: 65W+30W+30W Max

20-140W Car Fast Chargers

Matte
PC Fireproof

