

EAGLEVISION
— 鹰视界 —

Keeps you safer while driving!

How to contact us

Guangzhou Eagle Vision Electronic Technology Co

OFFICIAL WEBSITE: <https://shop14180474ted35.1688.com>

ADDRESS: No.15, Wanggang Industrial Road 2,
Jiahe Street, Baiyun District, Guangzhou City,
Guangdong Province, China



Superior Quality Preferred Brands

Factory direct sales, unique,
support customization

EAGLE VISION - FOR YOUR SAFETY

Champion Travel, Quality Assurance

Committed to providing car owners with
higher quality, better experience, more cost-effective
products and services

5.75-INCH LED HEADLIGHTS

HI/LO BEAM


BRING A SPLASH OF NEW COLOR TO YOUR CAR!



5.75-INCH LED HEADLIGHTS

Eagle Vision


5.75-INCH HEADLIGHT C0029



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
9-16V	53W/PC	6000K/3000K	5500LM/PC	5.75INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS


5.75-INCH HEADLIGHT C0062



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
9-16V	30W/PC	6000K/3000K	3200LM/PC	5.75INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS


5.75-INCH HEADLIGHT R17



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
9-16V	30W/PC	6000K/3000K	3200LM/PC	5.75INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS

5.75-INCH HEADLIGHT R25



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
9-16V	58W/PC	6000K/3000K	5800LM/PC	5.75INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS

FITMENT: FOR ANY MOTORCYCLE/CAR/VEHICLE WITH 5.75-INCH(5 3/4) LED HEADLIGHT, SUCH AS HARLEY-DAVIDSON, C-HEVY TRUCK, F-ORD GRAN TORINO, P-ETERBILT SEMI 349 359, DETAILED VEHICLE TYPE NEED TO CHECK THE SIZE OF YOUR ORIGINAL BRACKET, SOME VEHICLES NEED TO DO SOME MODIFICATIONS

Eagle Vision




EMARK APPROVED
PRODUCTS



7-INCH LED HEADLIGHTS

Eagle Vision

7-INCH HEADLIGHT R9



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
9-16V	28W/PC	6000K/3000K	3000LM/PC	7INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS


7-INCH HEADLIGHT Y8



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
9-16V	32W/PC	6000K/3000K	3200LM/PC	7INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS


7-INCH HEADLIGHT R1



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
9-16V	30W/PC	6000K/3000K	3200LM/PC	7INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS

7-INCH HEADLIGHT R12



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
9-16V	30W/PC	6000K/3000K	3200LM/PC	7INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS

7-INCH LED HEADLIGHTS ARE COMPATIBLE WITH 2007-2018 JEEP WRANGLER JK JKU 2 AND 4-DOOR MODELS, 1997-2006 JEEP WRANGLER TJ, 2004-2006 JEEP WRANGLER LJ UNLIMITED, CHEVROLET FORD GMC DODGE MAZDA MACK VW AND OTHER DIRECT REPLACEMENTS# 6024,6014,H6024, H6014 AND ALL VEHICLES WITH 7-INCH ROUND HEADLIGHTS

Eagle Vision

7-INCH LED HEADLIGHTS

E a g l e V i s i o n

7-INCH HEADLIGHT R13



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
9-16V	58W/PC	6000K/3000K	5800LM/PC	7INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS

7-INCH HEADLIGHT R5



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
9-16V	38W/PC	6000K/3000K	4000LM/PC	7INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS

7-INCH HEADLIGHT R19



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
9-16V	60W/PC	6000K/3000K	6200LM/PC	7INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS

7X6 5X7 LED HEADLIGHTS
6X4 4X6 LED HEADLIGHTS
HI/LO BEAM

BRING A SPLASH OF NEW COLOR TO YOUR CAR!

E a g l e V i s i o n

5X7/4X6 LED HEADLIGHTS

Eagle Vision

4X6-INCH HEADLIGHT R20



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
9-16V	32W/PC	6000K/3000K	4800LM/PC	5INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS

4X6-INCH HEADLIGHT Y13



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
9-16V	30W/PC	6000K/3000K	3200LM/PC	5INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS

5X7-INCH HEADLIGHT R22



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
9-16V	50W/PC	6000K/3000K	5200LM/PC	5INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS

5X7-INCH HEADLIGHT R24



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
9-16V	45W/PC	6000K/3000K	4500LM/PC	7INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS

FITNESS: 5X7 LED HEADLIGHTS FIT ANY CAR WITH 5X7 INCHES (ALSO KNOWN AS 7X6), SUPER COOL UPGRADE FITS 86-95 JEEP WRANGLER YJ, 79-01 CHEROKEE XJ, FORD E-SERIES F-SERIES, C4 CORVETTE, GMC SAVANA, DODGE W250, ETC., SOME OLD JAPANESE BRAND CARS REQUIRES ADDITIONAL RELAY KIT

5X7/4X6 LED HEADLIGHTS

Eagle Vision

5X7-INCH HEADLIGHT Y7



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
9-16V	45W/PC	6000K/3000K	4500LM/PC	7INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS

5X7-INCH HEADLIGHT R6



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
9-16V	44W/PC	6000K/3000K	4500LM/PC	7INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS

5X7-INCH HEADLIGHT Y9




NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
9-16V	32W/PC	6000K/3000K	3200LM/PC	7INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS

FITNESS: 5X7 LED HEADLIGHTS FIT ANY CAR WITH 5X7 INCHES (ALSO KNOWN AS 7X6), SUPER COOL UPGRADE FITS 86-95 JEEP WRANGLER YJ, 79-01 CHEROKEE XJ, FORD E-SERIES F-SERIES, C4 CORVETTE, GMC SAVANA, DODGE W250, ETC., SOME OLD JAPANESE BRAND CARS REQUIRES ADDITIONAL RELAY KIT



EMARK APPROVED
PRODUCTS




E a g l e V i s i o n

LED HEADLIGHTS

E a g l e V i s i o n

LED AUTOMOTIVE HEADLAMPS-K1

H1, H4, H7, H11, 9005, 9006




NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	HEAT DISSIPATION METHOD	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
10-30V	55W	6000K	5500LM	DUAL COPPER PLATE COOLING	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS



LED AUTOMOTIVE HEADLAMPS-K2

H1, H4, H7, H11, 9005, 9006




NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	HEAT DISSIPATION METHOD	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
10-30V	70W	6000K	7200LM	DUAL COPPER PLATE COOLING	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS



HIGH POWER DOUBLE COPPER TUBE STYLE-P16

H1, H4, H7, H11, 9005, 9006



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	HEAT DISSIPATION METHOD	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
10-30V	50W	6000K	5200LM	DUAL COPPER PIPE COOLING	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS



HIGH POWER DOUBLE COPPER TUBE STYLE-V13S

H1, H4, H7, H11, 9005, 9006



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	HEAT DISSIPATION METHOD	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
10-30V	30W	6000K	3200LM	DUAL COPPER PIPE COOLING	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS




AUTOMOTIVE LED HEADLIGHTS USING HIGH EFFICIENCY LED CHIPS, SERVICE LIFE OF UP TO 50,000 HOURS; INTEGRATED HEAT DISSIPATION, BUILT-IN COOLING SYSTEM; CONFIGURE HYDRAULIC FAN, BUILT-IN CANBUS

LED HEADLIGHTS

Eagle Vision

HIGH POWER DOUBLE COPPER TUBE STYLE-Z08

H1, H4, H7, H11, 9005, 9006



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	HEAT DISSIPATION METHOD	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
10-30V	30W	6000K	3200LM	DUAL COPPER PIPE COOLING	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS


HEADLAMP WITH LENS -N2



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
DC 10-30V	LOW BEAM 38W HIGH BEAM 42W	6000K	4000LM/4500LM	1.5INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS


HEADLAMP WITH LENS -N4



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
DC 10-30V	LOW BEAM 30W HIGH BEAM 40W	6000K	3200LM/4200LM	1.5INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS

HEADLAMP WITH LENS -N10



NORM:


INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
DC 10-30V	LOW BEAM 35W HIGH BEAM 50W	6000K	3500LM/5200LM	1.5INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS

AUTOMOTIVE LED HEADLIGHTS USING HIGH EFFICIENCY LED CHIPS, SERVICE LIFE OF UP TO 50,000 HOURS; INTEGRATED HEAT DISSIPATION, BUILT-IN COOLING SYSTEM; CONFIGURE HYDRAULIC FAN, BUILT-IN CANBUS

HEADLAMP WITH LENS

Eagle Vision


TWIN-LENS HEADLAMPS T03



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
DC 10-30V	LOW BEAM 43W HIGH BEAM 50W	6000K	5000LM	3 INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS



TWIN-LENS HEADLAMPS T04



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
DC 10-30V	HIGH BEAM 52W LOW BEAM 42W LASER 18W	6000K	5500LM	3 INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS

MATRIX LASER MODULE T06 T07



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
DC 10-30V	LOW BEAM 34W HIGH BEAM 39W	6000K	4000LM	1.5 INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS

SMALL SIZE, HIGH SPOTLIGHT BRIGHTNESS, LONG IRRADIATION DISTANCE, FLEXIBLE ACCORDING TO THE ORIGINAL CAR LAMP CUP
SIZE COMBINATION OF FAR AND NEAR LIGHT MODULE INSTALLATION, HIGH BRIGHTNESS; NO RESTRICTIONS ON CAR MODELS CAR, MOTORCYCLE CAN BE
INSTALLED AND USED. THERE ARE DIFFERENT LIGHT TYPE AND COLOR TEMPERATURE OPTIONS

BI-COLOR LENS FOG LAMPS

UNIVERSAL, TOYOTA MODELS, NISSAN MODELS

BRING A SPLASH OF NEW COLOR TO YOUR CAR!

TOYOTA

ONTARIO
BXJW-299

E a g l e V i s i o n

HEADLAMP WITH LENS

E a g l e V i s i o n


BI-COLOR LENS FOG LAMPS T08-UNIVERSAL MODEL



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	APPLICABLE MODELS	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
DC 10-30V	30W/PC	6000K	3000LM/PC	UNIVERSAL MODEL	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS


BI-COLOR LENS FOG LAMPS T08-NISSAN MODEL



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	APPLICABLE MODELS	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
DC 10-30V	30W/PC	6000K	3000LM/PC	NISSAN MODEL	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS



BI-COLOR LENS FOG LAMPS T08-TOYOTA MODEL



NORM:


INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	APPLICABLE MODELS	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
DC 10-30V	30W/PC	6000K	3000LM/PC	TOYOTA MODEL	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS

DETAILED GUIDELINES



ADJUSTABLE HEIGHT NUT

ADJUST THE HEIGHT OF THE LIGHT



COOLING SYSTEM

TO ENSURE STABILITY



SPECIAL HEAT DISSIPATION MODULE EFFECTIVELY COOLS THE LEDS TO ENSURE THAT THE LEDS WORK AT A SAFE TEMPERATURE AND CAN BE USED FOR A LONG TIME. RELIABLE AIRCRAFT ALUMINUM MATERIAL, MORE EFFECTIVE TO HELP THE LAMP BODY HEAT DISSIPATION.


FULL-THICKNESS ALUMINUM SHELL LIGHT BODY, UPGRADED HIGH-STRENGTH ADJUSTABLE IRRADIATION HEIGHT SWITCH SPRING, YOU CAN FREELY ADJUST THE IRRADIATION HEIGHT, THE PRODUCT LIGHT CAN BE SWITCHED AT WILL YELLOW OR WHITE LIGHT, A LIGHT 2 COLORS, DIFFERENT DRIVING CONDITIONS CAN BE SWITCHED IN TIME TO ENSURE DRIVING SAFETY!



EMARK APPROVED
PRODUCTS

DIRT BIKE WORK LIGHT SPOT/FLOOD POLY/FLOOD

BRING A SPLASH OF NEW COLOR TO YOUR CAR!



WORK LIGHTS

E a g l e V i s i o n

WORK LIGHTS X1



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
9-16V	16W/PC	6000K	1800LM/PC	6.5INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS

WORK LIGHTS X2



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
9-16V	15W/PC	6000K	1600LM/PC	4INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS

WORK LIGHTS E9 SERIES



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
9-16V	30W/PC	6000K	3200LM/PC	5, 7, 9, 12, 15, 20 INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS

WORK LIGHTS E12



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
9-16V	44W/PC	6000K	4800LM/PC	4.5 INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS


[WITH ADJUSTABLE MOUNTING ATTACHMENT] THE LED SPOTLIGHT CAN BE ADJUSTED TO APPROXIMATELY 360 DEGREES. THIS MAKES IT EASY TO CHANGE THE DIRECTION OF THE BEAM. AFTER INSTALLATION, THE BULB CAN BE SLID UP AND DOWN. [WIDELY USED] SUITABLE FOR ALL KINDS OF VEHICLES. MANY INDOOR AND OUTDOOR USES: GARDEN LIGHTING, BACKYARD LIGHTING, REVERSE LIGHTS, OFF-ROAD LIGHTING, ARCHITECTURAL LIGHTING, AGRICULTURAL VEHICLE LIGHTING, ETC. TRANSLATED WITH WWW.DEEPL.COM/TRANSLATOR (FREE VERSION)

E a g l e V i s i o n

WORK LIGHTS

Eagle Vision


WORK LIGHTS E13



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
9-16V	38W/PC	6000K	4000LM/PC	5INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS


WORK LIGHTS E14



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
9-16V	45W/PC	6000K	4500LM/PC	4INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS


WORK LIGHTS E16



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
9-16V	42W/PC	3000K/6000K	4500LM/PC	5, 7INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS

WORK LIGHTS E23



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
9-16V	32W/PC	3000K/6000K	3500LM/PC	5INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS

[WITH ADJUSTABLE MOUNTING ATTACHMENT] THE LED SPOTLIGHT CAN BE ADJUSTED TO APPROXIMATELY 360 DEGREES. THIS MAKES IT EASY TO CHANGE THE DIRECTION OF THE BEAM. AFTER INSTALLATION, THE BULB CAN BE SLID UP AND DOWN. [WIDELY USED] SUITABLE FOR ALL KINDS OF VEHICLES. MANY INDOOR AND OUTDOOR USES: GARDEN LIGHTING, BACKYARD LIGHTING, REVERSE LIGHTS, OFF-ROAD LIGHTING, ARCHITECTURAL LIGHTING, AGRICULTURAL VEHICLE LIGHTING, ETC.TRANSLATED WITH WWW.DEEPL.COM/TRANSLATOR (FREE VERSION)

MOTORCYCLE SPOTLIGHT
MULTIPLE LIGHT MODES

BRING A SPLASH OF NEW COLOR TO YOUR CAR!





Eagle Vision

SPOTLIGHTS

Eagle Vision



MOTORCYCLE SPOTLIGHT M2 PRO



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
9-16V	14W/PC	6000K	1600LM/PC	4INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS



MOTORCYCLE SPOTLIGHT M1 PRO



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
9-16V	18W/PC	6000K	2000LM/PC	5 INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS



MOTORCYCLE SPOTLIGHT M15



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
9-16V	18W/PC	6000K	2000LM/PC	5INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS

MOTORCYCLE SPOTLIGHT S9



NORM:



INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
9-16V	50W/PC	6000K	5200LM/PC	3INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS

LED SPOTLIGHT IS COMPATIBLE WITH ALMOST ALL MOTORCYCLES, CARS, ETC. DUAL FOCUS LENS--SPECIAL DUAL-FOCUS MODELING DESIGN AND SPECIAL OPTICAL LENS, HELP LIGHT REFRACTION FOCUS, SIGNIFICANTLY IMPROVE THE SPOTLIGHT EFFECT, PROVIDE ENOUGH BRIGHTNESS FOR NIGHT DRIVING. MULTI-COLOR AND MULTI-MODE DESIGN - AMBER LIGHT PENETRATES STRONGLY IN RAINY AND FOGGY DAYS; COOL WHITE LIGHT MAKES TRAVELLING AS DAYTIME. DUAL-COLOR DESIGN MAKES YOUR DRIVING MORE COMFORTABLE, AND TIMELY SWITCHING LIGHTS TO ADAPT TO DIFFERENT ENVIRONMENTS. TRANSLATED WITH WWW.DEEPL.COM/TRANSLATOR (FREE VERSION)

SPOTLIGHTS

Eagle Vision


MOTORCYCLE SPOTLIGHT M12



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
9-16V	38W/PC	6000K	4000LM/PC	3 INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS



MOTORCYCLE SPOTLIGHT S23



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
9-16V	12W/PC	6000K	1200LM/PC	2.5 INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS


MOTORCYCLE SPOTLIGHT M1 PLUS



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
9-16V	15W/PC	6000K	1800LM/PC	3INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS

MOTORCYCLE SPOTLIGHT SK2



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
9-16V	20W/PC	6000K	2200LM/PC	3 INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS

LED SPOTLIGHT IS COMPATIBLE WITH ALMOST ALL MOTORCYCLES, CARS, ETC. DUAL FOCUS LENS--SPECIAL DUAL-FOCUS MODELING DESIGN AND SPECIAL OPTICAL LENS, HELP LIGHT REFRACTION FOCUS, SIGNIFICANTLY IMPROVE THE SPOTLIGHT EFFECT, PROVIDE ENOUGH BRIGHTNESS FOR NIGHT DRIVING. MULTI-COLOR AND MULTI-MODE DESIGN - AMBER LIGHT PENETRATES STRONGLY IN RAINY AND FOGGY DAYS; COOL WHITE LIGHT MAKES TRAVELLING AS DAYTIME. DUAL-COLOR DESIGN MAKES YOUR DRIVING MORE COMFORTABLE, AND TIMELY SWITCHING LIGHTS TO ADAPT TO DIFFERENT ENVIRONMENTS. TRANSLATED WITH WWW.DEEPL.COM/TRANSLATOR (FREE VERSION)



MINI CENTER GRILLE SPOTLIGHTS AND FOG LIGHTS

BRING A SPLASH OF NEW COLOR TO YOUR CAR!

MINI CENTER GRILLE SPOTLIGHTS

E a g l e V i s i o n



MINI CENTER GRILLE SPOTLIGHTS S7



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
9-16V	32W/PC	6000K	3200LM/PC	2.5INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS


MINI CENTER GRILLE SPOTLIGHTS S10



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
9-16V	33W/PC	6000K	3500LM/PC	2.5 INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS


MINI CENTER GRILLE SPOTLIGHTS M7



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
9-16V	25W/PC	6000K	2800LM/PC	5 INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS

MINI CENTER GRILLE SPOTLIGHTS M5



NORM:

INPUT VOLTAGE	POWER	COLOR TEMPERATURE	LUMEN	SIZES	WATERPROOF RATING	OPERATING TEMPERATURE	MAKINGS	LONGEVITY
9-16V	46W/PC	6000K	4800LM/PC	3 INCH	IP67	-40 + 85°C	DIE-CASTING ALUMINUM HOUSING	50000 HOURS

LED SPOTLIGHT IS COMPATIBLE WITH ALMOST ALL MOTORCYCLES, CARS, ETC. DUAL FOCUS LENS--SPECIAL DUAL-FOCUS MODELING DESIGN AND SPECIAL OPTICAL LENS, HELP LIGHT REFRACTION FOCUS, SIGNIFICANTLY IMPROVE THE SPOTLIGHT EFFECT, PROVIDE ENOUGH BRIGHTNESS FOR NIGHT DRIVING. MULTI-COLOR AND MULTI-MODE DESIGN - AMBER LIGHT PENETRATES STRONGLY IN RAINY AND FOGGY DAYS; COOL WHITE LIGHT MAKES TRAVELLING AS DAYTIME. DUAL-COLOR DESIGN MAKES YOUR DRIVING MORE COMFORTABLE, AND TIMELY SWITCHING LIGHTS TO ADAPT TO DIFFERENT ENVIRONMENTS. TRANSLATED WITH WWW.DEEPL.COM/TRANSLATOR (FREE VERSION)

E a g l e V i s i o n


RGB ROCK LIGHT OFF-ROAD RGB LIGHTS

BRING A SPLASH OF NEW COLOR TO YOUR CAR!

RGB AMBIENT LIGHTING

Eagle Vision


RGB ROCK LIGHT-G5 (12 LAMP BEADS)



NORM:

INPUT VOLTAGE	LAMP BEAD SPECIFICATION	COLOR TEMPERATURE	NUMBER OF LAMP BEADS	PRODUCT STYLE	WATERPROOF RATING	OPERATING MODE	MAKINGS	LONGEVITY
DC 9-12V	5050 LAMP BEAD	RGB 16 MILLION COLORS	12SMD/PC	4, 6, 8, 10, 12PCS	IP67	BLUETOOTH CONTROLLED COLOR CHANGE	HIGH STRENGTH PVC+PU	50000 HOURS



RGB ROCK LIGHT-G7 (16 LAMP BEADS)



NORM:

INPUT VOLTAGE	LAMP BEAD SPECIFICATION	COLOR TEMPERATURE	NUMBER OF LAMP BEADS	PRODUCT STYLE	WATERPROOF RATING	OPERATING MODE	MAKINGS	LONGEVITY
DC 9-12V	5050 LAMP BEAD	RGB 16 MILLION COLORS	16SMD/PC	4, 6, 8, 10, 12PCS	IP67	BLUETOOTH CONTROLLED COLOR CHANGE	HIGH STRENGTH PVC+PU	50000 HOURS


RGB ROCK LIGHT-G1 (24 LAMP BEADS)



NORM:

INPUT VOLTAGE	LAMP BEAD SPECIFICATION	COLOR TEMPERATURE	NUMBER OF LAMP BEADS	PRODUCT STYLE	WATERPROOF RATING	OPERATING MODE	MAKINGS	LONGEVITY
DC 9-12V	5050 LAMP BEAD	RGB 16 MILLION COLORS	24SMD/PC	4, 6, 8, 10, 12PCS	IP67	BLUETOOTH CONTROLLED COLOR CHANGE	HIGH STRENGTH PVC+PU	50000 HOURS

RGB ROCK LIGHT-G6 (36 BEADS PORSCHE)



NORM:

INPUT VOLTAGE	LAMP BEAD SPECIFICATION	COLOR TEMPERATURE	NUMBER OF LAMP BEADS	PRODUCT STYLE	WATERPROOF RATING	OPERATING MODE	MAKINGS	LONGEVITY
DC 9-12V	5050 LAMP BEAD	RGB 16 MILLION COLORS	36SMD/PC	4, 6, 8, 10, 12PCS	IP67	BLUETOOTH CONTROLLED COLOR CHANGE	HIGH STRENGTH PVC+PU	50000 HOURS

【MULTI-COLOR】 PROVIDE 16 MILLION DIFFERENT COLORS. 【MULTI-FUNCTION】 COMPATIBLE WITH IPHONE AND ANDROID SYSTEM, MULTI-FUNCTION SWITCHING 【EASY TO USE】 : SCAN THE QR CODE TO DOWNLOAD THE APP FOR INSTALLATION (THE PRODUCT COMES WITH INSTALLATION INSTRUCTIONS) 【WIDE RANGE OF APPLICATIONS】 : WIDELY USED ON THE BOTTOM OF JEEPS, SUVS, ATVS, UTVS, AUTOMOBILES, GOLF CARTS AND MORE.

Eagle Vision

RGB ROCK LIGHT

Eagle Vision


RGB LIGHT STRIP-G2



NORM:

INPUT VOLTAGE	LAMP BEAD SPECIFICATION	COLOR TEMPERATURE	NUMBER OF LAMP BEADS	PRODUCT STYLE	WATERPROOF RATING	OPERATING MODE	MAKINGS	LONGEVITY
DC 9-12V	5050 LAMP BEAD	RGB 16 MILLION COLORS	144SMD/PC	8、12PCS	IP67	BLUETOOTH CONTROLLED COLOR CHANGE	CAOUTCHOU	50000 HOURS


RGB LIGHT STRIP-G3



NORM:

INPUT VOLTAGE	LAMP BEAD SPECIFICATION	COLOR TEMPERATURE	NUMBER OF LAMP BEADS	SIZES	WATERPROOF RATING	OPERATING MODE	MAKINGS	LONGEVITY
DC 9-12V	5050 LAMP BEAD	RGB 16 MILLION COLORS	120SMD/PC	60*90CM 90*120CM	IP67	BLUETOOTH CONTROLLED COLOR CHANGE	CAOUTCHOU	50000 HOURS

RGB FOOTWELL AMBIENT LIGHTING-G4



NORM:

INPUT VOLTAGE	LAMP BEAD SPECIFICATION	COLOR TEMPERATURE	NUMBER OF LAMP BEADS	CONNECTOR	WATERPROOF RATING	OPERATING MODE	MAKINGS	LONGEVITY
DC 9-12V	5050 LAMP BEAD	RGB 16 MILLION COLORS	36SMD/PC	USB CIGARETTE LIGHTER	IP67	BLUETOOTH CONTROLLED COLOR CHANGE	HIGH STRENGTH PVC+PU	50000 HOURS

MOBILE APP BLUETOOTH CONTROL WITH OPTIONAL REMOTE CONTROL



【MULTI-COLOR】 PROVIDE 16 MILLION DIFFERENT COLORS. 【MULTI-FUNCTION】 COMPATIBLE WITH IPHONE AND ANDROID SYSTEM, MULTI-FUNCTION SWITCHING 【EASY TO USE】 : SCAN THE QR CODE TO DOWNLOAD THE APP FOR INSTALLATION (THE PRODUCT COMES WITH INSTALLATION INSTRUCTIONS) 【WIDE RANGE OF APPLICATIONS】 : WIDELY USED ON THE BOTTOM OF JEEPS, SUVS, ATVS, UTVS, AUTOMOBILES, GOLF CARTS AND MORE.