

Semi-Solid-State Battery

Power Banks





1. What Is A Solid-State Battery?

A Solid-State Battery Is A Type Of Battery Technology That Falls Between Traditional Liquid Lithium Batteries And Fully Solid-State Batteries. It Uses A Solid Electrolyte To Replace Some Or All Of The Liquid Electrolyte, Offering Higher Safety, Energy Density, And Stability.

2. What Are The Advantages Of Power Banks Made With Solid-State Batteries Compared To Regular Power Banks?

Compared To Regular Power Banks, Power Banks Made With Solid-State Batteries Have These Advantages:

1. Higher Safety: Solid Electrolytes Are Less Likely To Leak Or Catch Fire, Reducing Risks Of Overheating And Explosions.
2. Longer Lifespan: Solid-State Batteries Can Handle More Charge Cycles, Making Them More Durable.
3. Higher Energy Density: They Store More Power In A Smaller Size, Making Them Easier To Carry.
4. Faster Charging: They Support More Efficient Charging Technology, Reducing Wait Times.
5. Better Environmental Adaptability: They Perform More Stably In Extreme Temperatures.

LP-1029AXC/LP-2029AXC

10,000mAh/20,000mAh Built-in Cable Semi-Solid-State Power Bank

Built-In
USB-C Cable



USB-A
Output Max

22.5W



Specs

• Input:

USB-C: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

Built-In Cable USB-C: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

• Output:

USB-C: 5V/3A, 9V/2.22A, 12V/1.67A

Built-In Cable USB-C: 5V/3A, 9V/2.22A, 12V/1.67A

USB-A: 5V/3A, 9V/2A, 12V/1.5A (22.5W Max)

• Total Output: 22.5W Max

• Dimension: (16*69*114)±0.5mm, (29*69*114)±0.5mm

Key Features

- Ready-to-Use Built-In Cable – No Extra Cables Needed
- Charges 3 Devices Simultaneously
- Digital Display – Battery Level At A Glance
- USB-A Single-Port Max 22.5W Output
- 10,000mAh Compact Design – Easily Fits In Your Pocket

LP-10XXAXC

10,000mAh Built-in Cable Semi-Solid-State Power Bank

Built-In
USB-C Cable



USB-A
Output Max

22.5W



Specs

•Input:

USB-C1: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

USB-C2: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

•Output:

USB-C1/2: 5V/3A, 9V/2.22A, 12V/1.67A

Built-In Cable USB-C1: 5V/3A, 9V/2.22A, 12V/1.67A

Built-In Cable USB-C2: 5V/3A, 9V/2.22A, 12V/1.67A

USB-A: 5V/3A, 9V/2A, 12V/1.5A (22.5W Max)

•Total Output: 22.5W Max

•Dimension: (17*68*133)±0.5mm

Key Features

- Dual Built-In Cables – No Need To Carry Extra Lines
- Charges 5 Devices Simultaneously
- Digital Display – Battery Level At A Glance
- USB-A Single-Port Max 22.5W Output
- Compact Design – Easily Fits in Your Bag

LP-10XXA02C

10,000mAh Built-in Cable Semi-Solid-State Power Bank

Built-In
USB-C Cable



USB-C
Output Max

30W



Specs

•Input:

USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A (30W Max)

Built-In Cable USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
(30W Max)

•Output:

USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A (30W Max)

Built-In Cable USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
(30W Max)

USB-A: 5V/3A, 9V/2A, 10V/2.25A, 12V/1.5A (22.5W Max)

Lightning: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

•Total Output: 30W Max

•Dimension: (94*65*24)±0.5mm

Key Features

- Semi-Solid-State Battery – Safer & Longer-Lasting
- Digital Display – Battery Level At A Glance
- Ultra-Compact Design – Pocket-Friendly Size
- Charges 4 Devices Simultaneously
- Ready-to-Use Built-In Cable – No Extra Cables Needed

LWP-0500XA02

5,000mAh Magnetic Wireless Semi-Solid-State Power Bank

Qi 2.0 Fast
Wireless Charging



Specs

- Input:
USB-C: 5V/2.4A
- Output:
USB-C: 5V/3A, 9V/2A, 10V/2.25A, 12V/1.5A (22.5W Max)
- Wireless Output: 15W/10W/7.5W
- Dimension Choose: 103.8*69.8*6mm, 103.8*69.8*8.4mm

Key Features

- 5,000mAh Magnetic Wireless Power Bank
- Ultra-Slim Design – Pocket-Friendly Comfort
- 15W Fast Magnetic Wireless Charging
- Charges 2 Devices Simultaneously
- Strong Magnet Alignment – Secure & Stable Attachment

LWP-10137A02 **Qi 2.2** LWP-10137A01 **Qi 2.0**
10,000mAh Wireless with Foldable Stand Semi-Solid-State Power Bank

Built-In
USB-C Cable



Qi 2.2 Fast
Wireless Charging



Qi 2.2

- USB-C/Built-In Cable USB-C Input : 5V/1.5A, 5V/2.4A, 5V/3A, 9V/3A, 15V/2A, 20V/1.5A, 5V/3A, 12V/2.5A (30W Max)
- USB-C/Built-In Cable USB-C Output: 5V/1.5A, 5V/2.4A, 5V/3A, 9V/3A, 15V/2A, 20V/1.5A, 12V/2.5A, 10V/2.25A (30W Max)
- Wireless Output: 5W/7.5W/10W/15W/25W
- (USB-C+Built-In Cable USB-C Output)+Wireless Output=15W+5W
- USB-C Output+Built-In Cable USB-C Output=24W
- Dimension: (106*69*18)±0.5mm

Qi 2.0

- USB-C/Built-In Cable USB-C Input: 5V/1.5A, 5V/2.4A, 5V/3A, 9V/2.22A, 9V/2A, 12V/1.5A (20W Max)
- USB-C/Built-In Cable USB-C Output: 5V/1.5A, 5V/2.4A, 5V/3A, 9V/2.22A, 9V/2A, 12V/1.5A, 10V/2.25A (22.5W Max)
- Wireless Output: 5W/7.5W/10W/15W
- (USB-C+Built-In Cable USB-C Output)+Wireless Output=15W+5W
- USB-C Output+Built-In Cable USB-C Output=24W
- Dimension: (106*69*18)±0.5mm



CP-05129A01

5,000mAh Semi-Solid-State Power Bank

Built-In
USB-C Cable



USB-C
Output Max

22.5W



Specs

•Input:

USB-C: 5V/2.4A

Built-In Cable USB-C: 5V/3A

•Output:

USB-C: 5V/3A, 9V/2A, 10V/2.25A, 12V/1.5A (22.5W Max)

Built-In Cable USB-C: 5V/3A, 9V/2A, 10V/2.25A, 12V/1.5A
(22.5W Max)

•Dimension: (105*65*11)±0.5mm

Key Features

- 5,000mAh Semi-Solid-State Power Bank
- Ultra-Slim Design – Pocket-Friendly Comfort
- Ready-to-Use Built-In Cable – No Extra Cables Needed
- Charges 2 Devices Simultaneously
- Semi-Solid-State Battery – Safer & Longer-Lasting

WP-05129A01

5,000mAh Magnetic Wireless Semi-Solid-State Power Bank

Qi 2.0 Fast
Wireless Charging



Specs

- Input:

USB-C: 5V/2.4A

- Output:

USB-C: 5V/3A, 9V/2A, 10V/2.25A, 12V/1.5A (22.5W Max)

- Wireless Output: 15W/10W/7.5W

- Dimension: (105*65*11)±0.5mm

Key Features

- 5,000mAh Magnetic Wireless Power Bank
- Ultra-Slim Design – Pocket-Friendly Comfort
- Clear LED Indicators – Battery Level at a Glance
- Charges 2 Devices Simultaneously
- Semi-Solid-State Battery – Safer & Longer-Lasting



Specs

- Input:
USB-C: 5V/2.4A, 9V/2A, 12V/1.5A
- Output:
USB-A: 5~6.5V/3A, 6.5V~9V/2A, 9V~12V/1.5A, 5V/4.5A,
12/1.5A, 4.5V/5A (22.5W Max)
USB-C: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)
- Wireless Output: 15W/10W/7.5W
- Indicators: 4 LED indicator
- Net Weight: 240±10g
- Dimension: (110*69*17.5)±0.5mm

Key Features

- 10,000mAh Magnetic Wireless Power Bank
- Ultra-Slim Design – Pocket-Friendly Comfort
- Clear LED Indicators – Battery Level at a Glance
- Charges 3 Devices Simultaneously
- Semi-Solid-State Battery – Safer & Longer-Lasting

LP-1008A

10,000mAh Semi-Solid-State Power Bank

USB-C
Output Max

30W

Mini
Series



Specs

•Input:

Micro USB: 5V/2A

USB-C: 5V/3A, 9V/2A

•Output:

USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A (30W Max)

USB-A: 5V/3A, 9V/2A, 10V/2.25A, 12V/1.5A (22.5W Max)

•Total Output: 30W Max

•Dimension: (94*64*24)±0.5mm

Key Features

- 10,000mAh Semi-Solid-State Power Bank
- Credit-Card Length And Width – Slides Right Into Pocket
- Clear LED Indicators – Battery Level at a Glance
- Charges 3 Devices Simultaneously
- Semi-Solid-State Battery – Safer & Longer-Lasting

LP-509A

5,000mAh Semi-Solid-State Power Bank

USB-C
Output Max

20W

Mini
Series



Specs

• Input:

USB-C: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

• Output:

USB-C: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

USB-A1: 5V/3A, 9V/2A, 10V/2.25A, 12V/1.5A (22.5W Max)

USB-A2: 5V/3A, 9V/2A, 10V/2.25A, 12V/1.5A (22.5W Max)

• Total Output: 20W Max

• Dimension: (91*64*13)±0.5mm

Key Features

- 5,000mAh Semi-Solid-State Power Bank
- Credit-Card Length And Width – Slides Right Into Pocket
- Clear LED Indicators – Battery Level at a Glance
- Charges 3 Devices Simultaneously
- Semi-Solid-State Battery – Safer & Longer-Lasting

LP-1029AQC/LP-2029AQC

10,000mAh/20,000mAh Semi-Solid-State Power Bank

USB-C
Output Max

20W

USB-A
Output Max

22.5W



Specs

•Input:

USB-C: 5V/3A, 9V/2.0A, 12V/1.5A

•Output:

USB-C: 5V/3.0A, 9V/2.22A, 12V/1.67A (20W Max)

USB-A1/2: 4.5V/5.0A, 5V/4.5A, 9V/2.0A, 12V/1.5A (22.5W Max)

•Battery Display: LED Display Screen

•Net Weight: 181g/317g

•Dimension: (114*70*17)±0.5mm/(118*72*29)±0.5mm

•Battery Options: Semi-Solid-State Battery/ Conventional Battery

Key Features

- 22.5W Fast Charging with Smart Voltage Boost
- 10,000mAh / 20,000mAh High-Capacity Power on the Go
- Ultra-Slim & Lightweight Portable Design
- Charges 3 Devices Simultaneously
- Two Battery Type Options

WP-1023A

10,000mAh Magnetic Wireless Semi-Solid-State Power Bank

Qi Fast
Wireless Charging



Specs

- Input:
USB-C: 5V/3A, 9V/2A
- Output:
USB-A: 5~6.5V/3A, 6.5V~9V/2A, 9V~12V/1.5A, 5V/4.5A, 4.5V/5A, 12V/1.5A (22.5W Max)
USB-C: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)
- Wireless Output: 15W/10W/7.5W
- Indicators: 4 LED indicator
- Net Weight: 240±10g
- Dimension: (112*68.5*18)±0.5mm

Key Features

- 10,000mAh Magnetic Wireless Power Bank
- Ultra-Slim Design – Pocket-Friendly Comfort
- 15W Fast Magnetic Wireless Charging
- Charges 3 Devices Simultaneously
- Strong Magnet Alignment – Secure & Stable Attachment

High Capacity Power Banks



LP-2775B02

27,000mAh Power Bank for Laptop

Screen Display
Technology



USB-C
Output Max



Specs

- Input:
USB-C1/2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A, 28V/5A (140W Max)
- Output:
USB-C1/2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A, 28V/5A (140W Max)
USB-A: 5V/3A, 9V/3A, 12V/2.5A, 10V/2.25A (36W Max)
USB-C1+USB-C2: 100W+30W
USB-C1+USB-A: 100W+30W
USB-C2+USB-A: 100W+30W
USB-C1+USB-C2+USB-A: 100W+12W+12W
- Total Output: 140W Max
- Indicators: Intelligent digital display screen
- Net Weight: 635g
- Dimension: (156*56*53)±0.5mm

Key Features

- High-Capacity Battery – Longer Lasting Power
- 140W PD Fast Charging – Powers Most Laptops & Devices
- 140W Input & Output – Faster Full Charge
- Charges 3 Devices Simultaneously
- Digital Display – Battery Level At A Glance

LP-2775B01

27,000mAh Power Bank for Laptop

USB-C
Output Max
140W



Specs

- Input:
USB-C1/2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A, 28V/5A (140W Max)
- Output:
USB-C1/2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A, 28V/5A (140W Max)
USB-A: 5V/3A, 9V/3A, 12V/2.5A, 10V/2.25A (36W Max)
USB-C1+USB-C2: 100W+30W
USB-C1+USB-A: 100W+30W
USB-C2+USB-A: 100W+30W
USB-C1+USB-C2+USB-A: 100W+12W+12W
- Total Output: 140W Max
- Indicators: Intelligent digital display screen
- Net Weight: 635g
- Dimension: (156*56*53)±0.5mm

Key Features

- High-Capacity Battery – Longer Lasting Power
- 140W PD Fast Charging – Powers Most Laptops & Devices
- 140W Input & Output – Faster Full Charge
- Charges 3 Devices Simultaneously
- Digital Display – Battery Level At A Glance

LP-20XXD01C

20,000mAh Power Bank for Laptop

Built-in
Retractable Cable



Total Power

200W



Specs

•Input:

Retractable Cable USB-C/ USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A,
20V/5A (100W Max)

•Output:

Retractable Cable USB-C/USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A,
20V/5A (100W Max)

USB-A: 5V/3A, 9V/2~3A, 10V/2.25A, 11V/3A, 12V/1.5~2.75A (33W Max)

•2 ports: 100W + 100W, 3 ports: 85W + 85W + 30W

•Retractable Cable length: 27.6" (70cm)

•Dimension: 60.3*47*106mm

Key Features

- High-Capacity Battery – Longer Lasting Power
- 100W PD Fast Charging – Powers Most Laptops & Devices
- Built-In Retractable Cable – No More Cable Hassles
- Charges 3 Devices Simultaneously
- Digital Display – Battery Level At A Glance

LP-10156B01C

10,000mAh Power Bank for Laptop

AC
Foldable plug



Built-in
Retractable Cable



USB-C
Output Max

65W



Specs

•Input:

AC: 100-240V 50/60Hz

USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A (30W Max)

•Output:

Retractable Cable USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A,
20V/3.25A (65W Max)

USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (65W Max)

•Retractable Cable length: 39.4" (100cm)

•Dimension: (104*64*37)±0.5mm

Key Features

- Built-in Foldable AC Plug for Direct Wall Charging
- 65W PD Fast Charging – Powers Most Laptops & Devices
- Built-In Retractable Cable – No More Cable Hassles
- Charges 2 Devices Simultaneously
- Digital Display – Battery Level At A Glance

LP-20XXC01C

20,000mAh Power Bank for Laptop

Built-in
Retractable Cable



Total Power

155W



Specs

•Input:

Retractable Cable USB-C/USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A,
20V/2.75A (55W Max)

•Output:

Retractable Cable USB-C/USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A,
20V/5A (100W Max)

USB-A: 5V/3A, 9V/2~3A, 10V/2.25A, 11V/3A, 12V/1.5~2.75A (33W Max)

•2 ports: 100W + 55W, 3 ports: 55W + 55W + 30W

•Retractable Cable length: 27.6" (70cm)

•Dimension: 45*55*133mm

Key Features

- High-Capacity Battery – Longer Lasting Power
- 100W PD Fast Charging – Powers Most Laptops & Devices
- Built-In Retractable Cable – No More Cable Hassles
- Charges 3 Devices Simultaneously
- Digital Display – Battery Level At A Glance

LP-4072A

40,000mAh PPower Bank for Laptop

USB-C
Output Max

65W



Specs

- Input:
USB-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A (45W Max)
- Output:
USB-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (Max 65W)
USB-C2: 5V/3A, 9V/3A, 12V/2.5A (Max 30W)
USB-A1: 5V/3A, 9V/2A, 12V/1.5A, 10V/2.25A (22.5W Max)
USB-A2: 5V/3A
USB-C1+USB-C2: 45W+20W
- Total Output: 65W Max
- Net Weight: 656.5g
- Dimension: (149*65*46)±0.5mm

Key Features

- High-Capacity Battery – Longer Lasting Power
- 65W PD Fast Charging – Powers Most Laptops & Devices
- LED Indicators Show Remaining Power Clearly
- Charges 4 Devices Simultaneously
- Compact Size Design – Easily Fits in Your Bag

LP-2091B

20,000mAh Power Bank for Laptop

USB-C
Output Max

65W



Specs

- Input:
USB-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A (45W Max)
- Output:
USB-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (65W Max)
USB-C2: 5V/3A, 9V/3A, 12V/2.5A (30W Max)
USB-A1: 5V/3A, 9V/2A, 12V/1.5A, 10V/2.25A (22.5W Max)
USB-A2: 5V/3A
USB-C1+USB-C2: 45W+20W
- Total Output: 65W Max
- Net Weight: 388.5g
- Dimension: (120*53*49)±0.5mm

Key Features

- High-Capacity Battery – Longer Lasting Power
- 65W PD Fast Charging – Powers Most Laptops & Devices
- LED Indicators Show Remaining Power Clearly
- Charges 4 Devices Simultaneously
- Compact Size Design – Easily Fits in Your Bag

LP-2680A

26,800mAh Power Bank for Laptop

USB-C
Output Max

65W



Specs

- Input:
USB-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A (45W Max)
- Output:
USB-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (65W Max)
USB-C2: 5V/3A, 9V/3A, 12V/2.5A (30W Max)
USB-A1: 5V/3A, 9V/2A, 12V/1.5A, 10V/2.25A (22.5W Max)
USB-A2: 5V/3A
USB-C1+USB-C2: 45W+20W
- Total Output: 65W Max
- Net Weight: 498.9g
- Dimension: (107*70*41)±0.5mm

Key Features

- High-Capacity Battery – Longer Lasting Power
- 65W PD Fast Charging – Powers Most Laptops & Devices
- LED Indicators Show Remaining Power Clearly
- Charges 4 Devices Simultaneously
- Compact Size Design – Easily Fits in Your Bag

Wireless Power Banks





Specs

- USB-C/Built-In Cable USB-C Input : 5V/1.5A, 5V/2.4A, 5V/3A, 9V/3A, 15V/2A, 20V/1.5A, 5V/3A, 12V/2.5A (30W Max)
- USB-C/Built-In Cable USB-C Output: 5V/1.5A, 5V/2.4A, 5V/3A, 9V/3A, 15V/2A, 20V/1.5A, 12V/2.5A, 10V/2.25A (30W Max)
- Wireless Output: 5W/7.5W/10W/15W/25W
- (USB-C+Built-In Cable USB-C Output)+Wireless Output=15W+5W
- USB-C Output+Built-In Cable USB-C Output=24W
- Dimension: (106*69*18)±0.5mm



Key Features

- 10,000mAh Magnetic Wireless Power Bank With Foldable Stand
- 25W Fast Magnetic Wireless Charging
- Built-In Foldable Stand – Hands-Free Viewing Anytime
- Charges 3 Devices Simultaneously
- Ready-to-Use Built-In Cable – No Extra Cables Needed



Specs

- USB-C Input : 5V/1.5A, 5V/2.4A, 5V/3A, 9V/3A, 15V/2A, 20V/1.5A, 12V/2.5A (30W Max)
- USB-C Output: 5V/1.5A, 5V/2.4A, 5V/3A, 9V/3A, 15V/2A, 20V/1.5A, 12V/2.5A, 10V/2.25A (30W Max)
- Wireless Output: 5W/7.5W/10W/15W/25W
- USB-C Output+Wireless Output=15W+5W
- Indicators: 5 LED indicator
- Dimension: (106*69*18)±0.5mm



Key Features

- 10,000mAh Magnetic Wireless Power Bank With Foldable Stand
- 25W Fast Magnetic Wireless Charging
- Built-In Foldable Stand – Ideal For Hands-Free Viewing
- Charges 2 Devices Simultaneously
- Ultra-Slim Design – Pocket-Friendly Comfort

Wireless
Power Banks





Specs

- Input:
USB-C: 5V/2.4A, 9V/2A
- Output:
USB-A: 5~6.5V/3A, 6.5V~9V/2A, 9V~12V/1.5A, 5V/4.5A,
4.5V/5A (22.5W Max)
USB-C: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)
- Wireless Output: 15W/10W/7.5W
- Indicators: 4 LED indicator
- Dimension: (110*69*17.5)±0.5mm

Key Features

- 10,000mAh Magnetic Wireless Power Bank With Foldable Stand
- 15W Fast Magnetic Wireless Charging
- Built-In Foldable Stand – Perfect For Desk Or Travel
- Charges 3 Devices Simultaneously
- Ultra-Slim Design – Pocket-Friendly Comfort

LWP-1000XA01

10,000mAh Magnetic Wireless Power Bank

Aluminum Alloy
Midsection



Qi 2.0 Fast
Wireless Charging



Specs

- USB-C Input: 5V/3A, 9V/2A (18W Max)
- USB-C Output: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A (30W Max)
- Wireless Output: 5W/7.5W/ 10W/15W (15W Max)
- Indicators: 5 LED indicator
- Dimension: (104*71*15)±0.5mm

Key Features

- 10,000mAh Magnetic Wireless Power Bank
- Ultra-Slim Design – Pocket-Friendly Comfort
- 15W Fast Magnetic Wireless Charging
- Supports Simultaneous Charging for 2 Devices
- Clear LED Indicators – Battery Level at a Glance

LWP-05135A01

5,000mAh Magnetic Wireless Power Bank

Qi 2.0 Fast
Wireless Charging



Specs

- USB-C Input : 5V/3A, 9V/2.22A, 12V/1.67A
- USB-C Output: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)
- Wireless Output: 5W/7.5W/10W/15W
- USB-C Output+Wireless Output=10W+5W
- Indicators: 5 LED indicator
- Dimension: (105*70*9.5)±0.5mm

Key Features

- 5,000mAh Magnetic Wireless Power Bank
- Ultra-Slim 0.37in Design – Pocket-Thin Comfort
- 15W Fast Magnetic Wireless Charging For iPhone
- Supports Simultaneous Charging for 2 Devices
- Strong Magnet – Perfect Alignment Every Time

Wireless
Power Banks



WP-523A

5,000mAh Magnetic Wireless Power Bank

Qi Fast
Wireless Charging



Specs

- Input:
USB-C: 5V/2A
- Output:
USB-C: 5V/2.4A
- Wireless Output: 10W/7.5W/5W
- Indicators: 4 LED indicator
- Net Weight: 150±10g
- Dimension: (98*64*15.5)±0.5mm

Key Features

- 5,000mAh Magnetic Wireless Power Bank
- 10W Fast Wireless Charging For iPhone & Android
- Ultra-Slim & Lightweight – Only 150g
- Supports Simultaneous Charging for 2 Devices
- 4-LED Battery Indicator – Easy Power Level Check

Built-In Cable Power Banks



LWP-10127B01C

10,000mAh Built-in Cable Power Bank

Apple Watch
Charging



Built-In
USB-C Cable



USB-C
Output Max



Specs

•Input:

USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A

Built-In Cable USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A

•Output:

USB-C: 5V/3A, 9V/2A, 12V/3A, 15V/3A, 20V/2.25A (45W Max)

Built-In Cable USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A,
20V/2.25A (45W Max)

USB-A: 5V/3A, 9V/2A, 10V/2.25A, 12V/1.5A (22.5W Max)

Wireless Charger: 5W Max (For Apple Watch)

•Dimension: (102*50*31)±0.5mm

Key Features

- USB-C Single-Port Max Output 45W
- 10,000mAh Power Bank – Compact Design
- 5W Wireless for Apple Watch
- Built-in USB-C Cable – No Extra Cable Needed
- Charges 4 Devices Simultaneously

LP-10XXA01C

10,000mAh Built-in Cable Power Bank

AC
Foldable plug



Built-In
USB-C Cable



USB-C
Output Max

45W



Specs

•Input:

AC: 100-240V 50/60Hz

USB-C: 5V/3A, 9V/2A, 12V/3A, 15V/3A, 20V/2.25A (45W Max)

Built-In Cable USB-C: 5V/3A, 9V/2A, 12V/3A, 15V/3A, 20V/2.25A
(45W Max)

•Output:

USB-C: 5V/3A, 9V/2A, 12V/3A, 15V/3A, 20V/2.25A (45W Max)

Built-In Cable USB-C: 5V/3A, 9V/2A, 12V/3A, 15V/3A,
20V/2.25A (45W Max)

•Dimension: (105*54*37)±0.5mm

Key Features

- 45W PD Fast Charging with Built-In USB-C Cable
- All-in-One Power Bank with Foldable Plug
- 10,000mAh Ultra-Compact Design – Pocket-Sized Power
- 2-Device Charging + Pass-Through Support
- Global 100-240V Input – Charge Anywhere, Anytime

LP-20XXA01C

20,000mAh Built-in Cable Power Bank

Built-In
USB-C Cable



USB-C
Output Max

45W



Specs

•Input:

USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A (30W Max)

Built-In Cable USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
(30W Max)

•Output:

USB-C: 5V/3A, 9V/2A, 12V/3A, 15V/3A, 20V/2.25A (45W Max)

Built-In Cable USB-C: 5V/3A, 9V/2A, 12V/3A, 15V/3A, 20V/2.25A
(45W Max)

USB-A: 4.5V/5A, 5V/4.5A, 5V/2.4A, 9V/2A, 12V/1.5A (22.5W Max)

•Total Output: 15W Max

•Dimension: (143*73*20)±0.5mm

Key Features

- Built-in USB-C Cable with 45W Max Output
- LCD Display Shows Remaining Power Instantly
- 20,000mAh Power Bank – Pocket-Friendly Design
- Built-in USB-C Cable – No Extra Cable Needed
- Charges 3 Devices Simultaneously

LP-20XXA02C

20,000mAh Built-in Cable Power Bank

Built-In
USB-C Cable



USB-C
Output Max

22.5W



Specs

•Input:

USB-C: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

Built-In Cable USB-C: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

•Output:

USB-C: 5V/3A, 9V/2A, 10V/2.25A, 12V/1.5A (22.5W Max)

Built-In Cable USB-C: 5V/3A, 9V/2A, 10V/2.25A, 12V/1.5A
(22.5W Max)

USB-A: 5V/3A, 9V/2A, 10V/2.25A, 12V/1.5A (22.5W Max)

•Total Output: 15W Max

•Dimension: (143*73*20)±0.5mm

Key Features

- Single-Port Output up to 22.5W
- Slim & Lightweight 20,000mAh Power Bank
- Built-in USB-C Cable – No Extra Cable Needed
- Charges 3 Devices Simultaneously
- Smart Power Sharing – Charge Multiple Devices Safely

CP-20200B01

20,000mAh Built-in Cable Power Bank

Built-In
USB-C Cable



USB-C
Output Max

67W



Specs

•Input:

USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.35A (67W Max)

•Output:

USB-C: 5V/3A, 9V/3A, 10V/3A, 12V/3A, 15V/3A, 20V/3.35A (67W Max)

Built-In Cable USB-C: 5V/3A, 9V/3A, 10V/3A, 12V/3A, 15V/3A,
20V/3.35A (67W Max)

USB-A: 5V/3A, 9V/3A, 10V/2.25A, 12V2.5A (30W Max)

•Dimension: (167*65.5*26)±0.5mm

•Supports 15W simultaneous charge and discharge efficiently

Key Features

- 67W PD Fast Charging for Laptops
- 20,000mAh High-Capacity Power Bank
- Built-in Retractable USB-C Charging Cable
- Charges 3 Devices Simultaneously
- Supports 15W Pass-Through Charging

CP-10116U01

10,000mAh Power Bank with Built-In Plug and Integrated Cable

Built-In USB-C
Lightning



AC
Plug



Specs

•Charger Mode:

AC Input: 100~240V 50/60Hz

USB-C Output: 5V/2.4A

Built-In Cable USB-C Output: 5V/2.4A

•Power Bank Mode:

USB-C Input: 5V/3A, 9V/2A (18W Max)

USB-C Output: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

Built-In Cable USB-C Output: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

USB-A Output: 5V/3A, 9V/2A, 12V/1.5A (18W Max)

•Dimension: (134*70*17.5)±0.5mm

Key Features

- 20W PD Fast Charging with Built-In USB-C Cable
- Foldable AC Plug Power Bank
- 10,000mAh Ultra-Slim Design – Slimmer Than Ever
- Charges 3 Devices Simultaneously
- Global 100-240V Input – Travel-Ready Anywhere

LP-10117B01

10,000mAh Built-in Retractable Cable Power Bank

Built-In
USB-C Cable



USB-C
Output Max

45W



Specs

•Input:

USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A

Built-In Cable USB-C: 55V/3A, 9V/3A, 12V/2.5A, 15V/2A

•Output:

USB-C: 5V/3A, 9V/2A, 12V/3A, 15V/3A, 20V/2.25A (45W Max)

Built-In Cable USB-C: 5V/3A, 9V/2A, 12V/3A, 15V/3A, 20V/2.25A
(45W Max)

USB-A: 5V/3A, 9V/2A, 10V/2.25A, 12V/1.5A (22.5W Max)

Built-In Cable USB-C+USB-A=30W

•Dimension: (90*49*37)±0.5mm

Key Features

- 45W PD Fast Charging with Built-In Retractable USB-C Cable
- 10,000mAh Ultra-Compact Power Bank – Slim & Pocket-Ready
- 45W Max Output via USB-C + Retractable Cable
- Charges 3 Devices Simultaneously
- Integrated Retractable Cable – Always Ready, No Extra Wires

LP-10111B01

10,000mAh Built-in Cable Power Bank

Built-In
USB-C Cable



USB-C
Output Max

30W



Specs

•Input:

USB-C: 5V/3A, 9V/2.22A, 12V/1.67A

Built-In Cable USB-C: 5V/3A, 9V/2.22A, 12V/1.67A

•Output:

USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A (30W Max)

Built-In Cable USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
(30W Max)

USB-A: 5~6.5V/3A, 6.5V~9V/2A, 9V~12V/1.5A, 5V/4.5A, 4.5V/5A
(22.5W Max)

Built-In Cable USB-C+USB-A: 15W

Built-In Cable USB-C+USB-C: 15W

USB-C+USB-A: 15W

Built-In Cable USB-C+USB-C+USB-A: 15W

•Dimension: (90*59*26)±0.5mm

Key Features

- 30W PD Fast Charging with Built-In USB-C Cable
- 10,000mAh Ultra-Compact Power Bank – Pocket-Friendly Size
- Real-Time Battery Level Display
- Ready-to-Use Built-In Cable – Never Forget Your Charger Again
- Charges 4 Devices Simultaneously

LP-20100A01C

20,000mAh Built-in Cable Power Bank

Built-In
USB-C Cable



USB-C
Output Max

22.5W



Specs

•Input:

USB-C1: 5V/1.8A, 9V/1.8A

Built-In Cable USB-C2: 5V/1.8A, 9V/1.8A

•Output:

USB-C1: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

Built-In Cable USB-C2: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

Built-In Cable USB-C3: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

USB-A1: 5V/3A, 9V/2A, 12V/1.5A (22.5W Max)

•The output power of two or more ports shares 15W

•Dimension: (151*70*33)±0.5mm

Key Features

- 3 USB-C Outputs – Up to 20W per Port
- 20,000mAh Power Bank That Charges 4 Devices Simultaneously
- Ultra-Slim Design with Integrated Charging Cable
- Built-in Dual USB-C Charging Cables
- Ready-to-Use Built-In Cable – No Extra Cables Needed

LP-10101A01C

10,000mAh Built-in Cable Power Bank

Built-in
USB-C Cable



USB-C
Output Max

22.5W



Specs

•Input:

USB-C1: 5V/1.8A, 9V/1.8A

Built-In Cable USB-C2: 5V/1.8A, 9V/1.8A

•Output:

USB-C1: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

Built-In Cable USB-C2: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

Built-In Cable USB-C3: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

USB-A1: 5V/3A, 9V/2A, 12V/1.5A (22.5W Max)

•The output power of two or more ports shares 15W

•Dimension: (151*68*20)±0.5mm

Key Features

- 3 USB-C Outputs – Up to 20W per Port
- 10,000mAh Power Bank That Charges 4 Devices Simultaneously
- Ultra-Slim Design with Integrated Charging Cable
- Built-in Dual USB-C Charging Cables
- Ready-to-Use Built-In Cable – No Extra Cables Needed

LTP-2059B01

5,000mAh Foldable Plug Power Bank

AC
Foldable plug



1 Pc
Built-In Cable



USB-C
Output Max

20W



Specs

•Input:

AC: 100~240V 50/60Hz

USB-C: 5V/3A, 9V/2A

Built-In Cable USB-C: 5V/3A, 9V/2A

•Output:

USB-C: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

Built-In Cable USB-C: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

Built-In Cable USB-C+USB-C: 15W

•Dimension: (120*34*34)±0.5mm

Key Features

- Built-in Foldable AC Plug for Direct Wall Charging
- Ultra-Compact Rectangular Block Design – Pocket-Friendly
- Supports Pass-Through Charging
- Charges 2 Devices Simultaneously
- Global 100~240V Input – Charge Anywhere Effortlessly

Classic

Power Banks



LP-1073B01

10,000mAh Slim and Compact Power Bank

Mini
Series



Digital
Screen



USB-C
Output Max

30W



Specs

•Input:

USB-C1: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

•Output:

USB-C1/2: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A (30W Max)

USB-A: 5V/3A, 9V/2A, 12V/1.5A

•Total Output: 15W

• Indicators: LCD Display

• Net Weight: 270g

•Dimension: (107*52*26)±0.5mm

Key Features

- 30W PD Fast Charging via Dual USB-C Ports
- 10,000mAh Slim Power Bank with LCD Display
- Ultra-Compact & Lightweight Everyday Carry
- Smart Multi-Device Charging with Total 15W Output
- Fast 20W Recharging through USB-C Input



Specs

Power Bank*3

- Capacity: 5,000mAh
- USB-C1/2 Input: 5V/3A, 9V/2A, 12V/1.5A
- USB-C1/2 Output: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)
- Total Output: 20W Max
- Dimension: (78.5*35*25)±0.5mm

Charging Dock*1

- USB-C1: 5V/3A
- USB-C2: 5V/3A
- USB-C3: 5V/3A
- USB-C1+USB-C2+USB-C3: 5V/9A
- Dimension: (116*60*45)±0.5mm

Key Features

- 5,000mAh Power Bank with 20W PD Fast Charging
- 3-in-1 Charging Dock + Three Ultra-Compact Power Banks
- Pocket Lipstick Power Bank – Tiny Yet Mighty
- Simultaneous 20W Fast Charging for Multiple Devices
- Portable Power Banks Snap into Dock for Easy Recharging

LP-0584B02

5,000mAh Power Bank

USB-C
Port



Mini
Series



Specs

- Display: LCD Indicator
- USB-C Input: 5V/2.4A, 9V/2A, 12V/1.5A (18W Max)
- USB-C Output: 5V/3.0A, 9V/2.22A, 12V/1.67A (20W Max)
- Total Output: 15W
- Dimensions: (80*39*28)±0.5mm
- The USB-C plug and stand can be folded



Key Features

- 18W Fast Recharging with USB-C PD Input
- 5,000mAh Ultra-Compact Power Bank with LCD Display
- Foldable USB-C Plug & Built-in Stand for Convenience
- 20W PD Fast Charging Output via USB-C
- Lipstick-Size Design – Plug Straight into Your Phone

LP-1089B

10,000mAh Power Bank

Mini
Series



USB-C
Output Max

30W



Specs

• Input:

USB-C: 5V/3A, 9V/2A, 12V/1.5A

• Output:

USB-C: 5V/3A, 9V/3A, 12V/2.25A, 15V/2A, 20V/1.5A

(30W Max)

USB-A: 5~6.5V/3A, 6.5V~9V/2A, 9V~12V/1.5A, 5V/4.5A, 4.5V/5A

(22.5W Max)

• Net Weight: 205g

• Dimension: (82*62*26)±0.5mm

Key Features

- 30W PD Fast Charging via USB-C
- 10,000mAh Slim & Lightweight Power Bank
- Ultra-Compact Pocket-Sized Design
- Dual Output Ports for Simultaneous Charging
- Fast Recharging with PD Input Support

GP-1000AQC01/GP-2000AQC01 10,000mAh/20,000mAh Power Bank

USB-C
Output Max

20W

USB-A
Output Max

22.5W



Specs

•Input:

Micro USB: 5V/2A

USB-C: 5V/3A, 9V/2A

•Output:

USB-A1/2: 5~6.5V/3A, 6.5V~9V/2A, 9V~12V/1.5A, 5V/4.5A,
4.5V/5A (22.5W Max)

USB-C: 5V/3A, 9V/2.22A, 12V/1.67A(20W Max)

•Net Weight: 228g/430g

•Dimension: (143*68*16)±0.5mm/(143*68*28)±0.5mm

Key Features

- 22.5W Super Fast Charging Output
- 10,000mAh or 20,000mAh High-Capacity Portable Power
- Compact & Lightweight Design for Easy Carry
- Dual USB-A + USB-C Ports for Simultaneous Charging
- Fast Recharging with USB-C PD Input Support

LP-1062AQC/LP-2062AQC 10,000mAh/20,000mAh Power Bank

USB-C
Output Max

20W

USB-A
Output Max

22.5W



Specs

•Input:

Micro USB: 5V/3A

USB-C: 5V/2A, 9V/2A

•Output:

USB-A1/2: 5~6.5V/3A, 6.5V~9V/2A, 9V~12V/1.5A, 5V/4.5A,
4.5V/5A (22.5W Max)

USB-C: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

•Net Weight: 228g/430g

•Dimension: (143*68*16)±0.5mm/(143*73*29)±0.5mm

Key Features

- 22.5W Fast Charging with Smart Voltage Boost
- 10,000mAh / 20,000mAh High-Capacity Power on the Go
- Ultra-Slim & Lightweight Portable Design
- Dual USB-A + USB-C Outputs for Multiple Devices
- Fast Recharging via USB-C or Micro USB Input

LP-565A/LP-1065A/LP-1565A/LP-2065A 5,000mAh/10,000mAh/15,000mAh/20,000mAh Power Bank

Mini
Series



USB-C
Output Max

65W



Specs

•Input:

Micro USB: 5V/2A

USB-C: 5V/3A, 9V/2A

•Output:

USB-C1: DC5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (Max 65W)

USB-C2: DC5V/2.4A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A

(30W Max)

USB-A: DC5~6.5V/3A, 6.5V~9V/2A, 9V~12V/1.5A, 5V/4.5A, 4.5V/5A
(22.5W Max)

• Indicators: 4 LED indicators

• Net Weight: 103g, 173g, 300g, 380g

• Dimension: (50*14*103)±0.5mm, (50*25*109)±0.5mm (71.5*25*125)±0.5mm, (82*28*135)±0.5mm

•LP-2065A

USB-C1 Input: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A (45W Max)

USB-C1 Output: DV/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (65W Max)

USB-C2 Output: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A (30W Max)

USB-A Output: 5V/3A, 9V 2A, 12V/1.5A, 5V/4.5A, 4.5V/5A (22.5W Max)