

CAR ACCESSORIES 4X4

YURUI AIR

*Air compressor
Vacuum cleaner*

专业生产气泵超20年

Specialized in air pump manufacture for over 20 years

余姚市裕瑞电器有限公司

YUYAO CITY YURUI ELECTRICAL APPLIANCE CO.,LTD.

Add: Linshan, Yuyao, Ningbo, China P.C.:315461

Tel:86-574-62061567 62062567 62062563

Fax:86-574-62060576

[Http://www.zjyufeng.com](http://www.zjyufeng.com)

www.airsuspensionpumps.com

E-mail : liu@zjyufeng.com



YUYAO CITY YURUI ELECTRICAL APPLIANCE CO.,LTD.

2026-2027



RoHS CE FCC BSCI ISO9001



YURUI ELECTRICAL APPLIANCE

Company Introduction

Yuyao City Yurui Electrical Appliance Co., Ltd. (Yuyao City Yufeng Electrical Appliance Factory) is located in Yuyao City, which is in the center of the golden triangle economic area, consisting of Shanghai, Hangzhou and Ningbo. We are a professional manufacture of Car Accessories and having been dealing with this particular line over 20 years. We have been granted ISO9001:2000, BSCI, FCCA and so on.

Our firm covers an area of 12000 m². Our Product mainly includes: Air Compressor, Working light, Car Fan, Vacuum Cleaner, Spot Light, Trouble Lamp, Warning Light, Flash Light & Jump Start. Most of our goods are with CE, GS, ROHS approval and all our products are well sold all over world.

Quality is the basis of the survival and development for a company. We strictly follow the quality principle of "Pursue the perfection of products, meet the needs of customers." From the procurement of raw materials to the manufacture process, and from the product inspection to the after-sales service, every step in our company is carried out under strict controls.

Looking forward to the bright future, we will stick to the following management concept: superior quality, high efficiency, and superior after-sales service. We sincerely hope to establish business relationships with customers all over the world. Let us make a remarkable achievement together.

PRODUCT CATALOG



HEAVY DUTY AIR COMPRESSOR ————— 01-10



METAL AIR COMPRESSOR ————— 11-19



RECHARGEABLE AIR COMPRESSOR ————— 20-21



DIGITAL AIR COMPRESSOR ————— 22-24



PORTABLE AIR COMPRESSOR ————— 25-29, 32-37



AC/DC AIR COMPRESSOR ————— 29-31



SMART BALL AIR PUMP ————— 38



COMPACT CORDLESS AIR PUMP ————— 39



3 IN 1 POWER SUPPLY PADDLE BOARD PUMP ————— 40-44



VACUUM CLEANER SERIES ————— 45-53



FAN HEATER ————— 54-55



OTHER ACCESSORIES ————— 56

Heavy duty
air compressor

NEW



Nozzle 3 pieces

**YF6617**

- Voltage: DC12V
- Digital gauge
- Pressure set-up & Auto-stop
- Power: 770W
- Max amperage: 56A
- Max pressure: 150PSI
- Flow: 180L/min
- (2) Air outlet Ports
- 3M cord with crocodile clip
- Extendable hose length: 6M



Model No.	Carton Qty.	G.W/N.W (kgs)	Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF6617	1	15 13	40x18x35	1031	2619

HEAVY DUTY
AIR COMPRESSORHeavy duty
air compressor**YF6608**

- Heavy duty air compressor
- DC12V
- Flow rate: 160L/min
- Max pressure: 150PSI
- Extendable hose length: 5M
- Cord length: 2m with crocodile clip

Nozzle 3 pieces

**YF8009****4.2CFM 100PSI**

- 12 Volt
- Duty Cycle: 25% @ 100PSI
- Max Working Pressure: 100PSI
- Max Amp Draw: 45AMPS
- Net Weight: 23.1lbs
- 19.6"Lx 7.3"Wx 17.5"H

Model No.	Carton Qty.	G.W/N.W (kgs)	Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF6608	1	8.4 7.9	48x29x45.5	410	1042
YF8009	1	14 13.5	67x19.5x44	487	1183



YF657

- Portable Compressor
- DC12V
- Flow Rate: 75L/min
- Max Pressure: 200PSI
- Extendable hose length: 7.5M



YF657-1

- Portable compressor
 - DC 12V
 - Digital gauge
 - Flow Rate: 75L/min
 - Max pressure: 200PSI
 - Max amp draw: 32A
 - Extendable hose length: 7.5M
- PSI, KG/CM², BAR three pressure units are available
After reaching the set pressure, it will stop automatically

Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF657	2	13.8	12.8	36x36x50	864	2100
YF657-1	2	13.8	12.8	36x36x50	864	2100



HEAVY DUTY AIR COMPRESSOR

Portable air compressors range in maximum working pressure from 50 PSI to 150 PSI. All portable compressors are equipped with a heavy duty carry handle, deluxe carry bag, and an inflation tips kit for use with many inflatable items.

High Power
air compressor



YF672

- High Power Air Compressor
- DC: 12V 100PSI
- Amperage: Max. 95Amps



YF672-2

- 8.8CFM 90 PSI**
- Heavy duty air compressor
- 12/24Volt
- Max Working Pressure :90PSI
- 12V Max Amp Draw: 86Amps
- 24V Max Amp Draw: 50Amps
- 1/4"NPT Inlet port
- Extendable hose length: 6M
- Cord length: 3m with crocodile clip
- Net Weight: 37.45 lbs
- 13.12"Lx5.31"Wx11"H



Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF672	1	19.2	18.2	48x29x45.5	410	1042
YF672-2	1	19.7	17.5	42x19x38	880	2235



NEW

YUF6477R**5.9 CFM 150PSI**

Air compressor kit

- 12 Volt
- Duty Cycle % at 72°F(on time/off time): 100%
- Air Flow Under Lond: 4.5CFM/30PSI
- Max Amp Draw: 62A
- Pressure Switch: 120PSI On/150PSI Off
- 1.0 Gallon Tank
- Pressure gauge gun
- Power Cord Length:2.5m
- (2)40amps Inline Fuse Holder
- Extendable hose length: 6M
- Net Weight: 35.2lbs
- 500*390*180mm



Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YUF6477R	1	18	17	51.5x40x19.5	647	1593

HEAVY DUTY
AIR COMPRESSOR

NEW

YUF6479R**3.0 CFM 12 Volt**

- Duty Cycle % at 72°F (on time/off time): 50% (30/30)
- Air Flow Under Lond: 2.3CFM/30PSI
- Max Amp Draw: 28A
- Pressure Switch: 90PSI On/120PSI Off
- Net Weight: 17.86lbs
- Power Cord Length:2.5m
- Extendable hose length: 6M
- Pressure gauge gun
- Bullet box :330*180*230mm

Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YUF6479R	1	9.1	8.1	34x19x25	1610	3963



NEW

YF6478R

Air compressor kit

- 12 Volt
- Max pressure:300psi
- Max working pressure:150psi
- Duty Cycle % at 72°F (on time/off time): 100%
- 1.0 gallon Tank
- Air Flow rate:130LPM
- Max Amp Draw:61A

- Pressure Switch: 120PSI On/150PSI Off
- Net Weight: 16kgs
- Product size:500mm*390mm*180mm
- Pressure gauge gun
- Power Cord Length:2.2m
- (2)40amps Inline Fuse Holder
- Extendable hose length: 6M



NEW

YF6475R-3

Twin cylinder air compressor

- 12 Volt
- Max pressure:300psi
- Max working pressure:150psi
- Duty Cycle % at 72°F (on time/off time): 100%
- Air Flow rate:130LPM
- Max Amp Draw:61A
- Pressure Switch: 120PSI On/150PSI Off
- Power Cord Length:2.2m
- (2)40amps Inline Fuse Holder
- Net Weight: 8.94kgs
- Product size:290mm*250mm*120mm

Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF6478R	1	17	16	51.5x40x19.5	397	1693
YF6478R-3	1	9.6	9.1	34x26x20	1584	3840



NEW

YF6277R

3.0 CFM 12 Volt

- Duty Cycle % at 72°F (on time/off time): 33%
- Air Flow Under Load: 2.3CFM/30PSI
- Max Amp Draw: 28A
- Pressure Switch: 90-120PSI
- Net Weight: 18.3lbs
- Power Cord Length: 2.5m
- Pressure gauge gun
- 340*285*155mm
- Extendable hose length: 6M



Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF6277R	1	7.53	7.03	36x30.5x17	1500	3643

**YF6475R****3.0 CFM**

Metal air compressor

- 12 Volt
- Duty Cycle % at 72°F(on time/off time): 33%
- Air Flow Under Lond: 2.3CFM/30PSI
- Max Amp Draw: 28A
- Net Weight: 9.9lbs
- 7.5"Lx3.9"Wx5.7"H

**YF6276R-1****0.98 CFM**

- 12 Volt
- Duty Cycle % at 72°F(on time/off time): 35% (21/29)
- Air Flow Under Lond: 0.7CFM/30PSI
- Max Amp Draw: 10A
- Net Weight: 5.2lbs
- 6.4"L*3.5"W*4.8"H

Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF6475R	1	4.5	3.8	23x13x19	4577	11266
YF6276R-1	4	8.13	7.2	30x20x51	3400	8620



METAL AIR COMPRESSOR

**YF6475R-4**

Twin cylinder air compressor

- 12 Volt
- Max pressure:300psi
- Max working pressure:150psi
- Duty Cycle % at 72°F(on time/off time): 100%
- Air Flow rate:130LPM
- Max Amp Draw:55A
- Pressure Switch: 120PSI On/150PSI Off
- Net weight:9.73kgs
- Product size:260x220x140mm

**YF6475R-5****5.9 CFM**

Twin cylinder air compressor

- 12 Volt
- Duty Cycle % at 72°F(on time/off time): 100%
- Air Flow Under Lond: 4.5CFM/30PSI
- Max Amp Draw: 58A
- Pressure Switch: 120PSI On/150PSI Off
- Net weight: 7.67kgs
- Product size: 230x190x140mm



Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF6475R-4	1	12	11.5	35.5x19.5x24.7	1520	3860
YF6475R-5	1	8.6	8.1	37.5x27x19.5	1317	3343



METAL AIR COMPRESSOR



YF6378

- DC 12V
- Heavy duty tire inflator
- Max Current: 16A
- Operation Duration: 20Min
- Max Pressure: 120PSI
- 195×70×R14 Tire Inflation Rate: 2Min(0-30psi)
- Power Cord/Air Hose Length: 3.0M/0.9M
- 9.2"L×2.8"W×5.5"H



Digital Gauge Available

With LED light

High performance PTFE piston ring.

Insulated battery clamps with 20A inline fuse.



Nozzle 3 pieces



YF658

- Metal Air Compressor
- 12V 200PSI
- Amperage: Max30 Amps
- Flow Rate: 70L/min
- Hose length:90cm



Nozzle 3 pieces



YF689

- Metal Air Compressor
- 12V 200PSI
- Amperage: Max30 Amps
- Flow Rate: 70L/min
- Hose length:90cm



Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF6378	4	9.36	8.96	27x26.5x35	4152	10544
YF658	2	10	9	41x30x26.5	1718	4172
YF689	2	10	9	41x30x26.5	1718	4172



Ø32mm

Nozzle 3 pieces



YF-660A

Metal air compressor

- Voltage:DC 12V
- Power:180W
- Max pressure:150PSI
- Configure:32MM cylinder with cigarette lighter
- 62CM hose,10ft cord.LED light.
- 2 nozzle adaptors.
- Packing: color box or Nylon bag.



Ø32mm

Nozzle 3 pieces



YF-660B

Metal air compressor

- Voltage:DC 12V
- Power:180W
- Max pressure:150PSI
- Configure:32MM cylinder with cigarette lighter.
- 62CM hose,10ft cord.
- 2 nozzle adaptors.
- Packing: color box



Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF660A	6	16.5	15.5	38.5x22.5x37.5	5172	11304
YF660B	6	16.5	15.5	38.5x22.5x37.5	5172	11304



METAL AIR COMPRESSOR

**YF662C**

Twin cylinder air compressor

-Voltage:DC 12V

-Power:180W

-Max pressure:150PSI

-With metal pressure gauge and 4M extendable coiled hose

-Overproof air hose with brass valve connector.

-Rubber hose length: 25cm

-Accessories: 2 nozzle adaptors and 1 sports needle

-Package: Plastic box

**YF662D**

Twin cylinder air compressor

-Voltage:DC 12V

-Power:180W

-Max pressure:150PSI

-With lamp

-With metal pressure gauge and 4M extendable coiled hose

-Overproof air hose with brass valve connector.

-Rubber hose length: 25cm

-Accessories: 2 nozzle adaptors and 1 sports needle

-Package:Plastic box

**YF662E**

Twin cylinder air compressor

-Voltage:DC 12V

-Power:180W

-Max pressure:150PSI

-With metal pressure gauge and 4M extendable coiled hose

-Overproof air hose with brass valve connector.

-Rubber hose length: 25cm

-Accessories: 2 nozzle adaptors and 1 sports needle

-Package:Plastic box

**YF662F**

Twin cylinder air compressor

-Voltage:DC 12V

-Power:180W

-Max pressure:150PSI

-With lamp

-With metal pressure gauge and 4M extendable coiled hose

-Overproof air hose with brass valve connector.

-Rubber hose length: 25cm

-Accessories: 2 nozzle adaptors and 1 sports needle

-Package:Plastic box

Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF662C	4	13.5	13	39.5x25.5x49	2320	5520
YF662D	4	13.5	13	39.5x25.5x49	2320	5520

Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF662E	4	18	16	57x37x26.5	2008	4880
YF662F	4	18	16	57x37x26.5	2008	4880

**YF662F Digital gauge**

Twin cylinder air compressor

-Voltage:DC 12V

-Power:180W

-Max pressure:150PSI

-With lamp

-With metal pressure gauge and 4M extendable coiled hose

-Overproof air hose with brass valve connector.

-Rubber hose length: 25cm

-Accessories: 2 nozzle adaptors and 1 sports needle

-Package:Plastic box

-PSI, KG/CM², BAR three pressure units are available
After reaching the set pressure, it will stop automatically



Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF662F	4	18	16	57x37x26.5	2008	4880

**METAL AIR COMPRESSOR****YF662A**

Twin cylinder air compressor

-Voltage:DC 12V

-Power:180W

-Max pressure:150PSI

-With metal pressure gauge and 4M extendable coiled hose

-Overproof air hose with brass valve connector.

-Accessories: 2 nozzle adaptors and 1 sports needle

-Package:1pc/color box with foam or Nylon bag.

**YF662B**

Twin cylinder air compressor

-Voltage:DC 12V

-Power:180W

-Max pressure:150PSI

-With metal pressure gauge and 4M extendable coiled hose

-Overproof air hose with brass valve connector.

-Accessories: 2 nozzle adaptors and 1 sports needle

-Package:1pc/color box with foam or Nylon bag.

Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF662A	4	15	14	48.5x32.5x43.5	1520	3940
YF662B	4	15	14	50x33x51.5	1320	3200

NEW

**YF653**

Metal air compressor

-Voltage: DC 12V

-Max amperage: 11A

-Flow: 45L/min

-Max pressure: 120PSI

-With metal pressure gauge and 1.5M extend coiled hose

-3M cord with cigarette lighter

-Accessories: 2 nozzle adaptors and 1 sports needle

Nozzle 3 pieces

NEW

**YF654**

Metal air compressor

-Voltage: DC 12V

-Max amperage: 16A

-Max pressure: 150PSI

-Flow: 55L/min

-With metal pressure gauge and 3.5M extend coiled hose

-3M cord with crocodile clip

-Accessories: 2 nozzle adaptors and 1 sports needle

Nozzle 3 pieces



METAL AIR COMPRESSOR

Nozzle 3 pieces

**YF623**

Metal Air Compressor

-12V 140PSI

-3m cord with cigarette lighter

(or crocodile clip)

-1m hose, gauge, 3 nozzle adaptors

**YF633**

Metal Air Compressor

-12V 140PSI

-3m cord with cigarette lighter

(or crocodile clip)

-1 m hose, gauge, 3 nozzle adaptors

Nozzle 3 pieces

Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF653	6	13	12.5	45x43x17	5107	12403
YF654	4	12	11.5	53.5x29.5x20	3548	8618

Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF623	8	13.5	13	51x21.5x32.5	5836	14816
YF633	8	16	15	47.5x43.5x44	2344	5720



Nozzle 3 pieces

**YF645**

3 in 1 metal Air Compressor

- With lamp, gauge
- 12V 150PSI
- All metal cover with on/off switch
- 3m cord with cigarette lighter plug
- Head lamp, Flicker light



Nozzle 3 pieces

**YF637**

Metal Air Compressor

- 12V 150PSI
- 3m cord with crocodile clip
- 3m hose

Model No.	Carton Qty.	G.W/N.W (kgs)	Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF645	8	18	47.5x43.5x44	2640	6416
YF637	4	17	68x53x25.5	1216	2960



RECHARGEABLE AIR COMPRESSOR



Lithium battery

NEW



Makita



DeWalt



Dartek

Battery style for option

YF6602

Rechargeable air compressor with digital gauge

- Voltage: DC12V
- Power: 96W
- Max. pressure: 150PSI
- Flow: 30L / min
- Battery: 2000mAh
- Hose: 38.5cm
- USB charging cable: 1m
- Continue working time: inflating 195/60R15 tire 0PSI to 35PSI 3 times

-PSI, KG/CM², BAR three pressure units are available
After reaching the set pressure, it will stop automatically



Model No.	Carton Qty.	G.W/N.W (kgs)	Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF6602	10	10.5	42x34.5x27	7157	17381



DIGITAL AIR COMPRESSOR

Lithium battery


NEW



YF6603

Rechargeable air compressor with digital gauge

- Voltage: DC18V
- Power: 180W
- Max. pressure: 150PSI
- Flow: 38L / min
- Hose length: 55cm
- Battery: 2000mAh
- PSI, KG/CM², BAR three pressure units are available
- After reaching the set pressure, it will stop automatically



NEW

Lithium battery



Type-C

Air compressor

YF133

3 in 1 air compressor with vacuum cleaner

- Function for inflation car, motor cycle, bike, balls, and set the pressure
- Voltage: DC12V
- Power: 60W
- Max. pressure: 100 PSI
- Air flow: 20L/min
- Suction: 4000Pa
- Battery: 2000mAh
- With LED light

Nozzle 3 pieces



- PSI, KG/CM², BAR three pressure units are available
- After reaching the set pressure, it will stop automatically

Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF6603	8	18	17	56x31x40	3200	7768
YF133	20	18	17	62x51.5x51.5	3160	7780



YF6613

Air compressor

- Function for inflation car, motor cycle, bike, balls, and set the pressure
- Power: 120W
- Max pressure: 100PSI
- Flow: 35L/min
- With LED light
- With deflation button
- 3M cord with cigarette plug



Nozzle two pieces



- PSI, KG/CM², BAR three pressure units are available
- After reaching the set pressure, it will stop automatically



YF6601

Air compressor

- Voltage: DC12V
- Power: 72W
- Max. pressure: 150PSI
- Flow: 32L/min
- With LED light



- PSI, KG/CM², BAR three pressure units are available
- After reaching the set pressure, it will stop automatically



YF6604

Air compressor

- Voltage: DC12V
- Power: 72W
- Max. pressure: 150PSI
- Flow: 32L/min
- With LED light



Nozzle two pieces

- PSI, KG/CM², BAR three pressure units are available
- After reaching the set pressure, it will stop automatically

Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF6613	10	10.2	9.7	42x21x35.5	17880	21080
YF6601	10	8.4	7.4	37x21.5x30.7	14000	34000
YF6604	10	8.5	8	39x16.3x40.5	9330	22660

**YF6605**

Air compressor
 -Voltage: DC12V
 -Power: 72W
 -Max. pressure: 150PSI
 -Flow: 32L/min
 -With LED light

-PSI, KG/CM², BAR three pressure units are available
 After reaching the set pressure, it will stop automatically

**YF651-2**

-Air Compressor with lamp
 -Digital display
 -DC12V 10Bar
 -10FT Cord with cigarette lighter plug
 -Hose length: 55cm

-PSI, KG/CM², BAR three pressure units are available
 After reaching the set pressure, it will stop automatically

Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF6605	10	7.4	6.4	39x16.3x40.5	9330	22660
YF651-2	10	12.5	11.5	42x21x35.5	8980	21800



DIGITAL AIR COMPRESSOR

**YF6606A**

Air compressor
 -Voltage: DC12V
 -Power: 72W
 -Max pressure: 150PSI
 -Flow: 23L/min
 -With LED light

-PSI, KG/CM², BAR three pressure units are available
 After reaching the set pressure, it will stop automatically

**YF6606B**

Rechargeable air compressor
 -Voltage: DC12V
 -Power: 72W
 -Max pressure: 150PSI
 -Flow: 23L/min
 -With LED light
 -Battery: 2000mAh

-PSI, KG/CM², BAR three pressure units are available
 After reaching the set pressure, it will stop automatically

Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF6606A	20	11.96	11.46	36x35x35	12698	30840
YF6606B	20	13.6	13.1	40x36x35	11112	26984

**YF6611**

Air compressor
-Voltage: DC 12V
-Power: 72W
-Max. pressure: 150PSI
-Flow: 26L/min



Nozzle two pieces

**YF651-4**

Air compressor
-Voltage: DC 12V
-Power: 75W
-Max. pressure: 140PSI
-Flow: 25L/min



Nozzle two pieces

Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF6611	20	18	17	44.5x38.5x28.5	10640	27020
YF651-4	10	5.7	5.3	35x34x16.5	13240	33610



PORTABLE AIR COMPRESSOR

**YF615**

-Air Compressor
-DC12V 7Bar
-10FT Cord with cigarette lighter plug
-55cm hose



Nozzle 3 pieces

**YF643**

-Air Compressor
-DC 12V 250PSI
-10ft cord with cigarette lighter plug
-55cm hose

Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF615	20	15.5	14.5	34.5x32.5x29	17240	41900
YF643	10	25	24	51.5x28x37	4950	12040



Nozzle 3 pieces

**YF650**

- Air Compressor
- DC 12V 250PSI
- 10ft cord with cigarette lighter plug
- 59cm hose

Nozzle 3 pieces

**YF649**

- Air Compressor
- DC12V 6Bar
- 10FT Cord with cigarette lighter plug
- 55cm hose



Nozzle 3 pieces

**YF651**

- Air Compressor
- DC12V 6Bar
- 10FT Cord with cigarette lighter plug
- 55cm hose



Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF650	10	10	9	45.5x23x40	6680	16240
YF-649	12	13.5	12.5	44x42x18	10092	24528
YF651	12	13.5	12.5	44x42x18	10092	24528



PORTABLE AIR COMPRESSOR

Nozzle 3 pieces

**YF639**

- 3 in 1 Air Compressor
- With Lamp, Warning, inflation function
- DC 12V 250PSI
- 10ft cord with cigarette lighter plug
- 55cm hose



Patented products
ZL 2013 3 0256221.1

Nozzle 3 pieces

**YF640**

- 3 in 1 Air Compressor
- With Lamp, Warning, inflation function
- DC 12V 250PSI
- 10ft cord with cigarette lighter plug
- 55cm hose



Nozzle 3 pieces

**YF604**

- Air Compressor
- DC 12V 250PSI
- 10ft cord with cigarette lighter plug
- 55cm hose



Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF639	10	14.5	13.5	58.5x27.5x40	4350	10560
YF640	10	13	13	56.5x29x34	5020	12200
YF604	20	21	20	59x44x35	6160	14960

**YF610**

- Air Compressor
- DC 12V AC110V-230V 250PSI
- 10ft cord with cigarette lighter plug
- 1.8m AC cord
- 55cm hose



Nozzle 3 pieces

YF630

- 5 in 1 Air Compressor
- With inflation, lamp, warning, pressure measurement function
- Can be used to inflate: bike, motorcycle, basketball, hovercraft etc.
- DC 12V 250PSI
- 10ft cord with cigarette lighter plug
- 55cm hose



Nozzle 3 pieces

YF632

- Air Compressor
- DC 12V 250PSI
- 10ft cord with cigarette lighter plug
- 55cm hose

Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF610	6	11.2	10.2	42x27x18.5	8004	19440
YF630	12	15	14	43x36x40.5	5340	13008
YF632	20	16	15	47x36x29.5	11200	27240



AC/DC AIR COMPRESSOR

**YF610B**

- Air Compressor
- DC12V AC110V-230V 100PSI
- 3m cord with cigarette lighter plug
- 1.8m AC cord
- 59cm hose



Patented products
ZL 2011 3 0051805.6



Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF610B	8	17	16	47x24.5x27.5	7072	17176

**YF652A**

- Air Compressor
- DC12V AC110V-230V 150PSI
- 3m cord with cigarette lighter plug
- 1.8m AC cord
- 59cm hose

**YF652B**

- Air Compressor
- Digital display
- DC12V AC110V-230V 150PSI
- 3m cord with cigarette lighter plug
- 1.8m AC cord
- 59cm hose

-PSI, KG/CM², BAR three pressure units are available
After reaching the set pressure, it will stop automatically

Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF652A	10	19.5	20.5	57.5x29x32.5	5180	12550
YF652B	10	19.5	20.5	57.5x29x32.5	5180	12550



AC/DC AIR COMPRESSOR



Patented products
ZL 2013 3 0256184.4

YF605

- Air Compressor
- DC 12V 250PSI
- 10ft cord with cigarette lighter plug
- 45cm hose



Nozzle 3 pieces



Patented products
ZL 2013 3 0257400.7

YF607

- Air Compressor
- DC 12V 250PSI
- 10ft cord with cigarette lighter plug
- 45cm hose



Nozzle 3 pieces



Nozzle 3 pieces

**YF608**

- Air Compressor
- DC 12V 250PSI
- 10ft cord with cigarette lighter plug
- 45cm hose



Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF605	20	15	14	47x36x29.5	11200	27240
YF607	20	12	11	63x28x35.5	8940	21700
YF608	20	16	15	47x36x29.5	11200	27240



PORTABLE AIR COMPRESSOR



Nozzle 3 pieces

**YF609**

- Air Compressor
- DC 12V 250PSI
- 10ft cord with cigarette lighter plug
- 45cm hose



Nozzle 3 pieces

**YF611**

- Air Compressor
- DC 12V 250PSI
- 10ft cord with cigarette lighter plug
- 45cm hose



Nozzle 3 pieces

**YF666**

- Air Compressor
- DC 12V 250PSI
- 10ft cord with cigarette lighter plug
- 45cm hose



Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF609	20	14	13	45.5x35x26.5	13260	32220
YF611	20	19	18	47x41.5x32.5	8820	21440
YF666	16	11	10.3	39x38x27.5	10208	25120

**YF612**

- 2 in1 Air Compressor
- DC 12V 250PSI
- 10ft cord with cigarette lighter plug
- 65 cm hose

Nozzle 3 pieces

**YF619**

- Air Compressor
- DC 12V 150PSI
- 10ft cord with cigarette lighter plug
- 45cm hose



Nozzle 3 pieces

**YF620**

- Air Compressor
- DC 12V 300PSI
- 10ft cord with cigarette lighter plug
- 55cm hose



Patented products
ZL 2013 3 0257461.3

Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF612	20	19	18	47x41.5x32.5	8820	21440
YF619	20	17.5	16.5	46x37x38	8660	21200
YF620	20	17	16	43.5x38x31.5	10740	26100

**YF644**

- Air Compressor
- DC 12V 250PSI
- 10ft cord with
- Cigarette lighter plug
- 55cm hose

Nozzle 3 pieces

**YF647**

- 3 in 1 Air Compressor
- DC 12V 10Bar
- With lamp function
- 10ft cord with
- cigarette lighter plug
- 55cm hose

Nozzle 3 pieces



Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF644	20	20	19	49.5x48x40	5890	14300
YF647	10	13	12	47x23.5x38.5	6580	15990



PORTABLE AIR COMPRESSOR

**YF635**

- Air Compressor Kit
- Built in pressure gauge/working light/emergency flash light
- 12V 10A
- 2-function swivel lamp
- Reflective triangle on black blow-molded case
- 2 Nozzle adaptors & a sports needle



Nozzle 3 pieces

**YF641**

- Air Compressor Kit
- Built in pressure gauge/working light/emergency flash light
- 12V 10A
- 2-function swivel lamp
- Hose: 79cm
- Reflective triangle on green blow-molded case
- 2 Nozzle adaptors & a sports needle

Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF635	10	22	21	62x33.5x49.5	2720	6610
YF641	10	19	18	52x31.5x61.5	2770	6750

**YF699A**

- Air Compressor
- DC 12V 150PSI
- 10ft cord with cigarette lighter plug
- 54cm hose

**YF699B**

- Air Compressor
- Digital display
- DC 12V 150PSI
- 10ft cord with cigarette lighter plug
- 54cm hose



Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF699A	10	9.5	10	54.5x21x41.5	5600	14320
YF699B	10	9.5	10	54.5x21x41.5	5600	14320



SMART BALL AIR PUMP



Lithium battery



Nozzle 6 pieces

**YF6607A**

- Smart ball air pump
- Battery capacity: 2000mah
- Charging input: DC 5V1A
- Air flow: 6L/min
- Air pressure: 5-15PSI/LBS
- 33cm Type-C charging cable
- Hose length: 10cm
- With LED light

Lithium battery



Nozzle 6 pieces

**YF6607B**

- Smart ball air pump
- Battery capacity: 2000mah
- Charging input: DC 5V1A
- Air Flow: 6L/min
- Air Pressure: 4-17PSI/LBS
- 33cm Type-C charging cable
- Hose length: 10cm
- With LED light

Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF6607A	50	17.7	17.1	39.5x37.5x24.5	38578	93689
YF6607B	50	17.8	17.2	39.5x37.5x24.5	38578	93689

Lithium battery



Inflatable port



Charging port

YF6615

Compact Cordless Air Pump

-Voltage: DC12V

-Max. Pressure: 150PSI

-Flow: 17L/min

-Battery: 1000mAh

-Charging time: 1.5hours

(type-C to type-A charging cable)

Size: 87x71.5x36 mm

-Accessories:

1 carry strap,

150cm type-C charging cable,

1 storage cloth bag,

1 13cm pump hose,

4 nozzles



Motorcycle tire



Car tire



Basketball

Bicycle tire**WATER SPORTS**

**YF6609A****3 in 1 power supply paddle board pump**

-Power: 120W

-Pressure range: 0-20PSI

-Power supply:

DC 12V detached power cord with cigarette plug 2.25M

AC 110V-220V detached power cord with direct plug 1.5M

Battery 12V 5000mAh: DC 12V charging cord with cigarette plug 1.5M

AC 110V-220V charging cord with direct plug 1M

-Accessories: Nozzle six pieces and 1M flexible hose

-Package: 1pc/color box with cloth bag



6

Nozzles
**YF6609B****2 in 1 power supply paddle board pump**

-Power: 120W

-Pressure range: 0-20PSI

-Power supply:

DC 12V detached power cord with cigarette plug 2.25M

AC 110V-220V detached power cord with direct plug 1.5M

-Accessories: Nozzle six pieces and 1M flexible hose

-Package: 1pc/color box with cloth bag

**YF6609C****Paddle board pump**

-Power: 120W

-Pressure range: 0-20PSI

-Power supply:

DC 12V detached power cord with cigarette plug 2.25M

-Accessories: Nozzle six pieces and 1M flexible hose

-Package: 1pc/color box with cloth bag

Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF6609A	4	12	11	41.5x33.5x34.5	2336	5671
YF6609B	4	11	10	41.5x33.5x34.5	2336	5671
YF6609C	4	9	8	41.5x33.5x34.5	2336	5671



YF6618A

Multifunctional Rechargeable Pump: inflation, deflation, illumination, Warning

-Function for inflation paddle board, kayak, car, motor cycle, bike, balls, and set the pressure

-Power: 85W

-Pressure range: 0-60PSI

-Battery: 2000mAh

-Accessories:

Nozzle 10 pieces

1M flexible hose for inflatable products

45CM hose for tire

1M Type-C charging cable

-Package: 1pc/color box with cloth bag



4
Nozzles



6
Nozzles



Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF6618A	8	14.5	13.5	56.5x40.5x27.5	3308	8390



YF6618B

Multifunctional DC12V Pump: inflation, deflation, illumination, Warning

-Function for inflation paddle board, kayak, car, motor cycle, bike, balls, and set the pressure

-Power: 85W

-Pressure range: 0-60PSI

-3M cord with cigarette lighter plug

-Accessories:

Nozzle 10 pieces

1M flexible hose for inflatable products

45CM hose for tire

-Package: 1pc/color box with cloth bag



Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF6618B	8	13	12	56.5x40.5x27.5	3308	8390

3 in 1 rechargeable air compressor with vacuum cleaner



YF140A

- Voltage: DC12V
- Power: 60W
- Max. pressure: 150PSI
- Air inflation flow: 17L/min
- Suction: 6500Pa (Brushed)/12000Pa (Brushless)
- Battery: 2000mAh
- With LED light
- Accessories: 1m type-C charging cable, 51cm inflation hose and 1 long suction nozzle 3 adapters

Nozzle 3 pieces



Standard & High Suction Versions Available

-PSI, KG/CM², BAR three pressure units are available
After reaching the set pressure, it will stop automatically

3 in 1 air compressor with vacuum cleaner



YF140B

- Voltage: DC12V
- Power: 60W
- Max. pressure: 150PSI
- Air inflation flow: 17L/min
- Suction: 6500Pa (Brushed)/12000Pa (Brushless)
- With LED light
- 3M cord with cigarette plug
- Accessories: 51cm inflation hose and 1 long suction nozzle 27cm flexible hose and 3 adapters

Nozzle 3 pieces

-PSI, KG/CM², BAR three pressure units are available
After reaching the set pressure, it will stop automatically

Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF140A	20	17.1	16.6	55x32x43	6880	17440
YF140B	20	15.1	14.6	55x32x43	6880	17440



VACUUM CLEANER



Cordless Vacuum Cleaner



YF137

- Voltage: 7.4V
- Power: 65W
- Suction: 4000Pa
- Battery: 2000mAh
- Charging time: 2hours (with 5V1A adapter)
- Size: 295x60x60 mm
- Accessories: 1 m type-C charging cable, 1 brush suction nozzle, 1 long suction nozzle



For choice



Cordless Vacuum Cleaner



YF138

- Voltage: 7.4V
- Power: 68W
- Suction: 4000Pa
- Battery: 2000mAh
- Charging time: 2hours (with 5V1A adapter)
- Size: 365x90x100 mm
- Accessories: 1m type-C charging cable, 1 brush suction nozzle, 1 long suction nozzle

Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF137	20	11.6	10.6	44.5x31.5x32	11600	29420
YF138	20	16	15.5	54.5x38.5x46	5380	13680



NEW

Lithium battery

YF139

Cordless Vacuum Cleaner

- Voltage: 7.4V
- Power: 67W
- Suction: 6000Pa
- Battery: 2600mAh
- Charging time: 2.5hours (with 5V1A adapter)
- Size: 305x70x70 mm
- Accessories: 1 base, 1 1m type-C charging cable, 2 nozzles



1m type-C charging cable

Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF139	20	18	17.5	66.5x42.5x41.5	4420	11260



Lithium battery

YF132A

-Voltage: DC12V

-Power: 90W

-Max. pressure: 150PSI

-Flow: 20L / min

-Suction: 3800Pa

-Battery: 2000mAh

-PSI, KG/CM², BAR three pressure units are available
After reaching the set pressure, it will stop automatically

**YF132C**

-Voltage: DC12V

-Power: 72W

-Max. pressure: 150PSI

-Flow: 20L / min

-Suction: 3200Pa

-PSI, KG/CM², BAR three pressure units are available
After reaching the set pressure, it will stop automatically

Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF132A	8	12.5	12	60x38x39.5	2488	6040
YF132C	8	12	11.5	60x38x39.5	2488	6040

Lithium battery

**YF132B**

- Voltage: DC12V
- Power: 90W
- Max. pressure: 150PSI
- Flow: 20L / min
- Suction: 3800Pa
- Battery: 2000mAh

Nozzle 2 pieces

**YF132D**

- Voltage: DC12V
- Power: 72W
- Max. pressure: 150PSI
- Flow: 20L / min
- Suction: 3200Pa

Nozzle 2 pieces

Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF132B	8	12.5	12	60x38x39.5	2488	6040
YF132D	8	12	11.5	60x38x39.5	2488	6040

**YF130A**

- Vacuum cleaner
- Voltage: DC12V
- Power: 84W
- Suction: 3200Pa
- Hose length: 36cm



Lithium battery

YF130B

- Voltage: 7.4V
- Power: 68W
- Suction: 4000Pa
- Battery: 2000mAh



1m USB cable cord

Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF130A	20	14.7	13.8	65.5x37.5x47	4660	11320
YF130B	20	15.7	14.7	65.5x37.5x47	4660	11320

**YF129A**

-Voltage: DC12V
 -Power: 84W
 -Suction: 3200Pa
 -Hose length: 36cm

**YF131A**

-Voltage: DC12V
 -Power: 84W
 -Suction: 3200Pa
 -Hose length: 36cm



Lithium battery

YF129B

-Voltage: 7.4V
 -Power: 68W
 -Suction: 4000Pa
 -Battery: 2000mAh




1m USB cable cord



Lithium battery

YF131B

-Voltage: 7.4V
 -Power: 68W
 -Suction: 4000Pa
 -Battery: 2000mAh



1m type-C charging cable



For choice

Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF129A	20	18.1	17.1	65.5x42x47	4300	10460
YF129B	20	19.5	18.5	65.5x42x47	4300	10460

Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF131A	20	15.12	14.62	65.5x37.5x47	4660	11320
YF131B	20	16.62	16.12	65.5x37.5x47	4660	11320



YF101

- Vacuum cleaner
- 12V DC cigarette lighter.
- 93W~120W for choice.
- Ideal for the toughest wet or dry clean up jobs.
- With flexible hose/carpet tool/inflator adaptor.
- Hose length:90cm



YF102

- Vacuum cleaner
- 12V DC cigarette lighter
- 35W~60W for choice
- Washable filter
- Design easy to use



YF122

- Vacuum cleaner
- 12V DC cigarette lighter
- 60W~90W for choice
- Washable filter
- Design easy to use

Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40HQ (pcs)
YF121	20	15.5	14.5	53.5x30x64	5440	13220
YF122	20	16.5	15.5	53.5x29x64	5620	13680
YF123	10	15	14	58.5x25.3x32.5	5820	14130

FAN HEATER

YF111

- Fan Heater
- 150W PTC heating element
- With fan and heater function
- Cool & warm switch



YF112

- Fan Heater
- 150W PTC heating element
- With fan and heater function
- Cool & warm switch



YF124

- Fan Heater
- 150W PTC heating element
- With fan and heater function
- Cool & warm switch



YF125

- Fan Heater
- 150W PTC heating element
- With fan and heater function
- Cool & warm switch



Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40FT (pcs)
YF111	20	10	9	44x34x30	12460	30300
YF112	20	10.5	9.5	41.5x38x32.5	10920	26520
YF124	20	11	10	46.5x35.5x30	11320	27480
YF125	20	10.5	9.5	45x29x35.5	12820	31120

**YF126**

- Fan Heater
- 150W PTC heating element
- With fan and heater function
- Cool & warm switch

**YF127**

- 2 in 1 Fan Heater with light
- 150W PTC heating element
- With fan and heater function
- Cool & warm switch

**YF128**

- Fan Heater
- 150W PTC heating element
- With fan and heater function
- Cool & warm switch

Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40FT (pcs)
YF126	20	8.2	7.2	53x16.5x44	14560	21160
YF127	20	9	8	61x19.5x43.5	10840	22420
YF128	20	9	8	61x19.5x43.5	10840	22420

CAR KETTLE


**YF203**

- DC12V 120W
- 400ml Capacity
- With 2 cups, strainer
- 1.2m cable with car cigarette lighter plug



Patented products
ZL 2013 3 0256183.X

Model No.	Carton Qty.	G.W/N.W (kgs)		Carton Size (cm)	20FT (pcs)	40FT (pcs)
YF203	20	10	9	73.5x32x39	6100	14820

**YF9307****4-Tire Inflation / Deflation System**

- Length : 5.55m
- 1/4NPT quick connect valve
- With inflation and deflation



一: Linear Measure (长度)

1 inch 英寸=25.4millimetres 毫米
1 foot 英尺=12 inches 英寸=0.3048 metre 米

二: Pressure Strength (圧強)

1PSI(磅)=0.00689Mpa(兆帕)
1bar(巴)=0.1Mpa(兆帕)
1Kg/cm2(公斤)=0.09807 Mpa (兆帕)
1Mpa (兆帕)=145.14 PSI(磅)=10.197 Kg/cm2 =10 bar(巴)

三:Temperature (温度)

Fahrenheit(华氏)=(9/5×X°C)+32
Celsius(摄氏)=5/9×(X°F-32)
LPM: Litre Per Minute (升/分钟)
CFM: Cubic Foot Minute (立方英尺/分钟)
1CFM=28.316LPM

四:Recommend pressure

175 tire : 32-36psi
195 tire : 32-36psi
225 tire : 32-36psi
265 tire : 32-36psi
275 tire: 35-45psi
285 tire: 35-45psi

Bicycle

Cycling Road bike tire: 80-130 psi	
Mountain bike: 30-90 psi	