



DBID:12320



NINGBO HISHEEN ELECTRICAL CO.,LTD

Lantern/ Work Light /Head Lamp / Flashlight

NINGBO HISHEEN ELECTRICAL CO.,LTD

TEL: 0086-574- 59957999 59957998 65173999

FAX: 0086-574- 59957992 65186677

P.C: 315613

Http://www.hisheen.com

E-mail:hisheen@hisheen.com



COMPANY PROFILE



DBID:12320

Ningbo Hisheen Electrical Co., Ltd is taking up LED lighting production, research, development, sale and service as one of the high-tech enterprises. The company covers an aera of 15,000 sqare meters and about 210 employees. Since its establishment in 1998, Hisheen committed to the LED lighting research and promotion, now it has become one of the professional manufacturers both in domestic and overseas for LED lighting to provide efficient, energy saving, and high quality products.

Currently, Hisheen’s products are mainly within the area of work lights, camping lanterns, headlamps and flashlights. Except domesti- cally sold in China, Hisheen’s LED lighting have been largely exported to more than 30 countries. As a BSCI member and an ISO9001 & ISO14001 manufacturing unit, Hisheen’s products have successfully passed various international certification such as CE, CB, SAA, RoHS certificates. We have an excellent research and develop team with more than 10 engineers who are experts in this area and got around 50 national patents. In 2022, Hisheen has become a high-tech enterprise in NINGBO City.

Hisheen takes "Quality, Integrity and Innovation" as its business philosophy. Innovation promotes the development, while science and technology leads the future; Hisheen is willing to join hands with a vast number of strategic partners for jointly creating a bright future for new technology and new era of the LED lighting revolution.



CONTENTS

LANTERN Series.....



WORK LIGHT series



HEADLAMP Series.....



FLASHLIGHT Series.....



MULTI-FUNCTION LANTERN




■ **Operation:**
XM-L: 100%-50%-OFF

■ **Operation:**
(1) First press for 360° illumination, long press to dim
(2) Second press for 180° illumination, long press to dim

HIGH POWER CREE XM-L 1000M

HS-5998A

Bulb type: CREE XM-L LED + 84PCS SMD 2835 LED
Battery: 2*18650 Li-ion Battery 3.7V/3600 mAh
Brightness: XM-L=750LM, 84PCS SMD=320LM
Charge time: 5-6Hrs
Runtime: XM-L LED=2.5Hrs, 84PCS SMD=3Hrs.
weight: 820g
Input : DC 5V 1A
Output: DC 5V 1.5A
Distance: 1000M
Size: 140*121*250mm



Spotlight

Lantern

USB Input

USB Output

MULTI-FUNCTION LANTERN



compact

HIGH POWER CREE XP-G 500M



Spotlight

Lantern

USB Cable

Power Indicators



■ **Operation:**
(1) First press for 360° illumination, long press to dim
(2) Second press for 180° illumination, long press to dim



CREE XP-G LED
■ **Operation:**
XP-G: 100%-50%-OFF

HS-5999A

Bulb type: CREE XP-G LED + 40PCS SMD 2835 LED
Battery: 1*18650 Li-ion Battery 3.7V/2600MAH
Brightness: CREE XP-G = 350LM 40PCS SMD = 200LM
Charge time: XP-G=2~3Hrs, 40PCS SMD = 2~2.5Hrs
Runtime: 3-4Hrs
weight: 355g
Input : 500M
Output: DC 5V 1A
Distance: DC 5V 1A
Size: 90*82*168mm

MULTI-FUNCTION LANTERN

HIGH POWER
1000M

CREE XM-L 10W



CREE XM-L




20 PCS RED LED



12-SMD2835 LED

HOW IT WORKS:



HS-5990C

Bulb type: CREE XM-L LED + 12-SMD2835 LED + 20PCS RED LED
Battery: 2*18650 li-ion 3.7V/3600 mAH
Brightness: XM-L=700LM 12pcs LED=70LM
Charge time: 5-7Hrs
Runtime: 2Hrs/XM-L LED 7Hrs/12-SMD2835 LED 48Hrs/Warning LED
Size: 253*123*175MM
weight: 720g
Distance: 1000M

MULTI-FUNCTION LANTERN


HIGH POWER
500M

CREE XP-G 5W



CREE XP-G LED

HOW IT WORKS:



HS-5991C

Bulb type: CREE XPG LED + 12PCS SMD LED + 12PCS RED LED
Battery: 1*18650 li-ion 3.7V/2000 mAH
Brightness: CREE XP-G=300LM 12pcs LED=45LM
Charge time: 3-4Hrs
Runtime: 2Hrs/CREE XP-G LED 5Hrs/12 PCS LED 30Hrs/red LED
Size: 193*99*148MM
weight: 430g
Distance: 500M



12pcs Red LED



12pcs White LED

MULTI-FUNCTION LANTERN



HIGH



LOW



To insert



Hook



Switch



■ Operation:

rotate left for 180°illumination-rotate middle for turn off-rotate right for 360°illumination

HS-50270A

Bulb type: 30PCS SMD2835 LED
Battery: 18650 Li-ion battery 3.7v 2600mAh
Brightness: 300LM
Charge time: 4-5Hrs
Runtime: 360°illumination:3~4Hrs;
 180°illumination:6~8Hrs
Weight: 380g
Input: 5V/1A
Distance: 11M
Size: Φ148*188MM
Water resistant: IPX4

MULTI-FUNCTION LANTERN



HIGH



LOW



To insert



Input



Solar panels



■ Operation:

Automatic: adjust according to the brightness of the environment
 Hand-operated: ON-OFF

HS-50273A

Bulb type: 2pcs Ceramic filament 0.6w LED
Battery: 18650 Li-ion battery 3.7v 1200mAh
Brightness: 65LM
Runtime: ~7Hrs (full charge state)
Weight: 232g
Input: 5V/0.5A (build-in PCBA charging current)
Distance: 5M
Size: Φ136*125MM (no pole and hook include)
Water resistant: IPX4



HS50274A

Bulb type: 4pcs Ceramic filament 0.6w LED
Battery: 18650 Li-ion battery 3.7v 2000mAh
Brightness: 240LM
Charge time: 3Hrs
Runtime: 6~7Hrs
Weight: 252g
Input: 5V/1A
Distance: 9M
Size: Φ136*125MM (no pole and hook include)
Water resistant: IPX4

■ Operation:

Automatic: adjust according to the brightness of the environment
 Hand-operated:100%-50%-25%-off

MULTI-FUNCTION LANTERN

Ideal for



Work light



Camping



Fishing



HS-69205A

Bulb type: XG2 + 12pcs 2835 LED 0.2 Watt
Battery Type: Polymer 3.7V/3000MAH
Brightness: XG2 + 12LED = 260LM 12LED = 90LM
Charge time: 4-5Hrs
Runtime: XG2 + 12LED 4Hrs, XG2 = 6Hrs, 12LED = 10Hrs
Size: 72*63MM
Weight: 181g
Input: DC 5V 1A
Output: DC 5V 1A



■ Operation:

1. OFF → power indicator light → XG2 (long press to dim) → XG2 + 12LED (long press to Dim) → 12LED (long press to dim) → OFF
 2. Off → power indicator light → long press to SOS → press to strobe → OFF



■ Operation:
High-Low-SOS-OFF



Output: DC5V/1A
Input: DC5V/1A



■ Operation:
High-Low-SOS-OFF



HS-69200A

Bulb type: 12pcs 2835 LED 0.2 Watt
Battery: Polymer battery 3.7V 3000mAh
Brightness: 100% = 220LM 50% = 110LM
Charge time: 4-5Hrs
Runtime: 100% = 6Hrs 50% = 14Hrs SOS = 24Hrs
Distance: 15M
Size: ø72*63mm
Weight: 183g

HS-69201

Bulb type: 12pcs 2835 LED
Battery: 3XAAA
Brightness: HIGH 140LM LOW: 60LM
Runtime: HIGH: 5Hrs, LOW: 10Hrs
Size: ø68.5*50.5mm
Weight: 105g
Water resistant: IPX4
Operation: High-Low-SOS-off




LED WORK LIGHT



■ Operation:
High-Low-SOS-OFF

HS-50025A

Bulb type: CREE XP-G LED
Battery: 2*18500 Li-ion battery 3.7V 3200mAh
Brightness: 100% = 350LM 50% = 175LM
Charge time: 4-5Hrs
Runtime: 100% = 6Hrs 50% = 12Hrs
Distance: 220M
Size: 72*119mm
Weight: 300g



Output: DC5V/1A
Input: DC5V/1A



■ Operation:
High-Low-SOS-OFF

HS-50032

Bulb type: CREE XPG LED
Battery: 4XAA
Brightness: HIGH 200LM LOW: 100LM
Runtime: HIGH: 12Hrs, LOW: 25Hrs
Size: ø71*120mm
Weight: 255g
Operation: High-Low-SOS-OFF
Water resistant: IP4



Ideal for



Work light



Camping



Fishing

LED WORK LIGHT



8W COB



Battery Case



USB Cable



8W COB



10W COB



■ **Operation:**
100%-50%-Flash-Off

HS-50170A

Bulb type: 8W COB
Battery: 2*18650 Li-ion battery 3.7v 2000mAh/4*AA
Brightness: 850LM(2*18650);580LM(4*AA)
Charge time: 5~6Hrs
Runtime: 2*18650:4~5Hrs; 4*AA:3.5~4.5Hrs
Weight: 355g
Input: 5V/1A
Output: 5V/1A(2*18650,4AA No output)
Distance: 33M
Size: 148*145*46MM



■ **Operation:**
100%-50%-Flash-Off

HS-50171A

Bulb type: 8W COB
Battery: 2*18650 Li-ion battery 3.7v 2000mAh/4*AA
Brightness: 900LM(2*18650);650LM(4*AA)
Charge time: 5~6Hrs
Runtime: 2*18650:5.5~7Hrs; 4*AA:4.5~5.5Hrs
Weight: 335g
Input: 5V/1A
Output: 5V/1A(2*18650,4AA No output)
Distance: 44M
Size: 148*145*51MM



■ **Operation:**
100%-50%-Flash-Off

HS-50172A

Bulb type: 10W COB
Battery: 2*18650 Li-ion battery 3.7v 2000mAh/4*AA
Brightness: 850LM(2*18650);550LM(4*AA)
Charge time: 5~6Hrs
Runtime: 2*18650:5~6Hrs; 4*AA:4~5Hrs
Weight: 375g
Input: 5V/1A
Output: 5V/1A(2*18650,4AA No output)
Distance: 35M
Size: 148*145*46MM

LED WORK LIGHT



HS-50140A

Bulb type: 15W COB LED
Battery: 3*18650 Li-ion battery 3.7v 7800mAh
Brightness: 1300LM
Charge time: 5~6Hrs
Runtime: 5~6Hrs
Weight: 840g
Input: 5V/2A
Output: 5V/1.5A
Distance: 43M
Size: 200*196*67mm

■ Operation:

Light: Long press power button 1.5 seconds to turn on: 30%-60%-100% in cycle(long press 1.5s to turn off)
Radio: Long press SET button 2s to turn on-Long press 2s to turn off



HS-50200A

Bulb type: 15W COB LED
Battery: 3*18650 Li-ion battery 3.7v 7800mAh
Brightness: 1300LM
Charge time: 5~6Hrs
Runtime: 5~6Hrs
Weight: 850g
Input: 5V/2A
Output: 5V/1.5A
Distance: 43M
Size: 200*196*67mm

■ Operation:

Light: Long press power button 1.5 seconds to turn on: 30%-60%-100% in cycle(long press 1.5s to turn off)
Bluetooth stereo: Long press SET button 2s to turn on-Long press 2s to turn off



HS-50201A

Bulb type: 15W COB LED+52pcs 2835 0.2w LED
Battery: 3*18650 Li-ion battery 3.7v 7800mAh
Brightness: 2800LM
Charge time: 5Hrs
Runtime: 2.5Hrs
Weight: 835g
Input: 5V/2A
Output: 5V/1.5A
Distance: 65M
Size: 200*196*67mm

■ Operation:

Long press power button 1.5 seconds to turn on-long press 1.5s to turn off;
Forward back button to dim



USB Cable



USB Cable



USB Cable

LED WORK LIGHT



40Pcs 2835 0.5w LED



Foldable



USB Cable



■ **Operation:**
10%-50%-100%-OFF

HS-50190A

Bulb type: 40pcs 2835 0.5w LED
Battery: 4*18650 Li-ion battery 3.7v 4800mAh
Brightness: 1200LM
Charge time: 2.5~3.5Hrs
Runtime: 5.5~7Hrs
Weight: 520g
Input: 5V/2A
Output: 5V/2A
Distance: 39M
Size: 219*174*35mm

LED WORK LIGHT



21Pcs 2835 0.5w LED



Mobile phone holder



USB Cable



Foldable



■ **Operation:**
100%-50%-OFF (long press to dim10%)

HS-50180A

Bulb type: 21pcs 2835 0.5w LED
Battery: Li-ion Polymer battery 8000mAh
Brightness: 500LM
Charge time: 5~7Hrs
Runtime: 9~11Hrs
Weight: 340g
Input: 5V/2A
Output: 5V/2A
Distance: 27M
Size: 158.5*89*30.5mm

LED WORK LIGHT

LED WORK LIGHT



HS-69125A

Bulb type: 6W COB
Battery: 3.7v 750mAh
Brightness: 600LM
Charge time: 2~3Hrs
Runtime: 4~5Hrs
Weight: 80g
Input: 5V/0.5A
Distance: 27M
Size: 91.5*59*18mm



■ **Operation:**
10%-50%-100%-OFF



HS-69123A

Bulb type: 12pcs 2835 0.2w LED
Battery: 3.7v 1500mAh
Brightness: 150LM
Charge time: 2~3Hrs
Runtime: 4~5Hrs
Weight: 88g
Input: 5V/1A
Output: 5V/1A
Distance: 14M
Size: 91.5*59*17.5mm

■ **Operation:**
100%-50%-25%-OFF



HS-69121A

Bulb type: 24pcs 2835 0.5w LED
Battery: 3.7v 5000mAh
Brightness: 550LM
Charge time: 4~5Hrs
Runtime: 4.5~5.5Hrs
Weight: 225g
Input: 5V/2A
Output: 5V/2A
Distance: 26M
Size: 135*80*21mm

■ **Operation:**
100%-50%-OFF(long press to dim 10%)



HS-69122A

Bulb type: 16pcs 2835 0.2w LED
Battery: 3.7v 3000mAh
Brightness: 300LM
Charge time: 3.5~4.5Hrs
Runtime: 6~7Hrs
Weight: 160g
Input: 5V/1A
Output: 5V/1A
Distance: 19M
Size: 105.5*80*21mm



■ **Operation:**
100%-50%-OFF(long press to dim 10%)



HS-69120A

Bulb type: 32pcs 2835 0.5w LED
Battery: 3.7v 8000mAh
Brightness: 850LM
Charge time: 5~6Hrs
Runtime: 4.5~5.5Hrs
Weight: 320g
Input: 5V/2A
Output: 5V/2A
Distance: 33M
Size: 165.5*80*21mm

■ **Operation:**
100%-50%-OFF(long press to dim 10%)



■ **Operation:**
(1) Short press: Brightness 50%
(2) First Long press: Brightness dim to 100%
(3) Second Long press: Brightness dim to 5%



HS-69105A

Bulb type: 30 China LED 0.2 Watt
Battery: 4*18650Li-ion 3.7V 10400mAh
Brightness: 100%=280LM 50%=140LM 5%=10LM
Charge time: 7/8Hrs
Runtime: 11/260Hrs
Distance: 20m
Output: DCSV/2.1A
Input: DCSV/2A
Size: 116*29.5*112mm
Weight: 400g

HS-69104A

Bulb type: 24 China LED 0.2 Watt
Battery: 3*18650Li-ion 3.7V 7800mAh
Brightness: 100%=250LM 50%=130LM 5%=8LM
Charge time: 6 Hrs
Runtime: 10/200Hrs
Distance: 20m
Output: DCSV/2.1A
Input: DCSV/2A
Size: 116*29.5*94mm
Weight: 324g

HS-69103A

Bulb type: 18 China LED 0.2 Watt
Battery: 2*18650Li-ion 3.7V 5200mAh
Brightness: 100%=220LM 50%=100LM 5%=8LM
Charge time: 7Hrs
Runtime: 7/130Hrs
Distance: 18m
Output: DCSV/1.0A
Input: DCSV/1A
Size: 116*29.5*75.5mm
Weight: 242g

HS-69102A

Bulb type: 12 China LED 0.2 Watt
Battery: 1*18650Li-ion 3.7V 2600mAh
Brightness: 100%=150LM 50%=70LM 5%=6LM
Charge time: 4 Hrs
Runtime: 4.5/85Hrs
Distance: 14m
Output: DCSV/1.0A
Input: DCSV/1A
Size: 116*29.5*57.5mm
Weight: 174g

LED WORK LIGHT



■ **Operation:**
100%-50%-10%-OFF

HS-50161A

Bulb type: 5w COB
Battery: 3*AAA(not included)
Brightness: 240LM
Runtime: 5~6.5Hrs
Weight: 130g
Distance: 18M
Size: 103*78*33.5mm



Foldable



Magnet



■ **Operation:**
COB—XG-2—OFF (long press to dim)

HS-50160A

Bulb type: 5w COB+XG-2
Battery: 18650 Li-ion battery 3.7v 2200mAh
Brightness: 400Lm (COB) , 100Lm(XG-2)
Charge time: 3~4Hrs
Runtime: 4~5H(COB) , 8~10H(XG-2)
Weight: 166g
Input: 5V/1A
Output: 5V/1A
Distance: 77M
Size: 103*78*33.5mm



USB Cable



XG-2



■ **Operation:**
1)First press turn on flashlight ,long press to dim
2)Second press turn on work light, long press to dim
3)Third press to turn on warning light,long press for flash dim

HS-5771A

Bulb Type: XG-2 + 3W COB (red + white)
Battery: 1*18650 Li-ion Battery 3.7V/1800mAh
Brightness: XG-2=280LM, COB=220LM
Charge time: 2-3H
Run Time: 4-5Hrs
Size: 166*42.5*42.5MM
Weight: 166g
Input: DC 5V 1A
Output : DC 5V 1A
Distance: 190M



Magnet



USB Output/Input



Worklight



Warning light



■ **Operation:**
1)Dimmer switch turn to right for the front light
2)Dimmer switch turn to left for the side light
3)Press the red button,flash-off

HS-50018A

Bulb type: CREE XP-G + 18PCS WHITE LED + 14PCS RED LED
Battery: 2*18650Li-ion battery 3.7V 3600mAh
Brightness: XP-G=300LM, 18PCS LED=120LM
Charge time: 6-7Hrs
Runtime: 2.5/100Hrs
Distance: 300M
Size: 65*65*231mm
Weight: 341g



Power indicator&
USB Output



Hook&Magnet



USB Cable



18 PCS LED Dim to 25%



LED WORK LIGHT

LED WORK LIGHT



HS-5773A


Bulb type: 10W COB
Battery: Li-ion 18650 battery 3.7V 4400mAh
Brightness: 1000lm
Charge time: 3hrs
Run time: 4hrs
Beam distance: 45 m
Input: 5V 2A
output: 5V 2A
Size: 177*109*46mm
Weight: 467g
Water resistant: IPX4

Operation:

- 1)First press for 100% brightness, long press to dim
- 2)Second press for 50% brightness, long press to dim
- 3)Third press to turn on warning light



Flood beam




HS-5773E

Bulb type: 6W COB
Battery: Li-ion 18650 battery 3.7V 2200mAh
Brightness: 500lm
Charge time: 3-4hrs
Run time: 4hrs
Beam distance: 30 m
Input: 5V 1A
output: 5V 1A
Size: 177*109*46mm
Weight: 330g
Water resistant: IPX4

Operation:

- 1)First press for 100% brightness, long press to dim
- 2)Second press for 50% brightness, long press to dim



HS-5773B

Bulb type: 10W COB
Battery: Li-ion 18650 battery 3.7V 4400mAh
Brightness: 1000lm
Charge time: 3hrs
Run time: 4hrs
Beam distance: 100 m
Input: 5V 2A
output: 5V 2A
Size: 177*109*63mm
Weight: 521g
Water resistant: IPX4

Operation:

- 1)First press for 100% brightness, long press to dim
- 2)Second press for 50% brightness, long press to dim



Back Side



Front Side



focus control



HS-5773F

Bulb type: 6W COB
Battery: Li-ion 18650 battery 3.7V 2200mAh
Brightness: 500lm
Charge time: 3-4hrs
Run time: 4hrs
Beam distance: 60 m
Input: 5V 1A
output: 5V 1A
Size: 177*109*66mm
Weight: 395g
Water resistant: IPX4

Operation:

- 1)First press for 100% brightness, long press to dim
- 2)Second press for 50% brightness, long press to dim



focus control

LED WORK LIGHT



HS-5773C

Bulb type: 6W COB
Battery: 4*AA (not included)
Brightness: 500lm
Run time: 6hrs
Beam distance: 40 m
Size: 177*109*46mm
Weight: 295g
Water resistant: IPX4

Operation:

First press for 100% brightness, long press to dim



HS-5773G

Bulb type: 6W COB
Battery: 4*AA (not included)
Brightness: 500lm
Run time: 6hrs
Beam distance: 40 m
Size: 177*109*46mm
Weight: 295g
Water resistant: IPX4

Operation:

First press for 100% brightness, long press to dim



LED WORK LIGHT



Operation:
 100%-50%-OFF



Rotary Handle

HS-50019A

Bulb type: CREE XP-G + 12-2835LED + 12pcs Red LED
Battery: 2*18650 Li-ion battery 3.7V 4000mAh
 or 1*18650 Li-ion battery 3.7V 2000mAh
Brightness: XP-G = 350LM 12LED = 50LM
Charge time: 6-8Hrs
Runtime: 3-4/9-11Hrs
Distance: XP-G = 300m 18-2835LED = 120m
Size: 200*150*110mm
Weight: 410g



HEAD LAMP



■ **Operation:**
High-Low-OFF (Long press for Flasher)



COB light



LED Flasher

HS-56021A

Bulb type: COB + 5mm LED*2
Battery: Li-ion polymer 3.7V 300mAh
Brightness: 100 lm
Run time: 2-6hrs
Charge time: 2hrs
Dimensions: 57*31*24.5 mm
Weight: 37 g
Input: 5V 0.5A
Distance: 15m
Water resistant: IPX4



■ **Operation:**
Spot+Flood-Flood High-Flood Low-OFF



Flood



Flood+Spot



Power Indicators

HS-56022A

Bulb type: XG-2+2*COB
Battery: Li-ion polymer 3.7V 1500mAh
Brightness: 300 lm
Run time: 2-18hrs
Charge time: 2-3hrs
Dimensions: 63*33*35.5 mm
Weight: 96 g
Input: 5V 1A
Distance: 80m
Water resistant: IPX4

HEAD LAMP




■ **Operation:**
100%-35%-Flash-OFF



Warning light



light



Focus Control Function

HS-86201A

Bulb Type : CREE XPL
Battery Type: 1*Li-ion polymer battery 3.7V/2400mAh
Size : 74x44x48.5mm
Input : DC 5V 1A
Weight : 171g
Brightness : 450LM
Runtime : 5-6Hrs
Distance: 167m



■ **Operation:**
100%-30%-Flash-OFF



HS-86202A

Bulb Type: CREE XPG
Battery Type: 3XAAA
Size : 74x44x48.5mm
Weight : 128g
Lumens : 240LM
Runtime : 9Hrs
Distance: 130M



■ **Operation:**
100%-25%-Flash-OFF



HS-86203A

Bulb Type: CREE XPE
Battery Type: 3XAAA
Size : 74x44x48.5mm
Weight : 116g
Lumens : 120LM
Runtime : 5.5Hrs
Distance: 120M

HEAD LAMP



CREE
XM-L



■ **Operation:**
100%-25%-Strobe-OFF




Warning light

XM-L2

HS-5626


Bulb Type: CREE XM-L LED
Battery Type: 1x18650 Battery
Size: Φ 43X36 mm
Input: DCSV/1A
Weight: 160g



Focus Control Function



■ **Operation:**
100%-25%-Strobe-OFF



Focus Control Function

CREE
XP-E



3xAAA batteries

HS-5629

Bulb Type: CREE XP-E LED
Battery Type: 3*AAA Batteries
Size: Φ 35X61mm
Weight: 102g


HEAD LAMP



CREE
XM-L



■ **Operation:**
100%-25%-Strobe-OFF



Focus Control Function



HS-5630

Bulb Type: CREE XM-L LED
Battery Type: 3*AA Batteries
Size: Φ 44*160mm
Weight: 166g



CREE
XM-L



■ **Operation:**
100%-25%-Strobe-OFF



HS-86070A

Bulb Type: CREE XM-L LED
Battery Type: 2*18650 3.7V 4400mAh Batteries
Size: Φ 50*73mm
Weight: 166g
Charge time: 8Hrs
Input: DCSV/1A



CREE
XM-L



■ **Operation:**
100%-25%-Strobe-OFF



HS-5628

Bulb Type: CREE XM-L LED
Battery Type: 2*18650 Li-ion Batteries 3.7V/4400Mah
Size: Φ 36X40mm
Weight: 128g
Charge time: 8Hrs
Input: DCSV/1A



CREE
XP-G



■ **Operation:**
100%-25%-Strobe-OFF



HS-5625

Bulb Type: CREE XP-G LED
Battery Type: 3*AAA Batteries
Size: Φ 47X75 mm
Weight: 135g

HEAD LAMP



■ **Operation:**
100%-25%-Strobe-OFF

HS-5623

Bulb Type: CREE XP-E LED
Battery Type: 3*AAA Batteries
Size: $\Phi 33 \times 46.5$ mm
Weight: 100g



■ **Operation:**
100%-25%-Strobe-OFF

HS-5623A

Bulb Type: CREE XP-E LED
Battery Type: 3*AAA Batteries
Size: $\Phi 40 \times 45$ mm
Weight: 126g



3xAAA batteries



■ **Operation:**
100%-25%-Strobe-OFF

HS-5623B

Bulb Type: CREE XP-E LED
Battery Type: 3*AAA Batteries
Size: $\Phi 40 \times 45$ mm
Weight: 128g



■ **Operation:**
100%-25%-Strobe-OFF

HS-5623C

Bulb Type: CREE XP-E LED
Battery Type: 3*AAA Batteries
Size: $\Phi 35 \times 50$ mm
Weight: 118g

ALUMINIUM FLASHLIGHT



ZOOM



■ **Operation:**
High-OFF(long press to dim)

HS-6019G

Bulb type: Luminus SST-40
Battery: 9*AA (not included)
Brightness: 1200lm
Run time: 9/22hrs
Beam distance: 310 m
Size: $\phi 52.5 \times 275.5$ mm
Weight: 423g (w/o battery)
Water resistant: IPX4

ALUMINIUM FLASHLIGHT



USB Cable

ZOOM

■ **Operation:**
High-OFF(long press to dim)



HS-6019D

Bulb type: TG-2
Battery: Li-ion 18650 battery 3.7V 2200mAh
Brightness: 600lm
Charge time: 3hrs
Run time: 2/22hrs
Beam distance: 150 m
Input: 5V 1A
Output: 5V 1A
Size: ϕ 27*160.5MM
Weight: 157g (w/o battery)
Water resistant: IPX4

■ **Operation:**
High-OFF(long press to dim)



HS-6019E

Bulb type: Luminus SST-20
Battery: Li-ion 18650 battery 3.7V 2200mAh
Brightness: 800lm
Charge time: 3hrs
Run time: 1.5/18hrs
Beam distance: 200 m
Input: 5V 1A
Output: 5V 1A
Size: ϕ 42.5*162mm
Weight: 184g (w/o battery)
Water resistant: IPX4

■ **Operation:**
High-OFF(long press to dim)



HS-6019F

Bulb type: Luminus SST-40
Battery: Li-ion 26650 battery 3.7V 4500mAh
Brightness: 1200lm
Charge time: 6hrs
Run time: 3.5/35hrs
Beam distance: 210 m
Input: 5V 1A
Output: 5V 1A
Size: ϕ 44*185mm
Weight: 246g (w/o battery)
Water resistant: IPX4

ALUMINIUM FLASHLIGHT



■ **Operation:**
High-OFF-Low-OFF

HS-6019C

Bulb type: TG-2
Battery: 3*AAA (not included)
Brightness: 320lm
Run time: 3hrs (high), 15hrs (low)
Beam distance: 105 m
Size: ϕ 37*149mm
Weight: 155g (w/o battery)
Water resistant: IPX4



HS-6019H

Bulb type: XG-2
Battery: 2*AAA (not included)
Brightness: 110lm
Run time: 1hrs (high), 3hrs (low)
Beam distance: 80 m
Size: ϕ 16.5*142mm
Weight: 45g (w/o battery)
Water resistant: IPX4



■ **Operation:**
High-OFF-Low-OFF-Flash-OFF



■ **Operation:**
ON-OFF

HS-6019A

Bulb type: XG-2
Battery: 2*AA (not included)
Brightness: 250lm
Run time: 3hrs
Beam distance: 88m
Size: ϕ 23*151mm
Weight: 67g (w/o battery)
Water resistant: IPX4



ALUMINIUM FLASHLIGHT



■ **Operation:**
High-Low-Flash(10Hz)-OFF

HS-89402A

Bulb type: CREE MT-G LED
Battery: 2*26650Li-ion battery 3.7V 8000mAh
Brightness: 1800LM
Charge time: 8Hrs
Runtime: 2-24Hrs
Distance: 500m
Size: ø70*275mm
Weight: 341g(without battery)
Water resistant: IP68

HIGH POWER
1800LM
CREE



CREE MT-G2 LED



Power Indicator



Magnet Control Switch



ALUMINIUM FLASHLIGHT



■ **Operation:**
High-Low-Flash(10Hz)-OFF

HS-89408A

Bulb type: CREE XM-L LED
Battery: 1*18650/2200mAh
Brightness: HIGH 450LM LOW : 65LM
Runtime: 2/8Hrs
Size: ø45*178mm
Weight: 178g + Weight:61g(Battery)
Water resistant: IP68



Power Bank Battery



Output: DC5V/1A
Input: DC5V/1A



■ **Operation:**
High-Low-Flash(10Hz)-OFF

HS-89409A

Bulb type: CREE XM-L LED
Battery: 1*18650/2200mAh
Brightness: HIGH 450LM LOW : 65LM
Runtime: 2/8Hrs
Size: ø45*178mm
Weight: 176g + Weight:61g(Battery)
Water resistant: IP68




■ **Operation:**
High-Low-Flash(10Hz)-OFF

HS-89410A

Bulb type: CREE XM-L LED
Battery: 1*26650/4000mAh
Brightness: HIGH 650LM LOW : 120LM
Runtime: 2.5/12Hrs
Size: ø53*180mm
Weight: 203g + Weight:120g(Battery)
Water resistant: IP68



Power Bank Battery



Output: DC5V/1A
Input: DC5V/1A



■ **Operation:**
High-Low-Flash(10Hz)-OFF

HS-89411A

Bulb type: CREE XM-L LED
Battery: 1*26650/4000mAh
Brightness: HIGH 650LM LOW : 120LM
Runtime: 2.5/12Hrs
Size: ø53*187mm
Weight: 223g + Weight:120g(Battery)
Water resistant: IP68

ALUMINIUM FLASHLIGHT

CREE XP-L
Ultra Brightness
Rechargeable Flashlight

Brightness	Runtime	Battery	Range
800 LUMENS	2-12hours	2x18650	300M



HS-8119

Bulb Type: CREE XP-L LED
Battery Type: 2X18650/3.7V 4400MAH
Size: 49X246.50MM
Weight: 299g
Charge time: 7-8Hrs
Charger: AC 100-240V
Water Resistant: IP68

■ **Operation:**
High-OFF-LOW-OFF-Strobe-OFF



CREE MT-G2
Ultra Brightness
Rechargeable Flashlight

Brightness	Runtime	Battery	Range
1200 LUMENS	3-24hours	2x26650	250M



■ **Operation:**
High-OFF-LOW-OFF-Strobe-OFF

HS-8120

Bulb Type: CREE-MT-G2 LED
Battery Type: 2X26650/3.7V 8000MAH
Size: 49X246.50MM
Weight: 299g
Charge time: 7-8Hrs
Charger: AC 100-240V
Water Resistant: IP68

ALUMINIUM FLASHLIGHT

CREE XM-L LED
USB Focus
Flashlight

Brightness	Runtime	Battery	Range
500 LUMENS	1.5-10hours	18650	220M



■ **Operation:**
High-LOW-Flash(10Hz)-OFF



HS-89404A

Bulb type: CREE XM-L LED
Battery: 1*18650Li-ion battery 3.7V 2200mAH
Brightness: High:500LM Low=75LM
Charge time: 5Hrs
Runtime: 1.5/10Hrs
Distance: 220m
Size: ø36.5*179mm
Weight: 155g(without battery)
Water resistant: IPX4

Brightness	Runtime	Battery	Range
450 LUMENS	1.5-150hours	18650	200M



■ **Operation:**
Power indicator
Strobe-SOS-Aviation obstruction light signal
(1) Short press: Brightness 50%
(2) First Long press: Brightness up to 100%
(3) Second Long press: Brightness Low to 5%



HS-89406A

Bulb type: CREE XM-L LED
Battery: 1*18650Li-ion battery 3.7V 2200mAH
Brightness: High:450LM Low=15LM
Charge time: 5Hrs
Runtime: 1.5/150Hrs
Distance: 200m
Size: ø36.5*179mm
Weight: 155g(without battery)
Water resistant: IPX4

Brightness	Runtime	Battery	Range
500 LUMENS	1.5-10hours	18650	150M



■ **Operation:**
High-LOW-Flash(10Hz)-OFF



HS-89405A

Bulb type: CREE XM-L LED
Battery: 1*18650Li-ion battery 3.7V 2200mAH
Brightness: High:500LM Low=75LM
Charge time: 5Hrs
Runtime: 1.5/10Hrs
Distance: 150m
Size: ø36.5*174mm
Weight: 149g(without battery)
Water resistant: IPX4

Brightness	Runtime	Battery	Range
450 LUMENS	1.5-150hours	18650	100M



■ **Operation:**
Power indicator
Strobe-SOS-Aviation obstruction light signal
(1) Short press: Brightness 50%
(2) First Long press: Brightness up to 100%
(3) Second Long press: Brightness Low to 5%



HS-89407A

Bulb type: CREE XM-L LED
Battery: 1*18650Li-ion battery 3.7V 2200mAH
Brightness: High:450LM Low=15LM
Charge time: 5Hrs
Runtime: 1.5/150Hrs
Distance: 100m
Size: ø36.5*174mm
Weight: 146g(without battery)
Water resistant: IPX4

ALUMINIUM FLASHLIGHT

HIGH POWER

USB Focus


Multi-Function Aluminum Worklight



■ **Operation:**
High-LOW-Strobe-OFF

HS-8118

Bulb Type: CREE XP-G LED
Battery Type: 1*26650 3.7V/4000mAh
OR 1*18650/2000mAh with battery coat
Size: ϕ 44.8*181mm
Weight: 225g
Charge time: 5-7Hrs
Water Resistant: IPX4





Micro USB -Input
Big USB -Output



CREE XPG LED

CREE XM-L LED USB Focus Rechargeable Flashlight



■ **Operation:**
High-LOW-Strobe-OFF

HS-8101C

Bulb Type: CREE XM-L LED
Battery Type: 1*18650 3.7V/2000mAh
Size: ϕ 42*158.5mm
Weight: 165g
Charge time: 5Hrs
Input: DC5V/1A



Micro USB Input

ALUMINIUM FLASHLIGHT



Power Indicator



USB Input/Output



CREE XM-L2



■ **Operation:**
High-LOW-Strobe-OFF

HS-89303A

Bulb Type: CREE XM-L LED
Brightness: 500LM
Battery Type: 1X26650 3.7V/4000mAh
Runtime : 1Hrs /5Hrs
Size: 46.5x179mm
Weight: 203g
Water Resistant: IPX4
Charge time : 5-6Hrs



Micro USB Input




■ **Operation:**
High-LOW-Strobe-OFF

HS-89302A

Bulb Type: CREE XM-L LED
Brightness: 400LM
Battery Type: 1X18650 or 3xAAA battery case
Runtime : 1hrs /10hrs
Size: 36.6x151mm
Weight: 123g
Water Resistant: IPX4
Charge time : 4Hrs



Power Indicator



■ **Operation:**
High-LOW-Strobe-OFF

HS-89300A

Bulb Type: CREE XPE LED
Brightness: 130LM
Battery Type: 2XAA
Runtime : 1hrs /3hrs
Size: 31.5X173MM
Weight: 98g
Water Resistant: IPX4

ALUMINIUM FLASHLIGHT

Brightness	Runtime	Battery	Range
60 LUMENS	3-7hours	1xAA	60M



■ **Operation:**
100%-25%-Strobe-OFF

HS-8035

Bulb Type: CREE XPE LED
Battery Type: 1*AA Battery
Size: Ø24*106mm
Weight: 70g
Water Resistant: IP44



Brightness	Runtime	Battery	Range
150 LUMENS	4-15hours	3xAAA	100M



■ **Operation:**
100%-25%-Strobe-OFF

HS-8035A

Bulb Type: CREE XPE LED
Battery Type: 3*AAA Batteries
Size: Ø30*118mm
Weight: 97g
Water Resistant: IP44



Brightness	Runtime	Battery	Range
150 LUMENS	4-15hours	3xAAA	100M



■ **Operation:**
100%-25%-Strobe-OFF

HS-8035D

Bulb Type: CREE XPE LED
Battery Type: 3*AAA Batteries
Size: Ø30*100mm
Weight: 80g
Water Resistant: IP44



Brightness	Runtime	Battery	Range
80 LUMENS	1.5-3hours	1xAA	80M



■ **Operation:**
100%-25%-Strobe-OFF

HS-8021

Bulb Type: CREE XPE LED
Battery Type: 1*AA Battery
Size: Ø24*90mm
Weight: 54g
Water Resistant: IP44



Brightness	Runtime	Battery	Range
125 LUMENS	7-20hours	3xAAA	80M



■ **Operation:**
100%-25%-Strobe-OFF

HS-8022

Bulb Type: CREE XPE LED
Battery Type: 3*AAA Batteries
Size: Ø34.5*114mm
Weight: 89g
Water Resistant: IP44



Brightness	Runtime	Battery	Range
140 LUMENS	5-15hours	3xAAA	80M



■ **Operation:**
100%-25%-Strobe-OFF

HS-8023

Bulb Type: CREE XPE LED
Battery Type: 3*AAA Batteries
Size: Ø33*113mm
Weight: 80g
Water Resistant: IP44



Brightness	Runtime	Battery	Range
70 LUMENS	1.5hours	1xAA	80M



■ **Operation:**
100%-25%-Strobe-OFF

HS-8075

Bulb Type: CREE XPE LED
Battery Type: 1*AA Battery
Size: Ø31*131mm
Weight: 74g
Water Resistant: IP44



Brightness	Runtime	Battery	Range
120 LUMENS	6-20hours	3xAAA	80M



■ **Operation:**
100%-25%-Strobe-OFF

HS-8005

Bulb Type: CREE XPE LED
Battery Type: 3*AAA Batteries
Size: Ø36.5*132mm
Weight: 108g
Water Resistant: IP44



Brightness	Runtime	Battery	Range
120 LUMENS	6-20hours	3xAAA	80M



■ **Operation:**
100%-25%-Strobe-OFF

HS-8005A

Bulb Type: CREE XPE LED
Battery Type: 3*AAA Batteries
Size: Ø34*127mm
Weight: 108g
Water Resistant: IP44



Brightness	Runtime	Battery	Range
90 LUMENS	20hours	3xAAA	80M



■ **Operation:** ON-OFF

HS-89191A

Bulb Type: Smsung LED
Battery Type: 3*AAA Batteries
Size: Ø35*127mm
Weight: 110g
Water Resistant: IP44

Brightness	Runtime	Battery	Range
50 LUMENS	20hours	2xAA	40M



■ **Operation:** ON-OFF

HS-89189A

Bulb Type: Smsung SMD 2323 0.5WLED
Battery Type: 2*AA Batteries
Size: Ø24*155mm
Weight: 58g
Water Resistant: IP44

Brightness	Runtime	Battery	Range
33 LUMENS	20hours	2xAAA	40M



■ **Operation:** ON-OFF

HS-89190A

Bulb Type: Smsung SMD 2323 0.5WLED
Battery Type: 2*AAA Batteries
Size: Ø21*143mm
Weight: 44g
Water Resistant: IP44

Brightness	Runtime	Battery	Range
29 LUMENS	20hours	1xAA	40M



■ **Operation:** ON-OFF

HS-89188A

Bulb Type: Smsung SMD 2323 0.5WLED
Battery Type: 1*AA Batteries
Size: Ø24*105mm
Weight: 45g
Water Resistant: IP44

Brightness	Runtime	Battery	Range
30 LUMENS	2-6hours	1xCR123	30M



■ **Operation:**
100%-25%-Flash-OFF

HS-8028A

Bulb Type: CREE XP-E LED
Battery Type: 1*CR123 Battery
Size: Ø22*92mm
Weight: 50g
Water Resistant: IP44

Brightness	Runtime	Battery	Range
30 LUMENS	2-6hours	1xAA	30M



■ **Operation:**
100%-25%-Flash-OFF

HS-8028B

Bulb Type: CREE XP-E LED
Battery Type: 1*AA Battery
Size: Ø22.5*119mm
Weight: 40g
Water Resistant: IP44

Brightness	Runtime	Battery	Range
45 LUMENS	2-6hours	2xAA	50M



■ **Operation:**
100%-25%-Flash-OFF

HS-8028C

Bulb Type: CREE XP-E LED
Battery Type: 2*AA Batteries
Size: Ø25*165mm
Weight: 81g
Water Resistant: IP44

ALUMINIUM FLASHLIGHT

Brightness	Runtime	Battery	Range
70 LUMENS	1hours	1xAA	60M



■ Operation: ON-OFF

HS-8057

Bulb Type: CREE XPE LED
Battery Type: 1*AA Battery
Size: Φ31*105mm
Weight: 61g
Water Resistant: IP44

Brightness	Runtime	Battery	Range
75 LUMENS	2hours	2xAA	80M



■ Operation: ON-OFF

HS-8057A

Bulb Type: CREE XPE LED
Battery Type: 2*AA Batteries
Size: Φ31*157mm
Weight: 82g
Water Resistant: IP44

Brightness	Runtime	Battery	Range
140 LUMENS	5hours	3xAAA	120M



■ Operation: ON-OFF

HS-8057B

Bulb Type: CREE XPE LED
Battery Type: 3*AAA Batteries
Size: Φ37*134.5mm
Weight: 120g
Water Resistant: IP44

Brightness	Runtime	Battery	Range
140 LUMENS	3.5-10hours	3xAAA	150M



■ Operation:
100%-25%-Flash-OFF

HS-8007

Operation: H-L-STROBE-OFF
Bulb Type: CREE XPE LED
Battery Type: 3*AAA Batteries
Size: Φ35.8*133mm
Weight: 92g
Water Resistant: IP44

Brightness	Runtime	Battery	Range
170 LUMENS	2-8hours	4xAAA	150M



■ Operation:
100%-25%-Flash-OFF

HS-8007A

Operation: H-L-STROBE-OFF
Bulb Type: CREE XP-G LED
Battery Type: 4*AAA Batteries
Size: Φ41*136mm
Weight: 130g
Water Resistant: IP44

Brightness	Runtime	Battery	Range
140 LUMENS	2-10hours	2xC	150M



■ Operation:
100%-25%-Flash-OFF

HS-8007B

Operation: H-L-STROBE-OFF
Bulb Type: CREE XPE LED
Battery Type: 2*C Batteries
Size: Φ47*172mm
Weight: 145g
Water Resistant: IP44

Brightness	Runtime	Battery	Range
110 LUMENS	1.5-30hours	3xAAA	100M



■ Operation:
100%-25%-Flash-OFF

HS-8006

Bulb Type: CREE XPE LED
Battery Type: 3*AAA Batteries
Size: Φ34*120mm
Weight: 98g
Water Resistant: IP44

Brightness	Runtime	Battery	Range
150 LUMENS	5-15hours	3xAAA	80M



■ Operation:
100%-25%-Flash-OFF

HS-8026

Bulb Type: CREE XPE LED
Battery Type: 3*AAA Batteries
Size: Φ35*120mm
Weight: 104g
Water Resistant: IP44



■ Operation:
White-Green-Red-OFF

HS-8056

Bulb Type: China 1W LED
Battery Type: 3*AAA Batteries
Size: Φ35*149mm
Weight: 103g
Water Resistant: IP44

Multi-function Powerful Torch



HS-5989

Operation: Pressing switch on/off, three switch on model 4/8/12LED lighting
Bulb Type: 12pcs LED
Battery Type: 3x D batteries
Size: 225*120*120(mm)



HS-5988H

Operation: ON/OFF
Bulb Type: 3pcs straw hat LED,
Battery Type: 3x AA batteries
Size: 148*82.5*45(mm)



HS-5987H

Operation: ON/OFF
Bulb Type: 3pcs straw hat LED,
Battery Type: 3x AAA batteries
Size: 120*60*32(mm)



HS-5986H

Operation: ON/OFF
Bulb Type: 1pc straw hat LED,
Battery Type: 1x AA battery
Size: 90*42*22(mm)

FLASHLIGHT



HS-5988A

Operation: ON/OFF
Bulb Type: 1 watt power LED
Battery Type: 3x AA batteries
Size: 148*82.5*45(mm)



HS-5987A

Operation: ON/OFF
Bulb Type: 1 watt power LED
Battery Type: 3x AAA batteries
Size: 120*60*32(mm)

Plastic flashlight, revolving switch on/off.



LED light



HS-5923L

Size(L*W*H):240*65*30 (mm) , 10pcs LED,use 3x D batteries



HS-5918L

Size(L*W*H):200*65*30 (mm) ,10pcs LED,use 3x AA batteries



HS-5919L

Size(L*W*H):170*54*25 (mm) , 9pcs LED,use 3x AAA batteries



HS-5912L

Size(L*W*H):152*38*19 (mm) 5pcs LED , use 2x AA or 3pcs AG13 batteries



HS-5920L

Size(L*W*H):82*31*15 (mm) , 1 LED, use 1x AA or 3x AG13 batteries



MULTI-FUNCTION LANTERN



HS-50065A

Bulb Type: P55 LED+2W cob*3pcs
Battery Type: 2*2*18650 li-ion 3.7V/7200 mAh
Brightness: P55=2000LM, 2W cob*3pcs=350LM
Charing time: 5-6Hrs
Runtime: P55 LED=7Hrs, cob =11-12Hrs
Size: 255*137*158MM
Weight: 845g(with battery)
Input: DC 5V 2A
Output: DC 5V 2A
Distance: 1000M
Operation: SPOT LIGHT:10%-50%-100%
 side light :100%-50%-10%
 long press to dim to 5% input/output function



MULTI-FUNCTION LANTERN



Function:
Medium bright in warm light -
medium bright in white light -
medium bright in mixed light (dim
to 10% ~ 100%) - red light (turn
left for 2.4Hz red light flash, turn
right for red light off) - off



HS-50151A

Bulb type: COB
Battery: 1* 18650 2000mAh/3.7V
Brightness: 600±60Lm
Work time: 3-11H
Charge time: 3~4H
Water resistant: IPX4
Weight: 335±20g
Size: Φ110*183.5



HS-50152A

Bulb type: 4PCS ceramic+16PCS
0.2W 2835 white light +12PCS
2835 red light
Battery: 1* 18650 2000mAh/3.7V
Brightness: 600±60Lm
Work time: 3-11H
Charge time: 3~4H
Water resistant: IPX4
Weight: 335±20g
Size: Φ110*183.5



HS-50153A

Bulb type: 24PCS 0.2W 2835
warm light+18PCS 0.2W 2835
white light+21PCS 2835 red light
Battery: 1* 18650 2000mAh/3.7V
Brightness: 600±60Lm
Work time: 3-11H
Charge time: 3~4H
Water resistant: IPX4
Weight: 355±20g
Size: Φ110*183.5

LED WORK LIGHT



HS-52888A




Bulb type: LED + COB
Battery: polymer 3.7V 500mAh
Brightness: LED : 150±15Lm
COB : 200±20Lm
Charge time: 1H
Run time: LED: 3.5 H COB: 4 H
Weight: 52±5g
Input: 5V 1A
Size: 26*25*136.5mm
Distance: 160 m
Operation:
1. LED high (long prees to dim10%)
2. COB high (long prees to dim 10%)
3. Red light (Off state, long press to flash)-off



Magnet

Pen clip

Type-C
charging port



MULTI-FUNCTION LANTERN


HS-56122A

Bulb type : LED + COB
Battery : polymer 500mAh/3.7V
Brightness : 500±50LM (ultra-bright mode)
Work time : LED:1.5-8H COB:2-18H
Charge time : 1.5H
Water resistant : IPX4
Weight: 57±5g
Size: 55*32*32.5MM



SENSOR

Function:
COB: 10%-50%-100%-red light flash-off
LED: 10%-50%-100%-off
Long press any gear for 3 seconds to enter the ultra-bright mode;
Induction mode: press the switch on both sides at the same time, the red light flashes twice, and the indicator light is on; LED50%-off-COB50%-off, Press both switches at the same time to turn off



Brightness	Runtime	Battery	Range
500 LUMENS	2 hours	Li-Po	180M

S12

■ Operation:
multifunctional



Bulb Type: China - P30 / COB
Battery Type: Li-Po 500mAh
Size: 29*30*60mm
Weight: 34g
Brightness: 500 lm
Charging Time: 1.5 hours
Water Resistant: IP4
Focus Control: Fixed



Brightness	Runtime	Battery	Range
500 LUMENS	2 hours	Li-Po	180M

S13

■ Operation:
multifunctional



Bulb Type: China - P30 / XTE
Battery Type: Li-Po 500mAh
Size: 29*30*60mm
Weight: 34g
Brightness: 500 lm
Charging Time: 1.5 hours
Water Resistant: IP4
Focus Control: Fixed



HANDS-FREE HEADLAMP

Brightness	Runtime	Battery	Range
2000 LUMENS	4 hours	3*18650	550M

T561

■ Operation:
multifunctional



Bulb Type: China - 80W White TG
Battery Type: 3*18650/2500mAh
Weight: 232g
Brightness: 2000 lm
Charging Time: 4.5 hours
Water Resistant: IP4
Focus Control: Zoom



Brightness	Runtime	Battery	Range
2000 LUMENS	6 hours	3*18650	550M

T562

■ Operation:
multifunctional



Bulb Type: China - TG(White+Red)
Battery Type: 3*18650/2500mAh
Weight: 321.6g
Brightness: 2000 lm
Charging Time: 4.5 hours
Water Resistant: IP4
Focus Control: Zoom



Brightness	Runtime	Battery	Range
2000 LUMENS	7 hours	3*18650	550M

T563

■ Operation:
multifunctional



Bulb Type: China - TG(White+Red+Blue)
Battery Type: 3*18650/2500mAh
Weight: 318.3g
Brightness: 2000 lm
Charging Time: 4.5 hours
Water Resistant: IP4
Focus Control: Zoom



Brightness	Runtime	Battery	Range
2000 LUMENS	6 hours	3*18650	550M

T565

■ Operation:
multifunctional



Bulb Type: China - TG(White+Red+Blue+Yellow+Green)
Battery Type: 3*18650/2500mAh
Weight: 335.8g
Brightness: 2000 lm
Charging Time: 4.5 hours
Water Resistant: IP4
Focus Control: Zoom



Brightness	Runtime	Battery	Range
500 LUMENS	4 hours	3*18650	550M

T566

■ Operation:
multifunctional



Bulb Type: China - 80W White TG
Battery Type: 3*18650/2500mAh
Weight: 321.4g
Brightness: 2000 lm
Charging Time: 4.5 hours
Water Resistant: IP4
Focus Control: Zoom



Brightness	Runtime	Battery	Range
500 LUMENS	2.5 hours	Li-Po	150M

T615

■ Operation: multifunctional

SENSOR



Bulb Type: China - XTE*3+COB
Battery Type: Li-Po 902040/700mAh
Size: 26*29*71mm
Weight: 48g
Brightness: 500 lm
Charging Time: 2.5 hours
Water Resistant: IP4
Features: Detachable / 180° Tilting



Brightness	Runtime	Battery	Range
1000 LUMENS	3.5 hours	1*21700	500M

T271

■ Operation:
multifunctional



Bulb Type: White TG
Battery Type: 1*21700/4000mAh
Size: Φ41*86mm
Weight: 162g
Brightness: 1000 lm
Charging Time: 4 hours
Water Resistant: IP4
Focus Control: Zoom

Brightness	Runtime	Battery	Range
2300 LUMENS	4 hours	1*21700	360-680M

T750

■ Operation:
multifunctional



Bulb Color: White+RGB
Battery Type: 1*21700/4000mAh
Size: Φ33*74*88mm
Weight: 91.5g
Brightness: 2300 lm
Charging Time: 4 hours
Water Resistant: IP4
Heads: 5 Swappable



EDC MULTI-MODULE LIGHT



A850-5 HEADS

■ Operation:multifunctional

Bulb Type: China - 15W-TG / XHP-50 / SST40 / XP-G3 / COB
Battery Type: 1*21700/4800mAh
Size: Φ34*125mm
Weight: 144g
Brightness: 2300 lm
Range: 360-680m
Charging Time: 3-4 hours
Runtime: 3.5-20 hours
Water Resistant: IP4
Features: 5 Swappable



A850-10 HEADS

■ Operation:multifunctional

Bulb Type: China - 15W-TG / XHP-50 / SST40 / XP-G3 / COB
Battery Type: 1*21700/4800mAh
Size: Φ34*125mm
Weight: 144g
Brightness: 2300 lm
Range: 360-680m
Charging Time: 3-4 hours
Runtime: 3.5-20 hours
Water Resistant: IP4
Features: 10 Swappable



F235X-T6

■ Operation:multifunctional

Bulb Type: China - 3*P35 / RPG
Battery Type: 1*18650/1200mAh+18350/800mAh
Size: Φ29*78mm
Weight: 84g
Brightness: 1500 lm/300m
Charging Time: 2.5 hours
Runtime: 1.5-2 hours(18350)/2-3 hours(18650)
Water Resistant: IP4
Focus Control: Fixed



EDC FLASHLIGHT



Brightness	Runtime	Battery	Range
 3250 +1950 LUMENS	 4 hours	 2*18650	 300M

A200

■ Operation:multifunctional

Bulb Type: China - SST36+3535*3
Battery Type: Built-in 2*18650(2*2800mAh)
Size: 49*26*113mm
Weight: 252g
Brightness: 3250+1950 lm
Charging Time: 3 hours
Water Resistant: IP4
Focus Control: Fixed




Brightness	Runtime	Battery	Range
 3000 +500 LUMENS	 3.5 hours	 1*21700	 400M

A300

■ Operation:multifunctional

Bulb Type: China - SFT12R+3535*3
Battery Type: Built-in 1*21700-4800mAh
Size: 58*26*105mm
Weight: 277g
Brightness: 3000+500 lm
Charging Time: 4 hours
Water Resistant: IP4
Focus Control: Zoom&Fixed




Brightness	Runtime	Battery	Range
 3000 +1250 LUMENS	 3 hours	 1*21700	 650M

A300 Pro

■ Operation:multifunctional

Bulb Type: China - SFT35R+3535*3
Battery Type: Built-in 1*21700-4800mAh
Size: 58*26*105mm
Weight: 280g
Brightness: 3000+1250 lm
Charging Time: 4 hours
Water Resistant: IP4
Focus Control: Zoom&Fixed



CAMPING FLASHLIGHT

Brightness	Runtime	Battery	Range
1800 LUMENS	3.5 hours	1*21700	600M

A8

■ Operation: multifunctional



Bulb Type: China - 1*W5050-30W TG+8*Y2835+2*R2835
Battery Type: 1*21700/4800mAh
Size: Φ57*170 mm
Weight: 270g
Brightness: 1800 lm
Charging Time: 6 hours
Water Resistant: IP4
Focus Control: Fixed

Brightness	Runtime	Battery	Range
7200 LUMENS	2.58 hours	1*21700	300M

A12

■ Operation: multifunctional



Bulb Type: China - 12*XTE+20*2835
Battery Type: 1*21700/4800mAh
Size: Φ55*160 mm
Weight: 287g
Brightness: 7200 lm
Charging Time: 4 hours
Water Resistant: IP4
Focus Control: Fixed

Brightness	Runtime	Battery	Range
960+5000 LUMENS	3.5 hours	1*26650	480M

A3

■ Operation: multifunctional



Bulb Type: China - San'an 7171+18*XTE
Battery Type: 1*26650/4500mAh
Size: Φ58.5*170mm
Weight: 310g
Brightness: 960+5000 lm
Charging Time: 4 hours
Water Resistant: IP4
Focus Control: Fixed

Brightness	Runtime	Battery	Range
2000 LUMENS	2.53 hours	1*21700	550M

A4

■ Operation: multifunctional



Bulb Type: China - San'an 55+Tungsten
Battery Type: 1*21700/4800mAh
Size: Φ52*162 mm
Weight: 215g
Brightness: 2000 lm
Charging Time: 4 hours
Water Resistant: IP4
Focus Control: Fixed

Brightness	Runtime	Battery	Range
1200 LUMENS	2.53 hours	1*21700	800M

A5

■ Operation: multifunctional




Bulb Type: China - White TG+Tungsten
Battery Type: 1*21700/3000mAh
Size: Φ52*168 mm
Weight: 229g
Brightness: 1200 lm
Charging Time: 4 hours
Water Resistant: IP4
Focus Control: Zoom

Brightness	Runtime	Battery	Range
6000 LUMENS	6 hours	1*26650	300M

A19

■ Operation: multifunctional



Bulb Type: China - 9*XPE+Tungsten
Battery Type: 1*26650/4000mAh
Size: Φ53*140mm
Weight: 219.2g
Brightness: 6000 lm
Charging Time: 3.5 hours
Water Resistant: IP4
Focus Control: Fixed

Brightness	Runtime	Battery	Range
1500 LUMENS	5 hours	1*21700	300M

F609X

■ Operation: multifunctional



Bulb Type: China - White TG+COB
Battery Type: 1*21700/4000mAh
Size: Φ54*169mm
Weight: 223g
Brightness: 1500 lm
Charging Time: 5 hours
Water Resistant: IP4
Focus Control: Fixed

Brightness	Runtime	Battery	Range
2000 LUMENS	3.5 hours	1*26650	500M

A13

■ Operation: multifunctional



Bulb Type: China - 50W White TG+SMD
Battery Type: 1*26650/3000mAh
Size: Φ56*174mm
Weight: 287g
Brightness: 2000 lm
Charging Time: 5 hours
Water Resistant: IP4
Focus Control: Fixed



CAMPING FLASHLIGHT

Brightness	Runtime	Battery	Range
300 LUMENS	3.5 hours	Li-Po	80M



B81

■ Operation: multifunctional

Bulb Type: China - 3*Tungsten LED+8*2835+XTE
Battery Type: Built-in LiPo battery (902025) 400mAh
Size: Φ35*68mm
Weight: 110.9g
Brightness: 300 lm
Range: 80m
Charging Time: 1.5 hours
Runtime: 3.5 hours
Water Resistant: IP4



Brightness	Runtime	Battery	Range
1200 LUMENS	3 hours	1*26350	800M

G590

■ Operation: multifunctional



Bulb Type: China - TG+Tungsten+SMD
Battery Type: 1*26350-1600mAh
Size: Φ50*126mm
Weight: 268.8 g
Brightness: 1200 lm
Charging Time: 4 hours
Water Resistant: IP4
Focus Control: Zoom

Brightness	Runtime	Battery	Range
1200 LUMENS	3 hours	1*26650	800M

G580

■ Operation: multifunctional



Bulb Type: China - TG+Tungsten+SMD
Battery Type: 1*26650-3000mAh
Size: Φ53*166mm
Weight: 334.7 g
Brightness: 1200 lm
Charging Time: 5 hours
Water Resistant: IP4
Focus Control: Zoom

Brightness	Runtime	Battery	Range
1200 LUMENS	3 hours	1*26650	800M

G560V

■ Operation: multifunctional



Bulb Type: China - TG+Tungsten
Battery Type: 1*26650-3000mAh
Size: Φ49*173mm
Weight: 226.8g
Brightness: 1200 lm
Charging Time: 5 hours
Water Resistant: IP4
Focus Control: Zoom

EDC UTILITY LIGHT


Brightness	Runtime	Battery	Range
270 LUMENS	3.5 hours	Li-Po	80M



M18

■ Operation: multifunctional

Bulb Type:	China - TG3B / COB / UV
Battery Type:	Li-Po 102025/500mAh
Size:	30*25*55mm
Weight:	144g
Brightness:	270 lm
Range:	80m
Charging Time:	3 hours
Runtime:	3.5 hours
Water Resistant:	IP4



Brightness	Runtime	Battery	Range
680 LUMENS	2 hours	Li-Po	95M

M31-UV

■ Operation: multifunctional

Bulb Type:	China - P50 / UV
Battery Type:	Li-Po 102050/1000mAh
Size:	28*19*115mm
Weight:	169.5g
Brightness:	680 lm
Charging Time:	2 hours
Water Resistant:	IP4
Focus Control:	Fixed



Brightness	Runtime	Battery	Range
680 LUMENS	2 hours	Li-Po	95M

M31

■ Operation: multifunctional

Bulb Type:	China - P50 / Red Laser
Battery Type:	Li-Po 102050/1000mAh
Size:	28*19*115mm
Weight:	169.5g
Brightness:	680 lm
Charging Time:	2 hours
Water Resistant:	IP4
Focus Control:	Fixed



HIGH POWER FLASHLIGHT

Brightness	Runtime	Battery	Range
960+5200 LUMENS	266 hours	1*21700	480M

A2

■ Operation: multifunctional

Bulb Type:	China - 1*San'an 7171 / COB
Battery Type:	1*21700/4800mAh
Size:	Φ58.5*165mm
Weight:	351.6g
Brightness:	960+5200 lm
Charging Time:	4 hours
Water Resistant:	IP4
Focus Control:	Fixed



Brightness	Runtime	Battery	Range
10100 LUMENS	1.75 hours	1*21700	650M

A40

■ Operation: multifunctional

Bulb Type:	China - 4*San'an 50.3
Battery Type:	1*21700/4000mAh
Size:	Φ47*151mm
Weight:	179.6g
Brightness:	10100 lm
Charging Time:	3.5 hours
Water Resistant:	IP4
Focus Control:	Fixed



Brightness	Runtime	Battery	Range
5200 LUMENS	4.5 hours	1*26150	480M

A881

■ Operation: multifunctional

Bulb Type:	China - TG/XP-G3
Battery Type:	1*26150/10000mAh
Size:	Φ56*181mm
Weight:	265g
Brightness:	5200 lm
Charging Time:	7 hours
Water Resistant:	IP4
Focus Control:	Fixed




Brightness	Runtime	Battery	Range
2000 LUMENS	3 hours	1*21700	150M

F996

■ Operation: multifunctional

Bulb Type:	China - XTE+XPE+UV
Battery Type:	1*21700
Size:	Φ40*141mm
Weight:	160g
Brightness:	2000 lm
Charging Time:	6 hours
Water Resistant:	IP4
Focus Control:	Fixed



Brightness	Runtime	Battery	Range
1000 LUMENS	4 hours	1*26650	230M

F2605

■ Operation: multifunctional

Bulb Type:	China - TG
Battery Type:	1*26650/3000mAh
Size:	Φ42*164mm
Weight:	183.8g
Brightness:	1000 lm
Charging Time:	4 hours
Water Resistant:	IP4
Focus Control:	Zoom



G710

■ Operation: multifunctional

Bulb Type:	China - 30W TG
Battery Type:	1*21700/9200mAh
Size:	Φ60*187mm
Weight:	278.8g

Brightness:	2000 lm/500m
Charging Time:	4 hours
Water Resistant:	IP4
Focus Control:	Zoom

G711

■ Operation: multifunctional

Bulb Type:	China - 30W TG
Battery Type:	1*21700/9800mAh
Size:	Φ63*200mm
Weight:	355.1g

Brightness:	2000 lm/500m
Charging Time:	6 hours
Water Resistant:	IP4
Focus Control:	Zoom

G712

■ Operation: multifunctional

Bulb Type:	China - 30W TG
Battery Type:	1*261350/10800mAh
Size:	Φ63*265mm
Weight:	384.9g

Brightness:	2000 lm/500m
Charging Time:	8 hours
Water Resistant:	IP4
Focus Control:	Zoom

G713

■ Operation: multifunctional

Bulb Type:	China - 30W TG
Battery Type:	1*261950/16200mAh
Size:	Φ63*331mm
Weight:	431.7g

Brightness:	2000 lm/500m
Charging Time:	10 hours
Water Resistant:	IP4
Focus Control:	Zoom

ALUMINIUM FLASHLIGHT


Brightness	Runtime	Battery	Range
2000 LUMENS	3 hours	1*26650	580M

G236

■ Operation:
multifunctional



Bulb Type: China - T650
Battery Type: 1*26650
Size: $\Phi 55 \times 174$ mm
Weight: 301.2g
Brightness: 2000 lm
Charging Time: 4 hours
Water Resistant: IP4
Focus Control: Zoom




Brightness	Runtime	Battery	Range
2000 LUMENS	4 hours	1*26800	580M

G238

■ Operation:
multifunctional



Bulb Type: China - T650
Battery Type: 1*26800
Size: $\Phi 55 \times 186$ mm
Weight: 237.7g
Brightness: 2000 lm
Charging Time: 5 hours
Water Resistant: IP4
Focus Control: Zoom



Brightness	Runtime	Battery	Range
13800 LUMENS	8 hours	1*46950	280M

A813

■ Operation:
multifunctional



Bulb Type: China - XHP50.3*5
Battery Type: 1*46950-32000mAh
Size: $\Phi 63 \times 162$ mm
Weight: 383g
Brightness: 13800 lm
Charging Time: 16 hours
Water Resistant: IP4
Focus Control: Fixed



Brightness	Runtime	Battery	Range
20000 LUMENS	5.5 hours	1*46950	385M

A820

■ Operation:
multifunctional



Bulb Type: China - XHP50.3*8
Battery Type: 1*46950-32000mAh
Size: $\Phi 78 \times 165$ mm
Weight: 425g
Brightness: 20000 lm
Charging Time: 16 hours
Water Resistant: IP4
Focus Control: Fixed



Brightness	Runtime	Battery	Range
20000 LUMENS	6.5 hours	1*46950	900M

A818

■ Operation:
multifunctional



Bulb Type: China - XHP110
Battery Type: 1*46950-32000mAh
Size: $\Phi 73 \times 206$ mm
Weight: 586g
Brightness: 20000 lm
Charging Time: 16 hours
Water Resistant: IP4
Focus Control: Fixed



DIVING FLASHLIGHT



Brightness	Runtime	Battery	Range
4500 LUMENS	3 hours	1*26800	600M

A401

■ Operation:
multifunctional



Bulb Type: China - P70
Battery Type: 1*26800-5500mAh
Size: $\Phi 52 \times 185$ mm
Weight: 270g
Brightness: 4500 lm
Charging Time: 7 hours
Water Resistant: IPX8 Waterproof (Up to 30m)
Focus Control: Fixed

Brightness	Runtime	Battery	Range
2000 LUMENS	2 hours	1*26650	280M

A402

■ Operation:
multifunctional



Bulb Type: China - P70
Battery Type: 1*26650-4500mAh
Size: $\Phi 52 \times 170$ mm
Weight: 249g
Brightness: 2000 lm
Charging Time: 6 hours
Water Resistant: IPX8 Waterproof (Up to 30m)
Focus Control: Fixed

Brightness	Runtime	Battery	Range
2500 LUMENS	3 hours	1*26800	250M

A403

■ Operation:
multifunctional



Bulb Type: China - P50 (White+Yellow+Red)
Battery Type: 1*26800-5500mAh
Size: $\Phi 52 \times 182$ mm
Weight: 269g
Brightness: 2500 lm
Charging Time: 7 hours
Water Resistant: IPX8 Waterproof (Up to 30m)
Focus Control: Fixed



TACTICAL FLASHLIGHT

Brightness	Runtime	Battery	Range
2200 LUMENS	1.25 hours	1*18650	350M

A6

■ Operation:
multifunctional



Bulb Type: China - P80
Battery Type: 1*18650-2500mAh
Size: Φ30*139mm
Weight: 108.4g
Brightness: 2200 lm
Charging Time: 3 hours
Water Resistant: IP4
Focus Control: Fixed

Brightness	Runtime	Battery	Range
2500 LUMENS	2 hours	1*21700	450M

A7

■ Operation:
multifunctional



Bulb Type: China - P80
Battery Type: 1*21700-4500mAh
Size: Φ34*143mm
Weight: 132.4g
Brightness: 2500 lm
Charging Time: 5 hours
Water Resistant: IP4
Focus Control: Fixed

Brightness	Runtime	Battery	Range
1000 LUMENS	2.25 hours	1*18650	500M

A60

■ Operation:
multifunctional



Bulb Type: China - 10W TG
Battery Type: 1*18650-2500mAh
Size: Φ40*150mm
Weight: 150.3g
Brightness: 1000 lm
Charging Time: 3 hours
Water Resistant: IP4
Focus Control: Zoom

Brightness	Runtime	Battery	Range
1200 LUMENS	3 hours	1*21700	700M

A70

■ Operation:
multifunctional



Bulb Type: China - P80
Battery Type: 1*21700-3000mAh
Size: Φ42*185mm
Weight: 177.9g
Brightness: 1200 lm
Charging Time: 4 hours
Water Resistant: IP4
Focus Control: Zoom

Brightness	Runtime	Battery	Range
2200 LUMENS	1.25 hours	1*18650	350M

A6Q

■ Operation:
multifunctional



Bulb Type: China - P80
Battery Type: 1*18650-1200mAh
Size: Φ30*139mm
Weight: 123.1g
Brightness: 2200 lm
Charging Time: 3 hours
Water Resistant: IP4
Focus Control: Fixed

Brightness	Runtime	Battery	Range
2500 LUMENS	2 hours	1*21700	450M

A7Q

■ Operation:
multifunctional



Bulb Type: China - P80
Battery Type: 1*21700-3000mAh
Size: Φ34*143mm
Weight: 139.6g
Brightness: 2500 lm
Charging Time: 4 hours
Water Resistant: IP4
Focus Control: Fixed

Brightness	Runtime	Battery	Range
1000 LUMENS	2.25 hours	1*18650	500M

A60Q

■ Operation:
multifunctional



Bulb Type: China - 10W TG
Battery Type: 1*18650-1200mAh
Size: Φ40*150mm
Weight: 159.3g
Brightness: 1000 lm
Charging Time: 3 hours
Water Resistant: IP4
Focus Control: Zoom

Brightness	Runtime	Battery	Range
1200 LUMENS	3 hours	1*21700	700M

A70Q

■ Operation:
multifunctional



Bulb Type: China - 20W TG
Battery Type: 1*21700-3000mAh
Size: Φ42*185mm
Weight: 190.7g
Brightness: 1200 lm
Charging Time: 4 hours
Water Resistant: IP4
Focus Control: Zoom

ALUMINUM PENLIGHT

Brightness	Runtime	Battery	Range
600 LUMENS	3 hours	14500/AA	100M

M45

■ Operation:
multifunctional



Bulb Type: China - XPG+COB
Battery Type: 1*14500-800mAh
Size: Φ17*136mm
Weight: 46g
Brightness: 600 lm
Charging Time: 6 hours
Water Resistant: IP4
Focus Control: Fixed

Brightness	Runtime	Battery	Range
700 LUMENS	2.5 hours	14500/AA	100M

M46

■ Operation:
multifunctional



Bulb Type: China - XPG+SMD+ Red laser
Battery Type: 1*14500-800mAh
Size: Φ17*138mm
Weight: 60g
Brightness: 700 lm
Charging Time: 6 hours
Water Resistant: IP4
Focus Control: Fixed

Brightness	Runtime	Battery	Range
500 LUMENS	4 hours	1*14500	300M

M61

■ Operation:
multifunctional



Bulb Type: China - TG
Battery Type: 1*14500-800mAh
Size: Φ22*153mm
Weight: 88g
Brightness: 500 lm
Charging Time: 5 hours
Water Resistant: IP4
Focus Control: Zoom




Brightness	Runtime	Battery	Range
480 LUMENS	3 hours	1*10280	99M



M91

■ Operation: multifunctional

Bulb Type: China - XP-G3
Battery Type: 1*10280-300mAh
Size: Φ16*180mm
Weight: 52g
Brightness: 480 lm
Charging Time: 1 hours
Water Resistant: IP4
Focus Control: Fixed



MULTI-FLASHLIGHT



9501

■ Operation:
multifunctional

Bulb Type: China - TG
Battery Type: 1*1.5V AA
Size: $\varnothing 21 \times 96\text{mm}$
Weight: 37.4g

Brightness: 500 lm
Water Resistant: IP4
Focus Control: Zoom

9502

■ Operation:
multifunctional

Bulb Type: China - TG
Battery Type: 2*1.5V AA
Size: $\varnothing 21 \times 146\text{mm}$
Weight: 47.2g

Brightness: 500 lm
Water Resistant: IP4
Focus Control: Zoom

9701

■ Operation:
multifunctional

Bulb Type: China - TG
Battery Type: 1*1.5V AAA
Size: $\varnothing 18 \times 81\text{mm}$
Weight: 21.9g

Brightness: 500 lm
Water Resistant: IP4
Focus Control: Zoom

9702

■ Operation:
multifunctional

Bulb Type: China - TG
Battery Type: 2*1.5V AAA
Size: $\varnothing 18 \times 125\text{mm}$
Weight: 28.6g

Brightness: 500 lm
Water Resistant: IP4
Focus Control: Zoom



Brightness	Runtime	Battery	Range
1200 LUMENS	4 hours	18650	500M

F35

■ Operation: multifunctional

Bulb Type: China - White-TG / SMD(Red+Blue+White)
Battery Type: 18650/1800mAh
Size: $\varnothing 65 \times 180\text{mm}$
Weight: 182g
Brightness: 1200 lm
Range: 500m
Charging Time: 6 hours
Runtime: 4 hours
Water Resistant: IP4
Focus Control: Zoom




Brightness	Runtime	Battery	Range
2400 LUMENS	3.5 hours	3600mAh	280M

F37

■ Operation: multifunctional

Bulb Type: China - White-TG / SMD(Red+Blue+Purple)
Battery Type: 3600mAh
Size: $\varnothing 80 \times 205\text{mm}$
Weight: 314.7g
Brightness: 2400 lm
Range: 280m
Charging Time: 6 hours
Runtime: 3.5 hours
Water Resistant: IP4
Focus Control: Zoom



MINI FLASHLIGHT


Brightness	Runtime	Battery	Range
600 LUMENS	3 hours	1*18350	280M

F312

■ Operation:
multifunctional



Bulb Type: China - TG (White+Yellow)
Battery Type: 1*18350
Size: $\varnothing 25 \times 95\text{mm}$
Weight: 63g
Brightness: 600 lm
Charging Time: 2.5 hours
Water Resistant: IP4
Focus Control: Zoom



Brightness	Runtime	Battery	Range
600 LUMENS	3.5 hours	1*18350	280M

F313

■ Operation:
multifunctional



Bulb Type: China - TG (White+Yellow+Blue)
Battery Type: 1*18350
Size: $\varnothing 25 \times 95\text{mm}$
Weight: 63g
Brightness: 600 lm
Charging Time: 2.5 hours
Water Resistant: IP4
Focus Control: Zoom



Brightness	Runtime	Battery	Range
600 LUMENS	4 hours	1*18350	280m

F314

■ Operation:
multifunctional



Bulb Type: China - TG (White+Yellow+Blue+Red)
Battery Type: 1*18350
Size: $\varnothing 25 \times 95\text{mm}$
Weight: 63g
Brightness: 600 lm
Charging Time: 2.5 hours
Water Resistant: IP4
Focus Control: Zoom



Brightness	Runtime	Battery	Range
1000 LUMENS	1.5 hours	1*16340	130M

F602X

■ Operation:
multifunctional



Bulb Type: China - P50
Battery Type: 1*16340-700mAh
Size: $\varnothing 20 \times 73\text{mm}$
Weight: 52g
Brightness: 1000 lm
Charging Time: 1.5 hours
Water Resistant: IP4
Focus Control: Fixed

Brightness	Runtime	Battery	Range
500 LUMENS	2 hours	1*16340	230M

F604X

■ Operation:
multifunctional



Bulb Type: China - TG
Battery Type: 1*16340-700mAh
Size: $\varnothing 25 \times 90\text{mm}$
Weight: 46.1g
Brightness: 500 lm
Charging Time: 1.5 hours
Water Resistant: IP4
Focus Control: Zoom

Brightness	Runtime	Battery	Range
1000 LUMENS	1.1 hours	1*14500	150m

A851

■ Operation:
multifunctional



Bulb Type: China - XPG3+GSX35
Battery Type: 1*14500-1000mAh
Size: $\varnothing 24.5 \times 110\text{mm}$
Weight: 53g
Brightness: 1000 lm
Charging Time: 1.5 hours
Water Resistant: IP4
Focus Control: Fixed

MINI FLASHLIGHT



M71
■ Operation:
multifunctional

Bulb Type: China - LED
Battery Type: 1*10180-80mAh
Size: $\Phi 16 \times 56$ mm
Weight: 15.8g
Brightness: 400 lm
Charging Time: 2.5 hours
Water Resistant: IP4
Focus Control: Fixed



M75
■ Operation:
multifunctional

Bulb Type: China - LED
Battery Type: 1*10180-80mAh
Size: $\Phi 18 \times 65$ mm
Weight: 18.4g
Brightness: 150 lm
Charging Time: 2.5 hours
Water Resistant: IP4
Focus Control: Zoom



M72
■ Operation:
multifunctional

Bulb Type: China - LED
Battery Type: 1*10440-320mAh
Size: $\Phi 16 \times 78$ mm
Weight: 23.5g
Brightness: 700 lm
Charging Time: 3 hours
Water Resistant: IP4
Focus Control: Fixed



M76
■ Operation:
multifunctional

Bulb Type: China - LED
Battery Type: 1*10440-320mAh
Size: $\Phi 18 \times 86$ mm
Weight: 25.1g
Brightness: 200 lm
Charging Time: 3 hours
Water Resistant: IP4
Focus Control: Zoom



M73
■ Operation:
multifunctional

Bulb Type: China - LED
Battery Type: 1*10840-700mAh
Size: $\Phi 16 \times 118$ mm
Weight: 28g
Brightness: 1000 lm
Charging Time: 2.5 hours
Water Resistant: IP4
Focus Control: Fixed



M77
■ Operation:
multifunctional

Bulb Type: China - LED
Battery Type: 1*10840-700mAh
Size: $\Phi 16 \times 56$ mm
Weight: 32.7g
Brightness: 230 lm
Charging Time: 2.5 hours
Water Resistant: IP4
Focus Control: Zoom

