



Professional GPS Manufacturer

(Since 2010)



HuiZhou Cantrack Technology Co., Limited belongs to Cantrack Group & established in 2010, focusing on the ODM/OEM GPS products related to vehicle, motorcycle, asset, pet and personal tracking and management. As one of the leading GPS manufacturers in China, we have 2000+ square meters production center with ISO9001 certification, 3 R&D teams and over 100 employees. Also most products have passed CE, FCC, RoHS, ANATEL certificates. Our well-equipped facilities and excellent quality control throughout all stages of production enable us to guarantee total customer satisfaction. We serve 10,000+ overseas clients covering North America, Latin America, Europe, Asia & Africa.



CERTIFICACIONES ▼





G900LM latest mini 4g vehicle GPS anti-jammer tracker with sos alarm, dual IP, IP lock & engine cut-off function.

Function

- Anti-Jammer**
- Remote cut power/fuel
- Dual IP / IP lock
- SOS** SOS alarm
- Voice listen remotely**
- Memory storage
- Real-time tracking
- External voltage detection**
- FOTA
- Vibration alarm
- Ignition on/off alarm
- Driving behavior analysis**

Dim.	73*30*13mm
Network	LTE / GSM / GPRS
4G LTE Frequency	LTE-FDD B1/B2/B3/B4/B5/B7/B8/B28/B66 GSM:850/900/1800/1900Mhz
Module & Chipset	SIMCom LTE Cat 1 Module A7670SA
Location accuracy	<5 meters CEP
Time To First Fix	Cold status <35s
	Hot status <1s
Working voltage	9-90V DC
Back up battery	55mAh / 3.7V Li-Polymer battery
Standby & Working Consumption	5mA~47mA
Memory storage	1000 data
Protocol type	GT06 Series Protocol

Huizhou Cantrack Technology Co.,Ltd.
Web: www.cantrackgps.com
Email: alger.qin@6gpstracker.com

WhatsApp:+86 19874120903
WeChat: GPS-Qin



G900LM iButton the latest mini 4G vehicle GPS tracker that supports anti-jammer, SOS, dual IP, IP lock and engine cut function.

Function

- Anti-Jammer**
- Remote cut power/fuel
- iButton**
- SOS** SOS alarm
- Voice listen remotely**
- Memory storage
- Real-time tracking
- External voltage detection**
- FOTA
- Vibration alarm
- Ignition on/off alarm
- Driving behavior analysis**

Dim.	73*30*13mm
Network	LTE / GSM / GPRS
4G LTE Frequency	LTE-FDD B1/B2/B3/B4/B5/B7/B8/B28/B66 GSM:850/900/1800/1900Mhz
Module & Chipset	SIMCom LTE Cat 1 Module A7670SA
Location accuracy	<5 meters CEP
Time To First Fix	Cold status <35s
	Hot status <1s
Working voltage	9-90V DC
Back up battery	55mAh / 3.7V Li-Polymer battery
Standby & Working Consumption	5mA~47mA
Memory storage	1000 data
Anti-jammer	Default off
Protocol type	GT06 Series Protocol

Huizhou Cantrack Technology Co.,Ltd.
Web: www.cantrackgps.com
Email: alger.qin@6gpstracker.com

WhatsApp:+86 19874120903
WeChat: GPS-Qin



G900LS 4G LTE car motorcycle GPS tracker is a real-time tracking device at the most economical price supporting ignition detection, cut fuel, power cut alarm.

Function

- Real-time tracking
- Cut/Resume fuel
- FOTA
- Ignition on/off alarm
- Power cut alarm
- Vibration alarm
- Angle update location
- Memory storage
- External voltage detection

Dim.	79*34*18mm
Network	LTE / GSM / GPRS
4G LTE Frequency	LTE-FDD B1/B2/B3/B4/B5/B7/B8/B28/B66 GSM: 850/900/1800/1900MHz
GPS Channel	66
Protocol type	GT06 Series Protocol
Module & Chipset	SIMCom LTE Cat 1 Module A7670SA + AT6558R
Location accuracy	<5 meters CEP
Time To First Fix	Cold status <35s
	Hot status <1s
Working voltage	9-90V DC
Back up battery	300mAh / 3.7V Li-Polymer battery
Consumption	5mA~50mA
Memory storage	1000 data

Huizhou Cantrack Technology Co.,Ltd.
Web: www.cantrackgps.com
Email: alger.qin@6gpstracker.com

WhatsApp: +86 19874120903
WeChat: GPS-Qin



G900LS (8pin) 4G LTE vehicle motorcycle GPS tracker is a real-time tracking device at the most economical price supporting ignition detection, cut fuel, power cut alarm.

Function

- Real-time tracking
- Cut/Resume fuel
- External voltage detection
- Power cut/SOS alarm
- Vibration alarm
- Memory storage
- Angle update location
- Ignition on/off alarm
- Voice listen remotely

Dim.	79*34*18mm
Network	LTE / GSM / GPRS
4G LTE Frequency	LTE-FDD B1/B2/B3/B4/B5/B7/B8/B28/B66 GSM:850/900/1800/1900Mhz
Module & Chipset	SIMCom LTE Cat 1 Module A7670SA+AT6558R
Location accuracy	<5 meters CEP
Time To First Fix	Cold status <35s
	Hot status <1s
Working voltage	9-90V DC
Back up battery	300mAh / 3.7V Li-Polymer battery
Consumption	5mA~50mA
Memory Storage	1000 Data
Protocol Type	GT06 Series Protocol

Huizhou Cantrack Technology Co.,Ltd.
Web: www.cantrackgps.com
Email: alger.qin@6gpstracker.com

WhatsApp: +86 19874120903
WeChat: GPS-Qin



G900LV 4G LTE truck & semi-trailer GPS tracker is a cost-effective real-time tracking terminal with capacitive fuel sensor and temperature sensors for heavy-duty and cold chain fleets. It supports ignition detection, fuel cut/resume, power cut alarm to monitor fuel level and cargo temperature.

Function

- Real-time tracking
- Cut/Resume fuel
- Fuel Sensor
- Temperature Sensor
- Power cut alarm
- Vibration alarm
- Ignition on/off alarm
- Memory storage
- External voltage detection

Dim.	79*34*18mm
Network	LTE / GSM / GPRS
4G LTE Frequency	LTE-FDD B1/B2/B3/B4/B5/B7/B8/B28/B66 GSM: 850/900/1800/1900MHz
Protocol type	GT06 Series Protocol
Module & Chipset	SIMCom LTE Cat 1 Module A7670SA + AT6558R
Location accuracy	<5 meters CEP
Measurable Temperature	-25℃ ~ +100℃
Measurable Medium	Diesel, gasoline, light oil, low-dielectric fuels, water & other free-flowing liquids
Time To First Fix	Cold status <35s
	Hot status <1s
Working voltage	9-90V DC
Back up battery	300mAh / 3.7V Li-Polymer battery
Consumption	5mA~50mA
Memory storage	1000 data

Huizhou Cantrack Technology Co.,Ltd.
Web: www.cantrackgps.com
Email: alger.qin@6gpstracker.com

WhatsApp:+86 19874120903
WeChat: GPS-Qin



G900P is with IP67 waterproof level housing, 4G LTE vehicle motorcycle GPS tracker is a real-time tracking device at the most economical price supporting ignition detection,cut fuel, power cut alarm.

Function

- Real-time tracking
- Cut/Resume fuel
- IP67 Waterproof
- Power cut alarm
- Vibration alarm
- External voltage detection
- Angle update location
- Ignition on/off alarm
- Memory storage

Dim.	88*44*20mm
Network	LTE / GSM / GPRS
4G LTE Frequency	LTE-FDD B1/B2/B3/B4/B5/B7/B8/B28/B66 GSM:850/900/1800/1900Mhz
Module & Chipset	SIMCom LTE Cat 1 Module A7670SA+AT6558R
Location accuracy	<5 meters CEP
Time To First Fix	Cold status <35s
	Hot status <1s
Working voltage	9-90V DC
Back up battery	300mAh / 3.7V Li-Polymer battery
Consumption	5mA~50mA
Memory Storage	1000 Data
Protocol Type	GT06 Series Protocol

Huizhou Cantrack Technology Co.,Ltd.
Web: www.cantrackgps.com
Email: alger.qin@6gpstracker.com

WhatsApp:+86 19874120903
WeChat: GPS-Qin



TK903 is the latest mini 2G vehicle GPS tracker that supports power removal / ignition / vibration alarm, SOS, IP / APN lock and remote upgrade via OTA function.

Function

-  Real-time tracking
-  Cut/Resume fuel
-  FOTA
-  Ignition on/off alarm
-  Vibration alarm
-  Power cut alarm
-  Angle update location
-  Memory storage
-  External voltage detection
-  SOS alarm
-  Voice listen remotely
-  Output/input

Dim.	74*31*13mm 35g
Network	GSM / GPRS
Frequency	850/900/1800/1900 MHz
GPS & GSM Chipset	MTK2503D module
Location accuracy	<5 meters CEP
Time To First Fix	Cold status <35s
	Hot status <1s
Working voltage	9-90V DC
GPRS Protocol	TCP/IP
Operating temp.	-20℃ to +70℃
Consumption	5mA~50mA
Memory data	1500 data
Built-in battery	50mA

Huizhou Cantrack Technology Co.,Ltd.
Web: www.cantrackgps.com
Email: alger.qin@6gpstracker.com

WhatsApp:+86 19874120903
WeChat: GPS-Qin



TK100 2G car motorcycle GPS tracker is a real-time tracking device with the most economical price supporting ignition detection, cut fuel, power cut alarm, voice listen remotely, SOS alarm.

Function

-  Real-time tracking
-  Cut/Resume fuel
-  Voice listen remotely
-  Ignition/Vibration alarm
-  SOS alarm
-  Power cut alarm
-  Memory storage
-  Angle update location
-  Two-way calling

Dim.	97*51*15mm
Network	GSM / GPRS/GPS, TCP/IP
Frequency	850/900/1800/1900 MHz
Module & Chipset	MTK2503A
Location accuracy	<5 meters CEP
Time To First Fix	Cold status 45s~90s
	Hot status 15s
Working voltage	9-36V DC
Back up battery	120mAh
Consumption	3mA~50mA
Memory storage	1400 data

Huizhou Cantrack Technology Co.,Ltd.
Web: www.cantrackgps.com
Email: alger.qin@6gpstracker.com

WhatsApp:+86 19874120903
WeChat: GPS-Qin



TK160 2G GPS tracker is designed like a relay for hidden tracking with ignition detection, cut fuel, power cut alarm.

Function

- Real-time tracking
- Cut/Resume fuel
- FOTA FOTA
- Ignition/Vibration alarm
- Power cut alarm
- Angle update location
- Memory storage
- One-key cut fuel
- Remote controller
- Voice listen remotely

Dim.	31*31*57mm
Network	GSM / GPRS
Frequency	850/900/1800/1900 MHz
Module & Chipset	MTK6261(GSM)+AT6558R(GPS)
Location accuracy	<5 meters CEP
Time To First Fix	Cold status <35s
	Hot status <1s
Working voltage	9-36V DC
Back up battery	50mAh / 3.7V Li-Polymer battery
consumption	3mA~50mA
Memory storage	1400 data

Huizhou Cantrack Technology Co.,Ltd.
Web: www.cantrackgps.com
Email: alger.qin@6gpstracker.com

WhatsApp:+86 19874120903
WeChat: GPS-Qin



VSL100 GPS speed limiter realizes the effective control of the high speed, to avoid the potential safety risk caused by overspeed driving, and at the same time to ensure the free movement of accelerator pedal within the scope of speed limit. Moreover,it supports real-time tracking, alarms, and driving behavior monitoring.

Function

- Speed limitation
- Ignition detection
- Cut/Resume fuel
- Real-time tracking
- Tamper proof
- Speeding alarm
- Built-in alarm buzzer
- SOS SOS/Vibration alarm
- Fuel detection
- Voice listen remotely
- External printer
- FOTA FOTA

Dim.	118*75*29mm
Network	GSM / GPRS
Frequency	850/900/1800/1900 MHz
Module & Chipset	Quectel MC20
Location accuracy	<5 meters CEP
Time To First Fix	Cold status <35s
	Hot status <1s
Working voltage	9-36V DC
Back up battery	Rechargeable 500mAh / 3.7V Li-Polymer battery
Standby & Working consumption	5mA~50mA
Memory storage	4MB memory
GSM / GPS antenna	External
Buzzer	Built-in
Speed limit Scope	40-120KM/H

Huizhou Cantrack Technology Co.,Ltd.
Web: www.cantrackgps.com
Email: alger.qin@6gpstracker.com

WhatsApp:+86 19874120903
WeChat: GPS-Qin



P02L is next generation 4G GPS tracker combined global Intercom system. Specially designed for outdoor activities, P02L supports real-time tracking, phone calls, SOS, fall down alarm etc. Most importantly, it supports global walkie-talkie function without distance limitation!

Function

- Global intercom**
- Real-time tracking
- Phone Call**
- Step Counting
- Wake-up Alarm
- Fall down Alarm**
- Panic Button**
- Sleep Mode
- Remote OTA
- 6-Axis Gyro Sensor**
- Bluetooth**
- 1300mAh Battery

Dim.	68.7*43.9*20.2mm
Network	LTE / GPRS
Frequency	★ GSM: 850/900/1800/1900MHz ★ LTE-FDD:B1/B2/B3/B4/B5/B7/B8/B28/B66
Module & Chipset	★ LTE CAT 1 SIMCom A7670SA
Location Accuracy	★ <5 meters CEP
Current	Average working Current <110mA
	Standby Current <3mA (intercom off) <10mA (intercom on)
Working Temperature	-20°C~60°C
Back Up Battery	1300mAh,Rechargeable pure cobalt battery
Bluetooth	Supported
G-sensor	6-axis gyro sensor

Huizhou Cantrack Technology Co.,Ltd.
Web: www.cantrackgps.com
Email: alger.qin@6gpstracker.com

WhatsApp:+86 19874120903
WeChat: GPS-Qin



P901 is the thinnest smart walkie-talkie with real-time GPS tracking function.It can be used in any place with GSM signal regardless of distance limitation.

Function

- Real-time tracking
- History trace playback
- One key push-to-talk**
- No distance limitation
- SOS alarm
- Dual-way phone calls
- Working punch-in & off
- Built-in 2000mAh battery
- Push-to-Talk use data**
- Talk to multiple people at the same time**
- Broadcast speaker
- Set family numbers

Dim.	100*60*12.5mm
Network	LTE / GPRS
Frequency	★ LTE-FDD:B1/B3/B5/B8
Module & Chipset	★ Quectel EC800M-CN
Location accuracy	★ <5 meters CEP
Time To First Fix	Cold status <35s
	Hot status <1s
Working voltage	3.7V DC
Back up battery	2000mAh
Consumption	1mA~85mA
Two-way calling	Support VoLTE / Microphone / Speaker

Huizhou Cantrack Technology Co.,Ltd.
Web: www.cantrackgps.com
Email: alger.qin@6gpstracker.com

WhatsApp:+86 19874120903
WeChat: GPS-Qin



G500LS is mini designed 4G OBD GPS tracker which can powered from car OBD port. Just plug-n-play, it will report accurate location realtimely to backend server.

Function

- **Compact size Plug and Play**
- Real-time tracking
- Movement alarm
- Speeding alarm
- Low battery alarm
- Geo-fence
- Scheduled timing report
- Power on report
- Angle update location
- Unplug alarm
- Mileage statistics
- Data storage in blind area & re-upload

Dim.	46*52*22mm
Network	GSM / GPRS
Frequency	GSM: 850/900/1800/1900MHz LTE-FDD:B1/B2/B3/B4/B5/B7/B8/B28/B66
LTE Module	LTE CAT 1 SIMCom A7670SA
GPS Chipset	TAU812S-N1R1
Location Accuracy	<5 meters CEP
Time To First Fix	Cold status <35s
	Hot status <1s
Working Voltage	9-36V DC
GPRS Protocol	Class12, TCP/IP
Operating Current	5~50mA(12V input)
Standby Consumption	100 μ A

Huizhou Cantrack Technology Co.,Ltd.

 Web: www.cantrackgps.com

 WhatsApp:+86 19874120903

 Email: alger.qin@6gpstracker.com

 WeChat: GPS-Qin



G500M 2G car GPS tracker is a real-time tracking device that supports ignition detection.

Function

- Microphone
- Real-time tracking
- Vibration alarm
- Ignition detection
- Removal alarm
- Angle update location
- Memory storage
- Smallest design
- Plug and play

Dim.	50*38*25mm
Network	GSM / GPRS
Frequency	850/900/1800/1900MHz
OBD Port	Support 16 pin standard OBDII port
Module & Chipset	MTK6261 sensitivity chip
Location accuracy	<5 meters CEP
Time To First Fix	Cold status <35s
	Hot status <1s
Working voltage	9-36V DC
Back up battery	50mAh / 3.7V Li-Polymer battery
consumption	3mA~50mA
Memory storage	1000 data

Huizhou Cantrack Technology Co.,Ltd.

 Web: www.cantrackgps.com

 WhatsApp:+86 19874120903

 Email: alger.qin@6gpstracker.com

 WeChat: GPS-Qin



G08L/G09L 4G tail light GPS tracker is designed with an IP67 waterproof casing, equipped with a long-standby battery, and can replace the original truck tail light for covert tracking.

Function

Tail light function	IP67 waterproof	5000mAh battery
Real-time tracking	Remote car finding	Memory storage
Driving behavior monitoring	Cetifications (FCC+DOT)	Low battery alarm
Collision alarm	External power bank	FOTA

Dim.	4 inch diameter
Network	LTE / GPRS
4G LTE Frequency	LTE-FDD B1/B2/B3/B4/B5/B7/B8/B28/B66 GSM: 850/900/1800/1900MHz
Module & Chipset	SIMCom LTE Cat 1 A7670 Series + AT6558R(GPS)
Location accuracy	<5 meters CEP
Time To First Fix	Cold status <35s
	Hot status <1s
Working voltage	9-36V DC
Back up battery	Rechargeable 5000mAh Lithium battery
Consumption	14uA~70mA
Memory storage	20000 pcs data
Waterproof	IP67
Standby time	1 ping per day 400 days

Huizhou Cantrack Technology Co.,Ltd.
Web: www.cantrackgps.com
Email: alger.qin@6gpstracker.com

WhatsApp:+86 19874120903
WeChat: GPS-Qin



GF40/GF40L 2G/4G magnetic asset GPS tracker is real-time tracking device with intelligent working mode based on movement for asset and vehicle.

Function

3000mAh battery	Strong magnet	Angle update location
Real-time tracking	Vibration alarm	Memory storage
Multiple wakeup mode	Low battery alarm	FOTA

Dim.	69*43*20mm
Network	GSM / GPRS
4G LTE Frequency	LTE-FDD B1/B2/B3/B4/B5/B7/B8/B28/B66
2G GSM Frequency	850/900/1800/1900MHz
Module & Chipset	2G Version MTK6261 (GSM) + AT6558R (GPS)
	4G Version SIMCom LTE Cat 1 A7670 Series + AT6558R(GPS)
Location accuracy	<5 meters CEP
Time To First Fix	Cold status <35s
	Hot status <1s
Working voltage	5V DC
Back up battery	Rechargeable 3000mAh Lithium battery
Consumption	3mA~50mA
Memory storage	1400 Data

Huizhou Cantrack Technology Co.,Ltd.
Web: www.cantrackgps.com
Email: alger.qin@6gpstracker.com

WhatsApp:+86 19874120903
WeChat: GPS-Qin



GF50/GF50L 4G / 2G magnetic asset GPS tracker designed with IP65 waterproof shell, is a real-time tracking device with intelligent working mode based on movement for asset and vehicle.

Function

- Strong magnet
- Real-time tracking
- Angle update location
- Multiple wakeup mode
- Low battery alarm
- 6000mAh battery
- Memory storage
- FOTA
- Removal alarm
- Vibration alarm
- IP65 waterproof
- History trace playback

Dim.	80*56*27mm
Network	GSM / GPRS
4G LTE Frequency	LTE-FDD B1/B2/B3/B4/B5/B7/B8/B28/B66
2G Frequency	850/900/1800/1900MHz
Module & Chipset	2G Version MTK6261 (GSM) + AT6558R (GPS) 4G Version SIMCom LTE Cat 1 A7670 Series + AT6558R(GPS)
Location accuracy	<5 meters CEP
Time To First Fix	Cold status <35s
	Hot status <1s
Working voltage	5V DC
Back up battery	6000mAh / 3.7V Li-Polymer battery
Consumption	3mA~50mA

Huizhou Cantrack Technology Co.,Ltd.
Web: www.cantrackgps.com
Email: alger.qin@6gpstracker.com

WhatsApp:+86 19874120903
WeChat: GPS-Qin



GF60/GF60L 4G/ 2G magnetic asset GPS tracker designed with IP67 waterproof shell, is a real-time tracking device with intelligent working mode based on movement for asset and vehicle.

Function

- 10000mAh battery
- Strong magnet
- 4G+2G option
- Real-time tracking
- Vibration alarm
- Memory storage
- Angle update location
- Multiple wakeup mode
- IP67 waterproof
- Low battery alarm
- FOTA
- Removal alarm

Dim.	120*83*29mm
Network	LTE / GPRS
4G LTE Frequency	LTE-FDD B1/B2/B3/B4/B5/B7/B8/B28/B66 GSM: 850/900/1800/1900MHz
GPRS	Class 12, TCP / IP
Module & Chipset	2G Version MTK6261 (GSM) + AT6558R (GPS) 4G Version SIMCom LTE Cat 1 A7670 Series + AT6558R(GPS)
Location accuracy	<5 meters CEP
Time To First Fix	Cold status <35s
	Hot status <1s
Working voltage	5V DC
Back up battery	Rechargeable 10000mAh Lithium battery
Consumption	4G: 100uA ~120mA ; 2G: 3mA~50mA
Memory storage	1400 data
Light sensor	Anti-Removal alarm
Waterproof	IP67
Standby time	1 Ping one day can work 806 days

Huizhou Cantrack Technology Co.,Ltd.
Web: www.cantrackgps.com
Email: alger.qin@6gpstracker.com

WhatsApp:+86 19874120903
WeChat: GPS-Qin



GF70L 4G solar powered magnetic asset GPS tracker designed with IP67 waterproof shell, is a real-time tracking device with intelligent working mode based on movement for asset and vehicle.

Function

10000mAh battery	Strong magnet	Solar powered
Real-time tracking	Vibration alarm	Memory storage
Angle update location	Multiple wakeup mode	IP67 waterproof
Low battery alarm	FOTA	Removal alarm

Dim.	152*83*35mm
Network	LTE / GPRS
4G LTE Frequency	LTE-FDD B1/B2/B3/B4/B5/B7/B8/B28/B66 GSM:850/900/1800/1900Mhz
Chipset	SIMCom LTE Cat 1 A7670 Series + AT6558R(GPS)
Location accuracy	<5 meters CEP
Time To First Fix	Cold status <35s Hot status <1s
Working voltage	5V DC
Back up battery	Rechargeable 10000mAh Lithium battery (High temperature resistance)
Consumption	100uA~120mA
Memory storage	1400 Data
Light sensor	Anti-Removal alarm
Waterproof	IP67
Non-Charging	Solar Powered

Huizhou Cantrack Technology Co.,Ltd.

Web: www.cantrackgps.com WhatsApp:+86 19874120903
Email: alger.qin@6gpstracker.com WeChat: GPS-Qin



GF200LS is a non-rechargeable 4G LTE asset GPS tracker which can work for over 3 years based on 1 position per day. It also supports removable alarm. It's mainly using for car finance, vehicle theft recovery.

Function

4500mAh battery	Removable magnet clip	Standby 3 Years
Real-time tracking	Multiple wakeup mode	1 position Per day
Non-rechargeable battery	FOTA	Removal alarm

Dim.	64*55*30mm
Network	LTE / GPRS
4G LTE Frequency	LTE-FDD B1/B2/B3/B4/B5/B7/B8/B28/B66 GSM: 850/900/1800/1900MHz
Module & Chipset	SIMCom LTE Cat 1 A7670 Series + AT6558R(GPS)
Location accuracy	<5 meters CEP
Time To First Fix	Cold status <35s Hot status <1s
Working voltage	5V DC
Back up battery	4500mAh / 3V CR123 batteries (power on 1200~1500 times)
Consumption	4G: 100uA~120mA; 2G: 3mA~50mA
Light sensor	Anti-Removal alarm
Standby time	3 Year

Huizhou Cantrack Technology Co.,Ltd.

Web: www.cantrackgps.com WhatsApp:+86 19874120903
Email: alger.qin@6gpstracker.com WeChat: GPS-Qin



YG119 4G hunting dog GPS tracker designed with IP67 waterproof shell, is a real-time tracking device with intelligent working mode. It can easily find your target via buzzer sound.

Function

- 

4000mAh battery
- 

IP67 waterproof
- 

Geo-fence alarm
- 

Real-time tracking
- 

Voice listen remotely
- 

Memory storage
- 

Remote buzzer
- 

Multiple wakeup mode
- 

FOTA

Dim.	80*56*40mm
Network	LTE / GPRS
4G LTE Frequency	LTE-FDD B1/B2/B3/B4/B5/B7/B8/B28/B66 GSM: 850/900/1800/1900 MHz
Module & Chipset	SIMCom LTE Cat 1 Module A7670SA + AT6558R
Location accuracy	<5 meters CEP
Time To First Fix	Cold status <35s Hot status <1s
Working voltage	5V DC
Back up battery	Rechargeable 4000mAh Lithium battery
Consumption	1mA~85mA
Memory storage	1000 data
Buzzer	Support
Waterproof	IP67
Standby time	Every 1 hour movement last 14 days

Huizhou Cantrack Technology Co.,Ltd.

 Web: www.cantrackgps.com

 Email: alger.qin@6gpstracker.com

 WhatsApp:+86 19874120903

 WeChat: GPS-Qin



V20 4G LTE animal GPS tracker is designed with IP67 waterproof shell and ultra-long standby design, which can be specially used in animal husbandry.

Function

- 

24000mAh battery
- 

4G+2G 4G+2G option
- 

Real-time tracking
- 

Low battery alarm
- 

Multiple wakeup mode
- 

Memory storage
- 

IP67 waterproof
- 

FOTA
- 

Standby 1 year

Dim.	135*85*65mm
Network	LTE / GPRS
4G LTE Frequency	LTE-FDD B1/B2/B3/B4/B5/B7/B8/B28/B66 GSM: 850/900/1800/1900 MHz
Module & Chipset	SIMCom LTE Cat 1 Module A7670SA + AT6558R GPS
Location accuracy	<5 meters CEP
Time To First Fix	Cold status <35s Hot status <1s
Working voltage	5V DC
Back up battery	Rechargeable 24000mAh Lithium battery
Consumption	4G: 100uA~120mA; 2G: 3mA~50mA
Waterproof	IP67
Standby time	1 Year

Huizhou Cantrack Technology Co.,Ltd.

 Web: www.cantrackgps.com

 Email: alger.qin@6gpstracker.com

 WhatsApp:+86 19874120903

 WeChat: GPS-Qin



S01/S02 series is a 4G smart dashcam featuring a proprietary patented design. It is equipped with dual cameras and supports BeiDou/GPS dual-mode positioning and driving behavior monitoring, with optional support for ADAS and DMS.

Function

1080P 2CH	Real-time tracking	Real-time video surveillance
Supercapacitor	Dual IP / IP lock	Video record
Collision record	Beidou / GPS positioning	OTA

Dim.	105.5 * 88.5 * 47 mm
Network	4G LTE Cat.1
Frequency	LTE-TDD :B34/B38/B39/B40/B41 LTE-FDD B1/B3/B5/B8
Positioning Method	GPS+BDS+LBS
Module Chipset	Quectel EC800M-CN
Video format	H.264/H.265
LENS	1920x1080 Resolution (IR Night Vision with IR-CUT)
	Rear camera: 1920x1080 Resolution
Working Voltage	9-36V DC
GPRS Protocol	JT808/JT1078
Wi-Fi	Frequency 2.4Ghz
Storage	16-128G TF

Huizhou Cantrack Technology Co.,Ltd.


Web: www.cantrackgps.com

Email: alger.qin@6gpstracker.com

WhatsApp: +86 19874120903

WeChat: GPS-Qin

Cantrack Platform



Web: www.cantrackportal.com


Demo account: 888

Password: 123456

Android&IOS

'SecumorePlus'

Third-party platform



Huizhou Factory:

FL5, BLDG B, Lianxing Industrial Park, JiangJun Rd,
Qiuchang, HuiYang District, Huizhou, Guangdong, China

Shenzhen Cantrack:

FL11th, ZhuJiang International Center, 9009 Longxiang
Avenue, LongGang District, Shenzhen, China. 518000

Cantrack Hongkong:

UNIT D 16F, CHEUK NANG PLAZA 250
HENNESSY RD, WANCHAI, HONG KONG



www.cantrackgps.com

PARTNERS ▼

