

Golden Future Enterprise HK Ltd

Leading manufacturer of high quality industrial lightings



This catalogue gives you an overview of our product range. Please go to our website www.goldenfuturehk.com for more information or contact us for any request.



CONTENT

1. Company profile.....	3
2. Safety miner lamps.....	4-9
KL4.5LM	4
KL6LM	5
KL8LM.....	6
KL5MT.....	7
KL5LM(C)/(D).....	8
G5.KL2M.KL2.5LM.HLT-05.....	9
3. Explosion proof industrial lights	10-12
DL618... ..	9
DMT-30.DL230,DL235.....	11
DL52,DL260,DL197,.....	12
4. Dock lights	13
5. DVR flashlight.....	14-15
6. Intrinsic safety flashlight	16
7. Charging racks for miner lamps.....	17-19

1.COMPANY PROFILE

Golden Future Enterprise HK LTD. is registered in HK for the worldwide business, we have two facilities in Mainland China, Shen DNP and Shenzhen GF. We are special on mining light and LED industrial lighting for hazardous area from 2005.

Our factory had got the ISO9001 certificate in 2007, and got TUV factory audit in 2011, CSA factory audit in 2013, ATEX Quality Assurance Assessment in 2016.

We have ourselves testing room in our factory, which has the equipments for the testing of: LED lumens, battery capacitance and inner resistance, plug and pushbutton switch lifetime, corrosion proof for metal parts, waterproof IPX5,6,7,8,, impact test (from 4J to 20J), high and low temperature for the lighting working environment, and etc, so we can test the product for each order.

We have more than 10 advanced engineers in our R&D department, all our products are ODM, OEM products are also welcomed, we have many patent for ourselves products. Also we have a special team for sales and after sales service for all our customers all over the world. Please feel free to contact us if you have any requirement.....



Good faith, practical, development, innovation

2.Safety miner lamps



■MODEL:KL4.5LM

- Digital and cordless miner cap lamp
- More than 140 lumens light source, max 7000lux for main light
- With digital device to show lamp number, time, and battery balance, and remind recharging when battery balance not enough for 1 hour lighting
- 5.2Ah li-ion battery, more than 15 hours lighting time
- Certificate: CE, ATEX, MSHA, SABS
- EX Mark: I M1 Ex ia I Ma
- Protection Class: IP68





■MODEL:KL6LM

- Digital & Cordless cap lamp with inductive charging system
- 1W 140lm CREE LED main light, 2pcs auxiliary light;
- OLED screen to show lamp series number, time, battery balance and working mode
- lighting mode: main light high bright 15000lux, main light half bright, auxiliary light
- lighting time: high bright 13h, half bright:26h, back up:100h
- battery capacity: 6.6Ah, 1000cycles life time
- Protection Class: IP67
- Ex mark: I M1 Ex ia I Ma op is EN 60079-35-1
- Certificate: ATEX,CE





■MODEL:KL8LM

- Digital & Corded cap lamp with laser pointer light
- 1pc 3w cree XPE-2 main led and 2pc auxiliary led. 25000lux output and laser pointer light
- OLED screen on battery box to show time, date, week, battery balance, S/N number, charging status and working mode.
- The Brand logo on battery box will show white color when the lamp works normally which is the purpose of rear safety light, And show red color when being charged, and turn to green color when the battery full charged
- battery capacity: 7.8Ah,1000cycles life time
- Protection Class: IP68
- Ex mark: I M1 Ex ia I Ma
- Certificate: CE



digital display screen



brand logo on battery box



main / auxiliary led and laser pointer



charger



■MODEL:KL5MT

- Digital & Cordless cap lamp with tag switch
- 1pc 3w cree XPE-2 main led and 2pc auxiliary led. 13000lux output
- digital display screen shows product serial number,time,battery balance and charging status.
- two switches for lighting and display, and 2 switches for tracking tag
- battery capacity: 5Ah,1000cycles life time
- Enough space in the lamp for adding tracking tag
- Ex mark: I M1 Ex ia I Ma
- IP grade: 150g





KL5LM(C)



KL5LM(D)

■MODEL:KL5LM(C)/(D)

- KL5LM(C)/(D) 20000LUX cap lamp with low power indication
- KL5LM(C) with Mechanical twist switch
- KL5LM(D) with push button switch
- 7.8Ah li-ion battery ,more than 15 hours lighting
- Certificate: CE/ATEX
- Ex mark: I M1 Ex ia I Ma
- Protection Class: IP68





■MODEL:G5

- G5 20000lux mining light with low power indication and battery bag
- 1W 140lm main light, 6pcs SMD auxiliary light
- with low power indicator to remind the user to recharge it or change to auxiliary light and leave from the work place
- 7.8Ah li-ion battery, with short-circuit protection over charge and over discharge protection
- more than 15 hours lighting



■MODEL:KL2M

- Cordless and portable mining cap lamp
- 1W 80 lumens main light and 6pcs backup light, more than 4000lux
- 2.2Ah Li-ion battery, more than 15hours lighting



■MODEL:KL2.5M

- Mini miner cap lamp
- 80 lumens main light and 6pcs backup light
- 2.8Ah li-ion battery, more than 15 hours lighting



■MODEL:HLT-05

- Plastic safety helmet with lamp mount and buckle
- Fire retardant anti-static, reflective strips

3.EXPLOSION PROOF INDUSTRIAL LIGHTS



■MODEL:DL618

- 40W, 80W and 40W with Emergency function optional
- Die cast aluminum housing with corrosion proof polyester powder coated, tempered glass lens
- Normal working: 5200 lumens for 40watt, and 9000lm for 80watt
- Under Emergency: 2000 lumens, 20watt, and 1.5 hours working time
- Input voltage: AC110~240V
- Dimension: ø90X800mm, Unit weight:8kg
- Certificate: ATEX
- Beam angle: 120 degree
- Ex mark: II 2G Ex db IIB + H2 T5 Gb / II 2D Ex tb IIIC T100°C Db





■MODEL:DMT-30

- 3000Lumens Explosion proof tunnel light
- Stainless steel housing
- Absolutely corrosion proof
- Ex mark: EXDI M2 (Exd I, II Group C,D T5)
- Certificate: CE/ATEX,CSA,FCC
- Application: coal mine , metal mine, offshore oil plant, marine
- Dimension:27.5*12*12cm
- Net weight:5kg



■MODEL:DL230

- LED power:20W,30W,40W,45W
- Output lumens: 120lumen/W
- Input voltage: AC110V-240V
- Dimension ::Φ180*148mm
- EX Mark: ExdIICT6



■MODEL:DL235/DL235L

- LED power:100W~240W
- Output lumens: 120lumen/W
- Input voltage: AC110V-240V
- Dimension ::φ356x232mm
- EX Mark: ExdIICT6



■ **MODEL:DL260/DL260L**

- LED power:100W~250W
- Output lumens: 120lumen/W
- Input voltage: AC110V-240V
- Dimension ::374x276x171mm
- EX Mark: ExdIICT6



■ **MODEL:DL52**

- LED power:40W~120W
- Output lumens: 120lumen/W
- Input voltage: AC110V-240V
- Dimension :670*100*132mm for 40w,60w
:1143*125*77mm for 80w-120w
- EX Mark: ExdIICT6



■ **MODEL:DL197**

- LED power: 2*16w
- Output lumens: 120lumen/W
- Input voltage: AC220V-240V
- Dimension :1280*202*146mm
- EX Mark: ExdIICT6

4.Dock lights



■MODEL:DL619

- 30W dock/warehouse loading light
With 2850Lumens
- Aluminum body with supper corrosion proof polyester coated, toughened-glass lens
- Input voltage: AC110-265V,DC 24-36V
- Beam angle: 60 degree (optional)
- Certificate: CE, IP67,ROHS
- Application:
Dock light, Drilling rig area and heavy industry machinery and equipments



■MODEL:DL601F

- 3400Lumens Explosion-proof flood light
- Ex mark: EXD IIC T6,IP67,WF2
- Application:
Flammable area and Explosive Hazard Zone I&II
Dock light, Drilling rig area and heavy industry machinery and equipments
- Dimension:16*8.5cm
- Net weight:1.82kg



■MODEL:DL-01 / DL-02

- DL-01 70 inch total length,DL-02 40 inch total length
- with 1 meter cable for connection
- polyester-coated for Corrosion proof ;
- With switch on the arm to turn on/ off the lights;
- With IEC320-C13 femal socket for connection;
- Net weight: 4kg for 40 inch, and 6.5kg for 70 inch;
- Tube size: 4*4cm

5.DVR flashlights



■MODEL:DFC-14

- Digital Video and Audio recording flashlight with display
- It has additional red and green signal light for safety instruction
- With WIFI signal to connect with IPAD or mobile phone
- With inbuilt GPS to show position on time
- 32GB/64GB built-in memory storage card
- 6.6Ah li-ion rechargeable battery
- 16M camera pixel

Operation on IPAD



Application





■ **MODEL:DFC-10**

- Digital Video and Audio recording flashlight with display
- 16GB/32GB built-in memory storage card
- 3.3Ah li-ion rechargeable battery
- 12M pixels camera sensor



■ **MODEL:DFC-05**

- Digital Video and Audio recording flashlight with display
- 16GB/32GB built-in memory storage card
- 3.3Ah li-ion rechargeable battery
- 12M pixels camera sensor



■ **MODEL:DFC-03**

- Digital Video and Audio recording flashlight
- 8GB/16GB/32GB built-in memory storage card
- 1 watt 100lumens high power LED

6. Intrinsic safety flashlight



■ MODEL:DFL-01

- Light source: 3 watt 180 lumens LED
- 2.6Ah Li-ion battery
- Lighting time more than 14 hours



■ MODEL:DFL-04

- Light source: 3 watt 180 lumens LED
- 2.6Ah Li-ion battery
- Lighting time more than 14 hours
- Certificate: ATEX



■ MODEL:DFL-07

- Light source: 3 watt 180 lumens LED
- 2.2Ah Li-ion battery
- Lighting time more than 14 hours



■ MODEL:DHM-02

- Light source: 3 watt 180 lumens LED
- 5.2Ah Li-ion battery
- Lighting time more than 14 hours
- Adjustable illumination angle within 90 degree, Rubber and plastic housing
- Certificate: ATEX

7. Charging Rack for miner lamps

KL6LM charging rack



■ MODEL:DCR10

- Input voltage: AC110V - AC240V
- It can charge 31pcs cap lamp at same time, It also can charges 62/93/124/155pcs cap lamp at same time after assemble
- Unit dimension: 133*35*28.5cm
- Product weight: 30KG

KL4.5LM charging rack



■ MODEL:DCR-2 / DCR-3 / DCR-5

- Input voltage: AC110V or AC220V
- DCR-2 can charge 48pcs KL4.5LM cap lamp at same time,
DCR-3 can charge 16pcs KL4.5LM cap lamp at same time,
DCR-5 can charge 80pcs KL4.5LM cap lamp at same time,
- Product size for DCR-2: 90*40*90cm.
Product size for DCR-3: 90*40*60cm.
Product size for DCR-5: 113*160*35cm.


KL5LM and G5 charging rack



■MODEL:KCLA-32 / KCLA-60 /KCLA-102

- Input voltage: AC110V or AC220V
- KCLA-32 can charge 32pcs KL5LM/G5 cap lamp at same time,
KCLA-60 can charge 60pcs KL5LM/G5 cap lamp at same time,
KCLA-102 can charge 102pcs KL5LM/G5 cap lamp at same time,
- Product size for KCLA-32: 109*45*119cm.
Product size for KCLA-60: 125*40*180cm.

KL8LM charging rack



■ MODEL:DCR-20 /DCR-30

- Input voltage: AC110V~240V
- DCR-20 can charge 40pcs KL8LM cap lamp at same time,
DCR-40 can charge 80pcs KL8LM cap lamp at same time,
- Product size for DCR-20: 130*68*96.5cm
Product size for DCR-40: 130*68*168.5cm