



Guangzhou JinYaoe Technology Co.,Ltd



About Us

Guangzhou Jinyaoe Co., Ltd is a Hi-tech Enterprise, is the unique domestic environment protective energy manufacturer integrated with Jump Starter, Smart Battery Charger for 18 years.

Jinyaoe factory covers an area of 60.000 square meters . with all kinds of professional test equipment, to make sure the reliable quality from design to after-sales service.All our products have gained CE certificates .At present all our processes arc arranged according to this quality management system.Currently our products arc exported to many countries and regions, such as Japan, Europe, America and Australia etc.

Advanced production equipment and professional technician gives this company a high tech research & development capacity. We can create new products independently, or we can develop new products from to the drawings or samples provided by clients.

Acting professionally with sincerity an cooperation we practically guarantee a great outcome for you .

We warmly welcome new and old customers to come and discuss business opportunities with us!



Scan the QR Code to contact us on WeChat or WhatsApp



WeChat



WhatsApp

GUANGZHOU JINYAOE TECHNOLOGY CO.,LTD

Head office Add:No.85, Tongtai Road , Baiyun District,Guanngzhou, China

Head Office Tel:+86 020 3192 5404

Factory Add:No.5 Hongmian Road,Da bandi Industrial Zone, Humen Town,Dongguan.

Mob/ WeChat/ Whatsapp:+86 136 7628 5638

E-mail:Marco@jinyaoe.com



MODEL LQY32

24,000mAh/88Wh/ 4000A

[4 in 1 Portable Car Combo Kit](#)

**Jump Starter/Air Pump/
Power bank/Flashlight**

► PRCDUCTSPECIFICAITION

Car jump start up to 8.0L Gas& 6.0L Diesel
Charge for cellphones,Ipad etc.
Portable illumination,SOS
Size:225*89*50mm; 830g
USB output: 5V/2A; 5V/2A;
Input: 9V/2A,
Start Current: 2000A/4000A
Air Pump: 150 PSI(Automatic shut-down)
Air Flow:40L/M

Standard Accessory:
Smart protection jump cable, USB cabel,
Inflate cable, User manual, Eva case

CE FCC ROHS MSDS UN38.3



MODEL L082

24,000m/88.8Wh/ 4000A

[4 in 1 Portable Car Combo Kit](#)

**Jump Starter/Air Pump/
Power bank/Flashlight**

► PRCDUCTSPECIFICAITION

Car jump start up to 8.5L Gas& 6.5L Diesel
Charge for cellphones,Ipad etc.
Portable illumination,SOS
Size:210*93*64mm; 870g
USB output: 5V/2A; 5V/2A;
Input: 9V/2A,
Start Current: 2000A/4000A
Air Pump: 150 PSI(Automatic shut-down)
Air Flow:45L/M

Standard Accessory:
Smart protection jump cable, USB cabel,
Inflate cable, User manual, Eva case

CE FCC ROHS MSDS UN38.3



MODEL L084

27,000mAh/99.9Wh/6000A

[4 in 1 Portable Car Combo Kit](#)

**Jump Starter/Air Pump/
Power bank/Flashlight**

► PRCDUCTSPECIFICAITION

Car jump start up to 12.0L Gas& 10.0L Diesel
Charge for cellphones,Ipad etc.
Portable illumination,SOS
Size:252*103*90mm; 1120g
USB output: 5V/2A;5V/3.5A;9V/2A; 12V/1.5A(18W Max)
Type-C In/Out: 9V/2A,
Start Current: 3000A/6000A
Air Pump: 160 PSI(Automatic shut-down)
Air Flow:50L/M

Standard Accessory:
Smart protection jump cable, USB cabel,
Inflate cable, User manual,

CE FCC ROHS MSDS UN38.3



MODEL L088

20,000mAh/74Wh/ 3000A

[4 in 1 Portable Car Combo Kit](#)

**Jump Starter/Air Pump/
Power Bank/Flashlight**

► PRCDUCTSPECIFICAITION

Car jump start up to 5.0L Gas& 3.0L Diesel
Charge for cellphones,Ipad etc.
Portable illumination,SOS
Size:195*85*55mm; 710g
USB output: 5V/2A;5V/2A
Input: 9V/2A
Start Current: 1500A/3000A
Air Pump: 150 PSI(Automatic shut-down)
Air Flow:40L/M

Standard Accessory:
Smart jump cable, USB-C cabel, Inflate cable ,
User manual, eva case

CE FCC ROHS MSDS UN38.3



MODEL LF57

16,000mAh/52.9W/2000A

[4 in 1 Portable Car Combo Kit](#)

**Jump Starter/Air Pump/
Power bank/Flashlight**

► PRCDUCTSPECIFICAITION

Car jump start below 5.0L Gas& 3.0L Diesel
Charge for cellphones,iPad etc.
Portable illumination,SOS
Size:195*75*55mm; 710g
USB output: 5V/2A;5V/2A
Input: 5V/2A
Start Current: 1000A/2000A
Air Pump: 150 PSI(Automatic shut-down)
Air Flow:40L/M

Standard Accessory:
Regular jump cable, USB cabel, User manual,
Eva bag, brown box.Inflate cable

CE FCC ROHS MSDS UN38.3



MODEL LQ05

24,000m/88.8Wh/ 5000A

[4 in 1 Portable Car Combo Kit](#)

**Jump Starter/Air Pump/ Power
bank/Flashlight/PD45W IN/OUT**

► PRCDUCTSPECIFICAITION

Car jump start below 10.0L Gas& 8.0L Diesel
Charge for cellphones,iPad etc.
Portable illumination,SOS
Size:180*85*30mm; 780g
USB output: 5V/3A
Type-c Input/Out:(PD45W)
5V/3A,9V/2A,12V/1.5A,15V/3A,20V/2.25A
Start Current: 2500A/5000A
Air Pump: 150 PSI(Automatic shut-down)
Air Flow:40L/M

Standard Accessory:
Regular jump cable, USB cable, User manual,
Eva bag, brown box.Inflate cable

CE FCC ROHS MSDS UN38.3



MODEL LQY68

24,000mAh/88.8Wh/4000A

[4 in 1 Portable Car Combo Kit](#)

**Jump Starter/Air Pump/
Power bank/Flashlight**

► PRCDUCTSPECIFICAITION

Car jump start below 8.0L Gas& 6.0L Diesel
Charge for cellphones,Ipad, etc.
Portable illumination,SOS
Size:250*150*80mm; 870g
USB output: 5V/2A;5V/2A.
USB-C Input: 9V/2A
Start Current: 2000A/4000A
Air Pump: 150 PSI(Automatic shut-down)
Air Flow:45L/M

Standard Accessory:
Smart jump cable,USB cable, Inflate cable,
User manual, Eva case.

CE FCC ROHS MSDS UN38.3



MODEL L083

27,000mAh/99.9Wh/6000A

**Jump Starter/Voltmeter
Power bank PD65W/Flashlight**

► PRCDUCTSPECIFICAITION

Car jump start up to ALL 12V Gas& Diesel up to 12.0L
Charge for cellphones,iPad, Laptop etc.
Portable illumination,SOS
Size:195*90*44mm; 700g
USB output: Type-C:PD65W USB-A:5V/2.1A
Type-C In/Out: PD65W
Start Current: 3000A/6000A

Standard Accessory:
Heavy Duty smart jump cable, USB C-C cabel,
USB A-C cabel,User manual, EVA Case

CE FCC ROHS MSDS UN38.3



MODEL **L018**
22,000mAh/81.2Wh

| 12V || 2000A |

► **PRCDUCTSPECIFICAITION**
Car jump start up to 8.5L Gas& 6.5L Diesel
Charge for cellphones,Ipad etc.
Portable illumination,SOS
Size:182*85*34mm; 450g
USB output: 5V/2A; 5V/2A;
Input: 5V/3A,
Start Current: 1000A/2000A

Standard Accessory:
Smart protection jump cable, USB cabel,
User manual, eva case,Color box

CE FCC ROHS MSDS UN38.3



MODEL **L080**
20,000mAh/74Wh

| 12V || 2000A |

► **PRCDUCTSPECIFICAITION**
With Wireless Charging
Car jump start up to 7.0L Gas& 4.5L Diesel
Charge for cellphones,Ipad etc.
Portable illumination,SOS
Size:160*75*35mm; 400g
USB output: 5V/2A; 5V/1A;
Input: 15V/1A,
Start Current: 1000A/2000A

Standard Accessory:
Standard jump cable, USB cabel,
User manual,eva case
package box

CE FCC ROHS MSDS UN38.3



MODEL **LT47**
10,000/16,000/24,000mAh

| 12V || 1000A/2000A/4000A |

► **PRCDUCTSPECIFICAITION**
Car jump start up to 12.0L Gas&12.0L Diesel
Charge for cellphones,Ipad etc.
Portable illumination,SOS
Size:222*96*32mm; 780g
USB output: 5V/3A; 9V/2A;
Input: 9V/2A,
Start Current: 1000A/2000A/4000A

Standard Accessory:
Smart jump cable, USB cabel,
User manual, Brown box

CE FCC ROHS MSDS UN38.3



MODEL **L085**
16,000mAh/59.2Wh/2000A

**Jump Starter/Voltmeter
Power bank PD18W/Flashlight**

► **PRCDUCTSPECIFICAITION**
Car jump start up to 8.0L Gas& 6.0L Diesel
Charge for cellphones,Ipad, etc.
Portable illumination,SOS
Size:165*75*30mm; 450g
USB output: 9V/2A*1;5V/2A*1
Type-C In/Out: 9V/2A
Start Current: 1000A/2000A

Standard Accessory:
Heavy duty Smart jump cable built-in, USB-C Charging cabel,
User manual, Eva box.

CE FCC ROHS MSDS UN38.3



MODEL **L090**
63,000mAh/233Wh

| 12V&24V |10,000A |

► **PRCDUCTSPECIFICAITION**
Car jump start up to all Gas& 17.0L Diesel
Charge for cellphones,Ipad, etc.
Portable illumination,SOS
Size:250*242*180mm; 3.9KgS
Input:15V/4A;
Output:5V/3A,Type-C/PD18W;
Air Pump Output: 150 PSI
12V/24V Jump Start
Start Current: 5,000A/10,000A

Standard Accessory:
Wall charger, USB cable,
User manual.

CE FCC ROHS MSDS UN38.3



MODEL **LF39**
56,000mAh|207Wh

| 12V&24V || 4000A |

► **PRCDUCTSPECIFICAITION**
Car jump start up to all Gas& 15.0L Diesel
Charge for cellphones,Ipad etc.
Portable illumination,SOS
Size:213*166*112mm; 2100g
USB output: 5V/2A; 5V/3A **QC 3.0**;
Output:USB: 5V/3.5A,DC:12V-16.8V/10A
Input: 15V/2A,
Start Current: 2000A/**4000A**

Standard Accessory:
Wall charger, USB cable,
User manual, brown box.

CE FCC ROHS MSDS UN38.3



MODEL **L082C**
16,000mAh|27000mAh

► **PRCDUCTSPECIFICAITION**
Car jump start up to 8.0L Gas& 6.0L Diesel
Charge for cellphones,Ipad etc.
Portable illumination SOS
Size:165*75*30mm; 450g
USB output: 5V/2A; ;
Type-C In/Out:PD18W
Start Current: 1000A/2000A; 3000A/6000A

Standard Accessory:
Smart jump cable, USB cable,
User manual, Eva case

CE FCC ROHS MSDS UN38.3



MODEL **LA06**
18,000mAh/66.6Wh

| 12V || 2500A |

► **PRCDUCTSPECIFICAITION**
Car jump start up to 6.0L Gas& 4.0L Diesel
Charge for cellphones,Ipad, etc.
Portable illumination,SOS
Size:165*75*30mm; 420g
USB output: 5V/2A*2;
Input: 5V/2A
Start Current: 1500A/2500A

Standard Accessory:
Standard jump cable, USB cable,
User manual, Eva box.

CE FCC ROHS MSDS UN38.3



MODEL **L056**
18,000mAh|66.6Wh
[| 12V || 1000A |](#)

► **PRCDUCTSPECIFICAITION**
Car jump start below 6.0L Gas& 4.0L Diesel
Charge for cellphones,Ipad,**laptop** etc.
Portable illumination,SOS
Size:160*75*30mm; 380g
USB output: 5V/2A; 5V/2A;
DC output: 12V/16V/19V/3.5A
Input: 15V/1A
Start Current: 500A/**1000A**

Standard Accessory:
Normal jump cable, laptop charge cable,
Wall charger, car charger, USB cable,
User manual, Plastic tool box.

CE FCC ROHS MSDS UN38.3



MODEL **LCY98**
27,000mAh|99.9Wh
[4 in 1 Portable Car Combo Kit](#)

► **PRCDUCTSPECIFICAITION**
Car jump start up to **12.0L Gas& 10.0L Diesel**
Charge for cellphones,Ipad etc.
Portable illumination,SOS
Size:175*85*40mm; 910g
USB output: 5V/2A; 5V/3A **QC 3.0**;
Input: 5V/3A, 9V/2A Type C 18W
Start Current: 3000A/**6000A**
Air Pump: 150 PSI(Automatic shut-down)
Air Flow: 60L/M(Dual metal Cylinder)

Standard Accessory:
Smart protection jump clamps, USB cable,
User manual, Eva bag, Inflate cable

CE FCC ROHS MSDS UN38.3



MODEL **L078**
24,000mAh|88.8Wh
[| 12V || 4000A |](#)

► **PRCDUCTSPECIFICAITION**
Car jump start below **12.0L Gas& 10.0L Diesel**
Charge for cellphones,Ipad etc.
Portable illumination,SOS
Size:220*90*26mm; 560g
USB output: 5V/2A; 5V/3A **QC 3.0**;
DC output: 12V/10A
Input: 5V/3A, 9V/2A Type C PD18W
Start Current: 2000A/**4000A**

Standard Accessory:
Smart protection jump cable, USB cable,
User manual, Eva bag, color box.

CE FCC ROHS MSDS UN38.3



MODEL **LB14**
18,000mAh|66.6Wh
[| 12V || 1600A |](#)

► **PRCDUCTSPECIFICAITION**
Car jump start up to 6.0L Gas& 4.0L Diesel
Charge for cellphones,iPad, Laptop etc.
Portable illumination,SOS
Size:195*100*84mm; 420g
USB output: USB-A:5V/2.1A
Type-C In: 5V/2A
Start Current: 1000A/2000A

Standard Accessory:
Smart jump cable, USB A-C cable,
User manual, EVA Case

CE FCC ROHS MSDS UN38.3



MODEL **LF57A**
16,000mAh|59.2Wh
[4 in 1 Portable Car Combo Kit](#)

► **PRCDUCTS PECIFICAITION**
Car jump start up to 5.0L Gas& Diesel up to 3.0L
Charge for cellphones,iPad, etc.
Portable illumination,SOS
Size:195*75*55mm; 710g
USB output: USB-A:5V/2A
Type-C In: 5V/2A
Start Current: 1000A/2000A
Air Pump: 150 PSI(Automatic shut-down)
Air Flow:40L/M

Standard Accessory:
smart jump cable, USB A-C cable,
User manual, EVA Case,Inflate cable

CE FCC ROHS MSDS UN38.3



MODEL **L082N**
20,000mAh|74Wh
[4 in 1 Portable Car Combo Kit](#)

► **PRCDUCTS PECIFICAITION**
Car jump start up to 8.0L Gas& Diesel up to 6.0L
Charge for cellphones,iPad, etc.
Portable illumination,SOS
Size:210*93*64mm; 830g
USB output: USB-A:5V/2.1A
Type-C In: 9V/2A
Start Current: 2000A/4000A

Standard Accessory:
Standard jump cable, USB A-C cable,
User manual, EVA Case, Inflate cable

CE FCC ROHS MSDS UN38.3



MODEL **LA12**
18,000mAh|66.6Wh
[| 12V || 2000A |](#)

► **PRCDUCTS PECIFICAITION**
Car jump start up to 6.0L Gas& Diesel up to 3.0L
Charge for cellphones,iPad, etc.
Portable illumination,SOS
Size:180*88*40mm; 400g
USB output: USB-A:5V/2.1A
Type-C In: 5V/2A
Start Current: 1000A/2000A

Standard Accessory:
Standard jump cable, USB C-C cabel,
User manual, EVA Case

CE FCC ROHS MSDS UN38.3



MODEL **L058**
12,000mAh|44.4Wh
[| 6V/ 12V || 1000A |](#)

► **PRCDUCTS PECIFICAITION**
Car jump start up to 6.0L Gas& Diesel up to 3.5L
Charge for cellphones,iPad, etc.
Portable illumination,SOS
Size:175*87*34mm; 420g
USB output: 5V/2.4A
Type-C In: 5V/2A
Start Current: 500A/1000A

Standard Accessory:
Standard jump cable, USB C-C cabel,
User manual, EVA Case

CE FCC ROHS MSDS UN38.3



MODEL **L082P**

► **PRCDUCTSPECIFICAITION**
Wireless Air inflator Power Bank
150 PSI/ 80W/ 6000mAh
Portable illumination,SOS
Size:140*90*50mm; 440g
USB output: 5V/2A; ;
Input: Type C 5V/2A
Air/Min: ≥20L/Min

Standard Accessory:
USB cabel, inflator cable
User manual, Velvet bag, color box.

CE FCC ROHS MSDS
UN38.3



MODEL **T200**
200W Solar PowerStation

► **PRCDUCTSPECIFICAITION**

LIFEPO4 BATTERY CAPACITY: 153WH;
AC OUTPUT :110V/220V 50HZ, 200W MAX
USB-A OUTPUT*2: 5V/3A;9V/2A;12V/1.5A
USB-C OUTPUT*2: 5V/3A;9V/3A;12V/3A;20V/3A
DC OUTPUT: 12V/10A 120W MAX
LED LIGHT: 1W FULL BRIGHT-SOS MODE
DC INPUT: 15-30V/4A; 60W MAX
OPERATING HUMIDITY: 10%-90%

CE FCC ROHS PSE



MODEL **600RE**
12V/24V Battery Charger

► **PRCDUCTSPECIFICAITION**

RATED WORKING CAPACITY:
CHARGING:2KW.START:12KW;
CHARGE VOLTAGE:12/24V,
MAX STARTING CURRENT:540A;
RATED CHARGING CURRENT:60A
MAX REATED REFERENCE CANPACITY(AH):1000
MIN REATED REFERENCE CANPACITY(AH):60

CE FCC ROHS PSE



MODEL **HW256**
Handheld Clean Machine

► **PRCDUCTSPECIFICAITION**

Size:170*48*30mm Weight 300g
Voltage: 7.4V
Power: 55W
Input: 5V/3A
Pressure: 10Bar
Flow: 22L/Min

Standard Accessory:
USB cable, inflator cable, USB cable, nozzle,
User manual, Cleaning bottle, color box

CE FCC ROHS PSE



MODEL **80**
12V/24V Battery Charger
8A

► **PRCDUCTSPECIFICAITION**

Size:170*88*60mm Weight 600g
Input 110V~240V
Output:4A-6A-8A/4A
Housing protection degree IP65
(dust-tight, protected against water jets)

CE FCC ROHS PSE
► **PRCDUCTSPECIFICAITION**

Size:170*88*60mm Weight 600g
Input 110V~240V
Output:4A-6A-8A/4A
Housing protection degree IP65
(dust-tight, protected against water jets)

CE FCC ROHS PSE



MODEL **100**
12V/24V Battery Charger
10A

► **PRCDUCTSPECIFICAITION**

Size:195*185*115mm Weight 1520g
Input 110V~240V
Output:6A-8A-10A/6A
Housing protection degree IP65
(dust-tight, protected against water jets)

CE FCC ROHS PSE



MODEL **250**
12V/24V Battery Charger
25A

► **PRCDUCTSPECIFICAITION**

Size:Size 195*185*115mm Weight 2000g
Input 110V~240V
Output:5A-10A-25A/5A-10A
Housing protection degree IP65
(dust-tight, protected against water jets)

CE FCC ROHS PSE



MODEL **V519**
OBD2 Car Diagnostic Scanner
Car Code Reader

► **PRCDUCTSPECIFICAITION**

ENHANCED OBD2 FUNCTIONS:read and erase codes,
VIN information,

Color Display,plug and play no need extra power supply
powered by car OBDII port.

DIAGNOSIS CAR ON YOUR OWN

CE FCC ROHS

