

NINGHAI RUICHI OPTOELECTRONICS CO., LTD.

CATALOG



LET'S GET LIT!

ILLUMINATING BOTH WORK AND LIFE.



CONCEPTS

CONTENTS



LED Work Light



LED Flashlight



LED Headlamp



LED Camping Lantern



Solar LED Light



LED Reading Light



LED Bicycle Light

PROFESSIONAL WORK LAMP

CATER TO VARIOUS WORK NEEDS





Model: RC-W25032

Material: ABS

Battery: 1pc 2000mAh 18650 Li-ion battery

Functions:

1. COB White light (High light)
- COB White light (Low light)
- Red Light - Red Light strobe
2. The digital display shows the current battery level, and when charging, it indicates the charging
3. Type-C charging port

Packaging: Color box / Neutral brown box

Product dimensions: 52.5*4.6*4.1cm



Product Net Weight: 290g



**Double sided magnet
Stronger suction power**

Four level light source mode

- Free adjustment of light source -



LED Work Light



LED Work Light

The lamp body rotates freely
Full angle free adjustment





MULTIPLE INSTALLATION METHODS

Magnetic attraction/clamping/placement



Mobile Charger

Rechargeable



COB Light

Tough Metal Handle

Clip on Light

Model: XH-ST24CU

Material: ABS

Light Source: 10w COB

Battery: 2600mAh lithium-ion battery

Functions:

1. 100% ON-OFF-50% ON-OFF-FLASH-OFF

2. Bottom contains a magnet

3. Type-C charging port, input and output capabilities.

Packaging: 1 piece/color box

Accessories: 80cm data cable

Product dimensions: 125*130*192mm

Product weight: 376g



LED Work Light

LED Work Light

Model: RC-W23003

Light source: 2*COB(White+warm light) + 2*XPE LED

Product size: 17.8*5.2*2cm/2*COB whole length 30cm

Single product weight: 131g

Material: Aluminum alloy+ABS

Brightness: 200-500 Lumens

Range: 50-100m

Battery: Built-in 1200mAh lithium battery

Working time: 4-12 hours

Charging time: 2-4 hours

Features:


- 1.Flodable Work Light-Two in One
- 2.Independent Switch for each cob light bar



LED Work Light



Front-end XPE



LED Work Light



LED Work Light

Model: RC-ST26

Materials: ABS + PS + POM

Light Source: 18W COB + 2*18 SMD

Battery: 4400mAh lithium battery

Functions:

1. COB 100% ON-COB 50% ON-ONE SIDE SMD ON-TWO SIDES SMD ON-COB&SMD ON-OFF

2. Bottom contains a magnet

3. Type-C charging port, input and output capabilities

Packaging: 1 piece/white box

Accessory: 80cm data cable

Product dimensions: 239*175*254mm


Product weight: 600g



LED Work Light



5 Light Modes
500Lm-2,7000Lm



LED Work Light

Model: RC-ST27

Material: ABS

Light source: 8W COB + 2 x 6W COB

Battery: 3600mAh lithium battery

Functions:

1. Middle COB fully illuminated - Middle COB semi-illuminated - Single side COB illuminated - Both sides COB illuminated - Middle and both sides COB simultaneously illuminated - Turn off

2. Featuring a built-in magnet, 5V2A input/output capability, can function as a portable power bank.

Packaging: Individual unit/white box

Accessory: 80cm Type-C Data Cable

Product dimensions: 207*110*202mm (folded); 323*110*202 mm (unfolded)

Product weight: 449g



2700 lumens



Can continue working
from **3hrs** to **7hrs**.



LED Work Light



Model: RC-ST42

Material: ABS

Light Source: 3*24w COB+P50 led

Battery: (18650) 5400mAh

Functions:

1. LED fully illuminated - 1*COB bright - 2*COB bright - 3*COB bright - 3 * COB low brightness
2. Features a magnet, hook, M6 nut, input/output ports, and can function as a portable power bank

Packaging: Individual unit/white box


Accessory: 80cm Type-C data cable

Product dimensions: 130*112*235mm

Product weight: 890g



LED Work Light



LED Work Light

Multifunctional Auto Repair Light

Four modes

Concealed hook

Bottom magnet



Free Type-C
Charging Cable

Real-time battery
level display

Model: RC-W919

Material: Aluminum + Plastic

Battery: Two 2600mAh 18650 batteries.

Functions:

1. Press the knob switch briefly. Press the M key to switch modes. Rotate the knob to adjust brightness continuously.
2. Equipped with hooks and a magnet at the bottom.
3. Type-C charging port with input and output capabilities.

Attachment: Data cable.

LED Work Light



3000LM

Multidirectional Light

Brighten Your Work Area



Model: RC-ST54

Material: ABS

Light source: 6W P50 + 2*20 SMD + 18 SMD

Battery: 4000mAh lithium battery

Functions:

1. LED lights up - 20 SMD lights on both sides - 18 SMD lights on one side - All LED and SMD lights on - Turn off
2. Type-C charging port, input and output capabilities

Packaging: Individual unit/white box


Accessory: 80cm data cable

Product dimensions: 65*95*178mm

Product weight: 407g



LED Work Light



Model: RC-W25004 (Big Size)

Light Bulb: COB White Light + Yellow Light

Power: 20W

Voltage: 3.7v

Running time: 3-4 hours

Charging time: 3.5 hours

Function: COB White Light - Yellow Light - White Yellow Light (three modes)

Brightness: COB white light 870LM, yellow light 740LM, white and yellow light 1230LM.

Battery: 18650 battery, 5000mAh in parallel (2 units)

Material: ABS + Silicone + PC

Product weight: 380 grams

Product dimensions: 51*4.7*4.7CM

Accessories: Typec cable + color box + light



Model: RC-W902 (Small Size)

Light Bulb: COB White Light + Yellow Light

Power: 20W

Voltage: 3.7v

Running time: 3-4 hours

Charging time: 3.5 hours

Function: COB White Light - Yellow Light - White Yellow Light (three modes)

Brightness: COB white light 870LM, yellow light 740LM, white and yellow light 1230LM.

Battery: 18650 battery, 5000mAh in parallel (2 units)


Material: ABS + Silicone + PC

Product dimensions: 48.8*4.7*4.7CM

Accessories: Typec cable + color box + light



LED Work Light



LED Work Light



Type-C charge



Four level battery display



LED Work Light

Model: RC-W24701

Bulb: 2 * 10W COB

Battery: 2 * 2000mAh lithium-ion battery

Mode: 100% - 50% - red flashing - off

Brightness: Up to 2000 lumens

Running time: 2-4 hours

Charging time: 4 hours

Input and output: 5V, 1A

Product size: 65*65 * 640mm

Product weight: 529 grams

Material: ABS + PC + Rubber

Accessories: USB cable



100% BRIGHTNESS WHITE LIGHT



50% BRIGHTNESS WHITE LIGHT



RED LIGHT FLASHING

2-IN-1 WORK LIGHT


STRONG MAGNET ADSORPTION FREE YOUR HANDS

Equipped with a strong magnet on the back,
convenient for outdoor use



Powerful magnet design

LED Work Light



High Brightness



Low Brightness



Red Strobe



360° Swivel Hooks



Screw with Telescopic Pole



Type-C



Adjustable Clips



Strong Magnetic Bases



Male and female lock

LED Work Light

Model: RC-ST41

Material: ABS

Light Source: 10w COB

Battery: 18650 (2200mAh) (single unit)

Functions:

1. High-intensity highlight - low-intensity highlight - red light flash
2. The bottom contains a magnet and an M6 screw.

3. Type-C charging port

Packaging: White box

Accessory: 80cm data cable

Product dimensions: 80*50*360mm (per unit)

Product weight: 250g (per unit)



LED Work Light



Model: RC-ST51

Color Temperature (CCT): 6000K (Daylight Alert)

IP Rating: IP44

Battery type: rechargeable battery

Beam angle (degrees): 180

Input voltage (V): 3.7 volts

Lamp body material: ABS

Luminous flux of the bulb (mm): 500-1500 lumen

Operating temperature (°C): -25° to 45°

Power: 10W



LED Work Light

Waterproof Switch



Sensor Mode

With just a wave of your hand, the switch responds.



High Brightness



Low Brightness



Red Strobe

Model: RC-ST51S

Color Temperature (CCT): 6000K (Daylight Alert)

IP Rating: IP44

Battery type: Lithium battery

Beam angle (degrees): 180°

Input voltage (V): 3.7 volts

Lamp body material: ABS


Luminous flux of the bulb (mm): 750 to 1400 lumen

Operating temperature (°C): -25° to 45°

Power: 5W



LED Work Light



Model: RC-W23714

Materials: ABS + PC + metal aluminum + magnet

Light source: 5730 white, 60 units + warm white, 48 units + red, 6 units XPE, 2 units

Battery: 18650*2, 4000 mAh



Functions:

- 1.A: White light B: Warm white light C: White light + Warm white light
2. Long press on each setting for seamless brightness adjustment.
3. Button B: White light when pressed, red light when pressed twice, red and white flashing light when pressed three times.
4. Long press the XPE dual-light strong light function in any operating mode.

Packaging: Colorful box

Product dimensions: 136*96*32.5

Product weight: 240g



LED Work Light

LED Work Light



Model: RC-ST11U

Materials: PA6 + GF30

Light Source: 10W COB

Battery: 4400mAh lithium battery

Functions: High-light, Low-light, Flash

Packaging: Individual unit/color box


Accessory: 80cm data cable

Product dimensions: 200*82*176mm


Product weight: 540g

Tap Switch Mode


3 Light Modes



Low Light



Strong Light



Strobe Light

LED Work Light



Rechargeable

Charging Port & Out port



Power Bank



LED Work Light

360° ROTATIONAL LIGHTING

Allow the light to be positioned at any angle to ensure lighting.



LED Work Light

Model: XH-ST23AU

Material: ABS

Light Source: 2*5W COB

Battery: 2*2000mAh 18650 Lithium Battery

Function:

1. Both sides of COB fully lit - Single side COB lit - Single side COB lit - Both sides of COB low brightness - Red light flash - Off.

2. Includes Magnet.

3. Type-C Charging Interface, Input and Output.

Packing: 1pc/Color box

Accessory: 80cm data cable


Product dimensions: 153*70*130mm(Fode)/153*60*240mm(Unfode)

Product Weight: 390g



LED Work Light

Wide Applications



MAGNETIC

Model: RC-ST34

Material: ABS

Light Source: COB+LED

Battery: 4000mAh lithium battery

Functions:

1. Full white light - low white light - red light flashes from the back - both red and white lights are on simultaneously
2. The bottom contains a magnet and an M6 screw.
3. Type-C charging port, input and output capabilities.

Packaging: 1 piece/color box

Accessory: 80cm data cable


Product dimensions: 212*175*280mm

Product weight: 600g



LED Work Light

Safety Triangle Rechargeable Work Light



LED Work Light

Model: RC-W25053

Material: PC + TPR

Light Source: COB

Color Temperature: 6500K (white light)

Lumen: High brightness 500lm, low brightness 200lm

Battery: 3.7V 18650 1200mAh lithium battery

Standard features: 100% brightness -

30% low brightness - off

Flight time: High brightness for 2 hours,

low brightness for 4 hours

Charging time: 2.5 hours

Product dimensions: 139x67x70mm

Net weight of the product: 165g



Model: XH-ST48

Material: ABS

Light source: 15w COB

Battery: 4000mAh lithium battery

Functions:

1. Full white light - Half white light - Warm light - Warm white light both on - Turn off

2. Bottom contains a magnet

Packaging: Individual unit/white box

Accessory: 80cm Type-C Data Cable

Product dimensions: 120*50*120mm

Product weight: 503g



LED Work Light

Rechargeable Work Light With Big Clamp



LED Work Light

Model: RC-W25038

Material: ABS

Light Source: 5W XTE + 4W COB

Battery: 2 x 18650/1800mAh (3600mAh)

Functions:

XTE Bright + COB Bright + Ambient Light
(adjusts light intensity with a rotary dimming knob)

Product dimensions: 97 × 43 × 130mm

Product weight: 240g




EASY TO CARRY



Power Display Dimmer Knob Main Switch



LED Work Light



Red light flashing

Model: YD-2520

Material: ABS + PS

Light Source: XPE+48*0.2 watts High-quality COB+6*0.2 watts Red Light

Battery: 18650/1500mAh lithium battery

Functions:

- 1.XPE100%
- 2.COB1/100%
- 3.COB1COB2/100%
4. Red light warning flashing (controlled independently by a switch)

Packaging: 100PCS * 1 piece colorful box

Product dimensions: 25.5 cm long, 3.5 cm wide, 3 cm high.

Product weight: 180g



LED Work Light



LED ARRAY

PRECISION DETAILS



ANTI-SLIP GRIP

LED Long-Range Light Core

Powerful and Bright Light Source

New Generation of Ultra-Bright LED Beads, High Power and Low Energy Consumption Meet Daily Lighting Needs

500m+
(Ultra-Bright Long-Range)



Model: S09

Product dimensions: 28X4.8CM

Material: ABS

Weight: 222.3 grams

Battery: 21700 battery, capacity 3000.

Lumens: High-intensity 600LM, front light 110LM

Charging Time: 3 hours

Battery life: High intensity – 4 hours;

Low intensity – 7 hours; Front light – 12 hours

Input: 1A

LED Work Light



Model: S10

Product dimensions: 23.5 x 5.3 cm

Material: ABS

Weight: 324 grams

Batteries: 21700 batteries × 2, capacity 6000.

Lumens: High intensity 800LM, front light 120LM, front light LED chip XTE.


Charging Time: 5 hours

Battery life: High intensity – 8 hours;

Low intensity – 14 hours; Front light – 20 hours.

Input: 2A

LED Work Light



Model: RC-DW16004

Color temperature (CCT): 6000K (daylight alert)

IP Rating: IP44

Warranty period (years): 1 year

Color: Black

Luminous color: cold white

Input voltage (V): 5 volts DC

Lamp body material: ABS

Working hours: 10000

Light source: light-emitting diode

Materials: ABS plastic + metal

Voltage: 5V

Lumen: 1200 mm

Light source: 1 * COB light strip

Charging time: about 3.5-4 hours (full charge)

Working hours: 5-10 hours



Model: RC-W21002

Battery type: rechargeable battery

Beam angle (°): 280

Color rendering index (Ra): 50

Luminous color: white

Function: Portable

Input voltage (V): 5

Lamp body material: plastic

Luminous Flux (lm): 1000

Working hours: 50000

Light source: LED


Operating temperature (°C): 30

Switch: Continuous dimming

Battery type: Built-in battery

Working hours (hours): 50000

Working life (hours): 100,000



LED Work Light

LED Work Light



High
4.5 Hours



MIO
6 Hours



Model: ZJ-8859

Color: Black
Luminous color: white
Working hours: 50000
Supports dimmer: Yes
Materials: ABS
Feature: strong magnet + hook
Use case: workplace
Battery: 18650
Function: Hard light

Model: ZJ-8859

Color: black and red
Luminous color: white
Working hours: 50,000
Supports dimmer: Yes
Product Name: Kebo Work Lamp
Function: strong magnet + hook
Materials: ABS
Function: side-emitting lighting
Use case: workplace
Type: Hand-held lamp



LED Work Light

LED Work Light



Model: RC-MY09

Power source: rechargeable battery

Usage scenario: camping

Color temperature (CCT): 6000 K (daylight mode)

Flashlight type: EDC flashlight

Warranty (years): 1 year

Product Name: Mini LED Flashlight

Function: Convenient

Material: Aluminum alloy + PP + ABS

Function: high-low-flicker mode

Battery: lithium battery

LED Work Light



Hook design



Strong magnet



180° adjustable stand



Bottle opener

4 LIGHTING MODES

COB 60%
brightness

COB 30%
brightness

COB
Strobe

Long press
to the brightest

Mag magnetic attract



Model: RC-W22001

Lamp body material: Aluminum

Lamp source: COB

Lamp luminous flux (lm): 500lm

Color temperature (CCT): 6500-7500K

Power Source: 500mAh Li-polymer battery

Charge mode: Type-C

IP Rating: IP65

Product size: 2.1*4.5*6.1 cm

Product gross weight(kg): 0.06



LED Work Light



Model: RC-W924

Battery type: rechargeable battery
 Color: yellow
 Luminous color: cold white light
 Feature: Portable
 Input voltage (V): 3.7V
 Lamp body material: ABS
 Lamp luminous flux (lm): 350lm
 Working hours: 10000
 Light source: LED
 Packaging: 2 pieces/box



Four Corner
Impact Protection

80g
灯身净重

60mm
灯身高度

LED Work Light



Model: RC-W25021

Material: ABS plastic
 Lamp beads: LED
 Lumen: 100-1000 lumens
 Function: Waterproof, portable
 CCT: 6500K-7500K
 Battery: 5400mAh 18650 lithium-ion battery
 Working time: 50000 hours
 IP Rate: IP44
 Lamp Weight: 396g



LED Work Light



RECHARGEABLE BATTERY

MICRO USB INPUT
USB OUTPUT



4400mAh



OUTPUT



INPUT

Model: RC-W21004

Material: ABS plastic
Lamp beads: COB + SMD LED
Lumen: 1000 lumens
Function: High-Low-Slow flash
CCT: 6500K-7500K
Battery: 3.7V/4400mAh lithium battery
Working time: 10000 hours
IP Rate: IP44
Lamp Size: 103*93*39 mm
Lamp Weight: 234g

LED Work Light



Model: RC-W25027

Product Color: Black
Material: ABS + PC + aluminum
Led: 5.7W COB
Battery: 3.7V 1200mAh polymer lithium battery
Brightness: approximately 500 lumens
Color temperature: 2700K-8000K
Functions: Switch 1: 25% - 50% - 100% - Red light - Red light flashing - Long press for extremely bright mode. Switch 2: Color temperature adjustment: 2700K, 4000K, 6500K, 8000K
Working Hours: 2-10 hours
Charging: Type-C charging port
Features a magnet at the bottom and a hole for the stand



7.5cm/2.95in

LED Work Light

Model: RC-F25042

Light Source: COB5W+LED3W

Lumen: Front light 80LM, COB intense light 250LM, weak light 125LM

Working hours: 2.5 to 8 hours

Battery: 1500mAh 18650 battery

Charging time: 3 hours

Charging current: Peak value of 0.8A

Dimensions: 30*40*165mm

Net weight: 175g

Magnetic Field: Strong magnetic field of 3600 Gauss at the bottom

Functions: 1. Press LED front light 2. Press COB low light

3. Press COB high light 4. Long press red light for flashing warning



LED Work Light



LED Top Light



COB Side Light



Camping



Car repair

Model: RC-W25021

Color temperature (CCT): 6000 K (daylight alert)

Protection class: IP44

Warranty period (years): 1 year

Beam angle (°): 120

Input voltage (V): DC 5V

Working hours: 40,000 hours

Light source: LED

Operating temperature range (°C): -17 to 55



LED Work Light

G51

Small



G52

Large



Model: RC-DW16011

Color temperature (CCT): 6000K (daylight mode)

Protection class: IP44

Warranty period (years): 1 year

Beam angle (°): 180

Input voltage (V): 5V

Light source: LED

Materials: ABS

Packaging: Color box

Product weight: 70g

Product size: 185 * 25 * 18mm



Model: RC-G51 (small) RC-G52 (large)

Light bulb: 1*COB light strip + 1*LED

4 Lighting Modes: COB STRONG LIGHT -

COB WEAK LIGHT - COB FLASH - XPE STRONG LIGHT

Material: Plastic

Power supply: built-in 1pc 14500 400mAh battery

Feature:


1.Charging mode: Type-c fast charging

2.Portable COB LED Flashlight

3.Emergency Camping Lantern Lamp

4.Magnetic Camping Torch

LED Work Light



LED Work Light

PORTABLE CHARGER

Recharge your USB powered devices in emergency

3 LIGHT MODES



High Brightness

Low Brightness

COB Strobe

COB Floodlight



LED Work Light

Model: RC-W928

Model number: RC-W928

Material: Nylon+TPR

Lamp beads: LED

Power: 20W

Lumen: 1200LM

Function: Highlight - Low Highlight - Flash - Off

CCT: 6500K

Battery: 18650 2*2200mAh lithium batteries (4400mAh)

Charge mode: Type-C 5V 1A

Charging time: 5h

Working time: Bright 4.5 hours; Dim 6 hours

Product Size: 26.5*5.2*3.1cm

Weight: 0.34kg

Model: RC-W23113

Material: Aluminum+ABS

Lumen: XPE headlight: 230lm, COB side light: 1000lm

Battery: 18650 *2, 4000 mah

Charging time: About 4 hours

Working time: About 3-8 hours

Lamp Size: 23*8*5


Lamp Weight: 0.45 kilograms

Working temperature (°C): -25° to 45°

Luminous angle (°): 270°



High Brightness COB 1000LM



Daily and night lighting



XPE LED 230LM



Irradiation distance 100 meters



LED Work Light

Digital display button shows the remaining power

25% 50% 75% 100%



Model: YJ5860

IP Rating: IP43

Warranty period (years): 1 year

Color: Orange

Rendering index (Ra): 90

Luminous color: white light

Efficiency (lm/w): 10W

Luminous flux (lm): 650LM

Working hours: 40000

Light source: LED

Materials: PC + ABS

Battery size: 110 * 65 * 34 mm

Power: 10W

Weight: 180 grams

LED Work Light



Model: RC-W21016

Color temperature (CCT): 6500- 7000K

Protection class: IP65

Warranty period (years): 1 year

Color: red + black

Color rendering index (Ra): 80

Luminous color: cold white

Input voltage: DC 5V


Luminous flux of the lamp (lm): 400

Working hours: 10000

Light source: LED



LED Work Light



Model: KXK-K5


Product Name: Hose work light
Shell material: ABS+PC
Lighting brightness: 100-600lm
Use the light bulbs: COB+TG3
Battery capacity: 2000mAh polymer
Battery life: 3-6 hours
Product weight: 150g
Waterproof: IP44
Charging method: TYPE-C

Reach even the most remote and hidden places easily



TYPE-C FAST CHARGING

Supports multiple charging methods



LED Work Light

Model: RC-W921

Bulb type: COB+2835 surface-mount LED bulb
Battery type: 18650-1800mAh.
Product dimensions: 145x67x41mm
Product weight: 190g
Materials: ABS + PC + hose
Functions: COB High Brightness –
COB Low Brightness – Surface-mounted LED beads – Off
Brightness: 500 lumens
Working Hours: 3.5 hours



LED Work Light



Model: RC-W26071

Material: ABS+PC+Nylon

Lamp beads: COB + XPE

Wattage: 8W

Lumen: 700 lumens (COB high)

XPE headlight: 180 lumens

Function: COB 100%/50%, XPE 100%, red flash (6Hz)

CCT: 6500K-7500K

Battery: 3.7V/3000mAh polymer lithium battery

Charge mode: Type-C, 5V/1000mA

Charging time: 2 hours

Working time: COB 5H (high)/8H (low); XPE 8H

IP Rate: IP54

Lamp Size: 140*62*25mm (open)

LED Work Light



Model: RC-W21005

Material: ABS plastic

Lamp beads: LED

Lumen: 100-1000 lumens

Function: Portable, waterproof

CCT: 6500K-7500K

Battery: Rechargeable battery

Working time: 10000 hours

IP Rate: IP44



LED Work Light

outdoor work light

Rechargeable Portable and handheld

● magnet adsorption

● metal hook

● Battery display



Model: RC-W25059

Color temperature (CCT): 6000K (daylight alert)

IP Rating: IP44

Warranty period (years): 1 year

Beam angle (°): 180°

Lamp body material: ABS

Working hours: 10000

Power: 10W

Voltage: 3.7 volts

Battery: Built-in battery

Function: There is a magnet at the bottom

LED Work Light

Model: RC-W25022

IP Rating: IP65

Lamp body material: PVC

Color temperature (CCT): 2700K (soft warm white)

Control method: touch

Surface treatment type: matte

Installation type: adjustable


Luminous flux of the lamp (lm): 15 lm

Lifespan: 20,000

Light source: LED

Lampshade material: glass

Operating temperature range (°C): -20 to 60



LED Work Light

PHONE CHARGING

With USB output interface, it can charge mobile phones, and outdoor mobile phone can be used as a mobile phone to charge treasure.



Metal hook



Strong magnet



Front-end XPE



Outer COB
(white light + red light)



Type-c usb charging



Strong plastic clip

Model: RC-W25023

Material: Aluminum alloy, ABS

Lamp source: 19*LED (white light) + 13 white light + 12 red light + XPE

Lamp luminous flux (lm): 100-1000 lm

Color Temperature(CCT): 6500K-7500K

Battery Type: 2*1800mAh 18650 battery

IP Rate: IP44

Small type size: 3.5*5.3*16 cm(Folded),
3.5*5.3*29.7 cm(Unfolded)

Big type size: 4.4*6.6*23.3 cm(Folded),
4.4*6.6*43.5 cm(Unfolded)

Product gross weight (kg): 0.17



LED Work Light

LED Work Light



Model: RC-DW16024

Material: ABS+Metal

Charge mode: Type-C charging

Charging time: 3-4 hours

Working time: 2-3 hours

Energy: Rechargeable Battery

Light source: LED

Luminous angle (°): 120°

Working temperature (°C): -10°C to 45°C

Lamp luminous flux (lm): 100 - 100

Input voltage (volts): 5V

LED Work Light

LED Work Light

Zoom out



Top Adjustable Focus

Zoom in



Model: RC-C22004

Material: Magnesium aluminum alloy
Lamp beads: LED
Lumen: 100-1000 lumens
Function: Portable, waterproof
CCT: 6500K-7500K
Battery: 1200mAh lithium battery
Working time: 10000 hours
IP Rate: IPX4



LED Work Light

**BBQ Grill Light
With Magnetic Base**



Model: RC-W24001

Material: Magnesium aluminum alloy
Lamp beads: LED
Lumen: 100-1000 lumens
Function: Portable, waterproof
CCT: 6500K-7500K
Battery: AAA battery
Working time: 10000 hours
IP Rate: IPX4



LED Work Light



Model: RC-ST46

Material: ABS plastic
 Lamp beads: COB
 Wattage: 8W
 Lumen: 1500 lumens
 Function: Portable, waterproof
 CCT: 6500K-7500K
 Battery: 4400mAh lithium battery
 Working time: 10000 hours
 IP Rate: IP65
 Lamp Weight: 991g



LED Work Light




Note: The product is not currently available for sale in the US market

Model: RC-W26072

Material: ABS+PC+TPR
 Lamp beads: COB + white laser
 Wattage: 40W
 Lumen: 4000 lumens (COB)
 Function: White laser 100%, COB modes, strobe
 CCT: 6500K-7500K
 Battery: 2x21700 3.7V/6000mAh
 Charge mode: Type-C, 5V/2000mA
 Charging time: 5 hours
 Working time: White laser 8H; COB front 3H / sides 6H / all 2H
 Lamp Size: 362*118*344mm (unfolded); 210*83*250mm (folded)
 Lamp Weight: 800g



LED Work Light



90 Degree Folding Reading Lamp



Type-C Charging & USB Output Port

Equipped with standard Type-C interface supporting multiple charging methods; USB output port can charge mobile phones and other electronic devices



Hidden Hook



Model: RC-HS8035

Material: Plastic
Lamp beads: LED
Lumen: 100-1000 lumens
Function: Portable, waterproof
CCT: 6500K-7500K
Battery: Lithium battery
IP Rate: IP44
Lamp Size: 54.5*8*5.5 cm
Lamp Weight: 680g



LED Work Light



Magnetic attraction at the tail end

It can be adsorbed onto various iron products and can free up your hands during operation.

Switch button

Button-type dust-proof switch, dust-proof and leakage-proof, safe to use

Universal resilient hose

The lighting direction can be adjusted in any direction within 360 degrees, and any shape can be formed.

Model: ZJ-103

Material: ABS plastic
Lamp beads: COB
Wattage: 10W
Lumen: 1000 lumens
Function: Portable, waterproof
CCT: 6500K-7500K
Battery: 4000mAh lithium battery
Working time: 10000 hours
IP Rate: IP44

6.5CM/2.56IN

46.9cm/18.46IN



LED Work Light



Magnet



Brightness



Waterproof



Model: HT-5852

Material: ABS plastic

Lamp beads: LED

Wattage: 5W

Lumen: 100-1000 lumens





Function: Portable, waterproof

CCT: 6500K-7500K

Battery: 3*AAA (not included)

Working time: 10000 hours

IP Rate: IP44



LED Work Light

LED Work Light

EXPLORATION LIGHT Professional Flashlight Series

Illuminate the unknown, empower exploration





FOLDABLE FLASHLIGHT

MAGNET BIDIRECTIONAL BACK CLIP

Various lighting modes

Green laser / UV light

180-degree fold

Type-C charging



MULTIPLE LIGHT SOURCE



180° FOLDING STORAGE

Compact and portable without taking up much space

LED Flashlight

Model: DT013

Product material: aluminum alloy + ABS

Includes accessories: data cable + silicone tail cord

Lamp bead color temperature: 7000-8000K

Product dimensions: 130x36x24 mm

Charging mode: 5V-1A-TYPE-C

Battery capacity: 1200mAh

Product weight: 132g (including battery)

Product light filament: XPL+365 Violet Light



LED Flashlight

GLARE FLASHLIGHT

MAGNET

BIDIRECTIONAL BACK CLIP

Various lighting modes

Green laser

Buzzer

Type-C charging



MULTIPLE LIGHT SOURCE

Model: DT012

Product material: aluminum alloy + PC

Product dimensions: 125x24 x37 mm

Lamp bead color temperature: 7000-7500K

Lamp module power: 15W (MAX)

Product weight: 88g (including battery)

Battery capacity: 1200mAh

Water-resistant rating: Water-resistant for everyday use

Charging mode: 5V-1A-TYPE-C

Lighting mode: Fixed focus



LED Flashlight

FULL FUNCTIONALITY
ALL SCENARIOS

Turn the knob to switch
between the three modes



SIDE LIGHT ILLUMINATION

Three cool modes, switch at will with one click



AMBIENT LIGHTING

Three modes can be switched between with one click



BIDIRECTIONAL BACK CLIP

More convenient to carry
Can be fastened onto hats or inside pockets of clothes



LED Flashlight



COB strong side light

Comes with a number of protective devices, so that you can use with peace of mind.

Model: RC-F25016

Lamp body material: ABS
Lamp luminous flux (mm): 100- 1000 lm
Power source: rechargeable battery
Color temperature (CCT): 6000 K (daylight alert)
Service life (hours): 1000
Light source: light-emitting diode
Product weight (kg): 0.038
Warranty period (years): 1 year



LED Flashlight



LED light



LED light Strobe



COB light



Model: RC-F25016

Lamp body material: aluminum alloy
Lamp luminous flux (mm): 100- 1000 lm
Power supply: rechargeable battery
Color temperature (CCT): 6000 K (daylight alert)
Beam distance: 0-200m
Input voltage (V): 3.7
Service life (hours): 50,000
Light source: light-emitting diode
Lighting cycle (h): >12
Product weight (kg): 0.08 5
Warranty period (years): 1 year



LED Flashlight

Model: RC-F01

Battery type: rechargeable or dry battery

IP Rating: IP44

Lamp body material: aluminum alloy

Lamp luminous flux (mm): 100-1,000 lm

Power supply: rechargeable or dry battery

Usage: emergency situation

Origin: Zhejiang, China

Color temperature (CCT): 6000K (daylight alert)

Flashlight type: Zoom flashlight

Light source: light-emitting diode

Warranty period (years): 1

Function: High - Medium - Low - Support - SOS



LED Flashlight

ZOOM OUT



ZOOM IN



LED Flashlight



Multi functional with side lights

Model: RC-F25036

Material: ABS

Power: 5W

Voltage: 3.7V

Lumen: 800lm

Function:

1. Front light: High light - Low light - Flash
2. Side light: High light - Red light & Blue light Flash
3. Built in 1pc 800mAh battery

Battery level display: Digital display

Charging mode: Type-c fast charging

LED Flashlight



Model: RC-F24004

Battery Type: rechargeable battery

Lamp Body Material: Aluminum Alloy + ABS

Lamp Luminous Flux(lm) : 2000

Color Rendering Index(Ra): 80

Input Voltage(V) : 5V

Lifespan (Hours) : 50000

Light Source : LED

Lighting Period (h) : 6

Product Weight (kg) : 0.2

Function : 8 modes

Size: 16.5*4.1*2.8CM

Battery: built-in 2600mAh battery



LED Flashlight

Model: RC-F25066

Material: ABS

Lamp source: LED

Lamp luminous flux (lm): 100-1000 lm

Color Temperature(CCT): 6500-7500K

Battery Type: 18650-600mAh Lithium Battery

Charge mode: Type-C

Charging time: 2h

Work time: 3h

Product size: 4*4*15.7 cm

Product gross weight (kg): 0.08



Model: RC-F25009

Lamp body material: ABS

Lamp source: LED

Beam Distance: 200-300M

Lamp luminous flux (lm): 100-1000lm

Function: High-Low-Strobe


Color temperature (CCT): 6500-7500K

Power Source: Lithium battery

IP Rating: IP44

Product size: 4.3*4.3*16.7 cm

Product gross weight(kg): 0.12



LED Flashlight



digital power display




telescopic zoom



Type-C



white laser bead



LED Flashlight

Model:RC-F03

Material: Plastic
Light Beads: XPE
Function: High-Middle-Strobe
Battery: Built in 1pc 800mAh 18650 Li-ion battery
Product size:
132.5mm length (Zoom in), 144mm length (Zoom out)
Product dimensions: 63*29*34cm
Product weight: 22kgs



LED Flashlight

Model: RC-F25043

Battery type: 18650
IP Rating: IP44
Lamp body material: aluminum alloy
Lamp luminous flux (mm): 100- 1000 lm
Color temperature (CCT): 6000 K
Beam distance: 0-200m
Charging: Type-C
Input voltage (V): 3.7 volts
Service life (hours): 1000
Product weight (kg): 0.25
Warranty period (years): 1 year
Power: 5W



LED Flashlight



Model: RC-DF818018

Battery type: 3*AAA Battery (not included)
 IP Rating: IP54
 Lamp body material: aluminum alloy
 Luminous flux (mm): 200
 Power supply: dry battery
 Type: UV flashlight
 Input voltage (V): 1.5V
 Lamp luminous efficiency (lm/w): 60 lm/w
 Lifespan (hours): 50,000
 Light source: LED
 Lighting cycle (h): >12
 Product weight (kg): 0.06
 Working hours (hours): 50,000



12LED

9LED



Model: RC-DF818013

Battery type: 3*AAA Battery (not included)
 IP Rating: IP44
 Lamp body material: aluminum alloy
 Bulb luminous flux (mm): 35-150 lm
 Power supply: dry battery
 Flashlight type: UV flashlight
 Light source: light-emitting diode
 Warranty period (years): 1
 Product size: 8.5 * 2.5 cm



LED Flashlight



LED Flashlight



Model: RC-DF818015

Battery type: 3*AAA Battery (not included)
 IP Rating: IP44
 Lamp body material: aluminum alloy
 Bulb luminous flux (mm): 35-150 lm
 Power supply: dry battery
 Color temperature (CCT): UV
 Flashlight type: UV flashlight
 Service life (hours): 1000
 Light source: light-emitting diode
 Product weight (kg): 0.06 5
 Warranty period (years): 1 year



21LED

LED Flashlight

Items containing fluorescent agent turn blue under violet light



shing powder

toothbrush



Soap

towel

Model: RC-DF818019

51LED

IP Rating: IP44
 Lamp body material: aluminum.
 Lamp luminous flux (mm): 100-1000 lumens
 Beam range: 0-200M
 Feature: Water-resistant material.
 Lifespan (hours): 10,000
 Voltage: 4.5 volts
 Lumen: 450 lumens
 Batteries: 3*AA Battery (not included)
 Illumination range: 50-100 meters



LED Flashlight



100LED

LED Flashlight

Model: RC-DF818016

Working Time (hours): 10000

Power source: 6*AA battery(Not included)

Light Source: LED

Support Dimmer: No

Product Weight (kg) : 0.25

Product Name: Portable UV Flashlight


Material: Alluminum Alloy

Function: Multi-purpose

Feature: Easy Carrying

Application: Pet Urine Detector

Packing: Color Box





Model: RC-F02

Battery type: 18650
 Lamp body material: aluminum alloy
 Luminous Flux (lm): 100 - 2000 lm
 Power source: rechargeable battery
 Radiating distance: 0-200 meters
 Bulb type: LED
 Charging method: USB
 Input voltage (V): DC 5V
 Lifespan (hours): 10000
 Installation type: handheld
 Product weight (kg): 0.12
 Running time: 3 hours



LED Flashlight



Model: RC-F25044

Battery type: 18650
 IP Rating: IP44
 Lamp body material: aluminum alloy
 Lamp luminous flux (mm): 100- 1000 lm
 Power supply: rechargeable battery
 Color temperature (CCT): 5000K (daylight)
 Feature: rechargeable
 Warranty period (years): 1 year
 Power: 5W
 Voltage: 3.7 volts
 Lumen: 100-2,000 lumen
 Light: white, ultraviolet

2in1



LED Flashlight



Model: RC-F25044

IP Rating: IP44
 Lamp body material: aluminum alloy
 Luminous flux of the bulb (mm): 100 lumen
 Power supply: Type-C/3*AAA battery(Not included)
 Color temperature (CCT): UV
 Beam distance: 0-200m
 Feature: rechargeable
 Input voltage (V): 3.7 volts
 Service life (hours): 1000
 Product weight (kg): 0.108
 Warranty period (years): 1 year

LED Flashlight



Model: RC-F25044

IP Rating: IP44
 Lamp body material: aluminum alloy
 Lamp luminous flux (mm): 100- 1000 lm
 Power supply: 3*AAA battery(Not included)
 Color temperature (CCT): UV
 Beam distance: 100-200 meters
 Input voltage (V): 5
 Service life (hours): 1000
 Product weight (kg): 0.15
 Running time: 6-8 h
 Warranty period (years): 1 year

395nm
 dry batteries



LED Flashlight



Model: RC-F21016



Battery type: 3.7V
 IP Rating: IP44
 Lamp body material: aluminum alloy
 Luminous flux of bulb (mm): 450 lumen (max)
 Color temperature (CCT): 5000 K (daylight)
 Input voltage (V): 5V
 Service life (hours): 1000
 Lighting cycle (h): >12
 Product weight (kg): 0.15
 Charging time: about 3 hours
 Product size: 165 * 23 mm
 Product weight: 78.8g

LED Flashlight



Model: RC-W922



Material: ABS
 Lamp beads: LED
 Lumen: 280 lumens
 Function: Rechargeable
 CCT: 6500K-7500K
 Battery: 14500 rechargeable battery
 Charge mode: USB
 IP Rate: IP44
 Lamp Weight: 85g

LED Flashlight



Model: RC-F25050

Material: ABS+304 Stainless Steel
 Lamp beads: LED
 Lamp luminous flux (lm): 100 - 1000 Lumens
 Color temperature (CCT): 6500-7500K
 Input voltage (V): 5 volts
 Battery Type: 300mAh Polymer lithium battery
 Charge mode: Type-C
 Charging time: 2.5h
 IP rating: IP65
 Product size: 1.5*1.5*6 cm
 Product gross weight (kg): 0.04

LED Flashlight




Model: M300

Lamp body material: ABS
 Lamp beads: LED
 Lamp luminous flux (lm): 450 lm
 Color temperature (CCT): 6500-7500K
 Battery: 500mAh Polymer lithium battery
 Charge mode: Type-C
 Charging time: about 1 hour
 IP Rating: IP44
 Product size: 1.7*1.7*6.6 cm
 Product gross weight(kg): 0.04



LED Flashlight



Model: RC-F23720

Lamp body material: ABS

Lamp versions: Cold White/ 395nm UV

Lamp source: LED

Lamp luminous flux (lm): 0.5-20lm

Function: ON-OFF


Color temperature (CCT): 6500-7500K, 395nm

Power Source: 3*AAA battery(Not included)

IP Rating: IP44

Product size: 2.9*2.9*9.8 cm

Product gross weight(kg): 0.24



Type-C USB Charge



Clip



LED



Keyhole



Switch



Model: RC-F21035

Material: ABS

Lamp source: LED

Lamp luminous flux (lm): 400 lm

Color temperature (CCT): 6500-7500K

Input voltage (V): 5 volts

Battery Type: Rechargeable battery

Charge mode: Type-C

Charging time: 35min

IP rating: IP44

Product size: 2.6*1.7*6.6 cm


Product gross weight (kg): 0.04

LED Flashlight

Perfect for Travel & Gifts



White LED



395nm UV

LED Flashlight



Model: RC-W5197

Battery type: 18650
 IP Rating: IP65
 Lamp body material: aluminum alloy
 Color temperature (CCT): 6000 K (daylight alert)
 Beam distance: 1000 meters or more
 Rendering index (Ra): 80
 Service life (hours): 50000
 Lighting cycle (h): 12
 Product weight (kg): 0.3
 Warranty period (years): 1 year




LED Flashlight



Model: X38

Battery type: lithium-ion battery
 Lamp body material: aluminum alloy
 Color temperature: 6000 K (daylight white)
 Bulb type: LED
 Charging method: USB
 Input voltage: 5V
 Lighting time: 5 hours
 Product weight: 0.12 kg
 Adjustable focus: Yes
 Color: White
 Charging method: solar, USB



LED Flashlight

SIDE PEN HOLDER

○○○

Hat lamp in a second



Model: RC-S76

Lamp body material: ABS
Lamp source: 9 pieces of 3030 lamp beads
Lamp luminous flux (lm): 100 - 1000lm
Color temperature (CCT): 6500-7500K
Power Source: 18650 lithium battery (800mAh)
Charge mode: Type-C
IP Rating: IP44
Product size: 4*4*8.7 cm
Product gross weight(kg): 0.10



LED Flashlight



Model: RC-AH28

Battery type: 18650
IP Rating: IP44
Lamp body material: ABS
Lamp luminous flux (mm): 420
Color temperature (CCT): 6000K (daylight alert)
Beam distance: 200m
Service life (hours): 10000
Lighting cycle (h): 5
Plug type: Type-c
Product weight (kg): 0.1



LED Flashlight

Model: RC-F25064

Material: ABS

Lamp source: LED

Lamp luminous flux (lm): 350 lm

Input voltage (V): 5 volts

Battery Type: Rechargeable battery

Charge mode: Type-C

Charging time: 4.5h

Work time: 3h

Product size: 2.3*4.9*7.8 cm

Product gross weight (kg): 0.09



Model: TK-001

Lamp body material: ABS

Lamp source: XPG,LED

Lamp luminous flux (lm): 100-1000

Color temperature (CCT): 6500-7500K

Battery: 300mAh Polymer Battery

Charge mode: Type-C

IP Rating: IP44

Product size: 2*3.2*5.7 cm

Product gross weight(kg): 0.04



LED Flashlight



LED Flashlight

Model: YSD-01

Material: ABS

Lamp beads: LED

Lumen: Double lights 100% ON 300lm

Double lights 50% ON 190lm

Side lights 100lm

Single light 160lm

Function:

Front light: Single white light 100% ON -

Single white light 50% ON -

Double lights 100% ON - Double lights 50% ON

Side light: White light 100% ON -

White light 50% ON - Red light -

Red light and blue light strobe

CCT: 6500K-7500K

Battery: 300mAh/750mAh polymer battery

Charge mode: Type-C

Charging time: 1-2 hours

Working time: 3.5-4.5 hours

IP Rate: IP44

Lamp Size: 6*2CM

Lamp Gross Weight: 48g



LED Flashlight



Model: RC-F25058

Lamp body material: ABS

Power supply: rechargeable battery

Beam distance: 0-20M

Bulb type: LED

Charging method: USB

Lifespan (hours): 10000

Light source: LED

Type: Portable

Warranty period (years): 1 year

Product name: rechargeable flashlight

Material: ABS

Power supply: 5W

Charging time: about 3.5 hours

Charging input: 5V 1A



LED Flashlight



6 Light Modes

Meets a wide range of lighting needs



High Light



Medium Light



Low Light



Economic Light



Red Light



Red & Blue Flash

LED Flashlight



Model: RC-F03

Color temperature (CCT): 3500K (warm white)

Warranty period (years): 1 year

Color rendering index (Ra): 80

Luminous color: white

Function: Portable

Lamp body material: plastic

Luminous efficacy (lm/w): 80 lm/w

Luminous Flux (lm): 100 lm

Working hours: 30,000 hours


Light source: LED

Number of light heads: 1

Power source: rechargeable battery



LED Flashlight



Model: RC-F25057

Material: ABS

Lamp source: LED

Lamp luminous flux (lm): 1000 lm

Battery Type: 1000mAh Polymer Battery

Charge mode: Type-C

IP Rating: IP44

Product size: 3.1*2.1*13.4 cm

Product gross weight (kg): 0.15

LED Flashlight



Model: RC-F25056

Material: aluminum alloy

Luminous Flux (lm): 1000 +

Laser bulb type: LED

Charging: USB

Color rendering index (Ra): 80

Input voltage (V): DC 5V

Luminous efficacy (lm/w): 50

Lifespan (hours): 20,000

Lighting cycle (h): 5

Product weight (kg): 0.1

Running time: 5-10 hours



LED Flashlight



Model:RC-F25054

Material: ABS plastic

Lamp beads: LED

Wattage: 3W

Lumen: 100-400 lumens

Battery: 18650 lithium battery 600mAh

Charging time: 3.5 hours

Working time: 4 hours

Lamp Size: 52*33*64cm

Lamp Weight: 153g



Model: RC-F25055

Material: ABS plastic

Lamp beads: 3030 lamp beads

Wattage: 5W

Lumen: 500 lumens

Battery: 18650 lithium battery 800mAh

Charge mode: USB

Working time: 10000 hours

Lamp size: 63*40*55cm

Lamp Weight: 180g



LED Flashlight

LED Flashlight



Model: RC-T78

Lamp body material: ABS

Lamp luminous flux (lm): 100-1,000 lm

Power supply: rechargeable battery

Color temperature (CCT): 6000 K (daylight alert)

Bulb type: light-emitting diode

Input voltage (V): 3.7 volts

Service life (hours): 1000

Product weight (kg): 0.338



Model: RC-F25028

IP Rating: IP65

Lamp body material: ABS

Light source: LED

Warranty period (years): 1 year

Color temperature (CCT): 6000 K (daylight mode)

Battery type: lithium-ion battery

Angle of shoot (°): 180

Input voltage (V): 5V

Lifespan (hours): 50,000

Product weight (kg): 0.5

Operating temperature (°C): -20 - 55



LED Flashlight



LED Flashlight



Model: RC-F23809

Lamp body material: Aluminum alloy
 Bulb type: LED
 Beam distance: 0-200m
 Lamp luminous flux (mm): 100- 1000 lm
 Color temperature (CCT): 6500K-7500K
 Power supply: 70mAh Polymer Battery
 IP Pate: IP44
 Product size: 2.2*2.2*17.3 cm
 Product Gross Weight(kg): 0.10

LED Flashlight



Type-C



Model: RC-F23809

Lamp body material: Aluminum alloy
 Bulb type: LED
 Beam distance: 0-200m
 Lamp luminous flux (mm): 100- 1000 lm
 Color temperature (CCT): 6500K-7500K
 Power supply: 4*Button cell
 IP Pate: IP44
 Product size: 2.2*2.2*17.3 cm
 Product Gross Weight(kg): 0.10



Button Cell


LED Flashlight

Multi-Functional Use For Flash Light



Emergency


Walking Dog At Night



Car Inspection

Bike Activites

Mode	High	Med	Low	Flash	Strobe
Spot Light					
Flood Light					



Type-C
(Random Color)



Model: RC-317

Material: Aluminum alloy
Lamp source: LED
Wattage: 5w
Lamp luminous flux (lm): 300 lm
Battery Type: 2500mAh Ni-MH
Charge mode: Type-C
Product size: 3.9*3.9*15.8 cm
Product gross weight (kg): 0.29

LED Flashlight





Model: RC-KH-G02

Color temperature (CCT): 7000 K
Warranty period (years): 1 year
Chip material: aluminum
Color temperature: 7000k (daytime alarm)
Input voltage (V): 5 volts
Working hours: 10000
Operating temperature (°C): -20 - 40
Product weight (kg): 0.8
Storage temperature (°C): -20 to 50
Type: high-power LED
Angle of view (°): 180



LED Flashlight



2 Zoom out



1 Zoom in




Red : In charging



Green : Full power



Compatible with 14500A lithium battery
Rechargeable



Compatible with AA batteries
Not rechargeable

Model: RC-F25034

Material: Aluminum alloy
Light source: LED
Warranty period: 1 year
Power supply: rechargeable battery
Bulb power (W): 10
Product weight (kg): 0.08 kg
Voltage: 3.7V
Lumen: 100~ 1000lm
Power generation mode: hand pressure
Light source: LED + COB
Color: Green

Model: RC-25010

Lamp body material: Aluminum
Lamp source: LED
Lamp luminous flux (lm): 100 - 1000lm
Color temperature (CCT): 6500-7500K
Power Source: 18650 battery
Charge mode: Type-C
IP Rating: IP44
Product size: 2.8*2.8*12.5 cm
Product gross weight(kg): 0.13



LED Flashlight



LED Flashlight



Model: RC-8527

Material: Aluminum
Lamp source: LED
Lamp luminous flux (lm): 1000 lm
Battery Type: 18650 battery
Charge mode: Type-C
IP Rating: IP44
Product size: 2.8*2.8*15 cm



LED Flashlight

Detachable clip

Small and portable, can be placed in the pocket, can also clip on the backpack, does not take up too much space



PRODUCT STRUCTURE



Model: RC-F25009

Lamp body material: Aluminum
Lamp source: LED
Lamp type: Red, white, UV
Lamp luminous flux (lm): 100-1000
Color temperature (CCT): 6500-7500K, UV, Red Light
Power Source: AAA Dry Battery
IP Rating: IP44
Product size: 1.5*2*13.3 cm
Product gross weight(kg): 0.03



LED Flashlight

COB Floodlight

Multiple COB wick evenly distributed, with three levels of light adjustment



Model: RC-W22011

Material: ABS

Lamp source: XPG+ LED

Lamp luminous flux (lm): 100 - 1000 lm

Color Temperature(CCT): 6500-7500K

Battery Type: 300mAh Polymer battery

Charge mode: Type-C

IP Rate: IP44

Product size: 1.7*3.2*9.6 cm

Product gross weight (kg): 0.06



HIGH OUTPUT WITH A MINI BODY

The E03R emits a max output of 250 lumens and a max beam distance of 42 meters, it is an ultra-compact flashlight for everyday carry.



250 lumens
maximum output



100 meters maximum
beam distance

Model: RC-W22010

Lamp body material: Aluminum alloy(3 colors)

Lamp source: LED

Lamp luminous flux (lm): 100-1000 lumens

Function: 2LED strong light-2LED weak light

-1led strong light-1led weak light

Color temperature (CCT): 6500-7500K

Battery: 1000mAh 803040 battery

Charge mode: Type-C

IP Rating: IP44

Product size: 1.6*3.2*9.6 cm

Product gross weight(kg): 0.08




LED Flashlight


Double strong light



Double weak light



Single strong light



Single weak light



Mini



LED Flashlight

Model: RC-D84

Material: ABS

Lamp source: XTE,LED

Lamp luminous flux (lm): 1000+ lm

Color Temperature(CCT): 6500-7500K

Battery Type: 800mAh Lithium Battery

Charge mode: Type-C

Charging time: 4h

Work time: 3h

Product size: 3.7*2.25*7.3 cm

Product gross weight (kg): 0.08



Model: RC-D85

Material: ABS

Lamp source: XTE,LED

Lamp luminous flux (lm): 100-1000 lm

Color Temperature(CCT): 6500-7500K

Battery Type: 18650 Lithium battery

Charge mode: Type-C


Product size: 4.8*2.5*10 cm

Product gross weight (kg): 0.14



LED Flashlight

10 LIGHT MODE



LED Flashlight

Model: RC-DF818020

Material: Aluminum alloy

Lamp source: LED

Wattage: 5w

Lamp luminous flux (lm): 0.5-20 lm

Color Temperature(CCT): 365nm

Battery Type: 18650 lithium battery
(Not included)

IP Rate: IP20

Product size: 2.4*2.4*12.2 cm

Product gross weight (kg): 0.09

365nm UV Flashlight

Battery Not Included



Deep Cleaning Helper

Detect hard-to-see stains on carpets, sofas, walls and bathrooms



LED Flashlight

With a soft light cover Can be used as a camping light

Can be equipped with a soft light cover according to the usage scenario Softens light, uniform high-brightness floodlight For camping, atmosphere etc.



Stainless steel clamp Hold firmly and not fall easily.

Fine steel stainless steel clamp, high toughness and hardness can be clamped everywhere, and the lighting environment is not limited.



Type-C fast charging Charging indicator light



Model: RC-F25046

Lamp body material: ABS

Lamp source: LED

Lamp luminous flux (lm): 100 - 1000lm

Color temperature (CCT): 6500-7500K

Power Source: 18650 battery

Charge mode: Type-C

IP Rating: IP44



LED Flashlight

PROFESSIONAL OUTDOOR HEADLAMP

accompany you to conquer
every mountain peak



HIGHLIGHTING CAP CLIP WORK LIGHT

Magnetic attachment / Long press intelligent sensing



Model: K170

Product material: ABS + aluminum alloy

Product dimensions: 82x42x29mm

Color temperature of the LED chip: White light 6500-7000K

Lamp module power: 10W (MAX)

Charging mode: 5V-1A-TYPE-C

Battery capacity: 1000mAh

Product weight: 64g (including battery)

Water-resistant rating: Water-resistant for everyday use

Product light filament: XPL + XPE + Color-shifting LED beads



LED Headlamp



LED Headlamp



Model: RC-H2406

Light source: Light-emitting diode
 Power source: rechargeable battery.
 Battery type: Polymer battery.
 Lamp life (hours): 10,000
 Color Temperature: 6000K
 Warranty period (years): 1 year
 Color: Yellow.
 Material: ABS + PC



Dual-light source spectacle lamp

Five lighting modes

UNRESTRICTED CLARITY
 Spotlight Precision Wide Angle Flood

Long press

Spotlight + COB Flash

LED Headlamp

Spotlight High

Spotlight Medium

COB High

COB Medium

Dual-light source spectacle lamp

Professional lighting equipment

long battery life

Five lighting modes

intelligent sensor

LED Headlamp

Model: RC-H21023

Material: ABS plastic

Lamp beads: 31 LED beads

Wattage: 5W

Function: High-Low-Flash

CCT: 6500K-7500K

Battery: 3.7V/2*2500mAh or 3*2500mAh

Charge mode: USB, 5V

Charging time: 4-5 hours

Working time: 12 hours

IP Rate: IP44

Lamp Weight: 330g



LED Headlamp



Model: W678-3

Material: Plastic

Application: Home, outdoor

Feature: Portable

Type: LED headlight

Weight: 72 grams

Power: 10 watts

Battery capacity: 1200mAh lithium battery

Usage time: 3-8 hours





LED Headlamp



Hat clip clip



CLIP ON
TO YOUR CLOTHES
WITH THE
SUPER STRONG
MAGNET



Model: RC-M5GS

Material: ABS + PC
Lamp beads: COB
Lumen: 50-100lm
CCT: 6500K-7500K
Battery: 800mAh Lithium Battery
Charge mode: Type-C, 5V 2A
Charging time: 4 hours
Working time: 7 hours
IP Rate: IPX4
Lamp Size: 4*2.5*8cm
Lamp Gross Weight: 88g



LED Headlamp



Model: 2316

Color Temperature (CCT): 6000K (Daylight Alert)
IP Rating: IP20
Beam angle (degrees): 120
Lifespan (hours): 10,000
Warranty period (in years): 1
Operating temperature (°C): -25 to +45
Materials: Silicone + ABS
Product style: rechargeable LED running clip light.
Uses: camping, cycling, running, walking,
outdoor activities

LED Headlamp

OUTDOOR NIGHT RUNNING LIGHTS



Model: RC-R2317

Material: Silicone+ABS

LED type: COB

Function: White light high - White light low - Red light High
- Red light Low - Red light Strobe - White light+Red light Strobe

Battery: Built-in 400mAh battery

Charging mode: Type-c fast charging

Size: 4.8cmx3.8cmx2.3cm

Working time: 4-5 hours



LED Headlamp



Model: RC-R2316

Material: Plastic+Silicone

LED type: 8pcs 2835 SMD + 1pc 3W LED

Lumen: 200lm

Charging time: 30 minutes

Single product weight: 36g

Power: 3W

Battery: Polymer lithium battery

Working time: 4-5 hours

Function : LED White light High - LED

White light Low - SMD White light High -

SMD White light Low - SMD Red light - SMD

Red light+Blue light Strobe

Charging method: Type-C



Grey

Pink



Mountain running



night running




Dog Walking



camping



night fishing



car repair

LED Headlamp

Four levels of light source mode

White light/red light/green three-color light source, four-level adjustment



Model: SR003-1

Battery: Built-in rechargeable battery (3.7V/300mAh)

Rated power: 1W

Charging voltage: 5V

Material: ABS

Function: Press to turn on and switch between 3 light intensity levels + SOS function

Charging time: about 2 hours

Working time:

Level 1: 2 hours

Level 2: 3.5 hours

Level 3: 5 hours

SOS function: red light flashes for 10 hours

Weight: 28.5g

Dimension: 6.5×4×2.5cm



LED Headlamp

Model: RC-H25020

Material: ABS

Battery capacity: 400 mAh

Charging mode: Type-c fast charging

Function: White light strong light - White light low light

- Red light flash - Red and green light flash

Lumen: 200lm

Charging time: 2 hours

Working time: 2.5-8 hours



LED Headlamp



Model: RC-H24007

Material: ABS plastic
 Lamp beads: LED (3LED+6SMD)
 Function: Rechargeable, waterproof
 CCT: 6500K-7500K
 Battery: 400mAh 14500 lithium-ion battery
 Charge mode: USB
 IP Rate: IP44
 Lamp Weight: 116g

LED Headlamp



Model: L-T21

Lamp body material: plastic
 Service life (hours): 10000
 Power source: rechargeable battery
 Color temperature (CCT): 4100K (neutral white)
 Battery type: lithium-ion
 Color Rendering Index (Ra): 60
 Input voltage (V): 4.2 volts
 Lamp luminous efficiency (lm/W): 60
 Light source: light-emitting diode
 Product weight (kg): 0.13



LED Headlamp

90° ANGLE ADJUSTMENT

You can adjust the angle freely of your headlight to avoid dangerous items



Model: RC-DH61921

IP Rating: IP44

Lamp body material: ABS

Lifespan (hours): 10,000

Power source: rechargeable battery

Warranty period (years): 1 year

Color Temperature (CCT): 6000K (Daylight Alert)

Duration: 3-10 hours

Product dimensions: 12.6*9.6*9.3 cm

Product weight: 130g

LED Headlamp



Model: RC-DH61922

IP Rating: IP44

Lamp body material: ABS

Lifespan (hours): 10,000

Power source: rechargeable battery

Warranty period (years): 1 year

Color Temperature (CCT): 6000K

Time required: 2-10 hours

Range: 300m

Product dimensions: 12.6*9.6*9.3 cm

Product weight: 141g



LED Headlamp




Night Sports



Cycling



Camping



Night Fishing



Emergency



Inspection



Model: RC-DH61919

IP Rating: IP44

Lamp body material: ABS

Lifespan (hours): 10,000

Power source: rechargeable battery

Color Temperature (CCT): 6000K

Duration: 2.5 to 10 hours

Range: 250m

Product dimensions: 48*92*38 mm

Product weight: 273g



LED Headlamp

Model: XH-T11

Lamp body material: ABS

Service life (hours): 10000

Power source: rechargeable battery

Color temperature (CCT): 6000K (daylight alert)

Battery performance: rechargeable battery

Charging port: USB

Input voltage (V): 3.7 volts

Light source: light-emitting diode


Voltage: 3.7 volts

Lumen: 100 ~ 500 liters

Beam angle: 180°



LED Headlamp



Model: RC-H24006

IP Rating: IP44

Lamp body material: aluminum + nylon

Lifespan (hours): 10,000

Warranty period (years): 1 year

Color Temperature (CCT):

6000K (Daylight Alert), Ultraviolet

Lighting cycle (h): >12

Power: 3W

Lighting mode: High-Low Intensity-UV

Illumination range: 100-200 meters

Product weight: 219g



LED Headlamp



Press and hold the switch
to turn on the induction mode

Induction zoom head lamp

Model: RC-H25010

IP Rating: IP44

Lamp body material: ABS

Lifespan (hours): 10,000

Power source: rechargeable battery

Warranty period (years): 1 year

Color Temperature (CCT): 6000K

Light source: Light-emitting diode

Lighting cycle (h): >12

Product weight (kg): 0.13



LED Headlamp

Rotating zoom

Power display

2*18650 battery



Model: RC-H25012

Material: ABS

Lamp beads: LED

Lumen: 500lm (COB), 300lm (Q5)

Lighting mode: Q5 High light - COB High light

Battery: 1pc 14500 battery (built in battery)

Function: Waterproof

CCT: 6000K

Charge mode: USB

IP Rate: IP44

Lamp Weight: 85g



Model: RC-H25008

Material: Aluminum+ABS+Nylon

Lamp beads: LED

Function: Induction Function

CCT: 6500K-7500K

Battery: 1200mAh*2 18650 Lithium Battery

Charge mode: Type-C

Working time: 12+ hours

IP Rate: IP44

Lamp Size: 8.7*4.1*8.3cm

Lamp Gross Weight: 260g

LED Headlamp



LED Headlamp



Model: RC-H25015

Main Body Material: Plastic

Body Color: Black, Orange, Green

Single light weight: 46g

Product beads: XPE LED

Function: High Light - Low Light

*Long press the On/Off Button to transform the strobe mode

*Motion Sensor

Battery: Built-in 400mAh 14500 Li-ion battery

Charging Mode: Type-C



LED Headlamp



Model: KX1804

Lamp body material: ABS + PC

Service life (hours): 50,000

Power supply: rechargeable battery

Warranty period (years): 1 year

Color temperature (CCT): 6000 K (daylight mode)

Battery capacity: 1200mAh

Battery type: lithium-ion battery

Charging port: USB

Color rendering index (Ra): 90

Input voltage (V): DC 5V

Lamp body luminous efficiency (lm/w): 40

Light source: XTE + COB

Product weight (kg): 0.065



LED Headlamp

Model: W689-1

Material: Silicone

Function:

*COB White light high - COB White light low - COB Red light - XPE high - XPE low - Off

*Long press the On/Off Button to transform the strobe mode, then the XPE and COB light will flash at the sametime

Brightness: 350lm

Battery: Built-in 1200mAh battery

Charging time: 2.5-4 hours

Usage time: 2.5-8 hours

Charging mode: Type-c fast charging

Single product weight: 68g



LED Headlamp



Model: W689-2

Material: Silicone

Lamp beads: COB + XPE

Function: COB high/low, red light, XPE high/low, strobe, motion sensor

CCT: 6500K-7500K

Battery: 1200mAh polymer lithium battery

Charging time: 3-5 hours

Working time: 3-8 hours

Lamp Size: 55*35*100mm (folded); 300*33*20mm (open)

Lamp Weight: 97g



LED Headlamp

Model: RC-H25047

Lamp body material: ABS
Color temperature (CCT): 6000 K (daylight mode)
Battery attribute: rechargeable battery
Charging port: USB
Color: Black
Functional characteristics: portable
Input voltage (V): 3.7V
Light source: side lighting
Product weight (kg): 0.13
Power: 5W
Voltage: 3.7V
Lumen XPG: Approximately 280 lumens



LED Headlamp



Model: RC-H21018

IP Rating: IP65
Lifespan (hours): 20,000
Power supply: rechargeable battery
Warranty period (years): 1 year
Color temperature (CCT): 6000 K (daylight mode)
Color rendering index (Ra): 90
Input voltage (V): DC 5V
Light source: LED
Lighting cycle (h): 10
Product weight (kg): 0.08
Battery: 1200mAh lithium polymer battery



LED Headlamp

Model: RC-H25037

Lamp body material: ABS
Service life (hours): 50,000
Power source: rechargeable battery
Warranty period (years): 1 year
Battery type: lithium-ion
Light source: light-emitting diode
Product weight (kg): 0.116
Product name: LED headlight
Function: Inductive switch
Battery: Built-in battery
Service life (hours): 50,000



LATERAL INDUCTION

RED LIGHT WARNING
ADJUSTING BRACKET
TYPE-C FAST CHARGE




LED Headlamp

Model: RC-H25007

IP Rating: IP44
Lamp body material: ABS
Lifespan (hours): 10,000
Warranty period (years): 1 year
Color Temperature (CCT): 6000K (Daylight Alert)
Lighting cycle (h): >12
Product weight (kg): 0.063
Power: 6.5W
Voltage: 3.7 volts
Charging time: 3.5 hours
Usage time: 4.5 hours
Dimensions: 60*52*33 mm
Weight: 67.8g



LED Headlamp



First gear:
LED strong light

Second gear:
LED low light

Third gear:
LED flash



Fourth gear:
COB strong light

Fifth gear:
COB low light

Model: RC-H25013

Material: ABS
Lamp beads: XPG+2*COB
Wattage: 5W
Function: Induction Function
CCT: 6500K-7500K
Battery: 800mAh
Charge mode: Type-C
IP Rate: IPX4
Lamp Size: 6*3*4.3cm
Lamp Gross Weight: 90.5g



LED Headlamp

Model: RC-H25051

Material: ABS
Lamp beads: SMD COB
Wattage: 5W
Lumen: 500 lumens
Function: Induction Function
CCT: 6500K-7500K
Battery: 18650 Lithium Battery
Charge mode: Type-C
IP Rate: IP44
Lamp Size: 14*5*2cm
Lamp Gross Weight: 129g



LED Headlamp

EXPLORE THE LIGHT OF NATURE

Light up the camping night





Model: RC-823S

Light source: Light-emitting diode
 Color Temperature (CCT): 6000K (Daylight Alert)
 IP Rating: IP44
 Material: ABS
 Warranty period (years): 1 year
 Lifespan (hours): 10,000
 Product weight (kg): 0.123
 Material: ABS
 Light-emitting diode: 3*COB LED chips
 Battery: 3*AAA batteries (not included)
 Power: 3W
 Lumen output: 200 lumens



Model: RC-824

Light source: Light-emitting diode
 Color Temperature (CCT): 6000K
 IP Rating: IP44
 Material: ABS
 Input voltage (V): 3.7 volts
 Operating temperature (°C): -10°C to 45°C
 Battery: 3*AA batteries (not included)
 Weight: 233g
 Work experience (hours): 100,000



Model: RC-C26073

Material: ABS

LED: COB light beads

Battery: 7-volt dry batteries (not included)

Brightness: 250 lms

Charging time: 5 hours

Usage time: 10 hours

Product size: 6.8*9.5 cm

Function: Dual light sources

Color: Black / Pink / Green



Simply pull up to your desired level
for the perfect amount of light.

25%
LOW LIGHT



50%
MEDIUM LIGHT



75%
HIGH LIGHT



100%
MAX LIGHT



SOLAR CHARGING PANEL INTOP

Solar charging and
Type-C charging dual function



CUSTOMIZABLE
BRIGHTNESS



NO SWITCHES
NO BUTTONS



EASY TO USE
BUILT TO LAST

COLLAPSIBLE & COMPACT DESIGN

EASY TO CARRY, ANYWHERE



FOLDABLE
HANDLE



LIGHTWEIGHT
& PORTABLE



COLLAPSIBLE
COMPACT SIZE



OPEN

CLOSED

LED Camping Lantern

Model: RC-C26074

Material: ABS

LED: COB light beads

Battery: 7-volt dry batteries (not included)

Brightness: 250 lms

Charging time: 5 hours

Usage time: 10 hours

Charging: 5V 1A

Charging interface: Type-C / Solar

Product size: 6.8*9.5 cm

Solar panel: Voltage 4 volts, current 35, power 0.1 watt



LED Camping Lantern

Model: RC-C25048

Color Temperature (CCT): 3500K (Warm White)

IP Rating: IP44

Material: ABS

Battery type: Lithium battery

Input voltage (V): 3.7 volts

Lifespan (hours): 10,000

Product weight (kg): 0.12

Operating temperature (°C): -25° to 45°

Power: 5W

Voltage: 3.7 volts

Working hours: Approximately 3 to 12 hours



FLUORESCENT VERSION

Nighttime fluorescence, a different ambiance when lights out



LED Camping Lantern

Two light modes

Touch to turn on, and press the switch button to adjust the illuminated mode Long press the stepless dimming



Model: RC-C25057

Light source: Light-emitting diode

Color Temperature (CCT): 3500K (Warm White)

IP Rating: IP44

Material: ABS

Lifespan (hours): 10,000

Product weight (kg): 0.16

Supports dimmer switch: Yes

Operating temperature (°C): -25° to 45°

Battery: 3000 mAh

Charging: Type-C rechargeable



LED Camping Lantern



meet different demands

One-click switch between different brightness levels



high light



middle light



low light

Battery capacity: 1000mAh ●
Color temperature: 2500 - 3500K ●

THREE LIGHTING MODES

Three levels of lighting + long-lasting battery life
warm without being dazzling

LED Camping Lantern

Model: C919

- Material: ABS + PC + Silicone
- Lumen: 70lm
- Function: Over-discharge protection: 2.65V
Overcharge protection: 4.2V
- CCT: 6500K-7500K
- Battery: 1000mAh
- Charge mode: Type-C
- Charging time: 3 Hours
- Working time: 7 Hours
- IP Rate: IP45
- Lamp Size: 8*4.2*14.8cm
- Lamp Gross Weight: 121.1g



LED Camping Lantern

Model: RC-1031

Light source: light-emitting diode

Color temperature (CCT): 6000K (daylight alert)

IP Rating: IP44

Materials: ABS

Input voltage (V): 3 volts

Service life (hours): 10000

Product weight (kg): 0.08

Operating temperature (°C): -25°~40°

Lumen: 600 lumen

Battery: 3*AAA batteries (not included)



Model: 8006

Color temperature (CCT): 6000 K (daylight mode)

Materials: ABS + PC

Color rendering index (Ra): 90

Input voltage (V): DC 5V

Lighting luminous efficiency (lm/w): 35 lm/w

Lifespan (hours): 50,000

Product weight (kg): 0.12

Operating temperature range (°C): -28~55

Power supply: 3W



LED Camping Lantern



Model: RC-C25049

Light source: light-emitting diode

Color temperature (CCT): 6000K (daylight alert)

IP Rating: IP54

Materials: ABS + PC

Warranty period (years): 1 year

Service life (hours): 50,000

Product weight (kg): 0.09

Operating temperature (°C): -20-55

Battery: 2 * AAA alkaline batteries

Size: 65*37 mm



LED Camping Lantern

Model: RC-C25030

Light source: light-emitting diode

Warranty period (years): 1 year

Certification: Ce

Color Rendering Index (Ra): 80

Input voltage (V): Dc 12V

Lamp luminous efficiency (lm/W): 100

Service life (hours): 50,000

Operating temperature (°C): -40 - 55



LED Camping Lantern



white SMD

yellow SMD

red SMD

red SMD

LED Camping Lantern

- Type-C charging
- 90° adjustable orientation
- Dual-control switch
- Soft and low-noise sound

Model: RC-C25068

Color Temperature (CCT): 6000K (Daylight Alert)

IP Rating: IP44

Warranty period (years): 1 year

Lifespan (hours): 10,000

Product weight (kg): 0.38

Operating temperature (°C): -25° to 45°

Materials: ABS + PP

Power: 3W

Lumen: 150 lumens

Battery: 1800mAh lithium-ion battery

Charging time: approximately 4-5 hours



LED Camping Lantern




High warm light



Medium warm light



Low warm light



Model: KT-788

Material: ABS

Lamp beads: 5730 Warm Light, 0.3W*26pcs

CCT: 6500K-7500K

Battery: 2000mAh*2, 18650 Lithium Battery

Charge mode: Type-C

Charging time: 8 Hours

Working time: 8 Hours

Lamp Size: 10.2*10.2*4.7cm

Lamp Gross Weight: 215.2g

LED Camping Lantern



The independent switch can be controlled with one click, and the battery level is clearly displayed.

charging port

switch

electric quantity display

Model: RC-L46

Material: ABS+AS

Lamp beads: LED

Wattage: 5W

Lumen: 30-230lm

CCT: 6500K-7500K

Battery: 1800mAh, 18650*1 Lithium Battery

Charge mode: Type-C, 5V 1A

IP Rate: IP44

Lamp Size: 3.8*3.8*22.7cm

Lamp Gross Weight: 195g



LED Camping Lantern



Model: KXK-K3

Material: ABS+PC
 Lamp beads: 2835 White/Warm
 Wattage: 10W
 Lumen: 500lm
 CCT: 6500K-7500K
 Battery: 4000mAh, 21700*1 Lithium Battery
 Charge mode: Type-C, 5V 2A
 Charging time: 4.5 Hours
 Working time: 10 Hours
 IP Rate: IP44
 Lamp Size: 5.5*3.4*9cm
 Lamp Gross Weight: 165g



LED Camping Lantern

INTELLIGENT ENDLESS DIMMING FREE CONTROL OF BRIGHTNESS

Press for three seconds to open
 and press for three seconds to close
 Tap to switch lights, 4 types of warm light
 and 4 types of cold light



Model: RC-C23026

Model number: RC-C23026
 Material: Aluminum alloy + PC
 Lamp beads: LED
 Lumen: 200lm
 Function: Stepless dimming
 CCT: 6500K-7500K
 Battery: 2000mAh, 18650*1 Lithium Battery
 Charge mode: Type-C
 Lamp Size: 10.5*4.3*2.6cm
 Lamp Gross Weight: 163.8g



LED Camping Lantern



Model: RC-C21012

Material: ABS
 Lamp beads: LED
 Wattage: 5V
 Lumen: 300 lumens
 Function: Stepless dimming
 CCT: 6500K-7500K
 Battery: Built-in 18650 lithium battery
 Charge mode: Type-C
 IP Rate: IP44

LED Camping Lantern



TYPE-C

3*AA battery (not included)



Model: RC-C21012

Material: ABS
 Lamp beads: LED
 Lumen: 300 lumens
 CCT: 6500K-7500K
 Battery: 3*AA battery(not included)
 IP Rate: IP44
 Lamp Weight: 350g

LED Camping Lantern

Stepless dimming, adjust brightness as desired

Adjust from dim to bright, from warm to white



Model: RC-C24007

Material: ABS + PC + Metal

Lamp beads: Ceramic COB (3pcs), White Light LED (9pcs)

Wattage: 3W

Lumen: 20-260lm

CCT: 6500K-7500K

Battery: 1200mAh*2, 18650 Lithium Battery

Charge mode: Type-C, 5V 1A

IP Rate: IP44

Lamp Size: 10.8*10.8*18cm

Lamp Gross Weight: 588.3g



LED Camping Lantern

Infinitely Dimmable Mode

Long press on the switch to turn on the infinitely dimmable, the brightness of free control



Model: RC-824

Light source: LED

Color temperature (CCT): 6000K (daylight mode)

Materials: ABS

Warranty period: 1 year

Input voltage (V): 3.7V

Lifespan (hours): 10,000 hours

Operating temperature range: -25°C to 45°C

Maximum output current: 1.4A

Charging time: 4-5 hours

Size: 5*4.8 * 102cm

Weight: 158g



LED Camping Lantern

Model: RC-C25011

Color Temperature (CCT): 3500K (warm white),
6000K (daylight alert)
IP Rating: IP44
Material: ABS
Warranty period (years): 1 year
Lifespan (hours): 10,000
Lighting Solutions Services: Lighting and Circuit Design
Product weight (kg): 0.31



Model: RC-C26070


Material: Nylon
Light Source: LED
Color Temperature: 6500K-7500K
Battery: 3 AAA batteries (not included)
Protection Index: IP44
Product Weight: 230g
Lamp Life: 10000 hours
Installation Method: Magnet
Working Temperature: -25°C~45°C



LED Camping Lantern

Compact design

Compact design, easily integrated into various spaces.



Model: HZ-K03


Material: ABS + PVC
Lamp beads: LED
Wattage: 3W
CCT: 6500K-7500K
Battery: 1200mAh
Charge mode: Type-C
Charging time: 3 Hours
Working time: 11 Hours
IP Rate: IP44
Lamp Size: 8.7*8.7*17.7cm
Lamp Gross Weight: 238.6g



LED Camping Lantern

Model: RC-C25050

Color rendering index (Ra): 50
Input voltage (V): 3.7V
Lamp body material: ABS
Luminous efficacy (lm/w): 90 lm/w
Luminous Flux (lm): 500 lm
Working hours: 30000
Operating temperature (°C): -20-6
Charging time: 1-2 hours
Weight: 36G (product weight)
Size: 101* 55MM



LED Camping Lantern



Life waterproof



Stepless dimming



usb charging



Portable hook



High

Medium

Low



LED Solar Light

Model: A01 A02 A03

Charging method: TYPE-C/Solar

Material: Plastic

Wattage: 1W

Lumen: 50-60lm

Function: The three levels-high, medium and low

Battery: 400mAh 14500 lithium battery

CCT: 2700K

Lamp size: 59*34*54cm

Weight: 12.5kg



LED Solar Light

Model: RC-C25052

Light source: Light-emitting diode

Color Temperature (CCT): 3500K (Warm White)

IP Rating: IP44

Material: ABS + PC

Warranty period (years): 1 year

Input voltage (V): 3.7 volts

Lifespan (hours): 10,000

Product weight (kg): 0.062

Supports dimmer switch: Yes

Operating temperature (°C): -25° to 45°

Power: 3W

Voltage: 3.7 volts



**RETRO AESTHETICS
SKILLED IN CREATING
ATMOSPHERE**



LED Solar Light

solar battery charging

Sunlight is like a power bank. You can enjoy outdoor activities without worrying about battery life.



solar battery charging



LED Solar Light



Model: 888

Color temperature (CCT): 6000K (daylight alert)

IP Rating: IP65

Materials: ABS + PC

Light source: light-emitting diode

Warranty period (years): 1 year

Beam angle (°): 180

Input voltage (V): DC 6 volts

Lamp luminous efficiency (lm/W): 100

Lamp size: 14.4 * 14.9 * 4.7 mm

Service life (hours): 50,000

Product weight (kg): 0.3



Model: V60

IP Rating: IP65

Materials: ABS

Luminous body: LED

Power source: solar energy

Warranty period (years): 1 year

Color Rendering Index (Ra): 80

Lifespan (hours): 50,000



LED Solar Light



Smart Sensor

Outdoor Waterproof

Solar Energy

LED Solar Light



LED Solar Light

Model: RC-S2411

Material: ABS plastic
 Lamp beads: LED
 Function: Waterproof, solar light
 CCT: 6500K-7500K
 Battery: 800mAh and 2500mAh
 Lamp Weight: 450g
 Warranty period (years): 1 year
 Installation: wall bracket
 Service life (hours): 10000




Model: RC-C25023

IP Rating: IP65
 Warranty period (years): 2 years
 Color temperature (CCT): 6500 K-7000 K
 Light source: LED
 Power source: solar energy
 Beam angle (°): 120
 Lighting efficiency (lm/w): 100
 Lifespan (hours): 50000
 Product weight (kg): 0.2
 Operating temperature (°C): -20 - 40
 Materials: Aluminum alloy + PC lens

LED Solar Light



Solar-Powered



Model: RC-SW04

Material: ABS+PC

Power: 5W

Voltage: 3.7V

Charging Time: 8 hours

Working Time: 6-9 hours



Model: RC-SW04

Material: ABS

Lamp beads: LED

Wattage: 5W

Lumen: 100-1000 lumens

Function: Portable

CCT: 6500K-7500K

Battery: 1.2V 600mAh

Charge mode: Solar Charge

Charging time: 8 hours

Working time: 6-9 hours

IP Rate: IP44

Lamp Size: 12.6*12.6*24.5cm

Lamp Gross Weight: 411.9g(2pcs)



LED Solar Light

LED Solar Light



Model: RC-S828

Material: ABS + PC

Light source: 36*0.2 watts 2835 white light
100*0.2W 2025 LED chip

Battery: 18650-2000mAh 7.4WH

Functions:

1. Single channel white light, 100% brightness
2. Second gear, RGB color light, 100% brightness.
3. Three-speed string lights with warm colored light, flowing water effect, and flashing
4. Four-position front lights, 2835 white light + RGB string lights, 100% brightness.

Product dimensions: Height 4 cm, Diameter 12 cm

Product weight: 249g



LED Solar Light



LED Solar Light



Model: YD-2334

Material: ABS + PC

Light source: Front light P35*1, high-quality white light, 3 watts

Side light 100*0.2 watts 2385 high-quality white light

Battery: 21700-3000mAh lithium battery

Functions:

1. Headlights: 100% illuminated, side lights: 100% illuminated; side lights: 50% illuminated.
2. When solar charging is in progress, the red indicator light will be on; when data cable charging is in progress, the red indication light will be on; when fully charged, the green indicator light will be on

Product weight: 366 grams



LED Solar Light



LED Solar Light

CLIP ON SOLAR LIGHTS OUTDOOR



Model: JB-2568

Material: ABS
 Power: 5W
 Voltage: 3.7V
 Lumen: 100lm
 Battery: 14500(400mAh)
 Charging method: USB and Solar
 Charging time: About 5-7 hours
 Working time: About 4-12 hours
 Light mode:
 1. White light mode,
 2. White light mode,
 3. White light mode,
 4. Mosquito lamp always on at night
 Function: Mosquito repellent



LED Solar Light

Model: JX-2569

Light source: light-emitting diode
 Color temperature (CCT): 6000K (daylight alert)
 IP Rating: IP44
 Materials: ABS
 Warranty period (years): 1 year
 Input voltage (V): 3.7 volts
 Service life (hours): 10000
 Product weight (kg): 0.125
 Operating temperature (°C): -25°~40°
 Lumen: 100 liters
 Battery: 14500(400mAh)



LED Solar Light



Model: RC-C25005

Color temperature (CCT): 6000 K (daylight alert)

IP Rating: IP44

Materials: ABS

Warranty period (years): 1 year

Beam angle (degrees): 120

Service life (hours): 10000

Product weight (kg): 0.3

Operating temperature (°C): -20 - 50



Intelligent light control

Human body induction



Model: RC-C25006

Color temperature (CCT): 6000 K (daylight alert)

IP Rating: IP65

Materials: ABS

Warranty period (years): 1 year

Service life (hours): 10000

Product weight (kg): 0.16

Operating temperature (°C): 25 - 50



Automatically turn off the
lights during the day



Automatic lighting

LED Solar Light

LED Solar Light

Model: JB-360-2

Light source: LED

Protection class: IP44

Materials: ABS + PC

Lifespan (hours): 50,000

Product weight (kg): 0.515

Dimensions: 202* 202*50mm

Charging time: 7-8h

Discharge time: 4-10h



LED Solar Light



Model: TX-200

Material: ABS

Lamp beads: 5630 Lamp Beads

Lumen: 100-1000lm

Function: Rechargeable, portable

CCT: 6500K-7500K

Battery: 3.7V 1200mAh

Charge mode: Solar Charge

IP Rate: IP55

Lamp Size: 20*11*12.5cm

Lamp Gross Weight: 208.8g



LED Solar Light



Model: GSH-9299

Material: ABS
 Lamp beads: LED
 Wattage: 5W
 Lumen: 500lm
 Function: electric fan
 CCT: 6500K-7500K
 Battery: 1500mAh
 Charge mode: Solar Charge/Type-C
 IP Rate: IP44
 Lamp Size: 10*10*18cm
 Lamp Gross Weight: 384.8g

Model: RC-827

Material: ABS
 Lamp beads: LED
 CCT: 6500K-7500K
 Battery: Lithium battery
 IP Rate: IP44
 Lamp Weight: 300g
 Type-C charging
 With 1pc 1200 mAh 18650 Li-ion battery
 2 lighting modes: Flashlight & camping light
 Size: 90*90*200mm
 Camping light: About 3~4h
 Flashlight: About 6h



LED Solar Light



LED Solar Light

Super Brightness



High Conversion Rate: 24%

Solar Charging Time: 6-8 Hours



Model: RC-C26069

Material: ABS+PC

Lamp beads: 0.2W SMD*92pcs

Lumen: 100-1000 lumens

Function: Easy to install

CCT: 6500K-7500K

Battery: 3.7V 1500mAh 18650*1 Lithium Battery

Charge mode: Solar Charge

IP Rate: IP65

Lamp Size: 16*9*40cm

Lamp Gross Weight: 410g



LED Solar Light



LED Solar Light

QUIET READING TIME

Let the light be a gentle companion for reading





Model: GH-8

Color Temperature (CCT): 6000K (Daylight Alert), 3000K

Lamp body material: ABS + silicone

Power source: Battery

Warranty period (years): 1 year

Input voltage (V): 5V

Lifespan (hours): 10,000

Packaging dimensions: 20*14*4 cm

dimensions: 250*160*30 mm

Product weight (kg): 0.17

Operating temperature (°C): -15 to 45

LED Reading Light



Model: GH-9

Color temperature (CCT): 3000~ 6000K

Warranty period (years): 1 year

Color rendering index (Ra): 85

Input voltage (V): 3.7V

Lifespan (hours): 50,000

Light source type: LED

Packaging size: 133*33*200mm

Product size: 25 * 16 * 3cm

Product weight (kg): 0.15

Materials: ABS + metal + silicone

Operating mode: high-medium-low

Working hours: 10 hours



LED Reading Light

Model: GH-10

Color temperature (CCT): 3000~ 6000K

Warranty period (years): 1 year

Color rendering index (Ra): 85

Input voltage (V): 3.7V

Lifespan (hours): 50,000

Light source type: LED

Packaging size: 133*33*200mm

Product size: 25 * 16 * 3cm

Product weight (kg): 0.15

Materials: ABS + metal + silicone

Operating mode: high-medium-low

Working hours: 10 hours



LED Reading Light

Model: CS-X31

Power: 0.6W

Lumen: white light 16 lumen, orange light 10 lumen, mixed light 24 lumen

Color Rendering Index: 85 CRI+

Battery capacity: 400mAh (model 60204)

Switch function 15-position switch:

White light, slightly bright - low brightness - medium brightness -
high brightness - super bright

Orange light - low light - medium light - high light - super bright

Mixed light, slightly bright-low bright-medium bright-high bright-super bright

Charging input: 5V-50mAh

Lighting time: 5H ~ 50H

Charging time: 2.5H~ 3.5H

Materials: ABS + PC + metal hose

Product weight: 50g



LED Reading Light

Portable&Lightweight USB Rechargeable LED Neck Lamp



Model: RC-W25046

Material: ABS

Light source: 3535 LED chip

Battery: 14500, 500 mAh

Functions: High brightness mode (1),
200 lumens; Low brightness mode (2),
120 lumens; Off mode (3)

Packaging: Packaging display box with PP strap

Accessory: Adhesive patch with a magnet

Product dimensions: 26 cm long, 13 cm wide, 3.5 cm high

Product weight: 142g



LED Reading Light



Model: RC-W2534

Material: ABS+PS+PP

Product dimensions: 220*110*33mm

Type of illumination: SMD focused lighting

Net weight of the product: 122.5g

LED Type: 3535LED

Operating voltage: 3.7V

Power: 1.4W


Product Function:

Touch Switch OFF - High-end Low-end Setting



LED Reading Light

FLEXIBLE GOOSENECK DESIGN



Model: RC-W25047

Material: Aluminum alloy + Rubber

Light Emitting Diodes (LEDs): 2 x P50 LEDs

Battery: 800mAh

Color: Black casing, green button

Dimensions and weight:

70.5 cm x 2.5 cm, 194 g

Function mode: LED high brightness –

LED low brightness – turn off



LED Reading Light



LED Reading Light



Model: RC-C25061

Material: ABS

Battery: Built in 1pc 230mAh Polymer
Lithium-ion Battery

Power Supply Method: Type-C

Light color: Warm light

Weight: Approximately 55 grams.

Battery life: 3-40 hours


Attached is a metal sheet 0.4 millimeters thick

Function: Blue light filtering, eye protection

Magnetic adsorption

LED Reading Light

Innovative light-emitting structure



Light-absorbing
cover to
absorb excess glare

Multiple high color
rendering
lamp beads

Large capacity
polymer battery

Even light mask,
even lamp bead light

LED Reading Light

Model: RC-W25062

Battery: 300mAh

Material: ABS&Silicone rubber

Magnification: 3x

Power: 0.5W

Endurance: 3h

Light: 3-color

Weight: 270g


Silicone length: 61cm

COLOR BOX: 225mm*183mm*32mm

Frame size: 203mm*173mm*15mm



LED Reading Light



Model: YT-82306

Materials: ABS

Battery: 3*AAA Battery(not included)

Color temperature (CCT): 4100 K


Warranty period (years): 1 year

Lifespan (hours): 1000


Product weight (kg): 0.08

Operating temperature (°C): -25 - 50

Power supply: 5W



LED Reading Light



Model: CS-X6

Lumen: white light 16 lumen, orange light 10 lumen, mixed light 24 lumen

Color Rendering Index: 90 CRI+

Battery capacity: 500mAh (model: 50304)

Switch function 9-position switch:

White light High-end-Mid-range-Low-end-Off

Orange light High-end-Mid-range-Low-end-Off

Mixed light High-end-Mid-range-Low-end-Off

Charging input: 5V-50mAh

Lighting time: 5H ~ 50H

Charging time: 3H~4H

Materials: ABS engineering material + PC material + metal soft tube

Product weight: 55.5g (naked lamp)

LED Reading Light



Model: CS-X8

Color temperature 3 colors: white light, orange light, mixed light

Lumen: white light 14 lumen, orange light 10 lumen, mixed light 20 lumen

Color Rendering Index: 90 CRI+

Battery capacity: 400mAh

Switch function 9-position switch:

White light Low-Medium-High-Off

Orange light Low-Medium-High-Off

Mixed light Low-grade-medium-grade-high-grade-off

Charging input: 5V-50mAh

Materials: ABS engineering material + PC material + metal soft tube

Product weight 55g (naked lamp)

LED Reading Light



Model: CS-X9

Color temperature 3 colors: white light, orange light, mixed light
Lumen: white light 10 lumen, orange light 10 lm, mixed light 20 lm
Color Rendering Index: 90 CRI+
Battery capacity: 400mAh
Switch function 9-position switch:
White light Low-Medium-High-Off
Orange light Low-Medium-High-Off
Mixed light Low-grade-medium-grade-high-grade-off
Charging input: 5V-50mAh
Lighting time: 6H ~ 63H
Charging time: 2.5H~ 3.5H



Materials: ABS engineering material + PC material + metal soft tube
Product weight: 47g (naked lamp)



LED Reading Light

Model: CS-X18

Color temperature 3 colors: white light, orange light, mixed light
Lumen: 1.6-1.85 lumen
Color Rendering Index: 90 CRI+
Battery capacity: 500mAh (model 90203)
Charging input: 5V-50mAh
Lighting time: 8H ~ 80H
Charging time: 2.5H~ 3.5H
Materials: ABS + PC + metal sheet
Product weight: 39g



LED Reading Light



Model: RC-X20H (High configuration)

Lumen: 1.6-1.85 lumen

Color Rendering Index: 90 CRI+

Battery capacity: 500mAh (model 70204)


Charging input: 5V-50mAh

Lighting time: 10H ~ 100H

Charging time: 2.5H~ 3.5H

Materials: ABS + PC + metal sheet

Product weight: 45g



Model: RC-X20L (Low-end)

Color temperature 3 colors: white light, yellow light, mixed light

Lumen: 1.6-1.85 lumen

Switch function 15-position switch:

White light, slightly bright - low brightness -
medium brightness - high brightness - super bright

Orange light - low light - medium light -
high light - super bright

Mixed light, slightly bright-low bright-medium
bright-high bright-super bright

Charging input: 5V-50mAh

Lighting time: 4H ~ 30H

Charging time: 1.5 H~ 2 H

Materials: ABS + PC + metal sheet

Product weight: 43g





LED Reading Light

LED Reading Light



SAFE and VISIBLE

super bright set of front & rear bike lights



Model: RC-313

Type: Rear light

Origin: Zhejiang, China

Specification: 23*31 mm

Power source: Battery

Model number: RC-313

Sales unit: Individual item

Gross weight per item: 0.150 kg

Single package dimensions: 14X7X4 cm



LED Bicycle Light

Model: RC-F21030

Material: ABS + PC

Light Emitting Diode (LED) + SMD (red/blue)

Battery: Built-in 800mAh polymer lithium battery

Charging time: 3 hours

Working hours: 1-2 hours

Product dimensions: 7*2.5 cm

Product weight: 22g



LED Bicycle Light