

ONE-STOP PORTABLE LIGHTING SOLUTIONS

Over **55** years experience ODM, JDM and OEM manufactory



DONGGUAN ATOZ ELECTRONIC TECHNOLOGY CO., LTD.

Dongguan Factory

Dong Guan ATOZ Electronic Technology Co., Ltd.

25 Si Li Nan Road, DaPing Industrial District, Tangxia Town, Dongguan, China

+86-769-8200 1800

+86-769-8201 6600

sales@fly-dragon.com

Hongkong Company

Flying Dragon Development Co., Ltd.

Unit B, 6/F., Unison Industrial Centre, 27-31 Au Pui Wan Street, Fo Tan, N.T, H.K.

+852-2556 0141

+852-2897 0179



Scan to visit
our website



DONGGUAN ATOZ ELECTRONIC TECHNOLOGY CO., LTD.

www.fly-dragon.com



55 years

Over 55 years experience ODM,
JDM and OEM manufactory

15,000 M²

15,000 M² of production
plant

5M PCS

Over 5 millions PCS annually
production capacity

COMPANY PROFILE


Specialize in developing and manufacturing portable lighting products, which are widely used in outdoor activities, emergency, leisure living and special work conditions. The product covers bicycle lights, work lights, flashlights, camping lights, head lights and ambient lights etc.

Flying Dragon Development Limited has succeeded established long-term partnership with Fortune 500 and lighting benchmark companies, committed to provide customers with high quality products and excellent service.



**LEADER OF
LIGHTING SYSTEM SOLUTIONS**

VISION



CONTENTS

01 Bicycle Light



07 Work Light

13 Flashlight



Camping Light 21

Head Light 27



Ambient Light 33



BICYCLE LIGHT

- Super high brightness, up to 1500 lm.
- Extended runtime, up to 10hrs.
- Easy release, plug and play.
- Multi-modes, slim and smart.





Extended runtime
up to 10hrs



High brightness
up to 1500lm



Low battery alert



Waterproof & dust proof
IPX4-IP66



Auto ON & OFF

HOT  OS-0064	HOT  OS-0199	 OS-0198	 OS-0193	 OS-0063
 OS-0062	 OS-0195	HOT  OS-0060	HOT  OS-0065	 OS-0059
 OS-0196	 OS-0057			

OS-0060

- Self-reflecting
- Multi modes
- G-sensor responding



	 ABS	 Ø33 * 25mm
	 White SMD LED * 12PCS + Red SMD LED * 12PCS	 40g
	 30 Lumens	 IPX4
	 PET battery 250mAh	 High > Middle > Low > Slow flash >
	 3 - 5 hours	 Double Flashing > Fast flashing

OS-0065

- Self-reflecting
- Multi modes



	 ABS+PC	 69 * 20mm
	 SMD LED * 5PCS	 29g
	 35 Lumens	 IPX4
	 PET battery 300mAh	 Four lighting modes
	 3 - 5 hours	

OS-0064

HOT



 ABS+Aluminum	 110 * 30.5 * 37.5mm
 P50 LED	 165g
 500 Lumens	 IPX4
 PET battery 1800mAh	 High > Middle > Low > Slow strobe >
 2 - 8 hours	 Quick Strobe


OS-0199

HOT



 Alumium	 102 * 26 * 28.5mm
 3535 High Power LED	 125g
 1000 Lumens	 IP64
 18650 1200mAh	 Click: High > Medium > Low > OFF
 3 - 10 hours	 Double click: Strobe > Slow strobe > SOS > OFF





OS-0198		
	Aluminum + PC	28 * 28 * 110mm
	10W 3535 High power LED	171g
	1000 Lumens	IP65
	18650 2000mAh	Click: High > Medium > Low > OFF
	3 - 10 hours	Double click: Strobe > Slow strobe > SOS > OFF

OS-0193		
	PC	70 * 40 * 25mm
	5050 High power LED	98g
	300 Lumens	IP63
	PET battery 2200mAh	Single click: High > Middle > Low > OFF
	2-6 hours	Double click: Strobe flash > Slow strobe > SOS > OFF

OS-0063		
	Aluminum + ABS	112 * 33.3 * 46.3 mm
	P50 LED	230g
	1000 Lumens	IPX4
	18650 2000mAh * 2PCS	High > Middle > Low > Slow strobe >
	3 - 6 hours	Quick strobe

OS-0062		
	Aluminum + ABS	110 * 34 * 30.4mm
	P50 LED	160g
	600 lumens	IPX4
	18650 3000mAh	High > Middle > Low > Slow strobe >
	2.5 - 5 hours	Quick strobe

OS-0195		
	PC	105 * 48 * 29mm
	5050 High Power LED * 2PCS	126g
	300 Lumens	IP63
	18650 2000mAh * 2PCS	Single click: High > Medium > Low > OFF
	4 - 16 hours	Double click: Strobe > Blink > SOS > OFF

OS-0059		
	ABS	Ø32 * 32 mm
	White LED * 16PCS + Red LED * 16PCS	37g
	75 Lumens	IPX4
	PET battery 250mAh	High > Middle > Low > Slow flashing >
	1.5 - 5 hours	Double flashing > Fast flashing

OS-0196		
	Aluminum +PC	40 * 22mm
	SMD RED LED * 16PCS	24g
	15 Lumens	IP65
	PET battery 300mAh	Flow > Breathing > Brightening > Flash > OFF
	2.5 - 16 hours	

OS-0057		
	ABS + PC	52 * 35 * 24 mm
	XPE * 2PCS + 2835 Red LED * 4PCS	660g
	200 Lumens	IPX4
	PET battery 600mAh	White light high > Middle > Low red light >
	3 - 9 hours	Fast flash > Slow flash



WORK LIGHT

- Compact design, multi purpose & easy carry.
- Multi lamp source, more application scenario.
- Built-in magnet, place and play.
- Extended runtime, no battery anxiety.



Extended runtime
up to 10hrs



High brightness
up to 3000lm



Impact resistant
1M-2M




Waterproof & dust proof
IPX4-IP66



Built-in magnet



IN/OUT 2 in 1



NEW



OT-100



WL-200

HOT



WL-400

HOT



WL-1010



WL-3100D



OS-0032



OS-0189



OS-0030




OS-0162



OS-0030



OS-0041



OS-0156



OS-0040



OS-0144



OS-0182

OT-100



	 ABS + PC	 96 * 58 * 30mm
	 3535 + 2835 * 7PCS+ Red & Blue LED	 150g
	 30 - 450 Lumens	 IPX4
	 14500 500mAh + 21700 4000mAh	 Body: High > Mid > Low > Red & Blue flash
	 7 - 28 hours	Flashlight: High > Low > Flash

WL-200

	 ABS	 131 * 48 * 57mm
	 COB LED	 135g
	 60 - 350 Lumens	 IPX4
	 AA * 4PCS	 High > Medium > Low > OFF
	 10 - 70 hours	

WL-400

	 ABS + IRON	 138.1 * 34.5 * 26.6mm
	 Cree 3030 White LED + COB LED	 51g
	 30 - 550 Lumens	 IPX4
	 AA * 4pcs	 COB high > COB Low > Spot
	 7 - 60 hours	

WL-1010

	 PC + ABS	 132 * 33.3 * 28.5mm
	 COB LED	 53g
	 160 Lumens	 IP54
	 AA * 2PCS	 On / OFF
	 5 - 20 hours	

WL-3100D

	 ABS	 150 * 34.5 * 29.5mm
	 COB + CREE 3030 LED	 72g
	 130 - 235 Lumens	 IPX4
	 AA * 2PCS	 Spot > COB Low > COB High
	 10 - 31 hours	

OS-0032

	 PC	 96 * 32 * 18mm
	 SMD white LED + red & blue LED	 38g
	 100 - 200 Lumens	 IPX4
	 PET battery 400mAh	 Spot light: 1 LED high > Low, 2 LEDs high > Low
	 4 - 8 hours	Side light: White light > Red & Blue flash

OS-0189

	 ABS	 35 * 81 * 20mm
	 COB LED	 45g
	 180 Lumens	 IPX4
	 PET battery 1000mAh	 Short > High > Middle > OFF
	 5 - 8 hours	Long > High > Low > Flash > Alert > OFF


OS-0030

	 ABS	 23 * 40 * 70mm
	 1W LED * 2PCS+Red & Blue led	 80g
	 400 Lumens	 IPX4
	 PET battery 1000mAh	 High light > Low light > High light >
	 4 - 10 hours	Low light > Red > Red&Blue strobe

OS-0162		
	 ABS + Metal	 57 * 37 * 20mm
	 XTE LED * 2PCS + COB LED * 4PCS + Red LED + Blue LED	 44g
	 20 - 240 Lumens	 IPX4
	 PET battery 750mAh	 Button1:Flashligh > High > Middle > Low > OFF
	 3.5 - 10 hours	Button2:Sidelight > High > Low > Flash > OFF

OS-0030		
	 ABS	 36 * 51 * 128mm
	 SMD LED	 113g
	 200 Lumens	 IPX4
	 18650 1500mAh	 Spot LED high > Low > White Area SMD >
	 3 - 8 hours	Warm > Red > Red flash


OS-0041		
	 ABS + PC	 115 * 83 * 30mm
	 Red * 4PCS + Blue * 4PCS + White * 56PCS + Yellow * 48PCS	 185.5g
	 950 Lumens	 IPX4
	 18650 2000mAh * 2PCS	 Low > Middle > High > Red >
	 5 - 30 hours	Red&Blue strobe > OFF

OS-0156		
	 ABS	 148.4 * 39 * 106mm
	 COB LED	 300g
	 1100 Lumens	 IP54
	 18650 2200mAh * 2PCS	 Low > Middle > High > OFF
	 3 - 5 hours	

OS-0040		
	 ABS	 50 * 35 * 30mm
	 Warm * 45PCS + White * 45PCS + Red SMD * 8PCS	 202g
	 800 Lumens	 IPX4
	 PET battery 5000mAh	 Left switch: White > Warm > White + Warm >
	 8 - 12 hours	Red strobe

OS-0144		
	 ABS	 141 * 100 * 30mm
	 COB LED	 300g
	 2000 Lumens	 IPX4
	 18650 2200mAh	 Spot light > COB Low light > Middle light >
	 2 - 24 hours	High light

OS-0182		
	 ABS	 48 * 48 * 173mm
	 SMD LED	 155g
	 180 Lumens	 IP54
	 18650 1200mAh	 1.Flashlight: High > Low > Flash
	 3 - 5 hours	2. Area light: White > Warm > Orange > OFF





FLASHLIGHT

- Super high brightness, up to 3000lm.
- Long beam distance, easy to exceed 500m.
- Zoomable, no matter far or close.
- Compact and light weight, easy to carry.



Long beam distance
up to 500M



High brightness
up to 3000lm



Zoomable



Waterproof & dust proof
IPX4-IP66



Easy to carry



NEW  FL-4800-3AA	NEW  FL-4800 Rechargeable	NEW  FL-3405	NEW  FL-3401	 FL-3402	NEW  FL-3403	NEW  FL-3404
HOT  TR-069	 OS-0027	HOT  OS-0047	 OS-0218	 OS-0219	 OS-0223	 OS-0224
 OS-0221	 OS-0222	 OS-0217	HOT  OS-0226	 OS-0073	 OS-0072	 OS-0225
 OS-0161	 OS-0038	 OS-0050	 OS-0126			

FL-4800-3AA		
NEW 	 ABS	 110 * 36.9 * 34.5mm
	 White LED	 42.6g
	 90 - 180 Lumens	 IP44
	 AA * 3PCS	 High > Low > Flash > OFF
	 2 - 6 hours	

FL-4800-Rechargeable		
NEW 	 ABS	 110 * 36.9 * 34.5 mm
	 3535 White	 58.1g
	 120 - 220 lumens	 IP44
	 PET battery 800mAh	 High > Low > Flash > OFF
	 1.5 - 3.5 hours	

FL-3405		
NEW 	 Aluminum	 Ø32 * 156.8mm
	 3535 LED	 177g
	 1000 Lumens	 IP44
	 18650 2600mAh	 Zoom in to Zoom out by turning;
	 4.5 - 8.5 hours	High > Low > Strobe

FL-3401		
NEW 	 Aluminum	 Ø24 * 95mm
	 White 2525 LED	 71.2g
	 60 - 180 Lumens	 IP44
	 AA * 1PCS	 Zoom in to Zoom out by turning; On > OFF
	 1.5 - 11 hours	

FL-3402		
	 Aluminum	 Ø24 * 145mm
	 SMD LED	 68g
	 45 - 160 Lumens	 IP44
	 AA * 2PCS	 Zoom in to Zoom out by turning;
	 8 - 36 hours	High > Low > Strobe



FL-3403		
NEW 	 Aluminum	 Ø35 * 126mm
	 SMD LED	 124g
	 110 - 400 Lumens	 Ip54
	 AA * 3PCS	 Zoom in to Zoom out by turning;
	 1.5 - 63 hours	High > Low > Strobe

FL-3404		
NEW 	 Aluminum	 Ø35 * 126mm
	 3535 LED	 124g
	 250 - 600 Lumens	 Ip54
	 AAA * 4PCS	 Zoom in to Zoom out by turning;
	 1 - 3.5 hours	High > Low > Strobe

TR-069		
HOT 	 ABS	 125 * 76.3 * 51.8mm
	 Cree XPG3 S3 XPGDWT	 157g
	 50 - 200 Lumens	 IP54
	 AA * 3PCS or AAA * 3PCS	 High > Low > OFF
	 18 - 60 hours	

OS-0027		
	 ABS + Aluminium	 190 * 47 * 35mm
	 30W LED + COB LED + XHP99 LED + COB LED	 304g
	 800 Lumens	 IPX4
	 18650 2000mAh	 Main: High > Middle > Low > Strobe
	 2.5 - 20 hours	Tall: Warm high > Low white > High > Low

OS-0047		
HOT 	 Aluminium	 164 * 47 * 34mm
	 White Laser	 287g
	 300 - 1000 Lumens	 IPX4
	 18650 2500mAh	 High mode > Middle mode > Low mode > SOS
	 1.5 - 5 hours	

OS-0218		
	 Aluminum	 126.5 * 44.5 * 23mm
	 3535 LED * 6PCS + 5050 LED	 94g
	 330 - 3000 Lumens	 IP54
	 18350 1100mAh	 High > Med > Low > Strobe > SOS
	 2 - 5 hours	

OS-0219		
	 Aluminum	 126.6 * 44.5 * 23mm
	 3535 LED * 6PCS + 5050 LED	 120g
	 3000 Lumens	 IPX5
	 18650 1800mAh	 High > Med > Low > Strobe > SOS
	 1.5 - 8 hours	

OS-0223		
	 Aluminum	 37 * 26 * 153.2mm
	 Osram LED P8 - N8	 147.5g
	 800 Lumens	 IPX4
	 18650 2000mAh	 High > Medium > Low > Strobe > SOS
	 1.5 - 6 hours	

OS-0224		
	 Aluminum	 43 * 29 * 162.2mm
	 Luminus SST40	 147.5g
	 1500 Lumens	 IPX4
	 21700 3000mAh	 High > Medium > Low > Strobe > SOS
	 2 - 10 hours	

OS-0221		
	 Aluminum	 38.5 * 26.5 * 146.5mm
	 5050 LED	 169g
	 1150 Lumens	 IPX4
	 18650 2000mAh	 Turbo > High > Medium >
	 3 - 10 hours	Low > Strobe > SOS

OS-0222		
	 Aluminum	 26 * 21.5 * 103.8mm
	 5050 LED	 73.2g
	 200 - 800 Lumens	 IPX4
	 14500 750mAh Compatible with 1AA	 High > Medium > Low > Strobe > SOS
	 1.5 - 8 hours	

OS-0217		
	 Aluminum	 37 * 27.5 * 134mm
	 3535 LED * 3PCS + 5050 LED	 143.3g
	 160 - 430 Lumens	 IP65
	 18650 1200mAh	 High > Med > Low > Strobe > SOS
	 3 - 10 hours	

OS-0226		
HOT 	 Aluminum	 18 * 18 * 135mm
	 Samsung LH351D	 58.6g
	 120 - 700 Lumens	 IPX6
	 14500 750mAh	 High > Medium > Low > Moon
	 2 - 10 hours	

OS-0073		
	 Aluminum	 Ø142 * 18mm
	 COB LED	 44g
	 190 Lumens	 IPX4
	 AAA * 2PCS	 High > Middle > Low > COB > OFF
	 2 - 10 hours	

OS-0072		
	 Aluminum	 Ø135 * 15mm
	 Cree XPG3 S3 XPGDWT	 45g
	 80 Lumens	 IPX4
	 AAA * 2PCS	 On > OFF
	 3 - 10 hours	

OS-0225		
	 Aluminum	 15 * 15 * 134.5mm
	 Samsung LH351D	 50g
	 600 Lumens	 IPX6
	 AAA * 2PCS	 High > Medium > Low > Moon
	 2 - 10 hours	

OS-0161		
	 Aluminum	 80 * 30 * 34mm
	 LED * 3PCS	 104g
	 20 - 440 Lumens	 IPX4
	 18650 1500mAh	 High > Middle > Low >
	 2 - 26 hours	Double click extra high mode

OS-0038		
	 Aluminum	 140 * 25 * 25mm
	 XPG LED	 140g
	 400 Lumens	 IP44
	 18650 2000mAh	 Low > Middle > High > Strobe > Red >
	 3.5 - 5 hours	Red strobe > OFF

OS-0050		
	 ABS + PP	 Ø40 * 215mm
	 XPE + 2835 LED * 72PCS	 180g
	 80 - 250 Lumens	 IPX4
	 21700 3500mAh	 White > Warm > Flashlight > OFF
	 8 - 20 hours	

OS-0126		
	 ABS	 94 * 94 * 190mm
	 SMD LED * 17PCS + Red & Blue LED	 527g
	 500 Lumens	 IPX4
	 18650 1800mAh * 2PCS	 High > Low > Side light > Blue/Red flash
	 6 - 8 hours	



CAMPING LIGHT

- Different design, different outdoor life style.
- Multi-functions, more colorful life.
- Extended runtime, happy without battery anxiety.
- Compact design, easy to carry.



Extended runtime
up to 100hrs



High brightness
up to 1000lm



RGB mode



Waterproof & dust proof
IPX4-IP56



In/Out 2 in 1



NEW  ML-7700	NEW  ML-7000	NEW  ML-7500B1	NEW  ML-7500B2	NEW  ML-1101
NEW  ML-3603R	HOT  ML-9200	HOT  ML-9100R	HOT  ML-8100S	HOT  ML-8001S
 ML-4700A/B	 ML-4700C/D	HOT  FD-390	HOT  FD-390R	HOT  ML-10100
 OS-0025	 FD-0163	 OS-0033	 OS-0017	 OS-0001

ML-7700		
NEW 	 APS	 Ø94.4 * 160mm
	 2835 LED * 8PCS	 265g
	 25 - 500 Lumens	 IP66
	 AA * 4PCS or 18650 2200mAh	 High > Mid > Low > Breath > OFF
	 8 - 60 hours	

ML-7000		
NEW 	 ABS	 Ø82.2 * 113mm
	 SMT 2835 LED * 6PCS	 150g
	 45 - 400 Lumens	 IP67
	 AA * 3PCS	 Low > Medium > High > OFF
	 10 - 65 hours	

ML-7500B1		
NEW 	 ABS + PP	 Ø112.5 * 150mm
	 3030 * 4PCS + 3MM LED * 2PCS + 5MM LED	 270g
	 80 - 180 Lumens	 IPX4
	 18650 2200mAh	 Flicking > Low > High
	 9.5 - 35 hours	

ML-7500B2		
NEW 	 ABS + PP	 Ø112.5 * 150mm
	 3030 * 4PCS + 3MM LED * 2PCS + 5 MM LED	 270g
	 80 - 180 Lumens	 IPX4
	 18650 2200mAh	 Flicking > Low > High
	 9.5 - 35 hours	

ML-1101		
NEW 	 ABS + PP	 137 * 97 * 92mm
	 OSRAM 5630 LED * 2PCS	 136g
	 45 - 80 Lumens	 IPX4
	 AA * 4PCS	 Low > High > OFF
	 12 - 32 hours	

ML-3603R		
NEW 	 ABS + PP	 118 * 112 * 170mm
	 SMD 3030 LED * 4PCS	 315g
	 10 - 350 Lumens	 IPX4
	 18650 2600mAh	 High > Medium > Low > OFF
	 5 - 70 hours	

ML-9200		
HOT 	 ABS	 141 * 141 * 210mm
	 Oscam 5630 LED * 10PCS	 465g
	 350 Lumens	 IP54
	 3D * 1PCS	 Dimming from low to high
	 4 - 600 hours	

ML-9100R		
HOT 	 ABS	 Ø106 * 197mm
	 Osram 5630 LED * 10PCS	 412g
	 10 - 450 Lumens	 IPX4
	 18650 2200mAh	 High > Mid > Low > OFF
	 5 - 65 hours	

ML-8100S		
HOT 	 ABS	 Ø75 * 138.2mm
	 Osram 5630 LED * 6PCS	 120g
	 18 - 350 Lumens	 IPX4
	 AA * 3PCS	 High > Low > OFF
	 4 - 60 hours	

ML-8001S		
HOT 	 ABS	 Ø75 * 138.2mm
	 Osram 5630 LED * 6PCS	 120g
	 18 - 350 Lumens	 IPX4
	 AA * 3PCS	 High > Low > OFF
	 4.5 - 10hours	

ML-4700A/B

	 ABS	 Ø68 * 107mm
	 3030 * 5PCS + 2835 * 3PCS	 250g
	 20 - 380 Lumens	 IP54
	 18650 2200mAh	 Low > High > Red > Spot > OFF
	 3.5 - 35 hours	

OS-0025

	 Metal	 Ø110 * 235mm
	 COB LED	 435g
	 400 Lumens	 IPX4
	 18650 2500mAh	 Yellow light > White light > Both yellow >
	 5 - 100 hours	White light

ML-4700C/D

	 ABS	 72 * 90 * 120.98mm
	 3030 * 5PCS + 2835 * 3PCS	 260g
	 20 - 380 Lumens	 IP54
	 18650 2600mAh	 Low > High > Red > Spot > OFF
	 3.5 - 46 hours	

FD-0163

	 Metal	 263 * 110 * 110
	 SMD LED * 8PCS	 803g
	 500 Lumens	 IPX4
	 18650 2000mAh * 4PCS	 3 color temperatures for selection
	 3 - 10 hours	

FD-390

	 Metal	 Ø220 * 340mm
	 COB LED	 980g
	 360 Lumens	 IPX4
	 D size battery * 6pcs	 High > Flicking
	 5 - 50 hours	

OS-0033

	 ABS	 Ø105 * 170mm
	 3W LED	 257g
	 120 - 250 Lumens	 IPX4
	 18650 1200mAh * 2PCS	 White light > Warm light > Side light
	 6 - 10 hours	

FD-390R

	 Metal	 Ø220 * 295mm
	 COB LED	 960g
	 300 Lumens	 IPX4
	 18650 4400mAh	 High > Flicking
	 5 - 100 hours	

OS-0017

	 ABS + PC	 120 * 120 * 135mm
	 LED SMD * 3PCS + 2835 * 20PCS + 5050RGB * 6PCS	 291g
	 20 - 360 Lumens	 IP65
	 PET battery 1200mAh	 Filament light > White light > Red light >
	 4 - 20 hours	RGB light

ML-10100

	 Metal	 Ø160 * 235mm
	 SMD LED * 12PCS	 850g
	 300 - 150 Lumens	 IPX4
	 18650 2200mAh	 Low > High > Flicking > OFF
	 4 - 8 hours	

OS-0001

	 ABS + PC	 Ø178 * 81mm
	 White SMD * 18PCS	 180g
	 500 Lumens	 IPX4
	 18650 2000mAh	 High > Low > OFF
	 4 - 10 hours	



HEAD LIGHT

- Compact design and extremely lightweight.
- Super high brightness and long beam distance.
- Multi-modes, more application scenarios.
- Higher IP grade, no fear of wind and rain.


Extended runtime
up to 96hrs


High brightness
up to 1000lm


Gesture control


Waterproof & dust proof
IPX4-IP56


Easy to carry


Built-in magnet

NEW  HL-5400	NEW  HL-4000B	 HL-1501	 HL-1508	 OS-0173
 OS-0111	 OS-0112	HOT  OS-0036	 OS-0004	 OS-0012
HOT  OS-0169	 OS-0168	 OS-0171	 OS-0013	 OS-0067

HL-5400		
NEW 	 ABS + PC	 64 * 32 * 31.5mm
	 3535 LED * 2pcs + 2835 LED	 50g
	 400 Lumens	 IP67
	 PET battery 800mAh	 Red > Wide low > Wide high > Focus low >
	 1.5 - 5 hours	Focus high > All open

HL-4000B		
NEW 	 PC + TPE	 90 * 40 * 35mm
	 0.5W 3030 LED	 80.2g
	 50 Lumens	 IPX4
	 AA * 2PCS	 On > OFF
	 3 - 23 hours	

HL-1501		
	 ABS	 37 * 27 * 21.5mm
	 3030White LED	 80g
	 40 - 100 Lumens	 IPX4
	 AAA * 3PCS	 High > Low > Flash > OFF
	 4 - 12 hours	

HL-1508		
	 ABS	 37 * 27 * 23.5mm
	 Using Cree 1W LED + YR Red LED	 80g
	 50 - 140 Lumens	 IPX4
	 AAA * 3PCS	 High > Low > Flash > OFF
	 3.5 - 15 hours	

OS-0173		
	 ABS	 60 * 45 * 32mm
	 White LED + Warm White LED	 92g
	 220 - 360 Lumens	 IPX4
	 AA * 3PCS	 1 PCS White > Yellow > White > Red >
	 1.5 - 6 hours	Red flash



OS-0111		
	 ABS	 86 * 38 * 30mm
	 White + Warm White + Red	 63g
	 300 Lumens	 IPX4
	 PET battery 800mAh	 White > Warm > Red > Red flash
	 3 - 10 hours	

OS-0112		
	 ABS	 56 * 38 * 30mm
	 White LED + Warm White LED + Red SMD	 63g
	 300 Lumens	 IPX4
	 PET battery 800mAh	 White > Warm > Red > Red flash
	 3 - 10 hours	

OS-0036		
HOT 	 ABS	 50 * 39 * 34mm
	 5W LED	 74g
	 70 - 280 Lumens	 IPX4
	 PET battery 800mAh	 High > Low > Strobe > Red > Red strobe
	 4 - 7.5 hours	

OS-0004		
	 ABS + PS	 61*31*35mm
	 3535 LED * 2PCS + 2835 LED	 64g
	 200 Lumens	 IPX4
	 PET battery 1200mAh	 On > OFF > High > Middle > Low > Red
	 3 - 10 hours	

OS-0012		
	 Aluminum	 66 * 29 * 26mm
	 1.5W LED	 103g
	 45 - 400 Lumens	 IP44
	 PET battery 700mAh	 High > Middle > Low > OFF
	 1 - 6 hours	

OS-0169		
	 Aluminum	 102 * 24 * 24.5mm
	 3030White LED	 69g
	 15 - 520 Lumens	 IPX4
	 18650 2200mAh	 High > Middle > Low > OFF
	 3.5 - 42 hours	

OS-0168		
	 Aluminum	 69 * 23 * 29.5mm
	 Super bright White LED	 69g
	 48 - 120 Lumens	 IPX4
	 14500 700mAh	 High > Middle > Low > OFF
	 4 - 37 hours	

OS-0171		
	 Aluminum	 86 * 24.8 * 32mm
	 LED3030 * 5PCS	 112g
	 5 - 1400 Lumens	 IPX4
	 18650 2200mAh	 High > Middle > Low > OFF
	 2 - 45 hours	

OS-0013		
	 Aluminum	 73 * 35 * 60mm
	 10W LED + White light + Red light	 69g
	 550 - 800 Lumens	 IP44
	 14500 800mAh	 Focus high > Focus low > White light >
	 0.5 - 4 hours	Red light > Red flash

OS-0067		
	 Soft Material	 300 * 32 * 21.5mm
	 COB LED + XPE LED	 75g
	 150 Lumens	 IPX4
	 14500 300mAh	 COB 100%light > COB weak light >
	 1.5 - 3.5 hours	LED 100 light > LED weak light > Handy sensor





AMBIENT LIGHT

- Different style, different ambient.
- Multi-functions, more application scenarios.
- RGB & dimming, functions more possibilities.
- Built-in battery, no fear of power outage.



Extended runtime
up to 168hrs



RGB mode



Bluetooth mode



Waterproof & dust proof
IPX4



Gesture control

HOT



OS-0133

HOT



OS-0133RGB



OS-0143



OS-0143RGB



OS-0024



OS-0141RGB



OS-0142



OS-0142RGB



OS-0139



OS-0131



OS-0136



OS-0137



OS-0070



OS-0138



OS-0132

HOT



OS-0021

HOT



OS-0134



OS-0159



OS-0158

OS-0133		
HOT 	 Iron	 375 * 110 * 100mm
	 2835 LED * 24PCS	 470g
	 180 Lumens	 IP44
	 18650 1800mAh	 Warm light > White light > Warm & White light
	 4 hours	

OS-0133RGB		
HOT 	 Iron	 57 * 37 * 20mm
	 LED2835 * 24PCS	 475g
	 160 Lumens	 IP44
	 18650 1800mAh	 White LED high > White LED low >
	 3 - 4 hours	Warm LED high > Warm LED low > OFF

OS-0143		
	 ABS + Iron	 Ø110 * 380mm
	 LED 2835 * 28PCS	 660g
	 90 Lumens	 IPX4
	 18650 1800mAh	 White LED high > White LED low >
	 4 - 6 hours	Warm LED high > Warm LED low > OFF

OS-0143RGB		
	 ABS + Iron	 Ø110 * 380mm
	 LED 2835 * 28PCS	 660g
	 90 Lumens	 IPX4
	 18650 1800mAh	 White LED high > White LED low >
	 4 - 6 hours	Warm LED high > Warm LED low > OFF

OS-0024		
	 Metal + PC + ABS	 110 * 110 * 370mm
	 White/warm; White / Yellow LED	 387g
	 180 Lumens	 IP44
	 18650 1800mAh	 Torch button, long press to adjust the light;
	 4 - 7 hours	short press to change color temperature

OS-0141RGB		
	 Iron	 Ø100 * 380mm
	 LED 2835 * 28PCS	 630g
	 100 Lumens	 IPX4
	 18650 1800mAh	 White LED high > White LED low >
	 4 - 6 hours	Warm LED high > Warm LED low > OFF

OS-0142		
	 Iron	 Ø110 * 380mm
	 LED 2835 * 28PCS	 700g
	 100 Lumens	 IPX4
	 18650 1800mAh	 White LED high > White LED low >
	 4 - 6 hours	Warm LED high > Warm LED low > OFF

OS-0142RGB		
	 Iron	 Ø110 * 380mm
	 LED 2835 * 28PCS	 452g
	 100 Lumens	 IPX4
	 18650 1800mAh	 White LED high > White LED low >
	 4 - 6 hours	Warm LED high > Warm LED low > OFF

OS-0139		
	 Iron	 Ø110 * 260mm
	 LED 2835 * 30PCS	 300g
	 90 Lumens	 IPX3
	 18650 1800mAh	 Touch mode, 3 color Stepless Dimmable,
	 4 - 6 hours	Color temperature: 3000K - 6000K

OS-0131		
	 ABS + Iron + PP	 Ø115 * 265mm
	 LED 2835 * 30PCS	 500g
	 75 Lumens	 IPX4
	 18650 1800mAh	 Torch button, long press to adjust the light,
	 4 - 6 hours	Short press to change color temperature

OS-0136		
	 ABS + Iron	 Ø80 * 315mm
	 LED 2835 * 20PCS	 370g
	 85 Lumens	 IPX3
	 18650 1200mAh	 White LED high > White LED low >
	 4 - 6 hours	Warm LED high > Warm LED low > OFF

OS-0137		
	 Iron	 Ø80 * 315mm
	 LED 2835 * 20PCS	 370g
	 85 Lumens	 IPX3
	 18650 1200mAh	 White LED high > White LED low >
	 4 - 6 hours	Warm LED high > Warm LED low > OFF

OS-0070		
	 ABS + Metal + PC	 Ø130 * 311mm
	 Warm 2700K, Natural 4500K, Cool white 6000K	 430g
	 100 Lumens	 IPX4
	 18650 2000mAh	 Switch: Short touch On/OFF
	 4 - 7 hours	Long touch: dimming

OS-0138		
	 ABS + Iron	 Ø130 * 280mm
	 LED 2835 * 40PCS	 378g
	 150 Lumens	 IPX4
	 18650 1800mAh	 White LED high > White LED low >
	 4 - 5 hours	Warm LED high > Warm LED low > OFF

OS-0132		
	 ABS + Iron	 Ø130 * 350mm
	 LED 2835 * 30PCS	 500g
	 135 Lumens	 IPX3
	 18650 1800mAh	 Torch button, long press to adjust the light,
	 4 - 5 hours	Short press to change color temperature

OS-0021		
	 Aluminum + PP + ABS	 Ø150 * 200mm
	 warm white LED * 12PCS	 425g
	 110 Lumens	 IP44
	 18650 2000mAh	 Touch button, Long press to adjust
	 4 - 8 hours	the light

OS-0134		
	 ABS + Iron	 Ø160 * 210mm
	 LED 2835 * 24PCS	 387g
	 120 Lumens	 IP44
	 18650 1200mAh	 White LED high > White LED low >
	 4 - 6 hours	Warm LED high > Warm LED low > OFF

OS-0159		
	 ABS + Metal	 Ø130 * 140mm
	 LED 2835 * 18PCS	 433g
	 90 Lumens	 IPX4
	 18650 1200mAh	 Warm light > White light > Warm & White light
	 2 - 8 hours	

OS-0158		
	 ABS + Metal	 57 * 37 * 20mm
	 LED 2835 * 20PCS	 442g
	 20 - 240 Lumens	 IPX4
	 18650 1200mAh	 Warm light > White light > Warm & White light
	 3.5 - 10 hours	