



Shenzhen Kuncan Electronics Co.,Ltd.

USB charger - 5V 2A Series

5V 2A CCC Standard

Country of Origin	China
Application	Mobile phones, small speakers, USB fans, small routers, etc
Model No.	GAT-0502000
AC plug	CCC 2Pin plug
DC output	USB A port
Input	100-240V ~ 50- 60Hz
Output	5V2A(10W)
Material	PC+ABS
Color	White, black, customizable
Approval	3C ,ROHS
Warranty	2 years
Package	Small white box



5V 2A US Standard

Country of Origin	China
Application	Mobile phones, small speakers, USB fans, small routers, etc
Model No.	GAT-0502000
AC plug	US 2Pin plug
DC output	USB A port
Input	100-240V ~ 50- 60Hz
Output	5V2A(10W)
Material	PC+ABS
Color	White, black, customizable
Approval	UL,FCC ,CEC, DOE
Warranty	2 years
Package	Small white box



5V 2A Japanese Standard

Country of Origin	China
Application	Mobile phones, small speakers, USB fans, small routers, etc
Model No.	GAT-0502000
AC plug	PSE 2Pin plug
DC output	USB A port
Input	100-240V ~ 50- 60Hz
Output	5V2A(10W)
Material	PC+ABS
Color	White, black, customizable
Approval	PSE
Warranty	2 years
Package	Small white box



5V 2A EU Standard

Country of Origin	China
Application	Mobile phones, small speakers, USB fans, small routers, etc
Model No.	GAT-0502000
AC plug	EU 2Pin plug
DC output	USB A port
Input	100-240V ~ 50- 60Hz
Output	5V2A(10W)
Material	PC+ABS
Color	White, black, customizable
Approval	CE, ROHS
Warranty	2 years
Package	Small white box



5V 2A Korean Standard

Country of Origin	China
Application	Mobile phones, small speakers, USB fans, small routers, etc
Model No.	GAT-0502000
AC plug	Korean 2Pin plug
DC output	USB A port
Input	100-240V ~ 50- 60Hz
Output	5V2A(10W)
Material	PC+ABS
Color	White, black, customizable
Approval	KC,KCC
Warranty	2 years
Package	Small white box



5V 2A AU Standard

Country of Origin	China
Application	Mobile phones, small speakers, USB fans, small routers, etc
Model No.	GAT-0502000
AC plug	AU 2Pin plug
DC output	USB A port
Input	100-240V ~ 50- 60Hz
Output	5V2A(10W)
Material	PC+ABS
Color	White, black, customizable
Approval	SAA
Warranty	2 years
Package	Small white box



5V 2A UK Standard

Country of Origin	China
Application	Mobile phones, small speakers, USB fans, small routers, etc
Model No.	GAT-0502000
AC plug	UK 3Pin plug
DC output	USB A port
Input	100-240V ~ 50- 60Hz
Output	5V2A(10W)
Material	PC+ABS
Color	White, black, customizable
Approval	CE
Warranty	2 years
Package	Small white box



5V 2A CCC Standard (GAT-811)

Country of Origin	China
Application	Mobile phones, small speakers, USB fans, small routers, etc
Model No.	GAT-0502000
AC plug	CCC 2Pin plug
DC output	Dual USB A port, with Apple ID IC
Input	100-240V ~ 50- 60Hz
Output 1	5V2A(10W), use single
Output 2	5V2A(10W), use single
Output 1 + 2	5V 1A for each, use both
Material	PC+ABS
Color	White, black, customizable
Approval	3C ,ROHS
Warranty	2 years
Package	Small white box



5V 2A US Standard (GAT-811)

Country of Origin	China
Application	Mobile phones, small speakers, USB fans, small routers, etc
Model No.	GAT-0502000
AC plug	US 2Pin plug
DC output	Dual USB A port, with Apple ID IC
Input	100-240V ~ 50- 60Hz
Output 1	5V2A(10W), use single
Output 2	5V2A(10W), use single
Output 1 + 2	5V 1A for each, use both
Material	PC+ABS
Color	White, black, customizable
Approval	UL,FCC
Warranty	2 years
Package	Small white box



5V 2A EU Standard (GAT-811)

Country of Origin	China
Application	Mobile phones, small speakers, USB fans, small routers, etc
Model No.	GAT-0502000
AC plug	EU 2Pin plug
DC output	Dual USB A port, with Apple ID IC
Input	100-240V ~ 50- 60Hz
Output 1	5V2A(10W), use single
Output 2	5V2A(10W), use single
Output 1 + 2	5V 1A for each, use both
Material	PC+ABS
Color	White, black, customizable
Approval	CE
Warranty	2 years
Package	Small white box



USB charger - 5V 3A Series

5V 3A CCC Standard

Country of Origin	China
Application	Pad,Tablet, small routers, fast charging mobile phones, small displays, etc
Model No.	GA-QC810
AC plug	CCC 2Pin plug
DC output	USB A port
Input	100-240V ~ 50- 60Hz
Output	5V3A(15W)
Material	PC+ABS
Color	White, black, customizable
Approval	3C
Warranty	2 years
Package	Small white box



5V 3A US Standard

Country of Origin	China
Application	Pad,Tablet, small routers, fast charging mobile phones, small displays, etc
Model No.	GA-QC810
AC plug	US 2Pin plug
DC output	USB A port
Input	100-240V ~ 50- 60Hz
Output	5V3A(15W)
Material	PC+ABS
Color	White, black, customizable
Approval	UL,FCC
Warranty	2 years
Package	Small white box



5V 3A EU Standard

Country of Origin	China
Application	Pad,Tablet, small routers, fast charging mobile phones, small displays, etc
Model No.	GA-QC810

AC plug	EU 2Pin plug
DC output	USB A port
Input	100-240V ~ 50- 60Hz
Output	5V3A(15W)
Material	PC+ABS
Color	White, black, customizable
Approval	CE
Warranty	2 years
Package	Small white box




Wall-mount Power Adapter - 12V 1A Series

12V 1A CCC Standard

Country of Origin	China
Application	Tablets, routers, LED lights, small speakers, USB fans, etc
Model No.	GA-1201000

AC plug	CCC 2Pin plug
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C,etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	12V1A(12W)
Material	PC+ABS
Color	White, black, customizable
Approvals	3C
Warranty	2 years
Package	Small white box



12V 1A US Standard

Country of Origin	China
Application	Tablets, routers, LED lights, small speakers, USB fans, etc
Model No.	GA-1201000

AC plug	US 2Pin plug
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C,etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	12V1A(12W)
Material	PC+ABS
Color	White, black, customizable
Approvals	UL, FCC
Warranty	2 years
Package	Small white box



12V 1A Japanese Standard

Country of Origin	China
Application	Tablets, routers, LED lights, small speakers, USB fans, etc
Model No.	GA-1201000


AC plug	PSE 2Pin plug
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C,etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	12V1A(12W)
Material	PC+ABS
Color	White, black, customizable
Approvals	PSE
Warranty	2 years
Package	Small white box



12V 1A EU Standard

Country of Origin	China
Application	Tablets, routers, LED lights, small speakers, USB fans, etc
Model No.	GA-1201000


AC plug	EU 2Pin plug
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C,etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	12V1A(12W)
Material	PC+ABS
Color	White, black, customizable
Approval	CE
Warranty	2 years
Package	Small white box



12V 1A Korean Standard

Country of Origin	China
Application	Tablets, routers, LED lights, small speakers, USB fans, etc
Model No.	GA-1201000


AC plug	Korean 2Pin plug
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C,etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	12V1A(12W)
Material	PC+ABS
Color	White, black, customizable
Approval	KC,KCC
Warranty	2 years
Package	Small white box



12V 1A AU Standard

Country of Origin	China
Application	Tablets, routers, LED lights, small speakers, USB fans, etc
Model No.	GA-1201000

AC plug	AU 2Pin plug
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C,etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	12V1A(12W)
Material	PC+ABS
Color	White, black, customizable
Approval	SAA
Warranty	2 years
Package	Small white box



12V 1A UK Standard

Country of Origin	China
Application	Tablets, routers, LED lights, small speakers, USB fans, etc
Model No.	GA-1201000

AC plug	UK 3Pin plug
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C,etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	12V1A(12W)
Material	PC+ABS
Color	White, black, customizable
Approval	CE
Warranty	2 years
Package	Small white box




Wall-mount Power Adapter - 5V 2A Series

5V 2A CCC Standard

Country of Origin	China
Application	Tablets, routers, LED lights, small speakers, USB fans, etc
Model No.	GA-502000

AC plug	CCC 2Pin plug
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C,etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	5V2A(10W)
Material	PC+ABS
Color	White, black, customizable
Approvals	3C
Warranty	2 years
Package	Small white box



5V 2A US Standard

Country of Origin	China
Application	Tablets, routers, LED lights, small speakers, USB fans, etc
Model No.	GA-502000

AC plug	US 2Pin plug
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C,etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	5V2A(10W)
Material	PC+ABS
Color	White, black, customizable
Approvals	UL, FCC
Warranty	2 years
Package	Small white box



5V 2A Japanese Standard

Country of Origin	China
Application	Tablets, routers, LED lights, small speakers, USB fans, etc
Model No.	GA-502000


AC plug	PSE 2Pin plug
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C,etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	5V2A(10W)
Material	PC+ABS
Color	White, black, customizable
Approvals	PSE
Warranty	2 years
Package	Small white box



5V 2A EU Standard

Country of Origin	China
Application	Tablets, routers, LED lights, small speakers, USB fans, etc
Model No.	GA-502000


AC plug	EU 2Pin plug
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C,etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	5V2A(10W)
Material	PC+ABS
Color	White, black, customizable
Approval	CE
Warranty	2 years
Package	Small white box



5V 2A Korean Standard

Country of Origin	China
Application	Tablets, routers, LED lights, small speakers, USB fans, etc
Model No.	GA-502000


AC plug	Korean 2Pin plug
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C,etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	5V2A(10W)
Material	PC+ABS
Color	White, black, customizable
Approval	KC,KCC
Warranty	2 years
Package	Small white box



5V 2A AU Standard

Country of Origin	China
Application	Tablets, routers, LED lights, small speakers, USB fans, etc
Model No.	GA-502000

AC plug	AU 2Pin plug
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C,etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	5V2A(10W)
Material	PC+ABS
Color	White, black, customizable
Approval	SAA
Warranty	2 years
Package	Small white box



5V 2A UK Standard

Country of Origin	China
Application	Tablets, routers, LED lights, small speakers, USB fans, etc
Model No.	GA-502000

AC plug	UK 3Pin plug
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C,etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	5V2A(10W)
Material	PC+ABS
Color	White, black, customizable
Approval	CE
Warranty	2 years
Package	Small white box



Wall-mount Power Adapter - 12V 2A Series

12V 2A CCC Standard

Country of Origin	China
Application	Surveillance cameras, portable printers, etc
Model No.	GA-1202000

AC plug	CCC 2Pin plug
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C,etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	12V2A(24W)
Material	PC+ABS
Color	White, black, customizable
Approvals	3C
Warranty	2 years
Package	Small white box



12V 2A CCC Standard

Country of Origin	China
Application	CQC 4706 Home appliance standard adapter
Model No.	GA-1202000

AC plug	CCC 2Pin plug
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C,etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	12V2A(24W)
Material	PC+ABS
Color	White, black, customizable
Approvals	CQC 4706
Warranty	2 years
Package	Small white box



12V 2A US Standard

Country of Origin	China
Application	Surveillance cameras, portable printers, etc
Model No.	GA-1202000

AC plug	US 2Pin plug
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C,etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	12V2A(24W)
Material	PC+ABS
Color	White, black, customizable
Approvals	UL, FCC
Warranty	2 years
Package	Small white box



12V 2A Japanese Standard

Country of Origin	China
Application	Surveillance cameras, portable printers, etc
Model No.	GA-1202000

AC plug	PSE 2Pin plug
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C,etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	12V2A(24W)
Material	PC+ABS
Color	White, black, customizable
Approval	PSE
Warranty	2 years
Package	Small white box



12V 2A EU Standard

Country of Origin	China
Application	Surveillance cameras, portable printers, etc
Model No.	GA-1202000

AC plug	EU 2Pin plug
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C,etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	12V2A(24W)
Material	PC+ABS
Color	White, black, customizable
Approval	CE
Warranty	2 years
Package	Small white box



12V 2A Korean Standard

Country of Origin	China
Application	Surveillance cameras, portable printers, etc
Model No.	GA-1202000

AC plug	Korean 2Pin plug
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C,etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	12V2A(24W)
Material	PC+ABS
Color	White, black, customizable
Approval	KC,KCC
Warranty	2 years
Package	Small white box



12V 2A AU Standard

Country of Origin	China
Application	Surveillance cameras, portable printers, etc
Model No.	GA-1202000

AC plug	AU 2Pin plug
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C,etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	12V2A(24W)
Material	PC+ABS
Color	White, black, customizable
Approval	SAA
Warranty	2 years
Package	Small white box



12V 2A UK Standard

Country of Origin	China
Application	Surveillance cameras, portable printers, etc
Model No.	GA-1202000

AC plug	UK 3Pin plug
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C,etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	12V2A(24W)
Material	PC+ABS
Color	White, black, customizable
Approval	CE
Warranty	2 years
Package	Small white box



Wall-mount Power Adapter - 12V 3A Series

12V 3A CCC Standard

Country of Origin	China
Application	Laptops, monitors, small projectors, etc
Model No.	GA-1203000

AC plug	CCC 2Pin plug
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C,etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	12V3A(36W)
Material	PC+ABS
Color	White, black, customizable
Approvals	3C
Warranty	2 years
Package	Small white box



12V 3A CCC Standard

Country of Origin	China
Application	CQC 4706 Home appliance standard adapter
Model No.	GA-1203000

AC plug	CCC 2Pin plug
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C, etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	12V3A(36W)
Material	PC+ABS
Color	White, black, customizable
Approvals	CQC 4706
Warranty	2 years
Package	Small white box



12V 3A US Standard

Country of Origin	China
Application	Laptops, monitors, small projectors, etc
Model No.	GA-1203000

AC plug	US 2Pin plug
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C, etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	12V3A(36W)
Material	PC+ABS
Color	White, black, customizable
Approvals	UL, FCC
Warranty	2 years
Package	Small white box



12V 3A Japanese Standard

Country of Origin	China
Application	Laptops, monitors, small projectors, etc
Model No.	GA-1203000

AC plug	PSE 2Pin plug
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C, etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	12V3A(36W)
Material	PC+ABS
Color	White, black, customizable
Approval	PSE
Warranty	2 years
Package	Small white box



12V 3A EU Standard

Country of Origin	China
Application	Laptops, monitors, small projectors, etc
Model No.	GA-1203000
AC plug	EU 2Pin plug
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C,etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	12V3A(36W)
Material	PC+ABS
Color	White, black, customizable
Approval	CE
Warranty	2 years
Package	Small white box



12V 3A Korean Standard

Country of Origin	China
Application	Laptops, monitors, small projectors, etc
Model No.	GA-1203000
AC plug	Korean 2Pin plug
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C,etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	12V3A(36W)
Material	PC+ABS
Color	White, black, customizable
Approval	KC,KCC
Warranty	2 years
Package	Small white box



12V 3A AU Standard

Country of Origin	China
Application	Laptops, monitors, small projectors, etc
Model No.	GA-1203000
AC plug	AU 2Pin plug
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C,etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	12V3A(36W)
Material	PC+ABS
Color	White, black, customizable
Approval	SAA
Warranty	2 years
Package	Small white box



12V 3A UK Standard

Country of Origin	China
Application	Laptops, monitors, small projectors, etc
Model No.	GA-1203000
AC plug	UK 3Pin plug
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C,etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	12V3A(36W)
Material	PC+ABS
Color	White, black, customizable
Approval	CE
Warranty	2 years
Package	Small white box



Wall-mount Power Adapter - 48W Series

48W CCC Standard

Country of Origin	China
Application	Laptops, monitors, small projectors, etc
Model No.	GA-1204000
AC plug	CCC 2Pin plug
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C,etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	48W (12V4A/24V2A/48V1A)
Material	PC+ABS
Color	White, black, customizable
Approval	3C
Warranty	2 years
Package	Small white box



48W CCC Standard

Country of Origin	China
Application	CQC 4706 Home appliance standard adapter
Model No.	GA-1204000
AC plug	CCC 2Pin plug
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C,etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	48W (12V4A/24V2A/48V1A)
Material	PC+ABS
Color	White, black, customizable
Approval	CQC 4706
Warranty	2 years
Package	Small white box



48W US Standard

Country of Origin	China
Application	Laptops, monitors, small projectors, etc
Model No.	GA-1204000
AC plug	US 2Pin plug
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C,etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	48W (12V4A/24V2A/48V1A)
Material	PC+ABS
Color	White, black, customizable
Approval	UL, FCC
Warranty	2 years
Package	Small white box



48W Japanese Standard

Country of Origin	China
Application	Laptops, monitors, small projectors, etc
Model No.	GA-1204000
AC plug	PSE 2Pin plug
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C,etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	48W (12V4A/24V2A/48V1A)
Material	PC+ABS
Color	White, black, customizable
Approval	PSE
Warranty	2 years
Package	Small white box



48W EU Standard

Country of Origin	China
Application	Laptops, monitors, small projectors, etc
Model No.	GA-1204000
AC plug	EU 2Pin plug
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C,etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	48W (12V4A/24V2A/48V1A)
Material	PC+ABS
Color	White, black, customizable
Approval	CE
Warranty	2 years
Package	Small white box



48W Korean Standard

Country of Origin	China
Application	Laptops, monitors, small projectors, etc
Model No.	GA-1204000
AC plug	Korean 2Pin plug
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C,etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	48W (12V4A/24V2A/48V1A)
Material	PC+ABS
Color	White, black, customizable
Approval	KC,KCC
Warranty	2 years
Package	Small white box



48W AU Standard

Country of Origin	China
Application	Laptops, monitors, small projectors, etc
Model No.	GA-1204000
AC plug	AU 2Pin plug
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C,etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	48W (12V4A/24V2A/48V1A)
Material	PC+ABS
Color	White, black, customizable
Approval	SAA
Warranty	2 years
Package	Small white box



48W UK Standard

Country of Origin	China
Application	Laptops, monitors, small projectors, etc
Model No.	GA-1204000
AC plug	UK 3Pin plug
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C,etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	48W (12V4A/24V2A/48V1A)
Material	PC+ABS
Color	White, black, customizable
Approval	CE
Warranty	2 years
Package	Small white box



Desktop type Power Adapter - Medium power Series

60W

Country of Origin	China
Application	Laptops, medium monitors, etc
Model No.	GA-2030000
AC Socket	IEC C8/C6/C13
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C, etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	60W, 19V / 20V 3.16A / 3A
Material	PC+ABS
Color	White, black, customizable
Approval	3C, CE, UL, FCC, SAA, PSE, KC
Warranty	2 years
Package	Small white box



65W

Country of Origin	China
Application	High performance laptops, medium monitors, etc
Model No.	GA-2032500
AC Socket	IEC C8/C6/C13
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C, etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	65W, 19V / 20V 3.42A / 3.25A
Material	PC+ABS
Color	White, black, customizable
Approval	3C, CE, UL, FCC, SAA, PSE, KC
Warranty	2 years
Package	Small white box



90W

Country of Origin	China
Application	Gaming notebooks, workstations, etc
Model No.	GA-2045000
AC Socket	IEC C8/C6/C13
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C, etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	90W, 19V / 20V 4.74A / 4.5A
Material	PC+ABS
Color	White, black, customizable
Approval	3C, CE, UL, FCC, SAA, PSE, KC
Warranty	2 years
Package	Small white box



120W

Country of Origin	China
Application	Gaming equipment, medium servers, etc
Model No.	GA-2450000
AC Socket	IEC C8/C6/C13
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C, etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	120W, 19V / 20V / 24V 6.32A / 6A / 5A
Material	PC+ABS
Color	White, black, customizable
Approval	3C, CE, UL, FCC, SAA, PSE, KC
Warranty	2 years
Package	Small white box



Desktop type Power Adapter - High power Series

150W

Country of Origin	China
Application	Large display, industrial equipment, etc
Model No.	GA-1500000
AC Socket	IEC C8/C6/C13
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C, etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	150W, 24V / 48V 6.25A / 3.125A
Material	PC+ABS
Color	White, black, customizable
Approval	3C,CE,UL,FCC,SAA,PSE,KC
Warranty	2 years
Package	Small white box



180W

Country of Origin	China
Application	Servers, large game equipment, etc
Model No.	GA-1800000
AC Socket	IEC C8/C6/C13
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C, etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	180W, 24V / 48V 7.5A / 3.75A
Material	PC+ABS
Color	White, black, customizable
Approval	3C,CE,UL,FCC,SAA,PSE,KC
Warranty	2 years
Package	Small white box



240W

Country of Origin	China
Application	Gaming notebooks, workstations, etc
Model No.	GA-4850000
AC Socket	IEC C8/C6/C13
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C, etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	240W, 48V 5A
Material	PC+ABS
Color	White, black, customizable
Approval	3C,CE,UL,FCC,SAA,PSE,KC
Warranty	2 years
Package	Small white box



300W

Country of Origin	China
Application	Large industrial equipment, high-performance servers, etc
Model No.	GA-3000000
AC Socket	IEC C8/C6/C13
DC output	DC5.5*2.1, 5.5*2.5, 3.5*1.35, 4.0*1.7, USB C, etc
DC cord	1.5m cord
Input	100-240V ~ 50- 60Hz
Output	300W, 48V / 54V ≥6.25A
Material	PC+ABS
Color	White, black, customizable
Approval	3C,CE,UL,FCC,SAA,PSE,KC
Warranty	2 years
Package	Small white box





Shenzhen Kuncan Electronics Co.,Ltd.

POE(Power Over Ethernet) Adapter series

POE Injector (US)

Country of Origin China
Application For IP Phone, IP camera, Wireless AP, Gateway, Switch
Approvals RoHS

Plug		US
Port		2*RJ45 (POE + LAN)
Input		100-240VAC 50-60Hz
Output		48V/0.5A or 24V/1A, 12V/2A
Transmission rate		10/100Mbps or 10/100/1000Mbps
Standard		IEEE 802.3af
Pins		45+ 78-
WEIGHT / PACKING	1 PCS	N.W.: 78 g / pcs
	BOX	200 pcs / 1box
		G.W.: 16.6 kg / box
		0.51*0.37*0.36 [m]



POE Injector (EU)

Country of Origin China
Application For IP Phone, IP camera, Wireless AP, Gateway, Switch
Approvals RoHS, CE

Plug		EU
Port		2*RJ45 (POE + LAN)
Input		100-240VAC 50-60Hz
Output		48V/0.5A or 24V/1A, 12V/2A
Transmission rate		10/100Mbps or 10/100/1000Mbps
Standard		IEEE 802.3af
Pins		45+ 78-
WEIGHT / PACKING	1 PCS	N.W.: 78 g / pcs
	BOX	200 pcs / 1box
		G.W.: 16.6 kg / box
		0.51*0.37*0.36 [m]



POE Injector (AU)

Country of Origin China
 Application For IP Phone, IP camera, Wireless AP, Gateway, Switch
 Approvals RoHS

Plug	AU	
Port	2*RJ45 (POE + LAN)	
Input	100-240VAC 50-60Hz	
Output	48V/0.5A or 24V/1A, 12V/2A	
Transmission rate	10/100Mbps or 10/100/1000Mbps	
Standard	IEEE 802.3af	
Pins	45+ 78-	
WEIGHT / PACKING	1 PCS	N.W.: 78 g / pcs
	BOX	200 pcs / 1box
		G.W.: 16.6 kg / box
		0.51*0.37*0.36 [m]



POE Injector (UK)

Country of Origin China
 Application For IP Phone, IP camera, Wireless AP, Gateway, Switch
 Approvals RoHS

Plug	UK	
Port	2*RJ45 (POE + LAN)	
Input	100-240VAC 50-60Hz	
Output	48V/0.5A or 24V/1A, 12V/2A	
Transmission rate	10/100Mbps or 10/100/1000Mbps	
Standard	IEEE 802.3af	
Pins	45+ 78-	
WEIGHT / PACKING	1 PCS	N.W.: 78 g / pcs
	BOX	200 pcs / 1box
		G.W.: 16.6 kg / box
		0.51*0.37*0.36 [m]



POE Injector (Desktop)

Country of Origin China
 Application For IP Phone, IP camera, Wireless AP, Gateway, Switch
 Approvals RoHS

Plug		US/EU/AU/UK power cord
Port		2*RJ45 (POE + LAN)
Input		100-240VAC 50-60Hz
Output		48V0.5A or 48V0.65A, 24V1A, 12V2A
Transmission rate		10/100Mbps or 10/100/1000Mbps
Standard		IEEE 802.3af/at
Pins		45+ 78-
WEIGHT / PACKING	1 PCS	N.W.: 88 g / pcs
	BOX	200 pcs / 1box
		G.W.: 18.6 kg / box
		0.40*0.40*0.27 [m]



POE Injector (Desktop)

Country of Origin China
 Application For IP Phone, IP camera, Wireless AP, Gateway, Switch
 Approvals RoHS

Plug		US/EU/AU/UK power cord, DC port
Port		2*RJ45 (POE + LAN)
Input		100-240VAC 50-60Hz, & DC 12V
Output		48V/0.5A or 24V/1A, 12V/2A
Transmission rate		10/100Mbps or 10/100/1000Mbps
Standard		IEEE 802.3af
Pins		45+ 78-
WEIGHT / PACKING	1 PCS	N.W.: 108 g / pcs
	BOX	100 pcs / 1box
		G.W.: 11.8 kg / box
		0.45*0.32*0.20 [m]



POE Combiner

Country of Origin	China
Application	For IP Phone, IP camera, Wireless AP, Gateway, Switch
Approvals	RoHS

Input Port		DC 5.5*2.1mm port + LAN RJ45 port
Output Port		POE RJ45 port
Input		5V-48V
Output		5V-48V
Transmission rate		10/100Mbps
Standard		IEEE 802.3af
Pins		45+ 78-
WEIGHT / PACKING	1 PCS	N.W.: 23 g / pcs
	BOX	400 pcs / 1box
		G.W.: 10 kg / box
		0.45*0.32*0.20 [m]



Active POE splitter

Country of Origin	China
Application	For IP Phone, IP camera, Wireless AP, Gateway, Switch, Raspberry Pi, Mini PC
Approvals	RoHS, CE

Input Port		RJ45 port
Output Connector		RJ45 + DC jack(or USB-C, Micro USB)
Input		24V or 48V
Output		5V 2A/3A/4A, 12V 1A/2A, 24V 1A
Transmission rate		10/100Mbps or 10/100/1000Mbps
Standard		IEEE 802.3af/at
Pins		45+ 78-
WEIGHT / PACKING	1 PCS	N.W.: 23 g / pcs
	BOX	400 pcs / 1box
		G.W.: 10 kg / box
		0.45*0.32*0.20 [m]



Passive PoE Splitter Kit

Country of Origin	China
Application	For IP Phone, IP camera, Wireless AP, Gateway, Switch
Approvals	RoHS

Input Port		RJ45 port	
Output Connector		RJ45 + DC jack	
Input		5-48V	
Output		5-48V	
Transmission rate		10/100Mbps or 10/100/1000Mbps	
Standard		IEEE 802.3af	
Pins		45+ 78-	
WEIGHT / PACKING	1 set	N.W.: 46 g / set	
	BOX	400 set / 1box	
		G.W.: 19.7 kg / box	
		0.40*0.40*0.27 [m]	



Shenzhen KunCan Electronics Co.,Ltd.

POWER CABLE SALT LAMP CORD series

Salt Lamp Cord (US)

Country of Origin China
Application Home, commercial, industrial, outdoor lighting and special scenes
Approvals UL CE RoHS


Length/Cord		1m (customized)
Plug		US
Connector		E12 / E14
Rating		105°C 125V
Wire Gauge		SPT-2 18AWG/2C
WEIGHT / PACKING	1 PCS	N.W.: 101 g / pcs
	BOX	150 pcs / 1box
		G.W.: 16.2 kg / box
		0.4*0.4*0.28 [m]



Salt Lamp Cord (US)

Country of Origin China
Application Home, commercial, industrial, outdoor lighting and special scenes
Approvals UL CE RoHS

Length/Cord		1m (customized)
Plug		US
Connector		E12 / E14
Rating		105°C 125V
Wire Gauge		SPT-2 18AWG/2C
WEIGHT / PACKING	1 PCS	N.W.: 88 g / pcs
	BOX	150 pcs / 1box
		G.W.: 14.2 kg / box
		0.4*0.4*0.28 [m]



Salt Lamp Cord (US)

Country of Origin China
 Application Home, commercial, industrial, outdoor lighting and special scenes
 Approvals UL CE RoHS

Length/Cord		1m (customized)
Plug		US
Connector		E26 / E27
Rating		105°C 125V
Wire Gauge		SPT-2 18AWG/2C
WEIGHT / PACKING	1 PCS	N.W.: 96 g / pcs
	BOX	130 pcs / 1box
		G.W.: 13.5 kg / box
		0.4*0.4*0.28 [m]



Salt Lamp Cord (US)

Country of Origin China
 Application Home, commercial, industrial, outdoor lighting and special scenes
 Approvals UL CE RoHS

Length/Cord		1m (customized)
Plug		US
Connector		Stripped and Tinned
Rating		105°C 125V
Wire Gauge		SPT-2 18AWG/2C
WEIGHT / PACKING	1 PCS	N.W.: 81 g / pcs
	BOX	150 pcs / 1box
		G.W.: 13.2 kg / box
		0.4*0.4*0.28 [m]



Salt Lamp Cord (US)

Country of Origin China
 Application Home, commercial, industrial, outdoor lighting and special scenes
 Approvals UL CE RoHS

Length/Cord		1m (customized)
Plug		US
Connector		E26 / E27
Rating		105°C 125V
Wire Gauge		SPT-2 18AWG/2C
WEIGHT / PACKING	1 PCS	N.W.: 116 g / pcs
	BOX	120 pcs / 1box
		G.W.: 14.9 kg / box
		0.4*0.4*0.28 [m]



Salt Lamp Cord (US)

Country of Origin China
 Application Home, commercial, industrial, outdoor lighting and special scenes
 Approvals UL CE RoHS

Length/Cord		1m (customized)
Plug		US
Connector		E12 / E14
Rating		105°C 125V
Wire Gauge		SPT-2 18AWG/2C
WEIGHT / PACKING	1 PCS	N.W.: 93 g / pcs
	BOX	150 pcs / 1box
		G.W.: 15 kg / box
		0.4*0.4*0.28 [m]



Salt Lamp Cord (US)

Country of Origin China
 Application Home, commercial, industrial, outdoor lighting and special scenes
 Approvals UL CE RoHS

Length/Cord		1m (customized)
Plug		US
Connector		E26 / E27
Rating		105°C 125V
Wire Gauge		SPT-2 18AWG/2C
WEIGHT / PACKING	1 PCS	N.W.: 107 g / pcs
	BOX	130 pcs / 1box
		G.W.: 14.9 kg / box
		0.4*0.4*0.28 [m]



Salt Lamp Cord (EU)

Country of Origin China
 Application Home, commercial, industrial, outdoor lighting and special scenes
 Approvals UL CE VDE RoHS

Length/Cord		1m (customized)
Plug		EU
Connector		E12 / E14
Rating		105℃ 250V
Wire Gauge		H03VVH2-F 0.75MM/2C
WEIGHT / PACKING	1 PCS	N.W.: 107 g / pcs
	BOX	130 pcs / 1box
		G.W.: 14.9 kg / box
		0.4*0.4*0.28 [m]



Salt Lamp Cord (EU)

Country of Origin China
 Application Home, commercial, industrial, outdoor lighting and special scenes
 Approvals UL CE VDE RoHS

Length/Cord		1m (customized)
Plug		EU
Connector		E12 / E14
Rating		105℃ 250V
Wire Gauge		H03VVH2-F 0.75MM/2C
WEIGHT / PACKING	1 PCS	N.W.: 94 g / pcs
	BOX	150 pcs / 1box
		G.W.: 15.1 kg / box
		0.4*0.4*0.28 [m]



Salt Lamp Cord (EU)

Country of Origin	China
Application	Home, commercial, industrial, outdoor lighting and special scenes
Approvals	UL CE VDE RoHS

Length/Cord		1m (customized)
Plug		EU
Connector		E26 / E27
Rating		105℃ 250V
Wire Gauge		H03VVH2-F 0.75MM/2C
WEIGHT / PACKING	1 PCS	N.W.: 115 g / pcs
	BOX	120 pcs / 1box
		G.W.: 14.8 kg / box
		0.4*0.4*0.28 [m]



Salt Lamp Cord (EU)

Country of Origin	China
Application	Home, commercial, industrial, outdoor lighting and special scenes
Approvals	UL CE VDE RoHS


Length/Cord		1m (customized)
Plug		EU
Connector		E12 / E14
Rating		105℃ 250V
Wire Gauge		H03VVH2-F 0.75MM/2C
WEIGHT / PACKING	1 PCS	N.W.: 114 g / pcs
	BOX	130 pcs / 1box
		G.W.: 15.8 kg / box
		0.4*0.4*0.28 [m]



Salt Lamp Cord (EU)

Country of Origin China
Application Home, commercial, industrial, outdoor lighting and special scenes
Approvals UL CE VDE RoHS

Length/Cord		1m (customized)
Plug		EU
Connector		E26 / E27
Rating		105°C 250V
Wire Gauge		H03VVH2-F 0.75MM/2C
WEIGHT / PACKING	1 PCS	N.W.: 100 g / pcs
	BOX	150 pcs / 1box
		G.W.: 16 kg / box
		0.4*0.4*0.28 [m]



Salt Lamp Cord (UK)

Country of Origin China
 Application Home, commercial, industrial, outdoor lighting and special scenes
 Approvals UL CE VDE RoHS


Length/Cord		1m (customized)
Plug		UK
Connector		E12 / E14
Rating		105°C 250V
Wire Gauge		H03VVH2-F 0.75MM/2C
WEIGHT / PACKING	1 PCS	N.W.: 142 g / pcs
	BOX	100 pcs / 1box
		G.W.: 15.2 kg / box
		0.4*0.4*0.28 [m]



Salt Lamp Cord (UK)

Country of Origin China
 Application Home, commercial, industrial, outdoor lighting and special scenes
 Approvals UL CE VDE RoHS

Length/Cord		1m (customized)
Plug		UK
Connector		E12 / E14
Rating		105°C 250V
Wire Gauge		H03VVH2-F 0.75MM/2C
WEIGHT / PACKING	1 PCS	N.W.: 129 g / pcs
	BOX	100 pcs / 1box
		G.W.: 13.9 kg / box
		0.4*0.4*0.28 [m]



Salt Lamp Cord (UK)

Country of Origin China
 Application Home, commercial, industrial, outdoor lighting and special scenes
 Approvals UL CE VDE RoHS

Length/Cord		1m (customized)
Plug		UK
Connector		E26 / E27
Rating		105°C 250V
Wire Gauge		H03VVH2-F 0.75MM/2C
WEIGHT / PACKING	1 PCS	N.W.: 149 g / pcs
	BOX	100 pcs / 1box
		G.W.: 15.9 kg / box
		0.4*0.4*0.28 [m]



Salt Lamp Cord (UK)

Country of Origin China
 Application Home, commercial, industrial, outdoor lighting and special scenes
 Approvals UL CE VDE RoHS

Length/Cord		1m (customized)
Plug		UK
Connector		E26 / E27
Rating		105°C 250V
Wire Gauge		H03VVH2-F 0.75MM/2C
WEIGHT / PACKING	1 PCS	N.W.: 154 g / pcs
	BOX	100 pcs / 1box
		G.W.: 16.4 kg / box
		0.4*0.4*0.28 [m]



Salt Lamp Cord (UK)

Country of Origin China
Application Home, commercial, industrial, outdoor lighting and special scenes
Approvals UL CE VDE RoHS

Length/Cord		1m (customized)
Plug		UK
Connector		E26 / E27
Rating		105℃ 250V
Wire Gauge		H03VVH2-F 0.75MM/2C
WEIGHT / PACKING	1 PCS	N.W.: 174 g / pcs
	BOX	100 pcs / 1box
		G.W.: 18.4 kg / box
		0.4*0.4*0.28 [m]



Salt Lamp Cord (AU)

Country of Origin China
 Application Home, commercial, industrial, outdoor lighting and special scenes
 Approvals UL CE VDE RoHS

Length/Cord		1m (customized)
Plug		AU
Connector		E12 / E14
Rating		105°C 250V
Wire Gauge		H03VVH2-F 0.75MM/2C
WEIGHT / PACKING	1 PCS	N.W.: 126 g / pcs
	BOX	100 pcs / 1box
		G.W.: 13.6 kg / box
		0.4*0.4*0.28 [m]



Salt Lamp Cord (AU)

Country of Origin China
 Application Home, commercial, industrial, outdoor lighting and special scenes
 Approvals UL CE VDE RoHS

Length/Cord		1m (customized)
Plug		AU
Connector		E12 / E14
Rating		105°C 250V
Wire Gauge		H03VVH2-F 0.75MM/2C
WEIGHT / PACKING	1 PCS	N.W.: 113 g / pcs
	BOX	100 pcs / 1box
		G.W.: 12.3 kg / box
		0.4*0.4*0.28 [m]



Salt Lamp Cord (AU)

Country of Origin	China
Application	Home, commercial, industrial, outdoor lighting and special scenes
Approvals	UL CE VDE RoHS

Length/Cord		1m (customized)
Plug		AU
Connector		E26 / E27
Rating		105℃ 250V
Wire Gauge		H03VVH2-F 0.75MM/2C
WEIGHT / PACKING	1 PCS	N.W.: 134 g / pcs
	BOX	100 pcs / 1box
		G.W.: 14.4 kg / box
		0.4*0.4*0.28 [m]



Salt Lamp Cord (AU)

Country of Origin	China
Application	Home, commercial, industrial, outdoor lighting and special scenes
Approvals	UL CE VDE RoHS

Length/Cord		1m (customized)
Plug		AU
Connector		E26 / E27
Rating		105℃ 250V
Wire Gauge		H03VVH2-F 0.75MM/2C
WEIGHT / PACKING	1 PCS	N.W.: 121 g / pcs
	BOX	100 pcs / 1box
		G.W.: 13.1 kg / box
		0.4*0.4*0.28 [m]



Salt Lamp Cord (AU)

Country of Origin China
 Application Home, commercial, industrial, outdoor lighting and special scenes
 Approvals UL CE VDE RoHS

Length/Cord		1m (customized)
Plug		AU
Connector		E12 / E14
Rating		105°C 250V
Wire Gauge		H03VVH2-F 0.75MM/2C
WEIGHT / PACKING	1 PCS	N.W.: 131 g / pcs
	BOX	100 pcs / 1box
		G.W.: 14.1 kg / box
		0.4*0.4*0.28 [m]



Salt Lamp Cord (AU)

Country of Origin China
 Application Home, commercial, industrial, outdoor lighting and special scenes
 Approvals UL CE VDE RoHS

Length/Cord		1m (customized)
Plug		AU
Connector		E26 / E27
Rating		105°C 250V
Wire Gauge		H03VVH2-F 0.75MM/2C
WEIGHT / PACKING	1 PCS	N.W.: 141 g / pcs
	BOX	100 pcs / 1box
		G.W.: 15.1 kg / box
		0.4*0.4*0.28 [m]





Shenzhen Kuncan Electronics Co.,Ltd.

AC POWER CABLE series

IEC C5 (US)

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	UL, ETL
Length	customizable
cord	18AWG/16AWG/14AWG
Plug	NEMA 5-15P
Connector	C5
Rating	300V 105° C
Flex cord	SVT/SJT/SJTW/SJTOW



IEC C6 (US)

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	UL, ETL
Length	customizable
cord	18AWG/16AWG/14AWG
Plug	NEMA 5-15P
Connector	C6
Rating	300V 105° C
Flex cord	SVT/SJT/SJTW/SJTOW



IEC C7 (US)

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	UL, ETL
Length	customizable
cord	18AWG
Plug	NEMA 1-15P
Connector	C7 (polarity/non-polarity)
Rating	300V 105° C
Flex cord	SPT-1/SPT-2/NISPT-1/NISPT-2



IEC C8 (US)

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	UL, ETL
Length	customizable
cord	18AWG
Plug	NEMA 1-15P
Connector	C8
Rating	300V 105° C
Flex cord	SPT-1/SPT-2/NISPT-1/NISPT-2



IEC C13(US)

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	UL, ETL
Length	customizable
cord	18AWG/16AWG/14AWG
Plug	NEMA 5-15P
Connector	C13
Rating	300V 105° C
Flex cord	SVT/SJT/SJTW/SJTOW

**IEC C14(US)**

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	UL, ETL
Length	customizable
cord	18AWG/16AWG/14AWG
Plug	NEMA 5-15P
Connector	C14
Rating	300V 105° C
Flex cord	SVT/SJT/SJTW/SJTOW

**IEC C15(US)**

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	UL, ETL
Length	customizable
cord	18AWG/16AWG/14AWG
Plug	NEMA 5-15P
Connector	C15
Rating	300V 105° C
Flex cord	SVT/SJT/SJTW/SJTOW

**IEC C19(US)**

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	UL, ETL
Length	customizable
cord	18AWG/16AWG/14AWG
Plug	NEMA 5-15P
Connector	C19
Rating	300V 105° C
Flex cord	SVT/SJT/SJTW/SJTOW



IEC C20(US)

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	UL, ETL
Length	customizable
cord	18AWG/16AWG/14AWG
Plug	NEMA 5-15P
Connector	C20
Rating	300V 105° C
Flex cord	SVT/SJT/SJTW/SJTOW

**stripped and tinned(US)**

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	UL, ETL
Length	customizable
cord	18AWG/16AWG/14AWG
Plug	NEMA 5-15P
Connector	stripped and tinned
Rating	300V 105° C
Flex cord	SVT/SJT/SJTW/SJTOW

**NEMA 5-15R(US)**

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	UL, ETL
Length	customizable
cord	18AWG/16AWG/14AWG
Plug	NEMA 5-15P
Connector	NEMA 5-15R
Rating	300V 105° C
Flex cord	SVT/SJT/SJTW/SJTOW

**NEMA 1-15R(US)**

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	UL, ETL
Length	customizable
cord	18AWG/16AWG/14AWG
Plug	NEMA 1-15P
Connector	NEMA 1-15R
Rating	300V 105° C
Flex cord	SPT-1/SPT-2/NISPT-1/NISPT-2



NEMA 5-15R (US)

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	UL, ETL
Length	customizable
cord	18AWG/16AWG/14AWG
Plug	NEMA 5-15P
Connector	NEMA 5-15R
Switch	ON/OFF Switch with LED
Rating	300V 105° C
Flex cord	SVT/SJT/SJTW/SJTOW

**IEC C13 (US)**

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	UL, ETL
Length	customizable
cord	18AWG/16AWG/14AWG
Plug	NEMA 5-15P
Connector	C13
Switch	ON/OFF Switch with LED
Rating	300V 105° C
Flex cord	SVT/SJT/SJTW/SJTOW

**NEMA 5-15R (US)**

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	UL, ETL
Length	customizable
cord	18AWG/16AWG/14AWG
Connector	NEMA 5-15R
Connector	C14 with Metal anti-unhooking
Rating	300V 105° C
Flex cord	SVT/SJT/SJTW/SJTOW

**GFCI (US)**

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	UL, ETL
Length	customizable
cord	18AWG/16AWG/14AWG
Plug	NEMA 5-15P
Connector	stripped and tinned
Switch	GFCI
Rating	300V 105° C
Flex cord	SJTW/SJTOW



PowerCON (US)

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	UL, ETL
Length	customizable
cord	18AWG/16AWG/14AWG
Plug	NEMA 5-15P
Connector	PowerCON
Rating	300V 105° C
Flex cord	SVT/SJT/SJTW/SJTOW

**NEMA 5-15R (US)**

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	UL, ETL
Length	customizable
cord	18AWG/16AWG/14AWG
Plug	Flanged RV Inlet
Connector	NEMA 5-15R
Rating	300V 105° C
Flex cord	SVT/SJT/SJTW/SJTOW

**IEC C5 (EU)**

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	VDE
Length	customizable
cord	0.75mm2/1.0mm2/1.5mm2
Plug	CEE 7/17
Connector	C5
Rating	300/500V 105° C
Flex cord	H05VV-F

**IEC C6 (EU)**

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	VDE
Length	customizable
cord	0.75mm2/1.0mm2/1.5mm2
Plug	CEE 7/17
Connector	C6
Rating	300V 105° C
Flex cord	H05VV-F



IEC C7 (EU)

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	VDE
Length	customizable
cord	0.75mm ²
Plug	CEE 7/17
Connector	C7
Rating	300V 105° C
Flex cord	H03VVH2-F

**IEC C8 (EU)**

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	VDE
Length	customizable
cord	0.75mm ²
Plug	CEE 7/17
Connector	C8
Rating	300V 105° C
Flex cord	H03VVH2-F

**IEC C13 (EU)**

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	VDE
Length	customizable
cord	0.75mm ² /1.0mm ² /1.5mm ²
Plug	CEE 7/17
Connector	C13
Rating	300V 105° C
Flex cord	H05VV-F


**IEC C14 (EU)**

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	VDE
Length	customizable
cord	0.75mm ² /1.0mm ² /1.5mm ²
Plug	CEE 7/17
Connector	C14
Rating	300V 105° C
Flex cord	H05VV-F



IEC C15 (EU)

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	VDE
Length	customizable
cord	0.75mm ² /1.0mm ² /1.5mm ²
Plug	CEE 7/17
Connector	C15
Rating	300V 105° C
Flex cord	H05VV-F

**IEC C19 (EU)**

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	VDE
Length	customizable
cord	0.75mm ² /1.0mm ² /1.5mm ²
Plug	CEE 7/17
Connector	C19
Rating	300V 105° C
Flex cord	H05VV-F

**IEC C20 (EU)**

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	VDE
Length	customizable
cord	0.75mm ² /1.0mm ² /1.5mm ²
Plug	CEE 7/17
Connector	C20
Rating	300V 105° C
Flex cord	H05VV-F

**stripped and tinned (EU)**

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	VDE
Length	customizable
cord	0.75mm ² /1.0mm ² /1.5mm ²
Plug	CEE 7/17
Connector	C20
Rating	300V 105° C
Flex cord	H05VV-F



Waterproof strip (EU)

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	VDE
Length	customizable
cord	0.75mm ² /1.0mm ² /1.5mm ²
Plug	CEE 7/17
Connector	Waterproof strip
Rating	300V 105° C
Flex cord	H05VV-F



EU Female Schuko (EU)

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	VDE
Length	customizable
cord	0.75mm ² /1.0mm ² /1.5mm ²
Plug	CEE 7/17
Connector	EU Female Schuko
Rating	300V 105° C
Flex cord	H05VV-F



IEC C5 (UK)

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	ASTA, VDE
Length	customizable
cord	0.75mm ² /1.0mm ² /1.5mm ²
Plug	BS
Fuse	5A/7A/10A/15A
Connector	C5
Rating	300/500V 105° C
Flex cord	H05VV-F



IEC C6 (UK)

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	ASTA, VDE
Length	customizable
cord	0.75mm ² /1.0mm ² /1.5mm ²
Plug	BS
Fuse	5A/7A/10A/15A
Connector	C6
Rating	300/500V 105° C
Flex cord	H05VV-F



IEC C7 (UK)

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	ASTA, VDE
Length	customizable
cord	0.75mm ²
Plug	BS
Fuse	5A
Connector	C7
Rating	300V 105° C
Flex cord	H03VVH2-F

**IEC C8 (UK)**

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	ASTA, VDE
Length	customizable
cord	0.75mm ²
Plug	BS
Fuse	5A
Connector	C8
Rating	300V 105° C
Flex cord	H03VVH2-F

**IEC C13 (UK)**

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	ASTA, VDE
Length	customizable
cord	0.75mm ² /1.0mm ² /1.5mm ²
Plug	BS
Fuse	5A/7A/10A/15A
Connector	C13
Rating	300/500V 105° C
Flex cord	H05VV-F

**IEC C13 (UK)**

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	VDE
Length	customizable
cord	0.75mm ² /1.0mm ² /1.5mm ²
Plug	BS
Switch	ON/OFF Switch with LED
Connector	C13
Rating	300V 105° C
Flex cord	H05VV-F



IEC C14(UK)

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	ASTA, VDE
Length	customizable
cord	0.75mm ² /1.0mm ² /1.5mm ²
Plug	BS
Fuse	5A/7A/10A/15A
Connector	C14
Rating	300/500V 105° C
Flex cord	H05VV-F

**IEC C15(UK)**

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	ASTA, VDE
Length	customizable
cord	0.75mm ² /1.0mm ² /1.5mm ²
Plug	BS
Fuse	5A/7A/10A/15A
Connector	C15
Rating	300/500V 105° C
Flex cord	H05VV-F

**IEC C19(UK)**

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	ASTA, VDE
Length	customizable
cord	0.75mm ² /1.0mm ² /1.5mm ²
Plug	BS
Fuse	5A/7A/10A/15A
Connector	C19
Rating	300/500V 105° C
Flex cord	H05VV-F

**IEC C20(UK)**

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	ASTA, VDE
Length	customizable
cord	0.75mm ² /1.0mm ² /1.5mm ²
Plug	BS
Fuse	5A/7A/10A/15A
Connector	C20
Rating	300/500V 105° C
Flex cord	H05VV-F



stripped and tinned(UK)

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	VDE
Length	customizable
cord	0.75mm2/1.0mm2/1.5mm2
Plug	BS
Connector	stripped and tinned
Rating	300V 105° C
Flex cord	H05VV-F

**BS Female Schuko(UK)**

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	VDE
Length	customizable
cord	0.75mm2/1.0mm2/1.5mm2
Plug	BS
Connector	BS Female Schuko
Rating	300V 105° C
Flex cord	H05VV-F

**IEC C5 (AU)**

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	SAA, VDE
Length	customizable
cord	0.75mm2/1.0mm2/1.5mm2
Plug	SAA
Connector	C5
Rating	300/500V 105° C
Flex cord	H05VV-F

**IEC C6 (AU)**

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	SAA, VDE
Length	customizable
cord	0.75mm2
Plug	SAA
Connector	C6
Rating	300V 105° C
Flex cord	H05VV-F



IEC C7 (AU)

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	SAA, VDE
Length	customizable
cord	0.75mm ²
Plug	SAA
Connector	C7
Rating	300V 105° C
Flex cord	H03VVH2-F

**IEC C8 (AU)**

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	SAA, VDE
Length	customizable
cord	0.75mm ²
Plug	SAA
Connector	C8
Rating	300V 105° C
Flex cord	H03VVH2-F

**IEC C13 (AU)**

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	SAA, VDE
Length	customizable
cord	0.75mm ² /1.0mm ² /1.5mm ²
Plug	SAA
Connector	C13
Rating	300/500V 105° C
Flex cord	H05VV-F

**IEC C14 (AU)**

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	SAA, VDE
Length	customizable
cord	0.75mm ² /1.0mm ² /1.5mm ²
Plug	SAA
Connector	C14
Rating	300/500V 105° C
Flex cord	H05VV-F



IEC C15 (AU)

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	SAA, VDE
Length	customizable
cord	0.75mm ² /1.0mm ² /1.5mm ²
Plug	SAA
Connector	C15
Rating	300/500V 105° C
Flex cord	H05VV-F

**IEC C19 (AU)**

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	SAA, VDE
Length	customizable
cord	0.75mm ² /1.0mm ² /1.5mm ²
Plug	SAA
Connector	C19
Rating	300/500V 105° C
Flex cord	H05VV-F

**IEC C20 (AU)**

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	SAA, VDE
Length	customizable
cord	0.75mm ² /1.0mm ² /1.5mm ²
Connector	SAA Female
Connector	C20
Rating	300/500V 105° C
Flex cord	H05VV-F

**stripped and tinned (AU)**

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	SAA, VDE
Length	customizable
cord	0.75mm ² /1.0mm ² /1.5mm ²
Plug	SAA
Connector	stripped and tinned
Rating	300V 105° C
Flex cord	H05VV-F



AU Female Schuko(AU)

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	SAA, VDE
Length	customizable
cord	0.75mm ² /1.0mm ² /1.5mm ²
Plug	SAA
Connector	stripped and tinned
Rating	300V 105° C
Flex cord	H05VV-F

**IEC C7 To IEC C8**

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	UL, ETL, VDE
Length	customizable
cord	18AWG/0.75MM ²
Connector	C7
Connector	C8
Rating	300V 105° C
Flex cord	SPT/NISPT/H03VVH2-F

**IEC C13 To IEC C5**

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	UL, ETL, VDE
Length	customizable
cord	18AWG/0.75MM ²
Connector	C13
Connector	C5
Rating	300V 105° C
Flex cord	SPT/NISPT/H03VVH2-F

**IEC C6 To IEC C13**

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	UL, ETL, VDE
Length	customizable
cord	18AWG/16AWG/14AWG/0.75MM ² /1.0MM ² /1.5MM ²
Connector	C6
Connector	C13
Rating	300V 105° C
Flex cord	SVT/SJT/SJTW/H05VV-F



IEC C13 To IEC C14

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	UL, ETL, VDE
Length	customizable
cord	18AWG/16AWG/14AWG/0.75MM2/1.0MM2/1.5MM2
Connector	C13
Connector	C14
Rating	300V 105° C
Flex cord	SVT/SJT/SJTW/H05VV-F



IEC C14 To IEC C5

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	UL, ETL, VDE
Length	customizable
cord	18AWG/16AWG/14AWG/0.75MM2/1.0MM2/1.5MM2
Connector	C14
Connector	C5
Rating	300V 105° C
Flex cord	SVT/SJT/SJTW/H05VV-F



IEC C14 To IEC C15

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	UL, ETL, VDE
Length	customizable
cord	18AWG/16AWG/14AWG/0.75MM2/1.0MM2/1.5MM2
Connector	C14
Connector	C15
Rating	300V 105° C
Flex cord	SVT/SJT/SJTW/H05VV-F



IEC C14 To IEC C13 AND NEMA 5-15R

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	UL, ETL, VDE
Length	customizable
cord	18AWG/16AWG/14AWG
Connector	C14
Connector	C13 AND NEMA 5-15R
Rating	300V 105° C
Flex cord	SVT/SJT/SJTW



IEC C14 To IEC C19

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	UL, ETL, VDE
Length	customizable
cord	18AWG/16AWG/14AWG/0.75MM2/1.0MM2/1.5MM2
Connector	C14
Connector	C19
Rating	300V 105° C
Flex cord	SVT/SJT/SJTW/H05VV-F



IEC C14 To IEC C20

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	UL, ETL, VDE
Length	customizable
cord	18AWG/16AWG/14AWG/0.75MM2/1.0MM2/1.5MM2
Connector	C14
Connector	C20
Rating	300V 105° C
Flex cord	SVT/SJT/SJTW/H05VV-F



IEC C19 To IEC C20

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	UL, ETL, VDE
Length	customizable
cord	18AWG/16AWG/14AWG/0.75MM2/1.0MM2/1.5MM2
Connector	C19
Connector	C20
Rating	300V 105° C
Flex cord	SVT/SJT/SJTW/H05VV-F



IEC C20 To IEC C13

Country of Origin	China
RoHS	yes
Application	For Class I. Appliances
Approvals	UL, ETL, VDE
Length	customizable
cord	18AWG/16AWG/14AWG/0.75MM2/1.0MM2/1.5MM2
Connector	C20
Connector	C13
Rating	300V 105° C
Flex cord	SVT/SJT/SJTW/H05VV-F





Shenzhen Kuncan Electronics Co.,Ltd.

DC CABLE SAE EXTENSION series

SAE to SAE Extension Cable (16AWG)

Country of Origin China
Application For Motorcycles, Lawnmowers, Atv, Kayak, Truck, Sprayer
Approvals RoHS

Length/Cord	1m / 1.3mm2	
Plug	SAE	
Connector	SAE	
Rating	105°C 300V	
Wire Gauge	SPT-2 16AWG/2C	
WEIGHT / PACKING	1 PCS	
		N.W.: 86 g / pcs
		180 pcs / 1box
	BOX	G.W.: 16.5 kg / box
		0.45*0.45*0.35 [m]

SAE to SAE Extension Cable (12AWG)

Country of Origin China
Application For Motorcycles, Lawnmowers, Atv, Kayak, Truck, Sprayer
Approvals RoHS

Length/Cord	1m / 3.3mm2	
Plug	SAE	
Connector	SAE	
Rating	200° 300V	
Wire Gauge	Silicone 12AWG	
WEIGHT / PACKING	1 PCS	
		N.W.: 105 g / pcs
		160 pcs / 1box
	BOX	G.W.: 18 kg / box
		0.45*0.45*0.35 [m]

SAE to SAE Extension Cable (10AWG)

Country of Origin China
 Application For Motorcycles, Lawnmowers, Atv, Kayak, Truck, Sprayer
 Approvals RoHS

Length/Cord		1m / 5.2mm2	
Plug		SAE	
Connector		SAE	
Rating		200° 300V	
Wire Gauge		Silicone 10AWG	
WEIGHT / PACKING	1 PCS	N.W.: 155 g / pcs	
	BOX	80 pcs / 1box	
		G.W.: 13.5 kg / box	
		0.4*0.4*0.28 [m]	

SAE to SAE Splitter (16AWG)

Country of Origin China
 Application For Motorcycles, Lawnmowers, Atv, Kayak, Truck, Sprayer
 Approvals RoHS

Length/Cord		0.5m / 1.3mm2	
Plug		SAE	
Connector		2 SAE	
Rating		105°C 300V	
Wire Gauge		SPT-2 16AWG/2C	
WEIGHT / PACKING	1 PCS	N.W.: 97 g / pcs	
	BOX	150 pcs / 1box	
		G.W.: 15.6 kg / box	
		0.45*0.45*0.35 [m]	



Shenzhen Kuncan Electronics Co.,Ltd.

DC CABLE SAE CONNECTOR series

SAE to Ring Terminal Harness (16AWG)

Country of Origin China
Application For Motorcycles, Lawnmowers, Atv, Kayak, Truck, Sprayer
Approvals RoHS

Length/Cord		0.6m / 1.3mm2
Plug		SAE
Connector		O Ring Terminal
Rating		105°C 300V
Wire Gauge		SPT-2 16AWG/2C
WEIGHT / PACKING	1 PCS	N.W.: 66 g / pcs
	BOX	250 pcs / 1box
		G.W.: 17.55 kg / box
		0.45*0.45*0.35 [m]



SAE to Alligator Clips Cable (16AWG)

Country of Origin China
Application For Motorcycles, Lawnmowers, Atv, Kayak, Truck, Sprayer
Approvals RoHS

Length/Cord		0.5m / 1.3mm2
Plug		SAE
Connector		Battery Alligator Clip
Rating		105°C 300V
Wire Gauge		SPT-2 16AWG/2C
WEIGHT / PACKING	1 PCS	N.W.: 91 g / pcs
	BOX	180 pcs / 1box
		G.W.: 17.3 kg / box
		0.45*0.45*0.35 [m]



SAE to Strip Tinning (16AWG)

Country of Origin China
 Application For Motorcycles, Lawnmowers, Atv, Kayak, Truck, Sprayer
 Approvals RoHS

Length/Cord		0.3m / 1.3mm2
Plug		SAE
Connector		Strip Tinning
Rating		105°C 300V
Wire Gauge		SPT-2 16AWG/2C
WEIGHT / PACKING	2 PCS	N.W.: 75 g / 2pcs
	BOX	180 pcs / 1box
		G.W.: 14.5 kg / box
		0.4*0.4*0.28 [m]



SAE Socket Sidewall Port with Mounting Screws (16AWG)

Country of Origin China
 Application For Solar Panel, Motorcycle, Lawn Motor, Car, Atv, Kayak, Truck, Sprayer, Tractor Battery, Rv
 Approvals RoHS

Length/Cord		0.6m / 1.3mm2
Plug		SAE
Connector		SAE Socket
Rating		105°C 300V
Wire Gauge		SPT-2 16AWG/2C
WEIGHT / PACKING	2 PCS	N.W.: 145 g / 2pcs
	BOX	100 pcs / 1box
		G.W.: 15.5 kg / box
		0.45*0.45*0.35 [m]



SAE to Cigarette Lighter Female Socket (16AWG)

Country of Origin China
 Application For Cars, Motorcycle, Bike, Scooter, Atv, Boat, Rv
 Approvals RoHS

Length/Cord		1.8m / 1.3mm2	
Plug		SAE	
Connector		Cigarette Lighter Female Socket	
Rating		105°C 300V	
Wire Gauge		SPT-2 16AWG/2C	
WEIGHT / PACKING	1 PCS	N.W.: 219 g / 1pcs	
	BOX	80 pcs / 1box	
		G.W.: 18.5 kg / box	
		0.45*0.45*0.35 [m]	

SAE to Dual USB Charger (16AWG)

Country of Origin China
 Application For Cars, Motorcycle, Bike, Scooter, Atv, Boat, Rv
 Approvals RoHS

Length/Cord		1m / 1.3mm2	
Plug		SAE	
Connector		Double charging USB Interface	
Rating		105°C 300V	
Input/Output		12-24V/5V 2.1A	
Wire Gauge		SPT-2 16AWG/2C	
WEIGHT / PACKING	1 PCS	N.W.: 130 g / 1pcs	
	BOX	80 pcs / 1box	
		G.W.: 11.4 kg / box	
		0.4*0.4*0.28 [m]	



Shenzhen Kuncan Electronics Co.,Ltd.

DC CABLE Cigarette Lighter Extension series

Cigarette Lighter Extension Cord(16AWG)

Country of Origin		China
Application		For Car, Rv, Truck, Boat, Travel Trailer, Pickup
Approvals		RoHS
Length/Cord		3.66m / 1.3mm2
Plug		Cigarette Lighter Plug
Connector		Cigarette Lighter Socket
Rating		105°C 300V
Input		12-24V
Wire Gauge		SPT-2 16AWG/2C
WEIGHT / PACKING	1 PCS	N.W.: 258 g / pcs
	BOX	50 pcs / 1box
		G.W.: 13.9 kg / box
		0.4*0.4*0.28 [m]



Cigarette Lighter Extension Cord(16AWG)

Country of Origin		China
Application		For Car, Rv, Truck, Boat, Travel Trailer, Pickup
Approvals		RoHS
Length/Cord		1.2m / 1.3mm2
Plug		Cigarette Lighter Plug
Connector		Cigarette Lighter Plug
Rating		105°C 300V
Input		12-24V
Wire Gauge		SPT-2 16AWG/2C
WEIGHT / PACKING	1 PCS	N.W.: 156 g / pcs
	BOX	80 pcs / 1box
		G.W.: 13.5 kg / box
		0.45*0.45*0.35 [m]



2 Way Cigarette Lighter Extension Cord(16AWG)

Country of Origin	China
Application	For Car, Rv, Truck, Boat, Travel Trailer, Pickup
Approvals	RoHS

Length/Cord		1.2m / 1.3mm2
Plug		Cigarette Lighter Plug
Connector		Cigarette Lighter Socket*2
Rating		105℃ 300V
Input		12-24V
Wire Gauge		SPT-2 16AWG/2C
WEIGHT / PACKING	1 PCS	N.W.: 292 g / pcs
	BOX	50 pcs / 1box
		G.W.: 15.6 kg / box
		0.45*0.45*0.35 [m]



Cigarette Lighter Extension Cord with On Off Switch (18AWG)

Country of Origin	China
Application	For Car, Rv, Truck, Boat, Travel Trailer, Pickup
Approvals	RoHS

Length/Cord		1.5m / 0.82mm2
Plug		Cigarette Lighter Male Plug
Connector		OBD-II 16P Male Plug
Rating		80°C 300V
Input		12-24V
Wire Gauge		2464 18AWG/2C
WEIGHT / PACKING	1 PCS	N.W.: 144 g / 1pcs
	BOX	90 pcs / 1box
		G.W.: 14kg / box
		0.45*0.45*0.35 [m]



Cigarette Lighter Socket to Battery Alligator Clip (16AWG)

Country of Origin	China
Application	For Boat, Car, Riding Mower, Trucks, Rv, Generator Battery, Lawn Tractor, Van, Golf Cart
Approvals	RoHS

Length/Cord		0.6m / 1.3mm2
Plug		Cigarette Lighter Socket
Connector		Battery Alligator Clip
Rating		105°C 300V
Input		12-24V
Wire Gauge		SPT-2 16AWG/2C
WEIGHT / PACKING	1 PCS	N.W.: 146 g / pcs
	BOX	80 pcs / 1box
		G.W.: 12.7 kg / box
		0.45*0.45*0.35 [m]



Cigarette Lighter Socket to Battery Alligator Clip (16AWG)

Country of Origin	China
Application	For Golf Cart, Motorcycle, Boat, Lawn Tractors, Travel Trailer, Bike, Pickup, Rv, Truck, Sprayer, Snowmobile, Atv
Approvals	RoHS

Length/Cord		1m / 1.3mm2
Plug		Cigarette Lighter Socket
Connector		Eyelet Terminals
Rating		105℃ 300V
Input		12-24V
Wire Gauge		SPT-2 16AWG/2C
WEIGHT / PACKING	1 PCS	N.W.: 110 g / pcs
	BOX	150 pcs / 1box
		G.W.: 17.7 kg / box
		0.45*0.45*0.35 [m]



Cigarette Lighter Female Socket to SAE (16AWG)

Country of Origin	China
Application	For Cars, Motorcycle, Bike, Scooter, Atv, Boat, Rv
Approvals	RoHS

Length/Cord		1.8m / 1.3mm2
Plug		Cigarette Lighter Female Socket
Connector		SAE
Rating		105°C 300V
Wire Gauge		SPT-2 16AWG/2C
WEIGHT / PACKING	1 PCS	N.W.: 219 g / 1pcs
	BOX	80 pcs / 1box
		G.W.: 18.5 kg / box
		0.45*0.45*0.35 [m]



Cigarette Lighter Male Plug to Strip Tinning (16AWG)

Country of Origin	China
Application	For Lawn Mower, Sprayer, Atv, Car, Motorcycle, Rv, Truck, Etc.
Approvals	RoHS

Length/Cord		0.3m / 1.3mm2
Plug		Cigarette Lighter Male Plug
Connector		Strip Tinning
Rating		105°C 300V
Input		12-24V
Wire Gauge		SPT-2 16AWG/2C
WEIGHT / PACKING	2 PCS	N.W.: 69 g / 2pcs
	BOX	180 pcs / 1box
		G.W.: 13.5 kg / box
		0.45*0.45*0.35 [m]



Cigarette Lighter Socket to DC Plug(16AWG)

Country of Origin	China
Application	For Car Jump Starter Battery Pack, Ups Battery Backup And Portable Solar Generator
Approvals	RoHS

Length/Cord		0.3m / 1.3mm2
Plug		Cigarette Lighter Socket
Connector		DC 5.5mm x 2.1mm Male Barrel Plug
Rating		105°C 300V
Input		12-24V
Wire Gauge		SPT-2 16AWG/2C
WEIGHT / PACKING	1 PCS	N.W.: 71 g / 1pcs
	BOX	200 pcs / 1box
		G.W.: 15.2 kg / box
		0.45*0.45*0.35 [m]



Fixed Thread Cigarette Lighter Socket Extension Cable(16AWG)

Country of Origin	China
Application	For A Replacement Of Cigarette Lighters In Automobiles, Motorcycles, Ships, Etc
Approvals	RoHS

Length/Cord		1m / 1.3mm2
Plug		Fixed Thread Cigarette Lighter Socket
Connector		Battery Eyelet Ring Terminal
Rating		105°C 300V
Input		12-24V
Wire Gauge		SPT-2 16AWG/2C
WEIGHT / PACKING	1 PCS	N.W.: 120 g / 1pcs
	BOX	150 pcs / 1box
		G.W.: 18.8 kg / box
		0.45*0.45*0.35 [m]



Cigarette Lighter Plug to Battery Alligator Clip (16AWG)

Country of Origin	China
Application	For Golf Cart, Motorcycle, Boat, Lawn Tractors, Travel Trailer, Bike, Pickup, Rv, Truck, Sprayer, Snowmobile, Atv
Approvals	RoHS

Length/Cord		1m / 1.3mm2
Plug		Cigarette Lighter Plug
Connector		Battery Alligator Clip
Rating		105°C 300V
Input		12-24V
Wire Gauge		SPT-2 16AWG/2C
WEIGHT / PACKING	1 PCS	N.W.: 120 g / pcs
	BOX	180 pcs / 1box
		G.W.: 22.8 kg / box
		0.45*0.45*0.35 [m]



Cigarette Lighter Plug to Eyelet Terminals (16AWG)

Country of Origin	China
Application	Car, Atv, Sprayer, Boat, Rv, Truck, Utv
Approvals	RoHS

Length/Cord		1m / 1.3mm2
Plug		Cigarette Lighter Plug
Connector		Eyelet Terminals
Rating		105°C 300V
Input		12-24V
Wire Gauge		SPT-2 16AWG/2C
WEIGHT / PACKING	1 PCS	N.W.: 100 g / pcs
	BOX	180 pcs / 1box
		G.W.: 18.8 kg / box
		0.45*0.45*0.35 [m]



Cigarette Lighter Male Plug to SAE (16AWG)

Country of Origin	China
Application	For Lawn Mower, Sprayer, Atv, Car, Motorcycle, Rv, Truck, Etc.
Approvals	RoHS

Length/Cord		1.5m / 1.3mm2
Plug		Cigarette Lighter Male Plug
Connector		SAE
Rating		105 °C 300V
Input		12-24V
Wire Gauge		SPT-2 16AWG/2C
WEIGHT / PACKING	1 PCS	N.W.: 144 g / 1pcs
	BOX	80 pcs / 1box
		G.W.: 12.5 kg / box
		0.45*0.45*0.35 [m]



Cigarette Lighter Male Plug to OBD-II 16P Male Plug (16AWG)

Country of Origin	China
Application	For Most Cars OBD Memory
Approvals	RoHS

Length/Cord		1.4m / 1.3mm2
Plug		Cigarette Lighter Male Plug
Connector		OBD-II 16P Male Plug
Rating		105°C 300V
Input		12-24V
Wire Gauge		SPT-2 16AWG/2C
WEIGHT / PACKING	1 PCS	N.W.: 125 g / 1pcs
	BOX	80 pcs / 1box
		G.W.: 11 kg / box
		0.4*0.4*0.28 [m]



Cigarette Lighter Male Plug to Terminals (16AWG)

Country of Origin	China
Application	For Lawn Mower, Sprayer, Atv, Car, Motorcycle, Rv, Truck, Etc.
Approvals	RoHS

Length/Cord		0.1m / 1.3mm2
Plug		Cigarette Lighter Male Plug
Connector		Bullet Terminals
Rating		105°C 300V
Input		12-24V
Wire Gauge		SPT-2 16AWG/2C
WEIGHT / PACKING	1 PCS	N.W.: 42 g / 1pcs
	BOX	350 pcs / 1box
		G.W.: 15.8 kg / box
		0.45*0.45*0.35 [m]



Cigarette Lighter Male Plug to Strip Tinning (16AWG)

Country of Origin	China
Application	For Lawn Mower, Sprayer, Atv, Car, Motorcycle, Rv, Truck, Etc.
Approvals	RoHS

Length/Cord		1m / 1.3mm2
Plug		Cigarette Lighter Male Plug
Connector		Strip Tinning
Rating		105°C 300V
Input		12-24V
Wire Gauge		SPT-2 16AWG/2C
WEIGHT / PACKING	1 PCS	N.W.: 90 g / 1pcs
	BOX	200 pcs / 1box
		G.W.: 19 kg / box
		0.45*0.45*0.35 [m]



Cigarette Lighter Male Plug to DC (18AWG)

Country of Origin	China
Application	For Radio, Camera, CCTV, LED Strip Lights, Monitor, Portable DVD Player, Car DVR
Approvals	RoHS

Length/Cord		1.2m / 0.82mm2
Plug		Cigarette Lighter Male Plug
Connector		DC Connector 5.5 x 2.1mm
Rating		80℃ 300V
Input		12-24V
Wire Gauge		2464 18AWG/2C
WEIGHT / PACKING	1 PCS	N.W.: 65 g / 1pcs
	BOX	240 pcs / 1box
		G.W.: 16.5 kg / box
		0.45*0.45*0.35 [m]



SAE to Cigarette Lighter Male Plug (16AWG)

Country of Origin	China
Application	For Lawn Mower, Sprayer, Atv, Car, Motorcycle, Rv, Truck, Etc.
Approvals	RoHS

Length/Cord		1.5m / 1.3mm2
Plug		SAE
Connector		Cigarette Lighter Male Plug
Rating		105℃ 300V
Input		12-24V
Wire Gauge		SPT-2 16AWG/2C
WEIGHT / PACKING	1 PCS	N.W.: 144 g / 1pcs
	BOX	80 pcs / 1box
		G.W.: 12.5 kg / box
		0.45*0.45*0.35 [m]






Shenzhen KunCan Electronics Co.,Ltd.

Network cable sreies

Cat 5

Country of Origin China
Application Suitable for home and small office networks
Approvals RoHS


Length	1M/2M/3M/4M/5M/10M/20M
One end	RJ45
Another end	RJ45
Bandwidth	100MHz
Rate	100 Mbps (100BASE-TX) and 1 Gbp (1000BASE-T)
Wire Gauge	UTP 24AWG/4P



Cat 5e

Country of Origin China
Application For homes, offices and data centers
Approvals RoHS

Length	1M/2M/3M/4M/5M/10M/20M
One end	RJ45
Another end	RJ45
Bandwidth	100MHz
Rate	1 Gbp (1000BASE-T)
Wire Gauge	UTP/FTP 24AWG/4P




Cat 6

Country of Origin	China
Application	For enterprise networks and data centers
Approvals	RoHS

Length	1M/2M/3M/4M/5M/10M	
One end	RJ45	
Another end	RJ45	
Bandwidth	250MHz	
Rate	1 Gbps (1000BASE-T) and 10 Gbps (10GBASE-T)	
Wire Gauge	UTP/FTP/SFTP 23/24AWG/4P	

Cat 6a

Country of Origin	China
Application	For high-bandwidth, long-distance transmission, data centers and enterprise networks
Approvals	RoHS

Length	1M/2M/3M/4M/5M/10/30M/50M/100M	
One end	RJ45	
Another end	RJ45	
Bandwidth	500MHz	
Rate	10 Gbps (10GBASE-T)	
Wire Gauge	STP/SFTP 23AWG/4P	

Cat 7

Country of Origin	China
Application	Suitable for data centers and enterprise networks
Approvals	RoHS


Length	1M/2M/3M/4M/5M/10M/20M
One end	RJ45
Another end	RJ45
Bandwidth	600MHz
Rate	10 Gbps (10GBASE-T)
Wire Gauge	SFTP 23AWG/4P



Cat 7a

Country of Origin	China
Application	For data centers and high performance computing.
Approvals	RoHS

Length	1M/2M/3M/4M/5M/10M/20M
One end	RJ45
Another end	RJ45
Bandwidth	1000MHz
Rate	10 Gbps (10GBASE-T) and 40 Gbps (short distance)
Wire Gauge	SFTP 23AWG/4P



Cat 8

Country of Origin	China
Application	Used in data centers and high-performance networks
Approvals	RoHS

Length	1M/2M/3M/4M/5M/10M/20M/30M
One end	RJ45
Another end	RJ45
Bandwidth	2000MHz
Rate	25 Gbps (25GBASE-T) and 40 Gbps (40GBASE-T)
Wire Gauge	SFTP 22/23AWG/4P

