

WWW.UNITY4X4.COM



WWW.UNITY4X4.COM



4WDUNITY



Guangzhou Unity Manufacturing Co Ltd

TEL 0086-20-36773611

E-mail sales@china4x4accessories.com

OFFICE NO.3018,HuiQiao Building,Baiyun Dadao Bei,Baiyun District,Guangzhou City,China:510440

FACTORY 14 Dayang Road, Huadu Auto City Industrial Base, Huadu District, Guangzhou, China.

WAREHOUSE Building B5,Tangge Si She Industrial Zone, No.111 Tangge North Road Baiyun District,Guangzhou

4X4
ACCESSORIES

Guangzhou Unity Manufacturing Co Ltd



10000+

SKU
4X4PRODUCTS

500+

SERVICE
CUSTOMERS ALL AROUND THE WORLD

130+

COVERING
COUNTRIES IN THE WORLD

90%

PROFESSIONAL BUYER
PEPURCHASE

UNITY 4WD
ACCESSORIES



ABOUT OUR CULTURE



Culture Source:

Kindness



All Member Values:

Trust & improvement &
Innovation & win-win



Our Mission Is:

To be a no.1 Brand for
4x4 accessories supplier in china



Our Vision Is:

Bring happiness to our colleagues
Bring success to our customers

ONE-STOP OEM/ODM SERVICE PROVIDER

1. In-House R&D & Design Team with Rapid Response

We have our own R&D and design team. You don't need to find a separate designer. We customize the logo, color, box, and even the product structure & function.

2. Full-Scenario Product Solutions & Own Factory Support

You can save shipping cost and time. We manufacture most products in our own factories — from off-road modification to camping equipment. You can buy multiple products from one supplier.

3. Flexible Supply Chain Services

We accept small batches. We can mix different products in one container. You don't have to order huge quantities.

4. Market-Enabling Support

We will recommend best-selling products according to local market data. We will also offer you professional photos and videos for your website and social media. You can use them directly.

2025

We upgraded our brand to 4WDUNITY. Today, we have distributors in 5 countries, and we continue to innovate with over 20 patents.

2022

Unity constantly developed new designs and has been granted over 20 patents.

2016

We have worked with customers in more than 80 countries.

2010

We had already developed more than 100 molds for snorkels and fender flares.

2023

"4wdunity "
Brand upgrading

2019

We set up our own roof top tent factory and a steel factory.

2015

We became an OEM supplier for world-famous brands.

2007

We started in Guangzhou.
Found "Unity" Brand



4WDUNITY ACCESSORIES

CONTENTS

SNORKEL	1	ROLL COVER	55
FENDER FLARES	7	SHOCK ABSORBER	57
WATER TANK	9	DIFF DROP KIT	61
JERRY CAN	11	AIR LOCKING DIFFERENTIAL	63
SPARE TIRE WATER TANK	13	RECOVERY BOARD	65
HEAVY-DUTY SPACE CASE	15	WHEEL SPACERS	67
ROOF TOP TENT	17	REAR DRAWERS	69
SPARE TIRE UTILITY BASKET	27	4X4 WHEEL RIM	71
WINCHES	29	4X4 ROOF RAIL	72
TRAILER PARTS	33	AIR COMPRESSOR SERIES	73
LIFT JACK	35	HIGH-GAIN ANTENNA	74
BUMPER	39	LED DRIVING LIGHTS	75
PICKUP TRAY CANOPY	43	METAL REFRIGERATOR	83
ROOF RACKS	45	COOLER BOX	85
PICKUP ROLL BAR	49	JIMNY SERIES	89
SIDE STEP SERIES	51	JEEP SERIES	95
RECOVERY POINTS	53		

SNORKEL MANUFACTURING



4WDUNITY FOUNDATION

Since 2007, we have engaged in the development of snorkel molds. Now we own over 100 sets of molds, covering most vehicle models on the market.

SERVICE CAPABILITY

We offer flexible OEM / ODM services, catering to customers' brand customization and personalized needs.

QUALITY ASSURANCE

We provide high-quality products with a quality guarantee of over 3 years.

SUPPLY ADVANTAGE

We maintain sufficient long-term inventory, support orders of various quantities, and enable rapid stock

BRANDING

Packaging & branding - private label solutions regional compliance - market-specific adaptations modular design - 15+ snorkel head configurations available aesthetic customization - color and material personalization



SNORKEL



Professional production workshop

- Our products are made of rotationally molded Linear Low Density Polyethylene (LLDPE)



Customization-Ready

- We offer multiple brand customization solutions, including logos on products, logos on air intake grilles, brand-designed packaging boxes, and installation manual design, to meet customers' personalized needs.



Uniform Thickness

- 360° heated mold rotation ensures uniform wall thickness (3-8mm for option), eliminating joints for leak-free durability.



Car Model Coverage

- Engineered for extreme adventures, our snorkel series combines rotational-molded LLDPE construction with universal compatibility, covering over 95% of mainstream off-road models



Complete installation accessories

- Car-specific paper card template, natural rubber sealing tubes 304 stainless steel hose clamps and screw accessories




5-year warranty

- provide guarantees for long-term outdoor use of the product which is backed by a 5-year warranty



Customization-Packaging

- We can design packaging based on your brand elements to assist in the development of your brand



Continuous Updates

- Specialized design support 150+ global models
- new vehicle compatibility updates quarterly.


Production Process LLDPE Rotational Molding




LLDPE Material Advantage

- Linear Low-Density Polyethylene Offers 30% Higher Impact Absorption Than Hdpe
- Enhanced FlexibilityAnd Environmental StressCrackResistance
- Lldpe's Corrosion Immunity Ensures Zero Degradation From Salt,Mud, Or Acid Rain, Ideal For Vibration-Intensive Off-Road Conditions

STAINLESS STEEL SNORKEL



4" / 5"
SIZE OPTIONAL



304 / 316
MATERIAL OPTIONAL



Fine welding and polishing

Ensure the flatness and smoothness of the product surface, which provides both Aesthetic appeal and guarantees water resistance.



Precision Cnc Bending Pipe

Precision bending machine ensures that the product angle matches the body of the vehicle



Product Advantages

The streamlined pipeline design reduces wind noise improves driving comfort has no welding marks on the appearance making it more beautiful



logo customization



Matte / glossy powder coating



Stainless steel polishing / drawing



SNORKEL FILTER



BREATHE CLEAN, DRIVE STRONG

THE 4WDUNITY UNIVERSAL SNORKEL FILTER THAT BALANCES HIGH AIRFLOW AND PRECISION FILTRATION, PROTECTING ENGINES FROM CONTAMINANTS WHILE ENHANCING PERFORMANCE AND DURABILITY.



Toyota Hilux N70 05-14



Toyota Hilux N80 15-23



Toyota LC150 12-18



Toyota LC200 2017+



BYD Shark




Toyota Lc250



Ford Raptor



Ford Ranger T9



ROLE OF FENDER FLARES

Protect the vehicle body from mud and gravel splashes accommodate oversized off-road tires, and enhance the rugged visual style of off-road vehicles.

Fender Flares



Product Advantages

Dual-Function Design: Widened structure expands protection zone, while streamlined styling boosts muscular aesthetics.



Resistance

Upgraded Scratch/Impact Resistance: 2-5mm UV-resistant modified ABS material withstands rock and branch impacts.



High quality ABS material

Stable performance in -60 ° C to +80 ° C environments, with anti scratch texture to reduce daily wear



Using aluminum alloy molds, integrated molding is achieved through vacuum forming technology




Precision Fit: Vacuum-formed molding + CNC trimming ensures ±0.5mm alignment with original vehicle contours.



Covering 90% of off-road vehicles in the market

FLEX RUBBER FLARES



FLEX RUBBER FLARES SIZE	
25MM	43MM
35MM	65MM

The flexible rubber flares mount from underneath the wheel arch, it can be attached using tech screws or bolts. To obtain a more rigid and flatter shape just insert 4mm wire through the hole in the outer edge of the rubber. The wire can be bent to help maintain the wheel arch shape.



FOR Toyota Hilux Revo 2016 on



FOR Toyota Land Cruiser 80 1990-1998



FOR Toyota LC77



FOR Toyota LN166



FOR Toyota LC76 2007+



FOR Toyota LC79 Single Cab



FOR Toyota Hilux Revo 2020+



FOR NISSAN NAVARA NP300 2015-ON



FOR Nissan GU Fender Flare



FOR Nissan GU4 Fender Flare



FOR Nissan GQ Fender Flare




FOR Suzuki Jimny JB64 18+

WATER TANK

When you're fishing on the beach, camping in the bush, or just need to wash up, you usually can't get clean, pressurized water. You might have a few liters of water in a container for a simple outdoor shower, but it won't be as satisfying as a home shower. That's where the 4WDUNITY water tank comes in.





COMPLETE WATER TANK SOLUTION



- Complete water tank solution, with inbuilt water pump providing pressurized water
- High pressure water flow, 4L per minute
- Durable and Safe Material: Made from food-grade LLDPE for safety and long-lasting use.
- Universal Design: Fits various installation setups with versatile brackets
- Quick connection fittings with included flexible coil hose, power cable and handheld multi-spray trigger handle
- Note: All tanks undergo quality testing, so slight water traces may be present. Be sure to clean and rinse before use

WATER PUMP SUPPLY

As a complete solution, the water tank is equipped with a built-in water pump that can supply water at any time without gravity or pressure from the air pump. The 12V water pump can be quickly connected to the vehicle's cigarette lighter socket, producing 4L of water column per minute. UV resistant food grade rotational plastic material ensures your safe use of water, and the universal mounting bracket is designed for installation on the roof rack or roll cage. The quick detachable showerhead makes it more convenient for you to use water outdoors.




JERRY CAN



Made To Master Tough Conditions

- Material: LLDPE plastic material
- Color: Red (Other colors can be customized)
- Capacity: 5L, 10L, 20L, 30L
- Including pressure relief valve
- built-in oil pipe (fuel tube), easy to use.
- anti-corrosion, anti-static, anti-UV.
- Safe to carry Fuel, water, Petrol and Diesel
- Universal Holder bracket and lock, easy to install in different positions

UNITY JERRY CAN



THE HIGH-QUALITY PLASTIC

- Specially designed for storing and transporting petrol with ease and safety.
- Never run out of fuel again with this reliable and secure fuel storage solution.
- This fuel can is made of durable and impact-resistant lldpe plastic material that features anti-corrosion, anti-static, and anti-ultraviolet functions.
- Additionally, the jerry can feature a release valve that should be opened to release gas after storing the fuel for a long time. This helps to pour fuel smoothly and easily. This red gas fuel tank plastic canister is specifically designed for tough weather conditions, making it perfect for motorcycle, boat, truck, and all 4x4 vehicles spare container gasoline petrol tanks.
- The seamless barrel body ensures no leakage, providing a stronger security fuel can for all your refueling needs. Its built-in spout with a filler hose is easily inserted into the tank opening, and its discouraged holes prevent the backflow of negative pressure generated. The auxiliary handle design makes refueling more convenient and effortless.



UNI-E10

Slim Plastic Jerry Can 10L
color:Black



UNI-E20

Slim Plastic Jerry Can 20L
color:Orange OR Red



UNI-K-KE

Mounting For Jerry Can
For Uni-G5b/R
&Uni-E10&Uni-E20



K-KG

Lock Mount For Jerry Can
For Uni-G11b/R
&Uni-G21b/R Jerry Can



JCU-20

Commodity: 20L spout jerry can
Material:DC4 Cold-roll steel sheet
Wall thickness:0.8mm
Different Color for choose
power coated,45x34x16cm



JCE-20

Commodity: 20L spout jerry can
Material:DC4 Cold-roll steel sheet
Wall thickness:0.8mm
Different Color for choose
power coated



JCS-20

20L stainless steel jerry can
Material:stainless steel 304
Wall thickness:0.8mm



JCH-1

Jerry can holder Top lockable
Universal installation method
Powder coating



Mounts In The Spare Tire Carrier

- Food-Grade
- Rugged & Durable
- 5-year Warranty
- Built-In Pump



SPARE TIRE WATER TANK



The 4WDUNITY ST Tank is an innovative on-board water tank that transforms the wasted space of your spare tire carrier into a 42-liter, Food-Grade safe drinking water reservoir. With its built-in pump for one-touch water access, it ensures a stable and reliable water supply even on rugged terrain, serving as the ultimate solution to extend your off-road adventures.

25L OUTDOOR WATER TANK

Crafted from food-grade lldpe material, this durable and safe water tank holds 25l—perfect for 2-3 people's daily outdoor water needs. It's ultra-portable for easy carrying and transport. Equipped with a leak-proof faucet for quick, convenient access to water, it's a hardcore essential for camping, road trips, and outdoor adventures. Built to withstand the elements, it balances utility, portability, and tough aesthetics—your reliable water companion for every expedition.



Its rugged industrial design features 4 adjustable hidden legs, allowing height adjustments (10-15cm) to stabilize on uneven terrain like campsites, gravel.





THE QUICK-RELEASE MOUNTING BRACKET



As a fixed mounting bracket for space cases, it is designed to fit various sizes of space cases, offering durability, quick installation / removal, and easy use. It can Be securely attached to different luggage racks, making it the perfect companion for space cases.

HEAVY-DUTY SPACE CASE

The 4WDUNITY Space Case is the ideal heavy-duty storage case for camping gear and tools. This premium case features a durable LLDPE shell, rope handles, steel lockable latches, pre-installed gas struts, and a dust/waterproof gasket seal. This super tough Space Case stacks easily with an interlocking design, making this the perfect choice for storing your gear.

Tough, rugged, and durable LLDPE shell built for any adventure

Oxford cloth storage bag with multiple compartments

Preinstalled with gas struts to keep your lid open!(Except 52L)



Steel Lockable Latches, Dust/Waterproof Gasket Seal

Stackable with like-sized UNITY cases

Built in Drain plug for easy decompression or draining, built in Bottle Opener that make you never thirsty for beer



70L

SIZE: 130*43*21 CM



102L

SIZE: 128*48.5*24.5 CM



90L

SIZE: 120*43*27 CM



160L

SIZE: 91.5*57*45 CM



95L

SIZE: 120*48*28.5 CM



232L

SIZE: 107*64*50 CM




UNITY

4WD


ACCESSORIES

ROOFTENT

ALUMINUM ALLOY HYDRAULIC TENT



280g Canvas
Waterproof 3000mm



Aluminum
Alloy Housing



RTT-10-130
Open Size: 213X130X110CM

RTT-10-145
Open Size: 213X145X110CM



RTT-12-130
Open Size: 213x130x146cm


RTT-12-145
Open Size: 213x145x146cm



7CM thick mattress
Thickened by 7 cm, soft and elastic without collapse, effectively supports the body and does not cause back pain when sleeping for a long time



Built-in moisture-proof pad
The built-in moisture-proof pad can isolate moisture, so you don't need to carry a separate moisture-proof pad, allowing you to sleep dry



Aluminum honeycomb panels
2cm thick aluminum honeycomb panel, the structure is as stable as a honeycomb and has super strong load-bearing capacity



IPAD video bag
There is a transparent bag on the top of the tent for iPad, so you can watch videos while lying in the tent.




Multifunctional shoe bag
Multiple independent liners, large capacity, waterproof fabric, strong and durable, shoes can stay dry even when placed outside



Anti-slip ladder hook
The metal reinforced hook has a tight bite and locks the ladder firmly, making it safe for going up and down



Exhaust fan (optional)
Install an exhaust fan on the top of the tent to directly solve the problem of stuffiness and lack of air circulation in the tent



Beer bottle opener
The joyful time of outdoor camping cannot be separated from a bottle of beer, and this bottle opener provides you with convenience



Solar mounting racks
In the wild, solar panels can provide us with sufficient natural energy, and this bracket solves the problem of nowhere to place solar panels



Side bracket
In order to better utilize space, we provide installation brackets for Awning or side water tanks, which can be directly installed on the tent's chute, both aesthetically pleasing and practical.



Top luggage rack
The top of the tent instantly transforms into a luggage rack, expanding the space and allowing for the placement of various luggage and equipment

SOFT TOP ROOF TENTS



RTT-1
OxFord/(280g polyester-cotton)
color:Beige,ladder:2.3m
5cm thickness high quality cushion
Unfolding Size: 240*143*126CM
Packing Size: 145x127x30CM
Inner size:233*140*123cm



RTT-2
OxFord/(280g polyester-cotton)
color:Beige,ladder:2.3m
5cm thickness high quality cushion
Unfolding Size:310* 143*126CM
Packing Size: 150*125*30CM
Inner size:300*140*123cm



BAW-2
Back Awningfor RTT-2



BAW-1
Back Awningfor RTT-1



RTT-16A
Fly: 420D Polyester OxFord
PU 1500mm,W/P,W/R
Body: 280g Polyester-Cotton
PU 1500mm,W/P, W/R
Cover: 420D Polyester
Zipper: Resinic Zipper
Packing Size:165*125*30CM
G.W.: 66KG



RTT-16B
Fly: 420D Polyester OxFord
PU 1500mm,W/P,W/R
Body: 280g Polyester-Cotton
PU 1500mm,W/P, W/R
Cover: 420D Polyester OxFord
coated with PVC
Packing Size:165*125*30CM
in carton G.W.:75KG



RTT-19A
Fly: 420D Polyester OxFord
PU 1500mm,W/P,W/R
Body: 280g Polyester-Cotton
PU 1500mm,W/P, W/R
Cover: 420D Polyester OxFord
coated with PVC
Packing Size:195*125*30CM
G.W.: 76KG



RTT-19B
Fly: 420D Polyester OxFord
PU 1500mm,W/P,W/R
Body: 280g Polyester-otton
PU 1500mm,W/P, W/R
Cover: 420D Polyester OxFord
coated with PVC
Packing Size:195*125*30CM
G.W.: 85KG



RTT-1TH
Oxford/(280g polyester-cotton)
(color:Beige)
5cm thickness high quality cushion
Unfolding Size: 240*143*126CM
Packing Size: 150*125*30CM
Inner size:233*140*123cm
ladder:2.3m



RTT-1-SW
Oxford/(280g polyester-cotton)
color:Beige, 5cm thickness
high quality cushion
Unfolding Size: 240*143*126CM
Packing Size: 150*125*30CM
Inner size:233*140*123cm
ladder:2.3m



This is an innovative inflatable tent that sets up quickly and packs down into a compact size for storage, allowing you to place it on your roof or anywhere you like. Uniquely, it can also be used on the water as an inflatable boat, adding a new dimension of fun to your outdoor camping adventures.

PLEASE NOTE: A LIFE JACKET MUST BE WORN WHEN USING IT ON WATER !!!							
Large Size	Trumpet Size	Packaging Size	Net Weight	Mattress	Cloth	Skeleton	Mesh Yarn
220×137×132cm	220×137×132cm	70×48×25cm	18.5kg	Brushed Pvc Inflatable Mattress	300d High-Density Oxford Cloth	Integrated Pvc Inflatable Column	110g Environmentally Friendly Colored Yarn Mesh

ABS SHELL ROOF TOP TENT

Currently, the rooftop tent on the market that is the easiest to set up—even the window support rods can be deployed simultaneously. We call it the Quick Tent, as even a single woman can operate it with ease, making your outdoor experience more effortless and enjoyable.




ABS shell
High strength-to-weight ratio for durability without added bulk
Seamless construction withstands harsh conditions



large space
Ample interior storage for tent bedding and other equipment.



High-quality mattress
2Inch rebound foam mattress comes with a plush mattress for firm support and quick shape recovery.



High Strength Hinges

Effectively supporting the overall skeleton structure, enhancing the stability of the awning, and the clever structure makes it easier to open and close.




Aluminum Profile Skeleton

More lightweight, and the built-in LED light strip is neater, bringing convenience and brightness to your camping life.




Fabric Sealing Strip

The sewing thread adopts a high toughness sealing strip, which fits tightly and perfectly solves the problem of pinhole leakage



INSANELY DURABLE FABRIC

600D tear resistant checkered fabric+PVC black adhesive coating, both durable and effective in blocking ultraviolet rays



ALUMINUM PROFILE BRACKET

Provide stronger support for awning, effectively improving stability and wind resistance.



SCALABLE MODULAR AWNING

You can add room walls, extra sunshades, and even more rooms

THE DETAILS



Twist lock design

We've included telescoping aluminum legs within each awning arm for added stability in unpredictable weather.



Heavy Duty Velcro Straps

A quick wrap and press is all it takes. The wide, heavy-duty hook-and-loop ensures a super-strong hold that won't snap, slip, or come loose during transit, no matter how rough the road gets.



High Strength Bracket




Ensures that the side cover can be stably fixed on the luggage rack, minimizing vibration during driving. The installation position of the porous position makes it more versatile.



Led Light Strips

Don't let the sun dictate your fun. The built-in leds allow you to extend your activities long into the evening, making the most of every camping trip
★ (Optional Part)

AWNING SIZE



ALUMINIUM CASE SQUARE AWNING



MODEL	SPECIFICATIONS
AI-2020	200*200cm Aluminium Case Awning
AI-2025	200*250cm Aluminium Case Awning
AI-2030	200*300cm Aluminium Case Awning
AI-2525	250*250cm Aluminium Case Awning
AI-2530	250*300cm Aluminium Case Awning



MODEL	SPECIFICATIONS
AI-SC20	200*200cm sunshade fabric
AI-SC25	200*250cm sunshade fabric
AI-SC-30	200*300cm sunshade fabric

*OTHER SIZE ARE AVAILABLE

OUTDOOR SHOWER ENCLOSURE

Easy and quick to build meet multiple needs
Three-layer waterproof black vinyl fabric
Black glue waterproof layer + waterproof and moisture-proof,not afraid of wind and rain 420d oxford cloth



LED light stripembedded in the shower room



Built-in storage pocket



Aluminum alloy folding frame



MODEL	SPECIFICATIONS
EF-2025	2.0x2.5m Extension Fabric
EF-2525	2.5x2.5m Extension Fabric



MODEL	SPECIFICATIONS
M-N-2020	Mosquito Net fit 200*200cm awning
M-N-2520	Mosquito Net fit 250*200cm awning
M-N-2525	Mosquito Net fit 250*250cm awning
M-N-2530	Mosquito Net fit 250*300cm awning



MODEL	SPECIFICATIONS
AWR-2025	walls of rooms that fit 200*250cm awning
AWR-2525	walls of rooms that fit 250*250cm awning
AWR-2520	walls of rooms that fit 250*200cm awning
AWR-2020	walls of rooms that fit 200*200cm awning
AWR-2030	walls of rooms that fit 200*300cm awning
AWR-2530	walls of rooms that fit 250*300cm awning



	Aw-1520	Aw-1525	Aw-2020	Aw-2025	Aw-2030
Size:	150*200cm	150*250cm	200*200cm	200*250cm	200*300cm
Fabric:	420D or 280G	420D or 280G	420D or 280G	420D or 280G	420D or 280G



QUICK RELEASE TENT MOUNT KIT



TENT MOUNT KIT



QUICK RELEASE AWNING MOUNT KIT



QUICK RELEASE AWNING MOUNT KIT

SPARE TIRE UTILITY BASKET



4WDUNITY



Spare Tire Utility Basket

- providing extra room to transport items
- The design of the utility basket allows for easy placement and removal of light luggage or equipment
- making it practical for different types of outdoor activities and road trips.

Foldable Camping Desk

- basket with legs can be a camping table
- Includes mounting ratchet straps Includes mounting hardware and Bolt together assembly
- Basket made from aluminum with black powder coat

Powerful Expansion Panel

- Designed to add exterior storage by utilizing the spare tire.
- Extended equipment, fixed with straps
- suitable for spare tires of various sizes, removable
- Recommended for use with 32" - 40" tires.



Spare Wheel Bag

- Keep your gear organized and protected with our spare wheel bag. This tough vinyl bag can hold braai kits, trash, firewood and more. With its ultra-secure closure and three drainage holes, your belongings will stay dry and safe.

4WDUNITY CLASSIC WINCHES

are renowned for their ultra-stable performance and durability. Through continuous improvement and design, they have become much stronger in all aspects.



3500 Lbs Winch

- Steel wire rope or synthetic rope
- Roller fairlead,Control box,
- Handle remote ,
- installing screws,
- Hook,gloves 12V



6000 Lbs Winch

- Steel wire rope or synthetic rope
- 7.2mm*15m - rope,
- Roller fairlead,Control box,
- Handle remote ,
- installing screws,Hook
- 12V(pls remark if need 24v)



9500 Lbs Winch

- Steel wire rope or synthetic rope
- 9.5mm*24m - Rope,
- Roller fairlead,Control box,
- Handle remote &Wireless control,
- installing screws,Hook,
- gloves 400A Relay-12V
- (pls remark if need 24v)



12000 Lbs Winch

- Steel wire rope or synthetic rope
- 9.5mm*27m - rope,
- Roller fairlead,Control box,
- Handle remote &Wire control,
- installing screws,Hook,
- gloves 400A Relay-12V
- (pls remark if need 24v)



15000 Lbs Winch

- 11mm*26m - Steel Rope,
- RollerFairlead,Control Box,
- Handle Remote &Wire Control,
- Installing Screws,Hook
- Gloves 450a Relay -12v
- (Pls Remark If Need 24v)



17000 Lbs Winch

- Steel wire rope or synthetic rope
- Roller fairlead,Control box,
- Handle remote &Wireless control,
- installing screws,Hook, gloves
- 400A Relay -12V
- (pls remark if need 24v)



SYNTHETIC FIBER ROPE

Polymer synthetic fiber rope
High intensity capriciousness,
customizable



BRAND SUPPORTED!

brand customization is
supported!



WINCH HOOK

Required for use with winch



WINCH CABLE DAMPENER

from high quality pvc
Long internal velcro straps to
reduce slipping



MORE POWERFUL

More Powerful Performance:
The improved 12V series
wound motor enhances power
and winching efficiency.



SEALED SOLENOID

improved single fully sealed
solenoid offers extremely high
durability and is installed in a
new heavy-duty control box.



REDESIGNED CLUTCH HANDLE

Our new quick-flip style clutch handle
allows much easier clutch operation
and reduces the winches overall height.



IMPROVED CASINGS

strengthened single-piece
gearbox casing is now smaller
and stronger.



GLOVES

Leather Recovery Gloves



MULTIPLE CONTROLLERS

Hand Held Control and
Wireless Remote



FAIRLEAD

Material:aluminium Alloy
Decrease The Possibility Of
Fraying



GEARING

3 Stage Planetary Gears

SUPER FAST ELECTRIC WINCH

RELEASE THE BEAST WITHIN!

This is the ultimate equipment designed for professional racing and hardcore exploration.

BETTER PERFORMANCE

HIGH TORQUE MOTOR

Powered By A High Torque Motor And Precise Transmission Ratio System It Provides Explosive Linear Speed And Huge Pulling Force Three Times Higher Than Ordinary Winches

FASTER RESCUE SPEED

Improving Rescue Speed And Striving To Complete The Race In The Shortest Possible Time

APPEARANCE

NEW EXTERIOR DESIGN

Unique aesthetic design appearance, making you stand out in the crowd




UPGRADE POWER SYSTEM

UNIQUE PNEUMATIC BRAKE SYSTEM

Connect the air pump, only one button is needed to release the winch, convenient rope release operation, saving time for the competition

MILITARY GRADE GEARBOX

Achieves a golden balance between power and speed, and the cnc high-strength aluminum alloy bracket maximizes the strength of the entire winch while being lightweight.



TRAILER PARTS



SB-4T
Snatch Block 4T



SB-8T
Snatch Block 8T



SB-9T
Snatch Block 9T



SB-10T
Snatch Block 10T



SR-SB1050
Soft shackle made of UHMWPE with 55,000 LBS. snatch block made of 6061 aluminum alloy with 46,000 LBS, Durability Tough, practical and safer.



Winch Extension Rope
SIZE:10mm x 20m
9,500KG (21,000lbs) breaking strength
Polymer fiber synthetic rope



4-In-1 Recovery Rope
SIZE:10mm x 5m
can be used as a:
1, Winch extension rope
2, Tree trunk protector
3, Equaliser rope
4, Non-standard recovery point in extreme or challenging recoveries



Soft Shackle
Incredible 21.3t (47,000lb) rated breaking strength
Made from High Modulus Polyethylene (HMPE) 12 - strand synthetic rope
One - piece construction is quick to fit and requires no pin - fastening



Synthetic Winch Rope
10mm x 26m length
breaking strength 8,000kg
5ft sliding protective sleeve
5ft colored warning section
Stainless Steel Sleeve Made of 304 stainless steel, completely rust-proof



Kinetic Rope
SIZE:32mmx9m / 24mmx9m
32mm Breaking Strength:12,500kg
24mm Breaking Strength:8200kg
9m length optimizes kinetic
Heavy-duty storage bag
energy absorption
30% Elasticity



BS209-4
The heavy-duty Shackle can achieve a pulling force of up to 8T, and its muscular appearance is more visually impactful



BS-2-S
3/4 type classic Shackle, with a tensile strength of 4.75 tons and a safety factor of 1:6, ensuring worry free outdoor recovery.



Snatch Straps
Minimum Breaking Strain 12000kg, 10cm x 9metre with 20% elongation , the kinetic energy generated by the elasticity aids with the recovery itself, while at the same time reducing the likelihood of vehicle damage



Winch Extension Straps
80mmX20m, breaking capacity:12000kgs, with 7% elongation
Reinforced eyes



Tree Trunk Protectors
Size:80mmx5m length,breaking capacity:12000kgs
with 7% elongation



STANDARD RECOVERY KITS 9PCS



- 1x carry bag
- 1x Leather gloves
- 1x Snatch Block 9000
- 1x Tree Trunk Protectors 80mmx5m
- 1x Winch Extension Straps 80mmX20m
- 2pcs 3/4 "D" Bow shackle
- 1x Snatch Straps 10cm x 7metre
- 1x winch cable dampener

ATVS

UTVS

SNOWMOBILE

5/8" X 20"

5,033 LBS
WORKING LOAD

15,100 LBS
WORKING LOAD

CAR

SUV

JEEP

PICKUP

CARGO VAN

7/8" X 20"

7/8" X 30"

9,533 LBS
WORKING LOAD

28,600 LBS
WORKING LOAD

JEEP

PICKUP

TRACTOR

CARGO VAN

1" X 10"

1" X 30"

10,195 LBS
WORKING LOAD

30,580 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

TRACTOR

MOTORHOME

CLASS-3 TRUCK

1.25" X 30"

18,066 LBS
WORKING LOAD

54,200 LBS
WORKING LOAD

PREMIUM RECOVERY KITS 8PCS



- 1 x Carry bag
- 1 x Leather Gloves
- 1 x Soft Shackle Block
- 1 x Winch Extension Rope
- 1 x 4-In-1 Recovery Rope
- 1 x Kinetic Rope 24mm x9m
- 2 x Soft Shackle10mm x 50cm

LIFT JACK




FJ-48 / FJ-60
CE CERTIFICATE" 48" & 60"
high lift with 7000lbs capacity



B-L
Bumper lift
The Bumper Lift has a
3,000lb (1361 kg) capacity



L-M-1
Lift-mate
Material:Manganese
Steel,Tetoron, Nylon
Size:9cm*13cm*29cm
weight:2kg



ORC
Off-Road Base
Nylon ABS,32x32x10cm



FJM-1
Farm Jack Mount
fix the farm jack on the rear
tyre coverwithout any logo
/ Aluminium material



FJM-2
Farm Jack Mount
fix the farm jack on the rear
tyre cover without any logo
/ Steel material



FJM-3
Lift Jack Tube Mount -2" -3"
Adjustable Aluminim Material



RRM
RRM-1 / RRM-2



JP-48 / JP-60
Hi-Lift Jack Protector
Fits 48" & 60" Hi-Lift Jacks.
Soft case easily stores.
Draw string closure



HK
Handle-Keeper
The Handle-Keeper easily
slips on and off over the Hi-Lift.
Fits all models of Hi-Lift jacks



EJ-4
Exhaust Jack Capacity:4tonne



ELECTRIC JACK

- 1.Combine two functions of jack and Tyre Inflator Pump in one machine.
- 2.Adopt self-developed small flow and large efficiency gear pump, reduce electrical power, reduce the work of car batteries and circuits ,to ensure the car circuit is not affected.
- 3.Design of current overload protection.Portable ,compact and easy to operate
- 4.Fully enclosed design of the hydraulic tank ,the machine used at any angles will not leak oil.
- 5.The machine just connects the auto cigarette lighter ,then the auto will be risen and fallen.
- 6.Air hose ,power cable and tools collected in the tool box neatly when not in use .
- 7.Design self-locking power structure and safety unloading knob ,in case of the power has been disconnected, the increased jack will not fall. Then when re-connecting the power, jack will go on working in accordance with the instruction ,or using the safety unloading knob to fall ,which will protect the user,s personal safety effectively.




3 In 1 Electric Jack



Electric Impact Wrench



Safety Hammer And Gloves



Inflatable Head



Inflatable Needle



Battery Clamp



Small Hexagonal Wrench



Fuse



4m Power Cables



Socket Adapters





The Lift Jack Adds Hydraulic Technology To The Recovery Scene. gone Forever Is The Extensive Effort Required To Operate A Mechanical Jack, Inch By Inch.

UNITY4X4 HYDRAULIC JACK



Specialized hooks that can be used for wheels of various sizes

Matching jack base, spreads the load on softer surfaces such as mud or sand. It can also be used as a shovel or wheel chock.

PRESSURE RELIEF VALVE

The pressure relief speed can be adjusted by controlling the force, and with a gentle press, the vehicle can be easily released

6061 T6 ALUMINIUM

6061 T6 aluminium for maximum strength
Nine hooking points offer the adjustable hook a wide range of lifting heights

THE HYDRAULICS

JACK kicks into action when even the lightest force is applied to the handle. The hydraulics smoothly jack up the vehicle at up to 13mm increments with each downward manoeuvre.

HIGH LOAD CAPACITY

Capable of lifting up to 2,000kg
Body can be rotated 360 degrees to align

POSITIONING HOOK

Adjustable height positioning hook that can adapt to harsh off-road environments allowing the jack to come in handy



A collage of images showing the manufacturing process of a bumper. The main image shows a worker in a workshop, wearing a cap, apron, and safety glasses, grinding a large metal bumper part on a workbench. A large spray of sparks is visible from the grinding process. Two smaller inset images are positioned on the right side. The top inset shows a worker welding a metal frame, with bright sparks emanating from the welding point. The bottom inset shows a worker operating a CNC machine, with a bright light reflecting off the machine's surface. The text "BUMPER FACTORY" is overlaid on the top left of the main image, with "BUMPER" in white and "FACTORY" in red. The text "4WDUNITY" is visible in the top right corner of the collage.



BUMPER



Bumper For Dmax



Bumper For Jimny



Bumper For Lc150



Bumper For Np300



Rear Bumper For Y62



Rear Bumper For Lc76



Rear Bumper For Terra



Bumper For Ranger



Bumper For Hilux Revo



Bumper For Hilux Vigo



Bumper For Tundra



Rear Bumper For RANGER T7/T8



Rear Bumper For Ranger T9



Rear Bumper For Ranger T9



「PLEASE SCAN THE QR CODE TO WATCH」
BUMPER FACTORY PRODUCTION




PICKUP TRAY CANOPY



THE STRUCTURAL

The structural strength is significantly enhanced, and the powder coating is thickened, making it not only wear-resistant but also more corrosion-resistant.




TEMPERED GLASS

The overall use of automotive-grade tempered glass ensures safety and reliability.



VENTILATION SYSTEM

Uniquely designed ventilation system effectively maintains fresh air in the car.



ANTI-THEFT

The new lock has stronger anti-theft performance.



LED BRAKE LIGHTS

The rear is equipped with a rear LED brake light, which improves night driving safety.



LOAD-BEARING

It can withstand a static weight of 300 kilograms and a dynamic weight of 200 kilograms, making it easy to handle whether you need to pack a large amount of luggage or equipment during long-distance travel.



4WDUNITY ROOF RACKS

4WDUNITY manufactures both steel and aluminium roof racks to suit a wide range of vehicle types, covering both recreation and commercial applications. 4WDUNITY roof racks are built to support the full rated roof load capacity of a vehicle with the mounting system and structural integrity of the rack being designed to withstand the most demanding of conditions.

4WDUNITY racks are available in a variety of lengths and widths for vehicles with or without gutters, so you can choose the appropriate size to suit your requirements.

Style Selection




DELUXE ROOF RACK



CANOPY/TRADE ROOF RACK



TOURING ROOF RACK



FLAT ROOF RACK



4WDUNITY BASE RACK MAKE IT YOUR OWN

With its ultra-sleek design, extremely low profile, and lightweight construction, the BASE Rack delivers unbeatable simplicity, versatility, and customization for your roof rack system.



Ultra-Slim

- Slim profile reduces wind resistance and noise for better driving performance
- Wider bars provide better compatibility and secure mounting for various gear



Multiple Mounting Points

- Modular design supports diverse attachments for any scenario
- Enhanced grip ensures a rock-solid installation




Aerospace-Grade Aluminum

- High strength-to-weight ratio for durability without added bulk
- Seamless construction withstands harsh conditions



135x125CM

Multiple expansion accessories



180x125CM

Suitable for all types of vehicle sizes, strong expandability



220x125CM

Thickened aluminum
Strong load-bearing
Safe and stable

JERRY CANS BRACKET	SIDE BRACKET	
GUARDRAIL SET	TABLE FIXING BRACKET	SOLAR PANEL BRACKET
MOVABLE SIDE ARM	DEFLECTOR	DEFLECTOR 2
ANTENNA FRAME	CIGARETTE LIGHTER	ARMREST



PICKUP ROLL BAR

Built to adapt and evolve with your adventures, this rack isn't just a carrier—it's a dynamic ecosystem for exploration, empowering you to tackle any terrain or task with confidence.

MODULAR ROLL BAR




Lightweight & Durable

Made of lightweight aluminum and coated with black powder, Static weight capacity of 1,200 lbs and dynamic capacity of 300 lbs Adjustable telescoping crossbars and multiple T-channels support the.



Modular design

Modular design is ready to use and can switch between full height Roll cage, half height Roll cage, and even Canopy according to different scenarios, meeting the needs of different needs.



Adventure-Ready Ecosystem

It is a customizable, all-in-one platform for limitless outdoor exploration.

WATER TANK ROLL BAR



WE HAVE A VARIETY OF STYLES

GENERALLY FIT FOR

TOYOTA / FORD / NISSAN
ISUZU / MITSUBISHI / JEEP / AMAROK



SIDE STEP SERIES



UNI-SSTFD
Toyota Fortuner Side step



UNI-SSFJD
FJ Cruiser Side Step



UNI-SS-VG12
Toyota Hilux VIGO Side Step
2012-2014



UNI-SSF150-15
Ford F150 2015-2021



UNI-SSLC200D
LC200 Side step



UNI-SS-TT06
Toyota Tundra Side Step
2006-2021



UNI-SSRG-T9
Ragner T9 Side Step



UNI-SSF150-09
Toyota Tundra Side Step



UNI-SS-RG12A
Ford Ranger 2012-2021



JT-ST01
Spare tire step



T-38
Tire step / truck step ladder



JT-1
Universal Side Step



UNI-SSLC79
Toyota LC79 Side Step 2007+
With Bush Bar



UNI-SSFJD
Toyota FJ Cruiser Side Step
Material:Steel
Plate:3.0MM
step Bar:1.5MM



UNI-SSND22
Nissan Navara D22 Side Step
With Bush Bar
Material:Steel
Plate:3.0MM
step Bar:1.5MM



UNI-SSLC200
Toyota LC200 Side Step
With Bush Bar
Material:Steel
Plate:3.0MM
step Bar:1.5MM



UNI-SSNGU4
Nissan Patrol Y61 Gu4
Side Step With Bush Bar
Material:Steel
Plate:3.0MM
step Bar:1.5MM



UNI-SSTV12
Toyota Hilux VIGO Side Step
2012-2015 With Bush Bar
Material:Steel
Plate:3.0MM
step Bar:1.5MM



UNI-SSLC80
Toyota LC80 Side Step
With Bush Bar
Material: Steel
Plate:3.0MM
step Bar:1.5MM



UNI-LC100
Toyota LC100 Side Step
With Bush Bar
Material:Steel
Plate:3.0MM
step Bar:1.5MM



UNI-SSLC105
Toyota LC105 Side Step
With Bush Bar
1998-2007"
Material:Steel
Plate:3.0MM
step Bar:1.5MM



UNI-SSNGU123
Nissan Patrol Y61 GU1-3
Side Step With Bush Bar
Material:Steel
Plate:3.0MM
step Bar:1.5MM



UNI-SSLC150
Toyota LC150 Side Step
With Bush Bar
Material:Steel
Plate:3.0MM
step Bar:1.5MM



UNI-SSFR12-1
Ford RANGER Side Step
2012-2015 With Bush Bar
Material:Steel
Plate:3.0MM
step Bar:1.5MM

RECOVERY POINTS



TOW BAR



THE ROLE OF RECOVERY POINTS



Recovery is inevitable when four wheel driving, and to ensure a safe recovery, you need rated recovery points that can withstand and distribute the loads of a recovery – which is the tow points are designed to do.



ROLL COVER



all-aluminum panel
Scientific bite joints that cannot be cut by blades




Anti-theft lock hole
secures your items tightly, so you can load with peace of mind and never worry about them falling or being stolen while on the move.



Three-speed start-stop
The new upgrade allows for effortless opening and closing, three-speed start/stop, and a single-step opening and closing mechanism for a more comfortable driving experience!



Waterproof and dustproof
The newly upgraded drainage system can quickly drain water even in heavy rain



Extended lighting
Upgraded and extended light strips provide a clear view of the interior



SHOCK ABSORBER

Nitrogen Reservoir

Single cylinder with nitrogen tank design, built-in high-purity & high-pressure nitrogen

Suspension Body

Made by 7075 forged aviation aluminum, double electroplating treated 2.5 inch shock body

Piston Shaft

Large flow, low viscosity design 22mm chromoly alloy steel piston shaft



Oil Seal

Dual oil seal design ensure durability under extreme conditions

Compression Adjustor

Compression adjustor, makes adiustment simple, intuitive and fast.



Multiple susspension solutions are provided to many kinds of car makes. From Pickup truck to SUVs,you can find your set here. It keeps the balance of driving experience and expense.



lift kit with nitrogen shocks are always a popular choice, for those who are after a more sensitive adjustment, and a more comfortable driving experience.



front lift spacers and the rear blocks are definitely the most economic combinations for a lift-up of Pickups or some other 4-wheels.



Anti-sway bars are designed to keep the lifted cars steady during turns.even those un-touched ones can get a much safer driving experience.



Classic example of 3inch lift for an old JIMNY. all the necessary parts are provided to make sure your lifting experience as easy and complete.



Where there is a road, there is a Toyota, of which,the LC80 is measuring every inch of the lands. Come try and lift it, maybe you will have another level of mysterious lands to discover.

Uppper Control Arm

Refit, strengthened and widened upper swing arms, help to avoid the raised spring from scratchings, improve driving comfort and reduce rolling pissibility



double shackles

Help meet the Price and performance balance: combining comfortable driving and Vehicle-lifting.



Leaf Spring

"two-stage" design provides good comfort at low load and sufficient support at high load.It can directly replace the original leaf spring. highest grade of spring steel plate,ensuring the most stable and long-lasting performance!



Ball Joints

Ball joints are the best company with control arms. these heavy duty ones will make your upgrade more delightful.

Lift Kit Suspension



Tacoma Lift Kit

2005-2014 Toyota Tacoma
2016-2022 Toyota Tacoma
2-3/4 To 3 Inch Front Lift; 2 Inch Rear Lift; Without Shock Absorbers in kit -Shock Change Not Necessary; Black Components; Includes Sway Bar Drop Bracket/ Differential Drop Brackets/ Skid Plate Spacers/ Strut Extensions/ Rear Blocks/ U-Bolts



Tundra Lift Kit

For Toyota Tundra 2022-2025
2 Inch Front Lift; 2 Inch Rear Lift. Without Shock Absorbers In Kit -Shock Change Not Nacessary, Black Components; With 2 Strut Extensions/ Rear Air Spring spacers/ Rear Shock Extensions/ Air Bag Ride Height Sensor Bracket/ Installation Hardware



4Runner / FJ Lift Kit

For 2003-2024 toyota 4runner And 2007-2014 toyota fj cruiser
3inch Front Lift; 2 inch Rear Lift;Without shock Absorbers in Kit-Shock change Not Necessary, Black Components; Includes 2 Strut Extensions/2 Rear Coil spring Spacers/ 2 Differential Spacers/ 2 Skid Plate Spacers





UNITY4X4 DIFF DROP KIT



At 4WDUNITY, we offer high-quality Diff Drops designed to restore proper driveline angles, reduce stress on components, and improve your 4x4's performance. Whether you're tackling rough terrain or cruising the highway, our Diff Drops ensure smoother handling and longer-lasting parts.

DIFF DROP KIT



Toyota Hilux Vigo / Revo /
PRADO120/150 / FJ CRUISER /
FORTUNER 2015+



Toyota Hilux Vigo (2005-15) / Revo
(2015+)



Toyota Tundra 07-21 / Toyota
Sequoia 08-22 / Land Cruiser 200
Series 08-21



COLORADO 2012-0N
ISUZUD-M-AX6/2012
ISUZU MUX 2012+



Toyota LC100 /
UZJ100, HDJ100,
FZJ100 Lexus LX 470



RANGER PX1 PX2 MAZDA BT50
2012-0N



MITSUBISHI TRITON / Pajero




AMAROK UP TO 2017



D-MAX 2022+

When a CV Boot tears due to bad cv axle angles, grease is expelled out of the CV joint. Moisture and dirt enter the boot and joint which damages the cv joints.



AIR LOCKING DIFFERENTIAL

4WDUNITY Air Locking Differential is designed to take you to the destinations other dream about. In order to improve the loss traction situation of the open differential when vehicle drive on some uneven terrains. Enhance the traction of your 4x4 in just about any terrain--rock, clay, gravel, sand, snow or mud. A simple flip of a switch will provide maximum traction when needed and maneuverability when it is not. With the forged alloy differential case and gears, the strongest materials and steady 5 years warranty provides a reliable option for those wanting the most out of their off-roading adventures.

Heavy industry and agricultural alloy materials are used as raw materials, to guarantee the maximum ruggedness of parts


Unique oil return design keep your differential under lubrication protection away from unwanted wear

Two-layer design provides more precise matching and higher work efficiency, reduces grinding and instability caused by moving parts

The gears are manufactured using the same premium materials as IKNA gear ratios: SAE8620 and SAE4320 alloy steels, delivering 2-4 times greater strength than the commonly used 20CrMnTi in the market.

Lubricants inflow design brings more gear oil into the locker to reduce the gears wear

The cogwheel design makes the whole locker lighter, to a certain extent reducing the load for driving



ACCESSORIES

- 4WDUNITY Air Locker equipped with the X-Ring in the seal housing assembly.
- The X-Ring designed with four lobed style provides twice the sealing surface than a standard O-Ring
- Because of the double-sealing action, only less squeeze is required to maintain an effective seal
- The reduction in squeeze means less friction and wear which guarantee that the seal housing provide a long-term and stable air supply to the air locker



ELEC-LOCKER

Designed expressly for 4-wheel drive systems off road adventure to give you the ability to lock or unlock the differentials when necessary, electromagnetic operated keeps you away from malfunctions. It is engaged by electric. The working principle of ELEC-LOCKER is controlled by energizing the magnet, when vehicles get stuck in some obstacles, driver just turn on the button of ELEC-LOCKER, the magnet in the ELEC-LOCKER is powered, pushing the gear to lock both axle, make the half axle together, provide 100% of available torque and sending it equally to both ends of the axle.



Unity elec-locker equipped with the developed gear, the locking depth has been increased from 2mm for ordinary products to 5mm, which fundamentally solves the problems of automatic unlocking or insufficient locking effect in similar products. The gear adopts a nickel-plated design, which is fully rust-proof and greatly improves the degree of wear resistance, significantly improve the service life and locking efficiency of the product.

Unity Wave Spring equipped makes locking and unlocking elasticity more stable and enduring because of wave spring fit tight radial and axial spaces. Most importantly, Wave spring reducing the spring height by 50% than the ordinary coil / compression springs, so there is no need to drill the spring holes too deep on the clutch gear, this increased clutch gear strength a lot.



- provides a stable 2-year warranty with high-quality after-sales service to provide 100% after-sale protection
- Under the continuous research and development of 4WDUNITY , more available models for more popular models are constantly being updated

- Strongest 4320 chromoly alloy steel gears provide the most rugged quality and the most stable work efficiency
- The hardest hardness and increased thickness to make it provide the best working efficiency and stability when locked




4WDUNITY RECOVERY BOARD PRO

The 4WDUNITY Recovery Board is specially designed with unique and effective functions, as well as a beautiful appearance. It is the most reliable companion for every driver who gets stuck during a trip when no one else is around to offer assistance. This board can help you get out of difficult situations when there is a lack of other traction in the toughest conditions, such as in sand, mud, or even snow. The 4WDUNITY recovery board is extremely durable, wear-resistant, and highly flexible. Thanks to its unique composite construction, it can help the tyres restore adhesion. By maintaining high pressure on the tyres even when the vehicle is on unstable ground and under the vehicle's weight, it provides the ultimate traction.

KEY FEATURES

- The composite material of PPR+MPP+PA6 features excellent flexibility and durability.
- The unique anti-slip teeth enhance tire adhesion and improve off-road recovery.
- The contour ramp's optimized design uses data from 4x4 tires and UNITY4WD's precise tread patterns.
- The replaceable anti-slip teeth can significantly extend the service life of the anti-slip board.
- The unique color and style of 4WDUNITY make you stand out from the crowd.





WHEEL SPACERS ADVANTAGE

4WDUNITY wheel spacers are manufactured with the highest precision on state-of-the-art CNC machines. Whether in black or silver, our spacers, made from high-tensile aluminium alloy, have a special anodized coating that guarantees weatherproof corrosion protection and a long service life. The enormous product variety and a wide range of widenings allow the wheels to be aligned with the fender edges with millimetre precision.

- Aircraft-Grade Aluminum**
Made from high-strength 6061-T6 or 7075 aluminum alloy, lightweight yet durable with
- 10,000-Ton Forging Process**
Precision forged under massive pressure for superior material density and impact resistance.
- Anodized Surface**
Hard-wearing anodized finish for enhanced abrasion and corrosion protection.
- CNC Precision Machining**
5-axis CNC machining ensures ≤0.02mm mounting surface flatness for perfect fitment.



- 12.9-Grade High-Tensile Bolts**
Combined with Dacromet anticorrosion coating for longlasting, ultra-secure fastening.
- Custom Structural Design**
Multiple reinforcement patterns available to meet specialized off-road needs.
- Exact Vehicle Matching**
CAD-modeled for perfect compatibility with Jeeps, Land Cruisers, Raptors, and more.
- Extended Warranty**
Rigorously tested with 3-year/200,000-km coverage for worry-free ownership.



WHEEL SPACERS SIZE

PCD:5X114.3 / 4.5° C/B:71.6mm Screw:1/2-20Thickness:30mm / 1.2"	PCD:5X114.3 / 4.5° C/B:71.6mm Screw:1/2-20Thickness:38mm / 1.5"	PCD:5X114.3 / 4.5° C/B:71.6mm Screw:1/2-20Thickness:50mm / 2"	PCD:5X139.7 / 5.5° C/B:108.4mm Screw:12X1.25Thickness:30mm / 1.2"	PCD:5X139.7 / 5.5° C/B:108.4mm Screw:12X1.25Thickness:38mm / 1.5"
PCD:5X139.7 / 5.5° C/B:108.4mm Screw:12X1.25Thickness:50mm / 2"	PCD:5X150 / 5.9° C/B:110mm Screw:14X1.5Thickness:30mm / 1.2"	PCD:5X150 / 5.9° C/B:110mm Screw:14X1.5Thickness:38mm / 1.5"	PCD:5X150 / 5.9° C/B:110mm Screw:14X1.5Thickness:50mm / 2"	PCD:5X165.1 / 6.5° C/B:125mm Screw:16X1.5Thickness:30mm / 1.2"
PCD:5X165.1 / 6.5° C/B:125mm Screw:16X1.5Thickness:38mm / 1.5"	PCD:5X165.1 / 6.5° C/B:125mm Screw:16X1.5Thickness:50mm / 2"	PCD:6X139.7 / 5.5° C/B:110mm Screw:12X1.5Thickness:30mm / 1.2"	PCD:6X139.7 / 5.5° C/B:110mm Screw:12X1.5Thickness:38mm / 1.5"	PCD:6X139.7 / 5.5° C/B:110mm Screw:12X1.5Thickness:50mm / 2"
PCD:6X139.7 / 5.5° C/B:110mm Screw:12X1.25Thickness:30mm / 1.2"	PCD:6X139.7 / 5.5° C/B:110mm Screw:12X1.25Thickness:38mm / 1.5"	PCD:6X139.7 / 5.5° C/B:110mm Screw:12X1.25Thickness:50mm / 2"	PCD:6X114.3 / 4.5° C/B:71.6mm Screw:12X1.25Thickness:30mm / 1.2"	PCD:6X114.3 / 4.5° C/B:71.6mm Screw:12X1.25Thickness:38mm / 1.5"
PCD:6X114.3 / 4.5° C/B:71.6mm Screw:12X1.25Thickness:50mm / 2"	PCD:5X127 / 5° C/B:71.5mm Screw:1/2-20 Thickness:30mm / 1.2"	PCD:5X127 / 5° C/B:71.5mm Screw:1/2-20 Thickness:38mm / 1.5"	PCD:5X127 / 5° C/B:71.5mm Screw:1/2-20 Thickness:50mm / 2"	PCD:5X127 / 5° C/B:71.5mm Screw:14*1.5 Thickness:30mm / 1.2"



WWW.UNITY4X4.COM

ACCESSORIES

REAR DRAWERS

OFFICE NO.3018, HuiQiao Building, Baiyun Dadao Bei Baiyun District, Guangzhou City, China 510440
ASSEMBLY Building B5, Tangge Si She Industrial Zone, No.111, Tangge North Road Baiyun District, Guangzhou

UNITY 4WD ACCESSORIES CO., LTD

Modular units allow greater flexibility if your needs change in the future.

Purpose folded stainless steel runners for smooth drawer and slide operation.

Long lasting, UV stable commercial carpet designed to complement modern vehicle interiors.



Vehicle-specific side floor kits complete installation and reduce redundant areas within the cabin.

Cross-folded floor ensures maximum support for items placed within each unit.

Self-locking anti-rollback system locks into place at full extension, removing the need for locking pins.

Key lockable, pushpull slam shut latches for ease of use and maximum security.




UNITY 4X4 WHEEL RIM



Size	PCD	MAX OFFSET		CB	VENTHOLE
15X7	5-139.7	10	-35	111	8spoke
	6-139.7	10	-35	111	8spoke
	5-114.3	10	-35	84	8spoke
	6-139.7	18	-15	108.7	8spoke
	6-170	18	-15	133.3	8spoke
	5-139.7	18	-15	708.5	modular&rivet
	5-114.3	18	-15	75	8spoke
	6-139.7	18	-15	108.7	8spoke
15X8 & 16X8	5-114.3	18	-15	84	8spoke
	5-114.3	35	-50	84	8spoke
	5-139.7	35	-30	108.5	modular&rivet
	5-139.7	35	-30	110	8spoke
	5-139.7	35	-30	110	8spoke
	5-114.3	35	-25	83.7	8spoke
	6-139.7	35	-30	111	8spoke
	5-139.7	35	-30	108	10 D-windows
15X10	5-139.7	35	-30	108	5spoke&rivet
	5-139.7	35	-30	108.7	8spoke
	5-139.7	40	-44	111	8spoke
	5-139.7	40	-44	111	8spoke
	5-114.3	40	-44	84	8spoke
	5-139.7	60	-44	108.5	modular&rivet
	6-139.7	60	-44	110	8spoke
	8-165.1	0	-44	125	8spoke
	5-139.7	20	-50	111	8spoke
	6-139.7	20	-50	111	8spoke
	5-139.7	35	-30	110	10 D-windows
	5-139.7	35	-30	110	10modular&rivet
	5-150	25	-40	113	8spoke
	5-165.1	50	-20	124	10modular&rivet
	6-139.7	35	-30	108.7	8spoke
	6-139.7	35	-30	108.7	10 Dwin dow
	6-139.7	35	-30	1088.7	modular&rivet
	6-139.7	35	-30	110	8spoke
16X10	5-139.7	40	-70	114	8spoke
	6-139.7	40	-70	114	8spoke
	5-150	40	-70	114	8spoke
	5-139.7	55	-60	110	10modular&rivet

UNITY 4X4 ROOF RAIL

Meet the modular roof rack, built to fit your vehicle—effortlessly. Whether you have European, American, or rain gutter roof types, we have the right components. Its length is even adjustable for a perfect fit. Crafted from high-strength, lightweight aluminum, this versatile rack boasts a remarkable 300 kg load capacity, ready to support all your adventures.



Two types of brackets
Dual bracket design, interchangeable brackets compatible with different car models

Rust-proof material
Special materials resist rust and wind and rain, durable and reliable

Punch-Free Installation
No drilling or cutting required easy assembly and immediate use

LED DRIVING LIGHTS



HIGH-INTENSITY LED WORK LIGHTS & MINI LIGHT BARS

Amber position light, High-end looking

LED WORK LIGHTS

Amber Position Light

3"



W0120FMF-P8



W0120FMF-P8



W0120FMF-P8

4"



W0240D-OL



W0240S-P8W



02120F-XTE

MINI LIGHT BARS

3"



W0720S-P9

6"



W0830D-P7W



0532S-P7

SPECIFICATIONS

Voltage

9 - 30V DC

Power

15W - 120W Per Light

Lumens

1500LM - 14400LM Per Light

LED Chips

OSRAM / CREE

Color Temperature

5700K / Yellow

Beam Patterns

Spot / Flood / Driving Optional

Amber Position Light

Available

Warranty

18 Months

HIGH-END 5 INCH & 2 INCH POD LIGHTS

Unmatched distance, Effortless color and beam pattern changes

Experience high-intensity illumination with Osram LEDs. Balanced light projection from 15W and 9W KW chips. Deep reflector design delivers hyper-spot beams and ultra-long range. Snap-on covers for effortless color and beam pattern customization.



● Backlit Version


Multi Covers Available




Two Covers Included




TR1-SPOT BEAM



TR1-COMBO BEAM



TR2-SPOT BEAM



SPECIFICATIONS

TR Pod Light

Series	TR1 5-Inch Pod Light	TR2 2-Inch Pod Light
Power	48W Per Light	30W Per Light
Lumens	2600LM Per Light	1800LM Per Light
Voltage	9 - 36V DC	12 - 24V DC
LED Chips	Osram	Osram
Color Temperature	6000K / Yellow (with Cover)	6000K / Yellow (with Cover)
Beam Patterns	Spot / Combo (with Cover)	Spot
Warranty	24 Months	24 Months

HIGH-END 5 INCH & 2 INCH POD LIGHTS


Unmatched distance, Effortless color and beam pattern changes

Experience high-intensity illumination with Osram LEDs. Balanced light projection from 15W and 9W KW chips. Deep reflector design delivers hyper-spot beams and ultra-long range. Snap-on covers for effortless color and beam pattern customization.

54



☐ Multi Covers Available



SPECIFICATIONS

TR Pod Light

Voltage	9 - 36V DC
Power	30W ~ 420W
Lumens	2000LM ~ 20000LM
LED Chips	15W HGL3 LED 30W 3570 LED
Waterproof	IP67
Color Temperature	6000K / Amber
Operating Temperature	-40℃ ~ +80℃
Housing Material	Aluminium Alloy
Lens Material	PC
Beam Patterns	Driving
Available Size	5", 10", 13.5", 20", 30", 40", 50", 52"
Mounting Types	Side & Bottom Mount Brackets
Warranty	24 Months

HOOD LAMP MOUNTING

SPECIFICATIONS

- Made from steel 4 mm thickness
- Low profile design with Matt black powder coat
- Easy to install,no drilling required
- In package consisting of left and right brackets
- Designed to accomodate LED lights
- Warranty one year



MODEL AVAILABLE

Hood Lamp Mounting			
TOYOTA HILUX 2015+	ISUZU D-MAX 2021+	FORD RANGER 2022+	Ranger Raptor 2023+
FORD RANGER 2022+	VW Amarok 2023+	TOYOTA HILUX N80 2015+	
Antenna Bracket			
Toyota LC250	BYD Shark 2024+	Land Rover Defender 2019+	





Available colors



Dual Zone

50L

Dual Zone

50L/60L/70L

UNITY4X4 METAL REFRLGRATOR-U50/60/70



- Super compressor-Cooling performance better
- Aluminum inner
- Improving the cooling efficiency
- AC DC supply big capacity refrigerator-Suitable for hunting outdoor
- Refrigerant:R134a/R1234yf
- Square Design - easier to store without
- Full injection molding,thicker insulation-Better insulation effect

MODEL:U50L/60L/70L

Cool guy would want to travel with our cool metal refrigerator,which has appearance made of Stainless steel,high end brand Secop compressor to make your beer as cool as you want.Control your cool trip,control your cool life!



50L

60L

70L



PRODUCT FEATURES





Model	Capacity	Dimensions	N.W	Power	Compressor	FCL
U50-D	50L	712*450*456mm	21.5kg	45W	Wancool	136/288/360
U50	50L	712*450*456mm	21.6kg	45W	Wancool/Secop	136/288/360
U60	60l	712*450*506mm	23.8kg	48W	Wancool/Secop	132/288/288
U70	70l	712*450*556mm	26.0kg	50W	Wancool/Secop	102/207/276

COOLER BOX




3-LAYERS OF INSULATION

Food grade insulation inner shell



Accurate adjustment, Accurately adjust deflators by dialling the inner gauge to the desired pressure, shown between 10-30psi, quick operation, Visualized plastic packaging + Hangable, storage bag Simple design--Easy to pull apart and clean Copper components

Accurate adjustment, Accurately adjust deflators by dialling the inner gauge to the desire pressure, shown between 10-30psi , quickly operation, Visualized plastic packaging + Hangable, storage bag Simple design--Easy to pull apart and clean Copper components



Adjustable Tire Deflator Kit (Aluminum Alloy)
Includes 4 long valves. Supports adding tire pressure sensors, rapid deflation, for off-road use.

Adjustable Tire Deflator Kit (Aluminum Alloy)
Includes 4 long valves. Supports adding tire pressure sensors, rapid deflation, for off-road use.



Adjustable Tire Deflator Kit (Aluminum Alloy)
Includes 4 short valves. Supports adding tire
pressure sensors, rapid deflation, for off-road
use.

Adjustable Tire Deflator Kit (Aluminum Alloy)
Includes 4 short valves. Supports adding tire
pressure sensors, rapid deflation, for off-road
use.



- Pencil tyre gauge (dual range, dual chuck)
- Spring steel insertion needle, lubricant
- Valve core tool, spare valves & caps
- 1 x rasping spike, 15 x strips, 1 x cement
- 2 x valve tools, 4 x valves, 8 x dust caps
- 4 x valve extensions

- Pencil tyre gauge (dual range, dual chuck)
- Spring steel insertion needle, lubricant
- Valve core tool, spare valves & caps
- 1 x rasping spike, 15 x strips, 1 x cement
- 2 x valve tools, 4 x valves, 8 x dust caps
- 4 x valve extensions




Choose Rubber or Copper Hose
Remove the valve core with the E-Z Deflator
for fast tyre deflation.
The sliding valve design ensures precise
pressure readings.

Choose Rubber or Copper Hose
Remove the valve core with the E-Z Deflator
for fast tyre deflation.
The sliding valve design ensures precise
pressure readings.



Remove the valve core with the E-Z Deflator
for fast tyre deflation.
The sliding valve design ensures precise
pressure readings.

Remove the valve core with the E-Z Deflator
for fast tyre deflation.
The sliding valve design ensures precise
pressure readings.



```
or 44444444444444444444444444444444444444444444444  
   44444444444444444444444444444444444444444444444  
se 44444444444444444444444444444444444444444444444
```

[illegible]



UNI-JN18-FB02AL	JB74W 2018+ mechanic style-aluminum
UNI-ARB96	waterproof and dust-proof spot light.
FG-JMN19	Front Grille for JIMNY 2018+
UNI-JN18-RR01	ALUMINIUM ROOF RACK for JB74W/JB64W 2018+
Aw-1520	A practical awning that suits Jimny
UNI-JFFA	Jimny Fender Flares 1998-2017
UNI-JN18-SS01	Side Step for JIMNY 2018+ D type

4WD UNIT OVERLANDING KITS FOR NEW JIMNY

SUZUKI JIMNY ACCESSORIES



UNI-JN18-FB03
JIMNY SIERRA JB74W
(2018-2019) 1500cc
Front bumper
Size:163*39*22CM/26.5KG



UNI-JN18-FB05
SUZUKI JIMNY 2018+
Front bumper



UNI-JN18-RB01
SUZUKI JIMNY 2018+
Rear bumper



UNI-JN18-RB03
SUZUKI JIMNY 2018+
Rear bumper (with Jerry can
holder+Spare tire carrier)



UNI-JN18-WS
Tail window glass aluminum alloy
with round holes for JIMNY
(JB64/JB74) 2018+



UNI-JN18-WSB
Aluminum alloy Multi function
expansion window for JIMNY
(JB64/JB74) 2018+



UNI-JN18-RS04
Jimny Tail Ladder 18+ type A
Material: aluminum
hollow-carved design:antiskid
rectangular tube



UNI-JN18-STC03
Rear gate spare tyre cover with
Multiple color options for Jimny
2018+. glossy black/matt black/
Grey army green/white



FG-JMN19
SUZUKI JIMNY 2018+
front grille (with SUZUKI word)



FG-JMN19-4
JIMNY SIERRA JB74W/JB64W
(2018-2019) front grille



UNI-JN18-RR01
JIMNY SIERRA JB74W/JB64W
(2018-2019)Roof rack
(LED LIGHT)
ALUMINIUM Material



UNI-JN18-RR04
JIMNY SIERRA JB74W/JB64W
(2018-2019)
ALUMINIUM Material



UNI-JN18-STC03CF
Rear gate cover with Carbon fiber
texture for Jimny 2018+



UNI-JN18-RTB
Rear door toolbox for Jimny
2018+



UNI-JN18-ER
Aluminum alloy expansion frame
inside window for JIMNY
(JB64/JB74) 2018+



UNI-JN18-SB
Bonnet guard for New Jimny
2018+ (ABS)



UNI-JN18-RS02
JIMNY SIERRA JB74W/JB64W
(2018-2019)Rear stair
ALUMINIUM Material



UNI-JN18-SS01
SUZUKI JIMNY 2018+Side Step
Size:128*41*20CM/18.6KG



UNI-JN18-TB
SUZUKI JIMNY 2018+Tow Bar
Size:90*23*14CM/12.5KG




UNI-JN18-CP02
JIMNY SIERRA JB74W/JB64W
(2018-2018)



UNI-JN18-AC
Engine hood heat insulation and
noise insulation Cotton mat for
Jimny
2018+. Material: PET+PUR+Tin
foil



UNI-SWL-G63
JIMNY JB74W,2018+,
to Benz G63 Body kits



SUZUKI JIMNY ACCESSORIES



JN18-BKT-SB

Suitable For 18+Jimny
(Jb64, Jb74)
Black Knight - Hood Gravel Block



JN18-BKT-LC

Suitable For 18+Jimny
(Jb64, Jb74)
Front Headlight Cover - Black Knight



JN18-BKT-FOG

Suitable For 18+Jimny
(Jb64, Jb74)
Black Knight - Front Fog Lampshade



JN18-BKT-RL

Suitable For 18+Jimny
(Jb64, Jb74)
Black Knight - Tail Light Decorative Cover



JN18-BKT-RBS

Suitable For 18+Jimny
(Jb64, Jb74)
Black Knight - Door Decorative Strip



JN18-BKT-HD

Suitable For 18+Jimny
(Jb64, Jb74)
Black Knight - Front Door Handle Cover



JN18-BKT-HHD

Suitable For 18+Jimny
(Jb64, Jb74)
Black Knight - Rear Handle Cover



JN18-BKT-MIR

Suitable For 18+Jimny
(Jb64, Jb74)
Black Knight - Exterior Rearview Mirror Cover



UNI-JN18-FDR

Suitable For 18+Jimny Jb64
Mudguards - Red



UNI-JN18-FDB

Suitable For 18+Jimny Jb64
Mudguards - Black



UNI-JN18-BKT

Suitable For 18+Jimny Jb64
Mudguards - Black



UNI-STB-OG36

Suv Spare Tire Tool
Storage Bag Size:
26.7x 22x5.9 Inches
600d Oxford+210d Lining Cloth
Color: Black,Weight: 1.1kg
Packaging: With Pp Bag
Folding Size: 39x 28x 4cm



UNI-JN18-TP02

Front tow support(left)
JIMNY SIERRA JB74W/
JB64W(2018-2019)



UNI-JN18-BC02

SUZUKI JIMNY 2018+
Bonnet Cover FRP



UNI-JN18-FGP

JIMNY SIERRA JB74W/JB64W
(2018-2019) FRONT GEAR
BOX COVER



FG-JMN19-SP

SUZUKI JIMNY 2018+Spoiler



UNI-JN18-STC

SUZUKI JIMNY 2018+
Spare Tire Cover



UNI-JN18-A14

JIMNY SIERRA JB74W/
JB64W(2018-2018)



UNI-JN18-A12

JIMNY SIERRAJB74W JB64W
(2018-2018)



UNI-JMNSTB-B

Two hard-side storage
L/W/H:(10.23x5.3x13))
One longer horizontal pocket
L/W/H:(21x 5x7.4)
A storage solution, provide
enough extra storage space





WWW.UNITY4X4.COM

JEEP WRANGLER ACCESSORIES



JWJK1603-28

Jeep Jk Wrangler
Solitary Front Bumper LED
Material: Steel



JWJK1603-29

Jeep Jk Wrangler
X Front Bumper
Material: Steel




JWJK1603-29L

Jeep Jk Wrangler
X Front Bumper
Material: aluminium alloy



JWJK1603-30

Jeep Jk Wrangler
X Rear Bumper
Material: Steel



JWJK1603-30L

Jeep Jk Wrangler
X Rear Bumper
Material: aluminium alloy



JWJK1603-31

Jeep Jk Wrangler
P Rear Bumper LED
Material: Steel



JWJK1603-32

Jeep Jk Wrangler
Cobra Front Bumper
Material: Steel



JWJK1603-33

Jeep Jk Wrangler
Cobra Rear Bumper
Material: Steel



JWJK1601-25-4

Jeep Wrangler
Cobra Side Step 4 Door
Material: Iron



JWJK1608-42

Jeep Jk Wrangler
Cobra Grille
Material: ABS Plastic



JWJK1609-18

Jeep Jk Wrangler
Cobra Fender Flares



ACCESSORIES

JEEP JK & JL

OFFICE NO.3018,HuiQiao Building,Baiyun Dadao Bei,Baiyun District,Guangzhou City,China:510440
ASSEMBLY Building B5,Tangge Si She Industrial Zone, No.111 Tangge North Road Baiyun District,Guangzhou

UNITY 4WD ACCESSORIES CO.,LTD

JEEP WRANGLER ACCESSORIES



UNI-JLQG-025
Jeep JL Wrangler
RR VENATOR
Front Bumper
Material: Steel



UNI-JLQG-012
Jeep JL Wrangler
Rear Front Bumper



UNI-JLJG-02
Jeep Wrangler JL
Sandstorm Hood
Material: Fiberglass



UNI-JLJG-03
Jeep Wrangler JL
Avenger Hood Material: Steel



UNI-JLXLJ-01
Jeep JL Wrangler
Luggage Racks
Material: Steel
Accept Custom Logo



UNI-JLTB-03
Jeep Wrangler JL
Tubular Side Steps
4 Doors



UNI-JLZW-09
Jeep Wrangler JL
Jeep Gladiator JT
Grille With Lights




UNI-JLLM-07
Jeep JL Wrangler
front Fender Flares with Lights
Front: 220 MM
Material: Aluminum



UNI-JLBM-05
Jeep Wrangler JL
front and rear Half Door
with Locks And Side Mirror
Covers
Material: Steel



UNI-JLBM-04
Jeep Wrangler JL
Front And Rear Half Door
With Locks And Side
Mirror Covers
Material: Steel



UNI-JLNC-04
Jeep JL Wrangler
Rear Inner Fender
Material: Aluminum
Black Powder-Coated




UNI-JLLM-08
Jeep JL Wrangler
Rear Fender Flares
Rear: 150 MM
Material: Aluminum



UNI-200-C10
Twelve person pot
Material: Aluminum alloy
Weight:2900g



UNI-FP-S1
Barbecue oven
Material:304+316stainless steel
Assembled:dimensions600*528*260mm



POT-FS-5GRN
Silicone folding pot 5-piece set
Material: stainless
steel+silicone+tritan



UNI-200-L2
1.6L Heat accumulating Kettle
Material: Aluminum alloy
Weight: 280g
for 2--3 peoples



USDC-468
Movable fanspeed
Stepless speed regulation
With 3 7500mah, up to 4
Motor:brushless motor, 9v
Led:7 2835 beads,1.5w power
Material:abs plastic +pc



HL71082
Portable tripod worklight
24x3 SMD ,3500K/6500K,
7000~2000lumen
3.7v,4000mah
Material:Aluminum ,ABS
Net weight :1759g
Changing time :5 hours
Discharging time : 2~9 hours



SS-94
fiber handle serrated tip shovel
Surface Length: 27cm ,Surface
Width: 20cm
Whole Length: 96cm
Material: Carbon Fibre



C-ARB-3
Outdoor chair (high back)
Black(straight back 105CM,
reclining back 95CM)
Cloth material: 600D 4*3 national
standard PVC oxford cloth +
glue-free resin cotton"



C-DIR-BLK
director chair
Structural support: steel pipe
support, plastic nylon support
Fabric: 600D Oxford
fabric+breathable mesh
Load bearing capacity: 120kg



C-ARB-BED
ARB MARCHING BED
Unfolded size: 211 * 82 * 46cm
Storage size: 105 * 21 * 21cm
Material: 600D nylon fabric
Packing size: 110 * 25 * 25, 13KG








T-A-1
Picnic table by Aluminium
Size:70*70*70CM
Color: black



CLS-5B
Five core stove head black
[regular model]
Material: stainless steel/iron

4WDUNITY





4WDUNITY



Guangzhou Unity Manufacturing Co Ltd

TEL 0086-20-36773611

E-mail sales@china4x4accessories.com

OFFICE NO.3018,HuiQiao Building,Baiyun Dadao Bei,Baiyun District,Guangzhou City,China:510440

FACTORY 14 Dayang Road, Huadu Auto City Industrial Base, Huadu District, Guangzhou, China.

WAREHOUSE Building B5,Tangge Si She Industrial Zone, No.111 Tangge North Road Baiyun District,Guangzhou