

ONE WORLD
International

OWI
www.owielec.com

Cable & Accessories



Changzhou Traful Electronic Co.,Ltd.
Changzhou One World Group



Changzhou Traful Electronic Co.,Ltd.
Changzhou One World Group

Connecting the World



Established in 1987

At One World International, we create products that help people realize the power of cable technology and everyone can connect the world by different cables, make people's lives better, easier and more fulfilling. This has been OWI mission since our inception in 1987.

ChangZhou Traful Electronic factory is attached to One World International, it is the manufacturing entity. The factory is established in 1993. It is specialized in providing audio/video cable, computer cable and mobile phone cable etc. Now It is an incorporate company of design, sale and service. It's workshop is 4000 sq.m. and it's stuff is 250 persons, in near future it will be 500 persons.

Today OWI focus on enhance the technology that connects us to the people, activities and experiences we love. Its product platform empowers people to monitor, measure and manage their electronics, appliances and lighting at home and on-the-go.

Our Partners



Content


HDTV Cable.....	6
VGA Cable.....	17
DVI Cable.....	18
Displayport Cable/Mini Displayport Cable.....	20
Type C Cable.....	22
USB Cable.....	26
DC Cable.....	30
Adapter.....	31
Lan Cable.....	44
TV Cable.....	48
Audio/Video Cable.....	50
Microphone Cable.....	54
Audio/Video Adapter.....	56
Optical Fiber Cable.....	58
Optical Fiber Lan Cable.....	60
Electronic Cable.....	61
Power Cord.....	62
Power Strip.....	68
Power Strip Tower.....	69
Telephone Cable.....	70
Coaxial Cable.....	71
Amplifier Cable.....	72
Speaker Cable.....	73





Our Test Equipment



Resistance tester



Densifying tester



Electronic performance tester





Microscope



Oven tester



Alternating temperature humidity test chamber



Tor tester



Reverse bend tester



Rohs tester




Load tester

Our Factory



16K Ultra HD Picture Quality

Experience stunning visuals with support for up to 16K resolution (15360 x 8640 pixels). Immerse yourself in every detail and enjoy unparalleled clarity.




HIGH-DEFINITION HDTV VIDEO CABLE

CONNECTING COMPUTER TO TV
CONNECTING NETWORK SET-TOP BOX TO TV

16K/8K
HIGH-DEFINITION ANTI-INTERFERENCE

HDTV Specification Version 2.2



Nylon Braiding Insulator Shield Copper Wire



Standard HDTV
14X4.5mm



Mini HDTV
10.5X2.5mm



Micro HDTV
6X2.3mm


Supported Video Resolutions & Color

Uncompressed, 4:4:4 full chroma, 10bit /12bit color:

- 4K @ 240 Hz
- 8K @ 60 Hz

With DSC (Display Stream Compression):

- 4K @ 480 Hz
- 8K @ 240 Hz
- 12K @ 120 Hz
- 16K @ 60 Hz



Core Bandwidth & Link

- Next-generation Fixed Rate Link (FRL)
- Maximum bandwidth: 96 Gbps (double HDTV 2.1's 48 Gbps)
- "Ultra96" feature: Manufacturers may label products supporting 64 Gbps / 80 Gbps / 96 Gbps under HDTV 2.2 compliance. Ultra High Speed HDTV cable (HDTV2.1) maxes at 48 Gbps and cannot carry full 96Gbps modes.

New Feature: Latency Indication Protocol (LIP)

New in HDTV2.2: Latency Indication Protocol (LIP) Reports device latency across cascaded AV chains (source → AVR → display), automatically compensates audio/video skew to fix lip-sync errors in multi-device home theater setups.

Inherited Features (Carried over from HDTV 2.1)

1. Dynamic HDR
2. SBTM – Source-Based Tone Mapping
3. eARC – Enhanced Audio Return Channel (supports lossless object-based audio: Dolby Atmos, DTS:X)
4. Gaming Features
 - VRR – Variable Refresh Rate
 - ALLM – Auto Low Latency Mode
 - QFT – Quick Frame Transport
 - QMS – Quick Media Switching
5. HDTV Cable Power

HDTV 2.2 technology		
HDTV 2.2 focuses on enhancing audio and video quality		
Version	HDTV 2.2	HDTV 2.1
picture quality	16K@60Hz 12K@120Hz 10K@120Hz/60Hz/30Hz 8K/240Hz/120Hz/60Hz	10K@30Hz 8K@60Hz 4K@120Hz/60Hz/30Hz
	HDR10+ Static HDR	HDR10+ Static HDR
	VRR+ QMS+ ALLM+	VRR QMS ALLM
timbre	ARC+	ARC

30/50/70/100 meter Super Long Fiber HDTV Cable

HDTV 2.0
18Gbps 4Kx2K@60hz

HDTV 2.1
48Gbps 8Kx4K@60hz

- Cable length more than 100 meter
- Signal Without Attenuation
- More thin, weight and volumn reduce 70%
- Anti-interference

OW-170181




Long HDTV Cable

With Built-in Signal Booster



INPUT(Source): Connect Laptop, PC, DVD, Cable Box, TV Box, Blu-Ray Player and more source devices with HDTV Port.



OUR CABLE WITH HIGH QUALITY SHIELD PLUG FOR SUPPORT HIGH DEFINITION VIDEO

Support Receive Over- The-Air Digital Broadcast to your

- Digital TV, Projector, and Computer Monitor.
- Use one whole Tin plated shee .
- EMI range up to -6db with better shielding effect.
- Optional gold and nickel plating.
- Suitable for 28AWG and 30AWG wire gauge.
- Pass 4K and HDTV ATC test.
- Meet the HDTV2.0:high speed HDTV cable .



OW-170101
HDTV 19Pin Plug-Plug Cable



OW-260101
HDTV 19Pin Plug-Plug Cable



OW-170102
HDTV 19Pin Plug-Plug Cable



OW-170109
HDTV 19Pin Plug-2* Jack Cable



OW-170103
HDTV 19Pin Plug-Plug Cable



OW-170110
HDTV 19Pin Plug-Plug Cable



OW-170106
HDTV 19Pin Plug-Plug Cable
Multi-color Overmolding Type



OW-170107
HDTV AM-AM



OW-170108
HDTV AM-AM Multi-color
Overmold Type



OW-170111
HDTV 19Pin Plug-Plug Cable



OW-170113
HDTV AM-AM Multi-color
Overmold Type



OW-170114
HDTV AM-AM Multi-color
Overmold Type



OW-170115
HDTV Plug To HDTV Plug,
Double Color Round Cable



OW-170117
HDTV 19Pin Plug(90°)-
Plug(90°) Cable



OW-170135
HDTV AM-AM
(rotating 360°)



OW-170136
HDTV AM-AF (rotating 360°)



OW-170137
HDTV AM - CM(Mini)
(rotating 360°)



OW-170138
HDTV AM-DM(Micro)
(rotating 360°)



Slim HDTV Cable

With Our new manufacturing process we are able to include all HDTV 2.1 features in simple and more Slim design using our coaxial wiring technology.

- 8K
HD
- 3D
Dimensional
- 4layer
Shield
- 24K
Gold-plated
- TMDS
Accurate
- 7.1
Dolby



Super Slim Style - OD:2.6mm
Coaxial Wires Inside
Support 8K V2.1 Ultra Speed

OW-170141
Slim HDTV AM-AM



OW-170144
Slim HDTV AM-AM



OW-170142
Slim HDTV AM-CM



OW-170145
Slim HDTV AM-CM



OW-170143
Slim HDTV AM-DM



OW-170146
Slim HDTV AM-DM



Flat HDTV Cable

The premium construction of our Flat HDTV cable resistant gold-plated connectors, full metal jacket, 26 AWG, triple shielding, and solid copper conductors. The flat wire design is optimal for running in tight locations or under carpeting and allows for 180 degree turns in small spaces.

4K
HD


3D
Dimensional

4layer
Shield

24K
Gold-plated

TMDS
Accurate

7.1
Dolby



OW-170154

HDTV 19Pin Plug-Plug Cable
Multi-color Overmolding Type
Flat Cable



OW-170153

HDTV 19Pin Plug-Plug Flat
Cable



OW-170155

HDTV AM-AM
Metal Assembly Type
Flat Cable



OW-250108

HDTV 19Pin Plug-Plug Cable
Multi-color Overmolding Type
Flat Cable



OW-170156

HDTV AM-AM
Metal Assembly Type
Flat Cable



High Quality Metal Plug HDTV Cable by OWI

16K
ULTRA-HD

3D
Dimensional

4layer
Shield

24K
Gold-plated

TMDS
Accurate

7.1
Dolby

A Better Viewing Experience

Supported Video Resolutions & Color

Uncompressed, 4:4:4 full chroma, 10bit /12bit color:

- 4K @ 240 Hz
- 8K @ 60 Hz

With DSC (Display Stream Compression):

- 4K @ 480 Hz
- 8K @ 240 Hz
- 12K @ 120 Hz
- 16K @ 60 Hz

OW-260102

HDTV AM-AM
Metal Assembly Type



OW-250101

HDTV AM-AM
Metal Assembly Type

8K
HD



OW-260104

HDTV AM-AM
Metal Assembly Type

8K
HD



OW-230110

HDTV AM-AM
Metal Assembly Type


8K
HD



OW-260103

HDTV AM-AM
Metal Assembly Type

8K
HD



OW-230108

HDTV AM-AM
Metal Assembly Type

8K
HD



OW260105

Optical Fiber HDTV AM-AM
Metal Assembly Type

8K
HD



OW-250103

HDTV AM-AM
Metal Assembly Type

8K
HD



OW-230109

HDTV AM-AM
Metal Assembly Type

8K
HD



OW-170175

HDTV AM-AF
Metal Assembly Type

8K
HD



OW-170184
HDTV AM-AM
Metal Assembly Type



OW-230101
HDTV AM-AM
Metal Assembly Type



OW-230102
HDTV AM-AM
Metal Assembly Type



OW-230103
HDTV AM-AM
Metal Assembly Type



OW-260106
HDTV AM-AM
Metal Assembly Type



OW-230105
HDTV AM-AM
Metal Assembly Type



OW-230106
HDTV AM-AM
Metal Assembly Type



OW-170161
HDTV 19Pin Plug-Plug Cable
Metal Assembly Type



OW-170163
HDTV 19Pin Plug-Plug Cable
Metal Assembly Type



OW-170164
HDTV Plug To HDTV Right Angle
Plug, Metal Plug,
Round Cable



OW-170166
HDTV AM-AM
Metal Assembly Type



OW-170167
HDTV 19Pin Plug-Plug Cable
Metal Assembly Type



OW-170168
HDTV AM-AM
Metal Assembly Type



OW-170169
HDTV AM-AM
Metal Assembly Type



OW-170171
HDTV AM-AM
Metal Assembly Type



OW-170172
HDTV AM-AM
Metal Assembly Type



OW-170173
HDTV AM-AM
Metal Assembly Type




OW-170174
HDTV AM-AM
Metal Assembly Type



OW-170176
HDTV AM-AM
Metal Assembly Type



OW-170177
HDTV AM-AM
Metal Assembly Type



OW-170179
HDTV AM-AM
Metal Assembly Type



OW-170180
HDTV AM-AM
Metal Assembly Type



OW-170182
HDTV AM-AM
Metal Assembly Type



OW-170183
HDTV AM-AM
Metal Assembly Type



Fiber Optical HDTV-compatible Cable

OW-230112
Optical Fiber HDTV AM-AM/
Micro AM to Micro AM
Metal Assembly Type



8K
HD

OW-250104
Optical Fiber HDTV AM-AM
Metal Assembly Type



8K
HD

OW-250134
Optical Fiber HDTV AM-AM
Metal Assembly Type



8K
HD

OW-250105
Optical Fiber HDTV AM-AM
Metal Assembly Type



8K
HD

OW-250106
Optical Fiber HDTV AM-AM
Metal Assembly Type



8K
HD

OW-250107
Optical Fiber HDTV AM-AM
Metal Assembly Type



8K
HD

HDTV - Mini HDTV Cable HDTV - Micro HDTV Cable

OW-170191
HDTV 19Pin Plug-Mini HDTV
Plug Cable



OW-170192
Mini HDTV
Plug- Mini HDTV Plug Cable



OW-170193
HDTV 19Pin Plug-Mini HDTV Plug Cable
Multi-color Overmolding Type




OW-170194
HDTV 19Pin Plug-Micro HDTV
Plug Cable



VGA Cable

VGA HD15 cables are designed for source to display connectivity in commercial, in-home and desktop applications.

Type	Max Resolutions
VGA	640x480
SVGA	800x600
XGA	1024x768
SXGA	1280x1024
SXGA+	1400x1050
UXVGA	1600x1200



OW-170301
VGA Plug-VGA Plug



OW-170303
VGA Plug-VGA Plug



OW-240301
VGA Plug-VGA Jack



OW-170305
VGA Plug-VGA Plug



OW-260301
VGA Plug - 2xVGA Jack



OW-260302
HDTV Plug-VGA Plug




OW-260303
HDTV Plug - VGA+Audio Plug



OW-170308
HDTV Plug-VGA +3 RCA Plug



DVI Cable



DVI Digital Visual Interface provides a high-speed digital connection unique for the digital display technology.

DVI is also the digital transfer method for HDTV,EDTV,Plasma Display,and other high-end video displays(TV and DVD player).

Perfect for connecting your Digital Video Interface Monitors,Projectors,and Video Cards.

Supports all High Resolution DVI Monitors

Superior Performance,Guaranteed

High-speed digital transmission of up to 4.95 Gbps

Cable Length: Optional

Cable Connections: 18+1,18+5,24+1,24+5

Type	Signal	Pins	Picture	To VGA	Max Resolutions
DVI-I Single Link	Digital/Analog	18+5		OK	1920x1200,60Hz
DVI-I Dual Link	Digital/Analog	24+5		OK	2560x1600,60Hz/1920x1200,120Hz
DVI-D Single Link	Digital Only	18+5		NO	1920x1200,60Hz
DVI-D Dual Link	Digital Only	24+1		NO	2560x1600,60Hz/1920x1080,120Hz

OW-170201

Dualink DVI Cable
24+1 Male ToMale To
DVI24+1 MALE



OW-170202

Single link DVI Cable 18+1
Male To DVI18+1 MALE



OW-170203

Dualink DVI Cable 24+5
Male To DVI24+5 MALE



OW-170204

Single Link DVI Cable 18+5
Male To DVI18+5 MALE



OW-170205

DVI Dual Link(24+1) Cable



OW-240201

HDTV Plug To
Micro HDTV/DVI Plug
Optical Fiber Cable



OW-240202

HDTV Plug To DVI 24+1 Male



OW-170208

HDTV 19Pin Plug-DVI Plug
Digital Cable



OW-240203

DVI Dual Link(24+1) Cable



OW-170210

DVI Dual Link(24+1) Cable
Metal Assembly Type



OW-240204

DVI Plug-VGA Plug
A:18+1 B:24+1 C:24+5



OW-250201

HDTV 19Pin Jack To DVI Plug
Digital Cable



Displayport Cable

Mini Displayport Cable

Reliable FPS Gaming Partner

Support 4K @ 144Hz, 2K @ 165Hz high refresh rate. Rejection screen delay. Help FPS players to win MVP faster



Displayport 1.4

Efficiency Improvement

Version	Version 1.4	Version 1.2
Bandwidth	32.4Gbps	21.6Gbps
Refresh rate	1080P @ 240Hz 2K @ 165Hz 4K @ 144Hz 8K @ 60Hz	1080P @ 240Hz 2K @ 165Hz 4K @ 144Hz
Audio transmission	32-bit/1536KHz	8-bit/192KHz
Dynamic HDR	✓	✗
Multi-screen display	✓	✓

DisplayPort cable not only can support 3D video, but also can support the resolution up to 8K 7680x4320@60Hz, 4K 3840x2160@144Hz and 2K@165Hz, ideal for doing high performance gaming or watching a HD movie on your television. It is the optimal choice for large games, home theater and splicing-screen display advertising.

Premium Material with High Performance Transmission Designed with tinned copper and triple-layer shielding, the DP Cable is enough to transfer high-quality and stable video and audio signals, no worry about visual and audio glitches, artifacts, and audio/video synchronization problems. The thickened SPCC shell, nylon braided cover and gold-plated connectors all ensure the superior durability under the heavy usage and multiple plugging and unplugging.

Superior Vision with DisplayPort 1.4 DisplayPort 1.4 can transmit up to 32.4Gbps bandwidth, which allows a higher resolution of 8K at 60Hz with 10-bit color HDR or 4K at 144Hz to be viewed. Coming with VESA's DSC version 1.2 technology enables up to 3:1 compression ratio to be visually lossless. Its Multi-Stream Transport (MST) capability enables high-resolution support of multiple monitors on a single display interface.

Backward compatible with DP 1.3 1.2 version.



Mirror



Extend



6 Screens

OW-170401
DP Plug-Plug



OW-170402
DP Jack-Jack



OW-170403
DP Plug-Jack



OW-260401
DP Plug-VGA Plug



OW-170404
DP Plug - HDTV Plug



OW-170405
DP Plug - DVI Plug



OW-170410
DP-DP Adaptor



OW-250403
Mini DP-HDTV Plug



OW-250401
DP Plug - DP Plug



OW-250402
DP Plug - DP Plug



OW-260402
DP Plug - DP Plug 16K



OW-260403
DP Plug - DP Plug Mini Soft Cable



80Gbps Ultra-Fast Transfer 240W

TYPE C Cable



What is USB-C?

USB-C,also known as Type-C,is a completely new connector developed by the USB Implementers Forum(USB-IF)to replace the confusing variety of older USB types,including USB-A,USB-B and USB Mini-B.It is quickly becoming the new standard with the fastest possible charging,data,and display connectivity.

Universal Appeal

USB-C is a new all-in-one USB specification and connector type that will eliminate the hassle of using multiple cables for different devices,and allow you to use one cable for all of your needs.Not just happy to work with select sm artpones,tablets,laptops,digital cameras,USB-C is appearing on products using different operating systems like IOS,Android,Windows,Google and more.

USB-C is Easier to Use

The new USB-C connector has a size and shape that is easier to use than previous USB types.The reversible design lets you plug in your device in any direction, so you never have to worry about plugging in your USB cable upside down over and over again.

What is USB-C Power Delivery or USB-C PD?

USB-C connectors can take advantage of the newest charging protocol,USB Power Delivery (USB PD),which has a maximum power output of 100 W (20V/5A)meaning manufactures can use it to power everything from laptops to TVs.Smartphones,tablets,and laptops that are PD-enabled allow safe,faster charging and more power for larger devices,without the need of a separate power supply.

Type-C USB 5.0



OW-260501
Type C to Type C USB5.0
80G 240W, Flat Cable
Right Angle



OW-260502
Type C to Type C USB5.0
80G 240W

Type-C USB 4.0

OW-260503

Type C to Type C
Thunderbolt5
USB4.0 240W



OW-260504

Type C to Type C
USB4.0 240W



OW-260505

Type C to Type C
USB4.0 240W



OW-250501

Type C to Type C
USB4.0 240W




OW-250502

Type C to Type C
USB4.0 240W



OW-250503

Type C to Type C
USB4.0 240W



OW-240501

Type C (M) To Type C (F)
USB4.0 240W



OW-240502

Type C To Type C
Thunderbolt4 USB4.0
100W



OW-240503

Type C To Type C
USB4.0 240W



OW-240504

Type C To Type C
USB4.0 240W



OW-240505

Type C To Type C
USB4.0 240W



OW-240506

Type C To Type C
USB4.0 240W Display



TYPE C Cable

Type-C USB 3.2Gen2

OW-240507

Type C To Type C 3.2
Gen2 100W



OW-240508

Type C To Type C 3.2
Gen2 100W



OW-240509

Type C (M) To Type C(F) 3.2
Gen2 60W



OW-170501

Type-C 3.2 To Type-C 3.2 Male Cable
Metal, 10G



OW-170503

Type-C 3.2 To Type-C 3.2 Male Cable
Zinc Alloy, 10G



OW-170504

Type-C 3.2 To Type-C3.2 Male Cable
Mold, 10G



Type-C USB 3.2Gen1

OW-240510

Type C To Type C 3.2
Gen1 60W



OW-240511

Type C To Type C 3.2
Gen1 100W



OW-240512

Type C 3.2 male to USB A
Female Adapter
Mold, 5G



OW-170519

Type C 3.2 Male To Type C 3.2
Male Cable
Mold, 5G



OW-170520

Type C 3.2 Male To USB A
Male Cable
Mold, 5G



Type-C USB 2.0

OW-240513

Type C To Type C 2.0
60W



OW-240514

Type C To Type C 2.0
240W



OW-240516

Type C To USB A



OW-240517

Type C To USB A



OW-240518

Type C To USB 2.0
60W



OW-240519

Type C To Type C 2.0
100W



OW-240520

Type C To USB A



OW260506

Type C to DC plug



OW-260507


TYPE C Female To DC Female



OW-260508

Type C Female To DC Female





USB 2.0

USB 2.0 A Male



USB 2.0 A Female




USB 2.0 B Male



USB 2.0 Micro Male



USB 2.0 Mini Male



USB 3.0

USB 3.0 A Male




USB 3.0 A Female



USB 3.0 B Male



USB 3.0 Micro Male



USB 3.2/4.0

USB 2.0/3.0/4.0



USB Revolution Cable



USB Revolutionary Cable

The USB Revolution™ technology can be applied to male or female USB plugs/receptacles. Compatible with all 1.0 and 2.0 USB plugs. USB 3.0 coming soon.

USB 3.0 Cable


OW-170541
USB 3.0 AM-AM




OW-170543
USB 3.0 AM-AF



OW-170542
USB 3.0 AM-BM



OW-170544
USB 3.0 AM-Micro BM



OW-170551
USB 2.0 AM-AM



OW-170552
USB 2.0 AM-AF



OW-170553
USB 2.0 AM-BM



OW-170554
USB 2.0 AM-AF



OW-170557
USB 2.0 AM-AF



OW-170558
USB 2.0 AM-BM



OW-170563
USB 2.0 AM-Mini USB 5P



OW-260510
USB To VGA Plug



OW-242401
USB 3.0 AM-Sata Socket



OW-242402
USB 3.0 AM-Type C Female



OW-242403
USB 2.0 AM-3.5mm
Audio Socket



OW-242404
USB 2.0 5V To DC Plug
9V/12V



OW-260511
USB To Open End
Charger Cable



OW-260512
USB To Car Power
Charger Cable



OW-232403
USB 2.0 Male-Female



OW-232404
USB 2.0 Female-Female



OW-232405
USB 2.0 B Male-Female



OW-232406
USB 3.0 B Male-Female



OW-232401
RJ45 Male-Female



OW-232402
RJ45 Female-Female



OW-232407
USB 3.0 Male-Micro B



OW-232408
USB 3.0 Male-Female



OW-232409
USB 3.0 Female-Female



OW-232410
DUAL USB 3.0 Male-Female



OW-232411
USB3.1 Type C Male-Female



OW-232412
HDTV Male-Female



OW-233101
OW-233102
OW-233103
OW-233104
OW-233105
USB 2.0 AM-DC
Male



OW-233106
DC 5521 Male-Female



OW-233113
DC MALE-OPEN
Transparent



OW-233118
DC Male-Female
With Switch



OW-233119
DC Right Angle Male-Female



OW-233107
DC Female-5*Male
T-Type



OW-233114
DC MALE-OPEN
with Metal Nut



OW-233120
DC Right Angle Male-VH3.96 Terminal



OW-233108
DC 5525 Male-Female



OW-233115
DC Female-2*Male



OW-233121
DC Male-Red/Black Alligator Clip



OW-233109
DC MALE-OPEN
with thread



OW-233110
DC FEMALE-OPEN
with thread



OW-233116
DC Female-3*Male



OW-233122
DC Right Angle Male-Open



OW-233111
DC MALE-OPEN




OW-233112
DC FEMALE-OPEN



OW-263101
Mini DC Cable



OW-233123
DC Male-Red/Black Power Clip



HDTV Adapter Cable

OW-170601
HDTV Male To VGA
Female Adapter



OW-170610
HDTV Micro Male To
VGA Female
Adapter



OW-170603
Mini HDTV Male To VGA
Female+Audio
Adapter



OW-170604
Mini HDTV Male To
VGA Female



OW-170605
Mini HDTV To AV Converter



OW-170606
Mini AV TO HDTV Converter



OW-170611
VGA TO HDTV Converter



OW-170612
HDTV A Male To VGA
Female Adapter



OW-170613
HDTV A Male To VGA
Female
Adapter



DVI & VGA Adapter Cable

OW-170621
DVI(24+1) Male To
VGA Female
Adapter



OW-170622
DVI(24+1) Male To
VGA Female+Audio
Adapter



DP & Mini DP Adapter Cable

OW-170607
Mini DP Male To VGA
Female Adapter



OW-170623
Mini DP Male To
DVI(24+5) Female
Adapter



OW-170608
Mini DP Male To
HDTV Female Adapter



OW-170624
Mini DP Male To
HDTV Female Adapter



OW-170609
Mini DP Male To
HDTV(4K)
Female Adapter



OW-170624A
Mini DP Male To USB
2.0 Female Adapter



OW-170625
Mini DP Male To VGA
Male Cable



OW-170626
Mini DP Male To
HDTV+DVI+VGA
Female Adapter



OW-170627
Mini DP Male To
HDTV+DVI+VGA
Female Adapter



OW-170628
Mini DP Male To
HDTV+DVI+VGA
Female Adapter



OW-170629
DP Male To HDTV
+VGA+DVI
Female Adapter



OW-170630
Mini DP Male To DVI
Female Cable



OW-170631
Mini DP-DP Adaptor



OW-170632
DP Male To VGA Female
Adapter



OW-170633
DP Male To DVI(24+5)
Female Adapter



OW-170634
DP Male To HDTV
Female Adapter



OW-170634A
DP Male To HDTV(4K)
Female Adapter



OW-170635
DP Male To HDTV
Female Adapter



USB Adapter Cable

OW-250601

4 in 1 HUB
USB3.0 A to USB3.0
(5Gbps)*4
Metal Shell



OW-250602

4IN1 HUB-A
USB3.0 A to USB3.0+
USB2.0*3
Metal Shell



OW-250603

4IN1 HUB-C
USB3.0 C to USB3.0+
USB2.0*3
Metal Shell



OW-250604

4IN1 HUB-C
USB3.0 C to
USB3.0+USB2.0*3
Metal Shell



OW-240601

USB HUB
USB2.0 to USB2.0X4
with switch



OW-240602

USB HUB
USB2.0 to USB2.0X3+SD/TF



OW-240603

USB HUB
USB2.0 to USB2.0X3+RJ45
100Mbps



OW-240604

USB HUB
USB3.0 to RJ45 100Mbps



OW-240605

USB HUB
USB3.0 to USB3.0X4



OW-240606

USB HUB
USB3.0 to USB3.0X7



OW-240607

USB HUB
USB3.0 To USB3.0X7
With Light



OW-240608

USB HUB
USB3.0 To USB3.0X4
With Light



OW-240609

USB HUB
USB3.0 To USB3.0+USB2.0X3
With Light



OW-240610

USB HUB
USB2.0 To USB2.0X4
With Light



OW-240611

USB HUB
USB3.0 To USB3.0X4 Slim



OW-240612

USB HUB
USB2.0 To USB2.0X4



OW-240613

USB HUB
USB3.0 To USB3.0X4



OW-240614

USB HUB
USB3.0 To USB3.0X4
With Switch



OW-240615

USB HUB
USB3.0 To USB3.0X4
With Switch



OW-240616

USB HUB
USB3.0 To USB3.0X7
With Switch



OW-240617

USB HUB
USB3.0 To USB3.0X4
Transparent



OW-240623

USB HUB-C
USB3.0 To VGA+HDTV



OW-240625

USB HUB
USB2.0 COMBO USB2.0X3+Card
Reader



OW-240626

USB HUB
USB2.0 COMBO
USB2.0X6+Card Reader



OW-240627

USB HUB
USB3.0 To USB3.0X3+RJ45
1000Mbps



OW-240628

USB HUB
USB3.0 To RJ45 1000Mbps



OW-240629

USB HUB
USB3.0 To USB3.0X3+RJ45
1000Mbps



OW-240630
USB HUB
USB3.0 To RJ45 1000Mbps



OW-240631
USB HUB
USB2.0 To USB2.0X3+RJ45 100Mbps



OW-240632
USB HUB
USB3.0 To RJ45 100Mbps



OW-240634
USB HUB
USB3.0 To USB3.0 +USB2.0X3



USB Type-C Adapter Cable

OW-170661
USB Type C To DVI F
ABS Shell



OW-170667
Type-C 3.1 Male To
HDTV Female HUB



OW-240636
USB HUB
USB3.0 To USB3.0X4



OW-240637
USB HUB
USB2.0 To USB2.0X3+SD/TF



OW-240643
USB HUB
USB3.0/TYPE C To
USB3.0X3+RJ45 100Mbps



OW-240647
USB HUB
USB3.0 To HDTV



OW-170669
Type-C 3.1 Male To VGA Female
HUB



OW-230602
Type C Male To DP Male Cable



OW-230603
Type C Male To DVI Male
Cable



OW-230604
Type C Male To VGA Male
Cable



OW-230605
Type C Male To HDTV
Male Cable



OW-230606
Type C Male To HDTV Male
Cable



OW-250650
Type C Male To DP Male
Cable



OW-250651
Type C Male To HDTV Male
Cable



OW-260601
Type C to HDTV 8K



OW-250605
2 in 1 HUB
Type C To HDTV(4K 30HZ)+VGA(1080P 60HZ)
Metal Shell



OW-250606
3 in 1 HUB
Type C To HDTV(4k 30hz)+USB3.0(5G)+PD60W
Metal Shell



OW-260602
USB+Type C To USB3.0x4 +SD/TF+Audio+PD60W
Metal Shell



OW-260603
USB+Type C To USB3.0x3 +SD/TF Metal Shell



OW-260604
USB+Type C To USB3.0x4
Metal Shell



OW-260605
USB+Type C To USB3.0x5 +Type C+PD60W
Metal Shell



OW-260606
Type C To USB3.0x4+SD/TF +Audio+PD60W+HDTV+
VGA+RJ45 100M
Metal Shell



OW-260607

Type C To USB3.0x4
Metal Shell



OW-260608

Type C To USB3.0x4
Metal Shell



OW-250607

6 in 1 HUB
Type C To HDTV(4K 30HZ)
+SD/TF+USB3.0(5Gbps)+
USB 2.0(480Mbps)+PD100W
Metal Shell



OW-250608

6 in 1 HUB
Type C To HDTV(4K 30HZ)
+SD/TF+USB3.0(5Gbps)
+USB 2.0(480Mbps)x2
Metal Shell



OW-250609

7 in 1 HUB
Type C To HDTV(4K 30HZ)
+SD/TF+USB3.0(5Gbps)
+USB 2.0(480Mbps)
+PD100W +Type C(data)
Metal Shell



OW-250610

5 in 1 HUB With RJ45
Type C To RJ45(100Mbps)
+HDTV(4K 30HZ)+USB3.0
+USB2.0+PD60W
Metal Shell



OW-250611

6 in 1 HUB With RJ45
Type C To RJ45
(100Mbps)+HDTV(4K
30HZ)+USB3.0+USB2.0+USB
c(data)+PD60W
Metal Shell



OW-250612

8 in 1 HUB With RJ45
Type C To RJ45(100Mbps)
+HDTV(4K 30HZ)+USB3.0
+USB2.0+PD60Wx2+SD/TF
Metal Shell



OW-250613

4 in 1 HUB
Type C To USB3.0x4
Metal Shell



OW-250614

5 in 1 HUB
Type C To USB3.0x4
+PD60W
Metal Shell



OW-250615

5 in 1 HUB
Type C To USB3.0x2+
PD100W+3.0C+HDTV



OW-250616

A+C 4 in 1 HUB
USB3.0 A+ Type C To
USB3.0+USB2.0x3
Metal Shell



OW-250617

4IN1 HUB-A
USB3.0 A To
USB3.0+USB2.0x3
Metal Shell



OW-250618

5 in 1 HUB
Type-C To USB3.0x2
+PD+SD/TF



OW-250619

4 in 1 HUB
Type-C To HDTV+USB3.0
+3.5mm Audio +PD



OW-250620

4 in 1 HUB
Type-C To HUB
USB3.0+HDTVx2+PD



OW-250621

3 in 1 HUB
Type-C To
HDTV+USB3.0+PD



OW-250622

7 in 1 HUB
Type-C To HDTV+
USB3.0x2+PD+
TYPE C+SD/TF



OW-250623

7 in 1 HUB
Type-C To HDTV+
USB3.0x2 +PDx2+
TYPE Cx2 +SD/TF



OW-250624

4 in 1 HUB
Type-C To USB3.0+HDTV
+VGA+PD



OW-250625

2 in 1 HUB
Type-C To HDTV+VGA



OW-250626

8 in 1 HUB With RJ45
Type-C To HDTV+USB3.0x2
+PD+TYPE C+SD/TF+RJ45
100Mbps



OW-250627

5 in 1 HUB with RJ45
Type-C To
HDTV+USB3.0x2+PD+RJ45
100Mbps/1000Mbps



OW-250628

10 in 1 HUB With RJ45
Type-C To
HDTV+VGA+3.5mm
Audio+USB3.0x3+PD+SD/
TF+RJ45 1000Mbps



OW-250629

10 in 1 HUB With RJ45
Type-C To HDTV+PD+TYPE
C+USB3.0x4+SD/TF+RJ45
100Mbps



OW-250630

9 in 1 HUB With RJ45
Type-C To HDTV+3.5mm
Audio+USB3.0x3+PD+SD/
TF+RJ45 1000Mbps



OW-250631

4 in 1 HUB
Type-C To USB3.0x2
+HDTV+PD



OW-250632

8 in 1 HUB With RJ45
Type-C To HDTV+VGA
+USB3.0x2+PD+SD/
TF+RJ45 1000Mbps



OW-250633

5 in 1 HUB
Type-C To HDTV+USB3.0x2
+SD/TF



OW-250634

5 in 1 HUB
Type-C To HDTV+USB3.0x3
+PD



OW-250635

6 in 1 HUB
Type-C To HDTV+USB 3.0x2
+PD+SD/TF



OW-250636

8 in 1 HUB With RJ45
Type-C To
HDTV+USB3.0x3+PD+SD/
TF+RJ45 1000Mbps



OW-250637

7 in 1 HUB
Type-C To
HDTV+USB3.0x2+TYPE
C+PD+SD/TF



OW-250638

12 in 1 HUB With RJ45
Type-C To HDTVx2
+VGA+PD+USB3.0x4
+3.5mm Audio+
SD/TF+RJ45
1000Mbps




OW-250639

7 in 1 HUB
Type-C To HDTV+USB2.0
+USB3.0+TYPE C+PD+SD/TF



OW-250640

3 in 1 HUB
Type-C To HDTV
+USB3.0+PD



Adapter

OW-250705

USB 4.0 Type-C Male
To Female
90° Right Angle



OW-250710

8K HDTV Male To Female
90° Angle



OW-250701

USB 4.0 Type-C Male
To Female



OW-250706

8K HDTV Male To Male



OW-250711

8K HDTV Male To Female
90° Angle



OW-250702

USB 4.0 Type-C Male
To Male



OW-250707

8K HDTV Male To Female



OW-250712

8K HDTV Mini Male To Female



OW-250703

USB 4.0 Type-C Female
To Female



OW-250708

8K HDTV Female To Female



OW-250713

8K HDTV Micro Male To Female



OW-250704

USB 4.0 Type-C Male
To Female
90° Right Angle



OW-250709

8K HDTV Male To Female
90° Right Angle



OW-230701

DP Male To DVI Female Adapter
G:gold
N:nickle



OW-230702
DP Male To HDTV Female Adapter
G:gold
N:nickle



OW-170703
DP Male To HDTV Female
G:gold
N:nickle



OW-230703
DP Male To HDTV Female Adaptor
G:gold
N:nickle



OW-230704
DP Male To VGA Female Adapter
G:gold
N:nickle



OW-230705
VGA Male To HDTV Female +3.5mm
Audio Female Adapter
G:gold
N:nickle



OW-230706
Micro to HDTV Female Adaptor
G:gold
N:nickle



OW-170702
HDTV Female To Mini HDTV Male +
Micro HDTV Male Adaptor
G:gold
N:nickle



OW-170705
Micro HDTV Male to HDTV Female
Adaptor,Swing Type
G:gold
N:nickle



OW-170709
HDTV Male To HDTV Female Adaptor,
90° Angle Type
G:gold
N:nickle



OW-170710
Micro HDTV Male To HDTV Female
Adaptor,90° Angle Type
G:gold
N:nickle



OW-170711
HDTV Female To HDTV Female Adapter
G:gold
N:nickle



OW-170712
Micro HDTV Female To HDTV Male
Adaptor
G:gold
N:nickle



OW-170713
HDTV Female To Micro HDTV Male
Adaptor
G:gold
N:nickle



OW-170717
HDTV Female To HDTV Female Adapter
G:gold
N:nickle



OW-170718
DVI(24+1) Male To HDTV Female Adaptor
G:gold
N:nickle



OW-170719
DVI(24+5) Female To HDTV Male Adaptor
G:gold
N:nickle



OW-170722
DVI(24+5) Female To HDTV Female
Adaptor
G:gold
N:nickle



OW-170727
DVI(24+5) Female To DVI(24+5)
Female Adaptor
G:gold
N:nickle



OW-170728
DVI(24+5) Male To DVI(24+5)
Female Adaptor
G:gold
N:nickle



OW-170729
DVI(24+5) Female To DVI(24+1) Male
Adaptor
G:gold
N:nickle



OW-170734
DVI(24+5) Male To VGA Female Adaptor
G:gold
N:nickle



OW-170737
DVI(24+5) Female To VGA Male Adaptor
G:gold
N:nickle



OW-170738
VGA Female To VGA Female Adaptor
G:gold
N:nickle



OW-240701
USB 3.1 Type-C Male To USB 2.0 Female
OTG Adapter
G:gold
N:nickle



OW-240702
USB 3.0 B Female To Micro Male Adapter
G:gold
N:nickle



OW-170739
VGA Male To VGA Female Adaptor
G:gold
N:nickle



OW-240703
USB 3.0 A Male To Micro Male Adapter
G:gold
N:nickle



OW-240704
USB 3.0 B Female To A Male Adapter
G:gold
N:nickle



OW-240706
USB 2.0 A Male To B Female
Adapter
G:gold
N:nickle



OW-240707
USB 3.0 B Female To A Female Adapter
G:gold
N:nickle





CAT 8 Lan Cable



- 2000Mhz
- 20-40Gbps Speed
- category 8
- 26 AWG

Stranded material easy to bend

Computer
 Laptop

Network Printers
 Modem

Xbox one 360
 Switch boxes

Router
 ps4/ps3


Flexible PVC push Tab
 24k Gold Plated RJ45 connector



CAT 7A Lan Cable

Application

- Especially suitable for all Class FA applications.
- ISDN, Ethernet 10 Base-T, Fast Ethernet 100 Base-T, Gigabit Ethernet 1000Base-T, 10G Base-T. (IEEE 802.3).




CAT 6A Lan Cable

Application

- Especially suitable for all Class FA applications.
- ISDN, Ethernet 10 Base-T, Fast Ethernet 100 Base-T, Gigabit Ethernet 1000Base-T, 10G Base-T. (IEEE 802.3).

S/FTP Shielded CAT 6A Twisted Pair Installation Cable




CAT 6 Lan Cable

Application

- Exceeds ANSI/TIA-568-C.2 and ISO 11801 2nd Edition Class E Category 6 channel standards.
- Exceeds requirements of ANSI/TIA-568-C.2 and IEC 61156-5 Category 6 component standards.
- Meets IEEE 802.3af and IEEE 802.3at for PoE applications.

SF/UTP Double Fully Shielded CAT 6 Twisted Pair Installation Cable




CAT 5E Lan Cable

Application


- Exceeds ANSI/TIA-568-C.2 and ISO 11801 2nd Edition Class D Category 5e channel standards.
- Exceeds requirements of ANSI/TIA-568-C.2 and IEC 61156-5 Category 5e component standards.
- Meets requirements of IEEE 802.3af and IEEE 802.3at for PoE applications.

S/FTP Double Fully Shielded CAT 5e Twisted Pair Installation Cable



UTP Category	Data Rate	Frequency	Applications
CAT3	Up to 10 Mbps	16 MHz	Token Ring & 10BASE-T Ethernet
CAT4	Up to 16 Mbps	20 MHz	Token Ring Networks
CAT5	Up to 100 Mbps	100 MHz	Ethernet, Fast Ethernet and Token Ring
CAT5e	Up to 1000 Mbps	100 MHz	Ethernet, Fast Ethernet, Gigabit Ethernet
CAT6	Up to 1000 Mbps	250 MHz	Gigabit Ethernet, 10G Ethernet(55 meters)
CAT6a	Up to 10 Gbps	500 MHz	Gigabit Ethernet, 10G Ethernet(55 meters)
CAT7	Up to 10 Gbps	600 MHz	Gigabit Ethernet, 10G Ethernet(100 meters)
CAT8	Up to 20-40 Gbps	2000 MHz	Gigabit Ethernet, 40G Ethernet(100 meters)

U/UTP Unshieleded Tweisted 4 Pair Cat 5E/6/7/8 Flat Patch Cord



- Standard**
- Electrical performance guaranteed to meet or exceed ANSI/TIA-568-C.2 Category 6 and ISO/IEC specifications.
 - Independently tested and verified intertek (ETL).
 - Ideal for Data center architectural requirements.
 - Stranded cable for maximum flexibility.
 - Available with different plug mold.
 - Available with different color of cable.
 - Available with different length.

Conductor	
Conductor	stranded bare copper 32AWG
Insulation	HOPE
Total number of insulated conductors	8, twisted in 4 pairs
Color code	blue x white , orange x white, green x white , brown x white
Individual pair shield	none
Overall shield	none
Drain wire	none



OW-170801
Cat5E Flat patch cable



OW-170802
Cat6 Flat patch cable



OW-170803
Cat7 Flat patch cable



OW-250801
Cat8 Flat patch cable



OW-230802
CAT5e/6/7 FTP Cable



OW-170812
CAT5e/6/7 FTP Cable
A: T568A
B: T568B
C: Crossover



OW-170813
CAT5e/6 UTP Cable
A: T568A
B: T568B
C: Crossover



OW-170817
CAT5e/6/7 FTP Cable
A: T568A
B: T568B
C: Crossover



OW-170818
CAT5e/6 UTP Cable
A: T568A
B: T568B
C: Crossover



OW-230809
CAT5e/6/7 Right Angle FTP Cable



OW-230811
CAT5e/6/7 FTP Extension Cable



OW-230806
CAT5e/6 UTP Cable



OW-230821
CAT8 FTP Cable Assembly plug



OW-230818
CAT7 Flat Patch FTP Cable



OW-230820
CAT8 Flat Patch FTP Cable



OW-230822
CAT8 FTP Cable Transparent Plug



OW-230814
CAT5e/6/7 Braided Cable



OW-250802
Cat5e Network cable 305m Box



OW-260801
Cat6 Network cable 305m Box



OW-260802
Cat6 Network Cable 100FT Roll



OW-260803
Cat7 Network cable 305m Roll



OW-230824
CAT8 Coiled Cable

**OW-171001**TV Flylead 9.5mm Plug - Plug
3C2V**OW-171002**9.5mm TV Plug - Jack
3C2V**OW-171003**9.5mm TV Plug - Jack
W/100MHZ Magnet
3C2V**OW-171004**9.5mm TV Plug - Plug
3C2V**OW-171005**9.5mm TV Plug - Jack
3C2V**OW-171006**9.5mm TV Plug - Jack
W/100MHZ Magnet
3C2V**OW-171007**9.5mm TV Plug(angle) - Plug (Angle)
3C2V**OW-171008**9.5mm TV Plug(angle) - Jack (Angle)
3C2V**OW-171009**9.5mm TV Plug - Plug(Angle)
3C2V**OW-171010**9.5mm TV Plug - Jack(Angle)
3C2V**OW-171011**9.5mm TV Plug - Plug
3C2V**OW-171012**F Screw Plug - Plug
RG59**OW-171013**F Quick Plug - Plug
RG59**OW-171014**F screw Plug-Plug
Compression Type**OW-171015**BNC Plug - Plug
RG59**OW-171016**BNC Plug - 9.5mm Plug
RG59**OW-171017**RCA Plug - BNC Plug
RG59**OW-171018**F Screw Plug - 9.5mm TV Plug
RG59**OW-261001**RCA Plug - BNC Plug
RG59**OW-261002**BNC+DC Plug Monitor
Cable**OW-261003**

9.5mm TV Plug - Jack

**OW-261004**

9.5mm TV Plug - F Jack

**OW-261005**

9.5mm TV Plug - F Plug

**OW-261006**

F Plug - F Plug

**OW-261007**

9.5mm TV Plug - Plug

**OW-261008**

F Plug - F Plug RG6U



Audio/Video Cable

OW-261101

3.5mm Stereo Plug To
3.5mm Stereo Plug



OW-261102

3.5mm Stereo Plug To
3.5mm Stereo Socket



OW-261103

6.35mm Stereo Plug To
6.35mm Stereo Plug



OW-261104

RCA Plug To RCA Plug



OW-261105

6.35mm Mono Plug To
6.35mm Mono Plug



OW-261106

3.5mm Stereo Plug To
3.5mm Stereo Plug(90°)



OW-261107

6.35mm Stereo Plug To
3.5mm Stereo Plug



OW-261108

6.35mm Mono Plug To
6.35mm Mono Plug



OW-261109

2×6.35mm Mono Plug To
3.5mm Stereo Plug



OW-261110

3.5mm Stereo Plug To
3.5mm Stereo Plug



OW-261111

3.5mm Stereo Plug To
3.5mm Stereo Plug(90°)



OW-261112

2xRCA Plug To 3.5mm
Stereo Plug



OW-261113

2xRCA Plug To 3.5mm
Stereo Plug



OW-261114

2xRCA Plug To 3.5mm
Stereo Plug



OW-261115

2xRCA Plug To 2×RCA
Plug



OW-261116

2xRCA Plug To 6.35mm
Stereo Plug



OW-261117

2×6.35mm Mono Plug To
2×RCA Plug



OW-261118

2×6.35mm Mono Plug To
3.5mm Stereo Plug



OW-261119

6.35mm Mono Plug To
2×6.35mm Mono Plug



OW-261120

3.5mm Stereo Plug To
3.5mm Stereo Plug



OW-261121

3.5mm Stereo Plug (90°) To
3.5mm Stereo Plug(90°)



OW-261122

6.35mm Mono Plug To
6.35mm Mono Plug



OW-261123

6.35mm Stereo Plug To
6.35mm Stereo Plug



OW-261124

2xRCA Plug To 3.5mm
Stereo Plug



OW-261125

2xRCA Plug To 3.5mm
Stereo Plug



OW-240904

Type C Plug - 2x6.35 Mono Jack



OW-240905

Type C Plug - 2RCA Plug



OW-231101

6.35mm Mono Plug To
6.35mm Mono Plug



OW-231102

3.5mm Stereo Plug To
6.35mm Mono Plug



OW-231104

3.5mm Stereo Plug To
3.5mm Stereo Socket



OW-231105

6.35mm Stereo Plug To
6.35mm Stereo Plug



OW-231106

3.5mm 4C Plug To 3.5mm
4C Plug



OW-231108

2xRCA Plug To 2xRCA
Plug



OW-231109
3.5mm Stereo Plug To
2xRCA Plug



OW-231111
3.5mm Stereo Plug To
XLR Socket



OW-231112
6.3mm Mono Plug To XLR
Socket



OW-231113
3.5mm Stereo Plug To
3.5mm Stereo Plug



OW-231115
3.5mm Stereo Plug To
3.5mm Stereo Socket



OW-231116
3.5mm Stereo Plug To
3.5mm Stereo Plug



OW-231125
3.5mm Stereo Plug(90°) -
3.5mm Stereo Plug(90°)



OW-231128
3.5mm Stereo Plug - 2x3.5mm
Stereo Jack



OW-231129
3.5mm Mono Plug - Plug
OD:4.0mm



OW-231130
3.5mm Stereo Plug - Plug
OD:2.6×5.2mm



OW-231131
OD:4.0mm



OW-231132
3.5mm Stereo Plug - 3.5mm
Stereo Jack
OD:2.6×5.2mm



OW-171112
3.5mm Stereo Plug - Plug
OD:2.6x5.2mm



OW-171113
3.5mm Stereo
Plug - Plug
OD:4.0mm



OW-171114
3.5mm Stereo Plug - Jack
Coiled Cable



OW-171117
3.5mm Stereo Plug - 2RCA Plugs
OD:2.6x5.2mm



OW-171120
3.5mm 4C Plug-3 RCA Plug



OW-241101
HDTV Plug To 3xRCA Plug



OW-171121
6.35mm Mono Plug - 6.35mm
Mono Plug
OD: 4mm



OW-171123
6.35mm Mono Plug-Jack



OW-171124
6.35mm Stereo Plug-Jack
OD: 4mm



OW-171127
6.35mm Stereo Plug - 2RCA Plug
OD: 2.6x5.2mm



OW-171129
Mini 4P Plug-Plug

OW-171130
Mini 4P Plug-Jack



OW-171131
5P DIN Plug-Plug



OW-171138
S-Video Plug - S-Video Plug



OW-171139
S-Video Plug - RCA Plug



OW-171144
Scart Plug - Scart Plug



OW-171145
Scart Plug - 3xRCA Plug



OW-240901
3.5mm Stereo Plug - 2RCA Plug



OW-240902
2RCA Plug - 2RCA Plug



OW-240903
3.5mm Stereo Plug - 3.5mm
Stereo Plug



OW-230904
3RCA Plugs - 3RCA Plug



OW-230906
3.5mm 4P Plug - 3RCA
Plug



OW-170916
3RCA Plug - 3RCA Plug



OW-170920
3RCA Plug - 3RCA Plug



OW-170926
2RCA Plug - 2RCA Plug
Clear Cable



OW-170928
2RCA Plug - 2RCA Plug
Clear Cable, Y Type




OW-170937
3RCA Plug - 3RCA Plug



OW-170939
3.5mm Stereo Plug - 2RCA Plug





Microphone Cable

OW-261201
XLR Male Plug to Female Plug




OW-261206
XLR Male Plug to Female Plug



OW-261207
XLR Male Plug to Female Plug



OW-261212
XLR Male Plug to Female Plug



OW-261213
3.5mm Stereo Plug to 2×XLR Male Plug



OW-261202
XLR Male Plug to Female Plug



OW-261208
XLR Male Plug to Female Plug



OW-261214
3.5mm Stereo Plug to 2×XLR Male Plug



OW-261203
XLR Male Plug to Female Plug



OW-261209
XLR Male Plug to Male Plug



OW-261215
3.5mm Stereo Plug to XLR Male Plug



OW-261204
XLR Male Plug to Female Plug



OW-261210
6.35mm Mono Plug to 2×XLR Male Plug



OW-261216
XLR Male Plug to 2×6.35mm Mono Plug



OW-261205
XLR Male Plug to Female Plug



OW-261211
XLR Male Plug to 2×XLR Female Plug



OW-261217
XLR Male Plug to 2×RCA Plug



OW-261218
2×XLR Male Plug to 2×RCA Plug



OW-261225
XLR Male Plug to 2×RCA Plug



OW-261232
2×XLR Male Plug to 2×RCA Plug



OW-261219
6.35mm Stereo Plug to 2×XLR Female Plug



OW-261226
XLR Male Plug to RCA Plug



OW-261233
XLR Female Plug to Female Plug



OW-261220
Speakon Male Plug to 2×Female Plug



OW-261227
3.5mm Stereo Plug to 2×XLR Male Plug



OW-261234
3.5mm Stereo Plug to 2×XLR Male Plug



OW-261221
Speakon Male Plug to 2×Female Plug



OW-261228
2×XLR Male Plug to 2×RCA Plug



OW-261235
6.35mm Stereo Plug to XLR Male Plug



OW-261222
XLR Male Plug to Female Plug



OW-261229
6.35mm Stereo Plug to 2×XLR Male Plug



OW-261236
2×XLR Male Plug to 2×RCA Plug



OW-261223
XLR Male Plug to 2×XLR Female Plug



OW-261230
XLR Male Plug to 2×RCA Plug



OW-261237
XLR Male Plug to 2×RCA Plug



OW-261224
XLR Male Plug to RCA Plug



OW-261231
2×XLR Male Plug to 2×RCA Plug



OW-261238
4×XLR Male Plug to 4×XLR Female Plug



OW-172401 A: 2.5mm Stereo Plug To 3.5mm Mono Jack B: 2.5mm Stereo Plug To 3.5mm Stereo Jack	OW-172411 RCA Jack To RCA Jack(L=41mm)	OW-172421 A: RCA Plug To 2x6.35mm Mono Jack B: RCA Plug To 2x6.35mm Stereo Jack
OW-172402 A: 3.5mm Stereo Plug To 3.5mm Mono Jack B: 3.5mm Stereo Plug To 3.5mm Stereo Jack	OW-172412 A: 2RCA Jack To 2RCA Jack B: 2RCA Jack To 2RCA Jack Golden Plated	OW-172422 A: RCA Plug To RCA Jack,Nickel B: RCA Plug To RCA Jack,Gold
OW-172403 A: 3.5mm Stereo Plug To 6.35mm Mono Jack B: 3.5mm Stereo Plug To 6.35mm Stereo Jack	OW-172413 A: 3RCA Jack To 3RCA Jack B: 3RCA Jack To 3RCA Jack Golden Plated	OW-172423 A: RCA Plug To RCA Plug,Nickel B: RCA Plug To RCA Plug,Gold
OW-172404 A: 6.35mm Stereo Plug To 3.5mm Mono Jack B: 6.35mm Stereo Plug To 3.5mm Stereo Jack	OW-172414 A: 3.5mm Stereo Plug To 2x3.5mm Mono Jack B: 3.5mm Stereo Plug To 2x3.5mm Stereo Jack	OW-172424 RCA Plug To 2RCA Jack
OW-172405 A: 6.35mm Stereo Plug To 6.35mm Mono Jack B: 6.35mm Stereo Plug To 6.35mm Stereo Jack	OW-172415 3.5mm Stereo Plug To 2x3.5mm Stereo Jack	OW-172425 A: 3.5mm Mono Jack To 2xRCA Plug B: 3.5mm Stereo Jack To 2xRCA Plug
OW-172406 3.5mm Stereo Plug To RCA Jack	OW-172416 A: 3.5mm Stereo Plug To 2x3.5mm Mono Jack B: 3.5mm Stereo Plug To 2x3.5mm Stereo Jack	OW-172426 A: 3.5mm Mono Jack To 2xRCA Jack B: 3.5mm Stereo Jack To 2xRCA Jack
OW-172407 6.35mm Stereo Plug To RCA Jack	OW-172417 3.5mm Stereo Plug To 2RCA Jack Golden Plated	OW-172427 2x3.5mm Mono Plug To 3.5mm Stereo Jack
OW-172408 A: RCA Plug To 3.5mm Mono Jack B: RCA Plug To 3.5mm Stereo Jack	OW-172418 6.35mm Stereo Plug To 2x3.5mm Stereo Jack	OW-172428 RCA Plug To Dual RCA Jack Y Type
OW-172409 A: RCA Plug To 6.35mm Mono Jack B: RCA Plug To 6.35mm Stereo Jack	OW-172419 6.35mm Stereo Plug To 2RCA Jack	OW-172429 3.5mm Stereo Plug To Dual RCA Jack Y Type
OW-172410 3.5mm Mono Plug To 9.5mm TV Plug	OW-172420 A: 3.5mm Stereo Plug To 2x6.35mm Mono Jack B: 3.5mm Stereo Plug To 2x6.35mm Stereo Jack	OW-172430 6.35mm Stereo Plug To Dual RCA Jack Y Type

OW-172431 A: 3.5mm Mono Jack To 3.5mm Mono Jack B: 3.5mm Stereo Jack To 3.5mm Stereo Jack	OW-172441 XLR(M) To XLR(F)	OW-172451 SPN(F) To SPN(F)
OW-172432 A: 6.35mm Mono Jack To 6.35mm Mono Jack B: 6.35mm Stereo Jack To 6.35mm Stereo Jack	OW-172442 XLR(M) To XLR(M)	OW-172452 SPN(F) To XLR(M)
OW-172433 A: 3.5mm Mono Plug To 3.5mm Mono Jack B: 3.5mm Mono Plug To 3.5mm Stereo Jack	OW-172443 A:XLR(F) To 6.35mm Stereo Jack B:XLR(F) To 6.35mm Mono Jack	OW-172453 SPN(M) To XLR(F)
OW-172434 A: 6.35mm Stereo Plug To 3.5mm Mono Jack B: 6.35mm Stereo Plug To 3.5mm Stereo Jack	OW-172444 A:XLR(F) To 6.35mm Stereo Plug B:XLR(F) To 6.35mm Mono Plug	OW-172454 A) 9.0mm Male TO 9.0mm Male B) 9.5mm MALE TO 9.5mm Male
OW-172435 A: 6.35mm Stereo Plug To 6.35mm Mono Jack B: 6.35mm Stereo Plug To 6.35mm Stereo Jack	OW-172445 XLR(F) To RCA Plug	OW-172455 9.5mm Female To 9.5mm Female
OW-172436 3.5mm Stereo Plug To RCA Jack	OW-172446 XLR(F) To RCA Jack	OW-172456 9.5mm TV Plug To 2×9.5mm TV Jack
OW-172437 6.35mm Stereo Plug To RCA Jack	OW-172447 6.35mm Stereo Jack To 6.35mm Mono Plug Locking Type	OW-172457 2×9.5mm TV Plugs To 2×9.5mm TV Jack
OW-172438 A: 3.5mm Mono Jack To 3.5mm Mono Jack B: 3.5mm Stereo Jack To 3.5mm Stereo Jack	OW-172448 6.35mm Stereo Jack To 6.35mm Mono Jack locking type	OW-172458 9.5mm TV Plug To 2×9.5mm TV Jack
OW-172439 3.5mm Stereo Plug To 3.5mm Stereo Plug	OW-172449 XLR(F) To 6.35mm(F)	OW-172459 2,3,4,5 WAY Splitter Plastic
OW-172440 XLR(F) To XLR(F)	OW-172450 6.35mm(F) To 6.35mm(F)	OW-172460 9.5mm TV Plug To 2×9.5mm TV Jack

Optical Fiber Cable

OW-171301
Optical Cable
Molded Type



OW-171304
Optical Cable
Molded Type



OW-171302
Optical Cable
Molded Type



OW-171305
Optical Cable
Molded Type



OW-171303
Optical Cable
Molded Type



OW-171306
Optical Cable
Metal Type



OW-171307
Optical Cable
Molded Type



OW-171308
Optical Cable
Molded Type



OW-171309
Optical Cable
Molded Type



OW-171310
Optical Cable
Metal Type



OW-171311
Optical Cable
Metal Type



OW-171312
Optical Cable
Metal Type



OW-171313
Optical Cable
Metal Type



OW-171314
Optical Cable
Metal Type



OW-171315
Optical Cable
Metal Type



OW-171316
Optical Cable
Metal Type



OW-171317
Optical Cable
Metal Type




OW-171318
Optical Cable
Metal Type




OW-233201




OW-233204



OW-233207




OW-233210



OW-233214




OW-233217



OW-233202



OW-233205



OW-233208




OW-233211



OW-233215



OW-233218




OW-233203




OW-233206




OW-233209




OW-233212



OW-233216



OW-233219



LIY & LIFY Cable



LIY and LIFY unshielded data transmission cable can be widely used as a connecting line in machinery, instruments, electrical control with low power consumption, industrial electronic equipment, computer information transmission system, studio, microphone, office machines, etc. This kind of cable is an ideal product for voice transmission in telecommunication offices, and is suitable for any two-way communication occasions. In addition, this kind of cable is also suitable for control purposes in electronic equipment requiring plug connection and systems requiring small space for decoration.

Crossection	Cable Type	Temperature	Reel Length	Color
0.14mm	LIY,LIFY	-10~70°C	25m,50m,100m	Black,Blue,Brown,Red,White,Orange,Grey,Green,Violet, Green-Yellow
0.25mm	LIY,LIFY	-10~70°C	25m,50m,100m	Black,Blue,Brown,Red,White,Orange,Grey,Green,Violet, Green-Yellow
0.34mm	LIY,LIFY	-10~70°C	25m,50m,100m	Black,Blue,Brown,Red,White,Orange,Grey,Green,Violet, Green-Yellow
0.5mm	LIY,LIFY	-10~70°C	25m,50m,100m	Black,Blue,Brown,Red,White,Orange,Grey,Green,Violet, Green-Yellow
0.75mm	LIY,LIFY	-10~70°C	25m,50m,100m	Black,Blue,Brown,Red,White,Orange,Grey,Green,Violet, Green-Yellow
1.0mm	LIY,LIFY	-10~70°C	25m,50m,100m	Black,Blue,Brown,Red,White,Orange,Grey,Green,Violet, Green-Yellow
1.5mm	LIY,LIFY	-10~70°C	25m,50m,100m	Black,Blue,Brown,Red,White,Orange,Grey,Green,Violet, Green-Yellow
2.5mm	LIY,LIFY	-10~70°C	25m,50m,100m	Black,Blue,Brown,Red,White,Orange,Grey,Green,Violet, Green-Yellow

Harmonised Cable H05V-K & H07V-K



Compliant to European Harmonised Standards H05V-K and H07V-K, harmonised cables are colour-coded PVC sheathed cables with a single stranded untinned copper core. Harmonised cable is widely used in lighting, wiring installation work within control and distribution panels, in conduits, channels, and buried in walls and plaster.


Crossection	Cable Type	Reel Length	Color
0.5mm²	H05V-K	25m,50m,100m	Black,Blue,Brown,Red,White,Orange,Grey,Green,Violet, Green-Yellow
0.75mm²	H07Z-K	50m,100m	Black,Blue,Brown,Red,White,Green-Yellow
1.0mm	H05V-K	50m,100m	Black,Blue,Brown,Red,White,Green-Yellow
1.5mm	H05V-K	50m,100m	Black,Blue,Brown,Red,White,Green-Yellow
2.5mm	H05V-K	50m,100m	Black,Blue,Brown,Red,White,Green-Yellow
4.0mm	H07V-K	50m,100m	Black,Blue,Brown,Red,White,Green-Yellow
6.0mm	H07V-K	50m,100m	Black,Blue,Brown,Red,White,Green-Yellow

UL Standard Cable UL1007 & UL1015



UL Standard cables meet the Underwriters Laboratories (UL) testing classification. They consist of a category of wire and cable that have been independently tested to conform to the specifications for use in many applications including general purpose wiring circuits, control circuits and internal appliance wiring.

AWG	Cable Type	Rating Voltage	Temperature	Reel Length	Color
18	UL1007	300	0~80°C	50m,100m	Black,Blue,Brown,Red,White,Orange,Grey,Green,Violet
20	UL1007	300	0~80°C	50m,100m	Black,Blue,Brown,Red,White,Orange,Grey,Green,Violet
22	UL1007	300	0~80°C	50m,100m	Black,Blue,Brown,Red,White,Orange,Grey,Green,Violet
26	UL1007	300	0~80°C	50m,100m	Black,Blue,Brown,Red,White,Orange,Grey,Green,Violet
28	UL1007	300	0~80°C	50m,100m	Black,Blue,Brown,Red,White,Orange,Grey,Green,Violet
22	UL1015	600	0~105°C	50m,100m	Black,Blue,Brown,Red,White,Orange,Grey,Green,Violet
24	UL1015	600	0~105°C	50m,100m	Black,Blue,Brown,Red,White,Orange,Grey,Green,Violet




Multicore Cable

A range of high performance, screened and unscreened PVC sheathed cables for a number of applications including industrial process control and computer peripheral wiring. Screening and braiding helps to reduce external interference.

Crossection	Cable Type	Core	Temperature	Reel Length	Color
external interference	unscreened	2,3,4,6,8,12	-10~70°C	25m,50m,100m	black
0.22mm	unscreened	2,3,4,6,8,12	-10~70°C	25m,50m,100m	black
0.34mm	unscreened	2,3,4,6,8,12	-10~70°C	25m,50m,100m	black
0.5mm	unscreened	2,3,4,6,8,12	-10~70°C	25m,50m,100m	black
0.14mm	screened	2,3,4,6,8,12	-10~70°C	25m,50m,100m	black
0.22mm	screened	2,3,4,6,8,12	-10~70°C	25m,50m,100m	black
0.34mm	screened	2,3,4,6,8,12	-10~70°C	25m,50m,100m	black
0.5mm	screened	2,3,4,6,8,12	-10~70°C	25m,50m,100m	black

Power Cord




This chart presents an overview of power supply systems throughout the world. The configurations listed for the electrical systems of industrialized countries are accurate and reliable.


COUNTRY	国家	代号 Configuration Code
Gibralta	直布罗陀	C.J
Greece	希腊	C.D
Greenlan(Den.)	格林岛	C.F
Grenada		C.I.J
Guadelope		C.E
Guam	关岛	A.B
Guatemalaia	危地马拉	A.B
Guinea	几内亚	C.E
Guinea-Bissau	几内亚比绍	C.D
Guyana	圭亚那	A.B.C.I.J
Haiti	海地	A.B
Honduras	洪都拉斯	1.J
Hong Kong	香港	J
Hungary	匈牙利	C.D
Iceland	冰岛	C.D.E
India	印度	I
Indonesia	印度尼西亚	C.I.J
Iran	伊朗	D.J
Iraq	伊拉克	C.J
Ireland	爱尔兰	J
Isle of Man	玛丽亚岛	C.H
Israel	以色列	M
Italy	意大利	C.D.E.H
Ivry Coast	象牙海岸	A.B
Jamaica	牙买加	C.D.I
Japan	日本	A.B
Jordan	约旦	1.J
Kenya	肯尼亚	C.1.J
Korea	韩国	B.D.E
Kuwait	科威特	C.J
Laos	老挝	A.B
Lebanon	黎巴嫩	C.I
Leeward & Windward islands		A.C.D.J
Lesotho	莱索托	I
Liberia	利比里亚	G
Libya	利比亚	C.D
Liechtenstein	列支敦士登	C.I.J
Luxembourg	卢森堡	C.E
Macao	澳门	C.I
Madagasger	马达加斯加	C.D
Madeira(Port.)	摩弟尔拉	J
Majorca		J
Malawi	马拉雅	I
Malaysia	马亚西亚	C.E
Maldives		C.D.J
Mali, Rep.of	马里共和国	C.E
Malta	马尔他	C
Martinique		C.1.J
Mauritania	毛里塔尼亚	A.B
Mauritius	毛里求斯	A.B
Mexico	墨西哥	A.B
Midway island	中途岛	C
Monaco	摩纳哥	A.B.J
Mongolia	蒙古	C.D
Montserrat		C.D.E.I
Mozambique	莫桑比克	I
Morocco	摩洛哥	I
Namibia	纳米比亚	C.D
Nepal	尼泊尔	A.B.C.D
Netherlands	荷兰	C.E.D
Nether lands Antilles		
New Caledonia	新凯利多里亚	A
New Zealand	新西兰	K.L
Nicaragua	尼加拉瓜	1.J
Niger	尼日亚	L
Nigeria	尼日利亚	A.B

62

OW-232901



OW-232902



OW-232903




OW-232904



OW-232905




OW-232906



OW-232907



OW-232908



OW-232909



OW-232910



OW-232911



OW-232912




OW-232913



OW-232914



OW-232915



OW-232916



OW-232917



OW-232918




OW-232919




OW-232920




OW-232921



OW-232922



OW-232923




OW-232924



OW-232925



OW-232926



OW-232927




OW-232928



OW-232929



OW-232930



OW-232931



OW-232932



OW-232933



OW-232934



OW-232935



OW-232936




OW-232937

H03VV-F 3G0.5~0.75mm²
H03VVH2-V 2x0.75mm²
H05VV-F 3G0.75~1.5mm²
H05VVH2-F 2x0.75~1.0mm²
H05VVH2-F 2x0.75~1.0mm²
H05VV-F 2x1.25mm²
H05VV-F 3G1.25mm²
H03RT-F 2x0.75~1.5mm²
H03RT-F 3G0.75~1.5mm²
H05RN-F 2x0.75~1.0mm²
H05RN-F 3G0.75~1.0mm²
H07RN-F 2x1.0~1.5mm²
H07RN-F 3G1.0~1.5mm²



OW-232941

Rating:16A 250V
H03VV-F 3×0.5~0.75mm²
H05VV-F 3×0.75~1.0mm²



Israel

OW-232947


Rating:10A 250V
H03VV-F 3×0.75mm²
H05VV-F 3×0.75~1.5mm²
H03RT-F 3×0.75~1.0mm²
H05RR-F 3×0.75~1.0mm²
H05RN-F 3×0.75~1.0mm²



Argentina

OW-232938

H03VVH2-F 2x0.5~0.75mm²
H03VV-F 2x0.5~0.75mm²
H03VV-F 3G0.5~0.75mm²
H05VVH2-F 2x0.75~1.0mm²
H05VV-F 2x0.75~1.5mm²
H05VV-F 3G0.75~1.5mm²
H03RT-F 2x0.75~1.5mm²
H03RT-F 3G0.75~1.5mm²
H05RN-F 2x0.75~1.0mm²
H05RN-F 3G0.75~1.0mm²
H07RN-F 3G1.0~1.5mm²
H07RN-F 2x1.0~1.5mm²
A05VV-F 2x1.25mm²
A05VV-F 3G1.25mm²



OW-232942

Rating:16A 250V
H03VVH2-F 2×0.5~0.75mm²
H03VV-F 2×0.5~0.75mm²
H05VV-F 2×0.75~1.0mm²



Israel


OW-232948

Rating:13A 125V
SPT-2 16AWG×3C
SPT-3 18~16AWG×3C
SVT/SVTO/SVTOO 18~16AWG×3C
SJT/SJTO/SJTOO/SJTW/SJTOW 18~12AWG×3C



OW-232939

2PIN flat plug



OW-232943

Rating:16A 250V
H03VVH2-F 3×0.75mm²
H05VV-F 3×0.75~1.5mm²
H03RT-F 3×0.75~1.0mm²
H05RR-F 3×0.75~1.0mm²
H05RN-F 3×0.75~1.0mm²



Israel

OW-232949

Rating:10A 250V
H03VV-F 3×0.75mm²
H05VV-F 3×0.75~1.5mm²
H03RT-F 3×0.75~1.0mm²
H05RR-F 3×0.75~1.0mm²
H05RN-F 3×0.75~1.0mm²




OW-232950

Rating:15A 150V
SJT,SJTOW 18AWG/3C
SVT 18AWG/3C
SJT,SJTO,SJTW 16AWG/3C
SJTOW 18AWG/3C
SJT,SJTOW SJTW 14AWG/3C




OW-232940

2PIN round plug



OW-232945

Rating:10A 250V
H03VV-F 3×0.5~0.75mm²
H05VV-F 3×0.75~1.0mm²



Argentina

OW-232951

Rating:10A 13A 125V
SVT 18~16AWG×3C
SJT 18~16AWG×3C
1.5m 1.8m 2.0m



OW-232952

Rating:10A 13A 125V
SPT-2 18~16AWG×3C
SPT-3 18~16AWG×3C
SVT / SVTO / SVTOO 18~16AWG×3C
SJT / SJTO / SJTOO / SJTW / SJTWO 18~14AWG×3C
1.5m 1.8m 2.0m



OW-232953

Rating:13A 125V
H03VV-F 3G0.75~1.5mm²
SJT SJTW SVT 18.16AWG×3C



OW-232954

Rating:10A 250V
H03VV-F 3G 0.75mm²
H05VV-F 3G 0.75~1.5mm²
H05RN-F 3G 0.75~1.5mm²



OW-232955

Rating:10A 250V
H03VV-F 3G 0.75mm²
H05VV-F 3G 0.75~1.5mm²
H05RN-F 3G 0.75~1.5mm²



OW-232956

Rating:10A 250V
H03VV-F 3G 0.75mm²
H05VV-F 3G 0.75~1.5mm²
H05RN-F 3G 0.75~1.5mm²



OW-232957

Rating:10A 250V
H03VV-F 3G 0.75mm²
H05VV-F 3G 0.75~1.5mm²
H05RN-F 3G 0.75~1.5mm²



OW-232958

Rating:10A 250V
H03VV-F 3G 0.75mm²
H05VV-F 3G 0.75~1.5mm²



OW-232959

Rating:10A 250V
H03VV-F 3G 0.75mm²
H05VV-F 3G 0.75~1.5mm²
H05RN-F 3G 0.75~1.5mm²



OW-232960

Rating:10A 250V
H05VV-F 3G 0.75~1.5mm²
SJT 18~16AWG×3C
SVT 18AWG×3C



OW-232961

Rating:10A 250V
H05VV-F 3G 0.75~1.5mm²



U.K.

OW-232962

Rating:10A 250V
DL3 4V-75 3G0.75~1.5mm²



Australia

OW-232963

Rating:10A 250V
H05VV-F 3G 0.75~1.0mm²
H03VV-F 3G 0.75~1.0mm²



Argentina

OW-232965

2 pin non-rewirable plug
W/on/off switch
2.5A 250V

H03VV-F 2×0.75mm²
H03VVH2-F 2×0.75mm²
H05VV-F 2×0.75~1.5mm²
H05VVH2-F 2×0.75~1.5mm²
H05RR-F 2×0.75~1.5mm²
H05RN-F 2×0.75~1.0mm²



OW-232966

3 pin non-rewirable plug
W/on/off switch
2.5A 250V

H03VV-F 3×0.75mm²
H03VVH2-F 3×0.75mm²
H05VV-F 3×0.75~1.5mm²
H05VVH2-F 3×0.75~1.5mm²
H05RR-F 3×0.75~1.5mm²
H05RN-F 3×0.75~1.0mm²



OW-232967

Rating:10A 250V
H05VV-F 3G 0.75~1.5mm²



OW-232968

Rating:10A 250V
H05VV-F 3G 0.75~1.5mm²



OW-232969

Denmark Type
Rating:10A 250V
H05VV-F 3G 0.75~1.5mm²



OW-232970

C19-C20
Rating:10A 250V
H05VV-F 3G 0.75~1.5mm²



Power Strip-German type



Power Strip-France type



Power Strip Tower-UK type



Power Strip Tower-US type



Telephone Cable

OW-171501

-6P2C
-6P4C

Telephone Line Cord
Male To Spade Lugs



OW-171502

-6P2C
-6P4C
-6P6C

Telephone Line Cord
Male To Male



OW-171503

-4P4C

Telephone Handset Coil
Cord



OW-171504

-6P2C
-6P4C
-6P6C

Telephone Extension Cord
Male To Female
W/1 Plug,Coil Cord



OW-171505

-6P2C
-6P4C
-6P6C

Telephone Line Cord
Male To Female
W/1 Plug



OW-171506

-6P2C
-6P4C
-6P6C


Telephone Line Cord
Male To Female
W/2 Plug



OW-171507

-6P2C
-6P4C

Spade Lugs To Jack
Extension Cord





OW-171508

-6P4C

Conversion Cord




Coaxial Cable



(1)



(2)



(3)



(4)




(5)

Packing: (1)-100m in Roll
(2)-100m in Box
(3)-100m in Paper Spool
(4)-100m in Plastic Spool
(5)-500m in Wooden Spool

Marking: · 1 Meter Marked
· 1 m To 100m
· 1 m To 1500m

Model	Impedance (Ohm)	Cable OD (mm)	Insulation Material	Attenuation @100 MHz (dB/100m)	Attenuation @1000 MHz (dB/100m)	Max Frequency	Features & Typical Applications
RG174	50	2.8	Solid PE	32	105	6 GHz	Ultra-flexible miniature; tight-space jumpers, WiFi modules, probe leads. High loss, not for long runs.
RG178	50	1.8	PTFE (Teflon)	52	145	10 GHz	Ultra-fine, high-temperature silver-plated wire; aerospace, internal RF micro jumpers; wide temp range.
RG316	50	2.5	PTFE (Teflon)	42	115	18 GHz	Silver-plated conductor + Teflon; high temp, aging resistant; test leads, drones, RF component jumpers.
RG400	50	4.95	PTFE (Teflon)	16	48	18 GHz	Double-shielded, semi-rigid, excellent shielding; military, airborne, high-frequency test cables.
RG58	50	5	Solid PE	21	74	4 GHz	Most common 50-ohm RF cable; handheld radios, short feeders, lab jumpers. Available in CCS / bare copper.
RG223	50	5.4	Solid PE	21	72	10 GHz	Double-shielded RG58; stronger noise rejection; RF runs in high-EMI environments.
RG8	50	10.3	Foam PE	7	26	6 GHz	Low-loss, high-power; ham radio base-station feeders, slightly lighter than RG213.
RG213	50	10.3	Foam PE	7	26	6 GHz	Bare copper braid, classic high-power feeder; VHF/UHF/ shortwave outdoor antenna feed; low loss, rigid.
RG214	50	11	Foam PE	8	29	6 GHz	Double-shielded version of RG213; outdoor feeders in strong electromagnetic interference.
RG59	75	6.1	Solid PE	14	46	3 GHz	Analog CCTV, legacy CATV; solid dielectric, higher high-frequency loss.
RG6	75	7	Foam PE	6.4	22	3 GHz	Digital CATV, satellite TV, IPTV; foam dielectric, better than RG59; the most common home 75-ohm cable.
RG7	75	8.1	Foam PE	4.8	16	3 GHz	Low-loss CATV trunk cable; longer-distance building video distribution; larger OD.
RG11	75	10.3	Foam PE	4.1	13	3 GHz	75-ohm large-diameter low-loss trunk; long-haul CATV backbone; rigid.

Amplifier Cable



- OW-171701
- OW-171702
- OW-171703
- OW-171704
- OW-171705
- OW-171706
- OW-171707
- OW-171708
- OW-171709
- OW-171710
- OW-171711
- OW-171712
- OW-171713
- OW-171714

MODEL	AWG	OD
OW-171715	1/0GA	15MM
OW-171716	2GA	12MM
OW-171717	4GA	10MM
OW-171718	6GA	8MM
OW-171719	8GA	6MM
OW-171720	10GA	5MM
OW-171721	12GA	4.5MM
OW-171722	14GA	3.5MM
OW-171723	16GA	3.2MM
OW-171724	18GA	2.5MM
OW-171725	20GA	2.35MM



AVAILABLE IN
1.Solid & Translucent Colors of Red,Black,Green,Purple,Blue,ETC.
2.Ordinary OFC Wires & Tinned OFC Wires Named Silver Wires.



MODEL	METRIC	OD
OW-171726	50mm ²	15mm
OW-171727	35mm ²	12mm
OW-171728	25mm ²	10mm
OW-171729	16mm ²	8.6mm
OW-171730	6mm ²	5.5mm
OW-171731	4mm ²	5mm
OW-171732	2mm ²	3.8mm
OW-171733	0.5mm ²	2.35mm



Speaker Cable



Leader Type No.	AWG	Cross Section (Mm ²)	Conductor No./mm	O.D. mm
OW-171801	12	3.00	79/0.22	5.0×10.0
OW-171802	13	2.36	62/0.22	4.5×9.0
OW-171803	13	2.26	200/0.12	5.0×10.0
OW-171804	13	2.11	105/0.16	4.5×9.0
OW-171805	14	1.77	100/0.15	4.5×9.0
OW-171806	14	1.98	175/0.12	3.8×7.6
OW-171807	15	1.56	41/0.22	3.8×7.6
OW-171808	16	1.09	54/0.16	3.5×7.0
OW-171809	16	1.07	42/0.18	3.5×7.0
OW-171810	16	1.18	24/0.25	3.0×6.0
OW-171811	17	0.90	80/0.12	4.0×8.0
OW-171812	17	0.90	80/0.12	3.5×7.0
OW-171813	17	1.13	100/0.12	3.7×7.4
OW-171814	18	0.57	50/0.12	3.5×7.0
OW-171815	18	0.61	24/0.18	3.5×7.0
OW-171816	18	0.68	30/0.17	3.5×7.0
OW-171817	18	0.88	50/0.15	3.0×6.0
OW-171818	18	0.79	16/0.25	2.6×5.2
OW-171819	19	0.57	50/0.12	3.0×6.0
OW-171820	19	0.60	30/0.16	3.0×6.0
OW-171821	20	0.45	40/0.12	3.0×6.0
OW-171822	20	0.51	20/0.18	2.5×5.0
OW-171823	20	0.53	30/0.15	2.5×5.0



MANUFACTORY:

CHANGZHOU TRAFUL ELECTRONIC CO.,LTD.

Add:Zhaiqiao Industry Zone,Zhaiqiao Town Wujin,Changzhou,Jiangsu,China

EXPORTER:

CHANGZHOU ONE WORLD INTERNATIONAL GROUP. (HEAD-OFFICE)

C-3F,No.1 R&D Hub, Kejiaocheng, Wujin District, Changwu Road, Changzhou,Jiangsu ,China. 213164

Tel:86-519-88068953/88068983

Fax:86-519-88068927