

PORTABLE POWER BANK

移动电源



深圳市富士达工业有限公司
Firstar Battery Co., Ltd

+86 755-36354917 / 89477413

www.szfirstar.com

sales@szfirstar.com

Add: Building 2, Building 3 and Building 5, Fuzhong Industrial Park, Huaide Community,
Fuyong Street, Bao'an District, Shenzhen Guangdong, P.R. China

POWER ANYTHING ANYWHERE



► ABOUT US

关于我们

Firststar is a high-tech company with more than 19 years of experience and covering an area of 10000 square meters, there are over 1000 employees in Shenzhen nearby airport. Firststar specialize in the production of various power banks, Good reputation ensure that we have the ability to provide efficient services safely and



rapidly to many famous companies selling on Amazon, Wal-mart, Best Buy, Target, etc. Firststar has strong manufacturing R&D capability, our well equipment facilities and excellent quality control throughout all stage of production enables us to guarantee customer satisfaction.If you are interested in any of our products or would like to discuss OEM and ODM designs, please feel free to contact us.

富士达是一家拥有19年制造经验的高新技术企业, 位于深圳机场附近, 交通便利, 公司占地10000平方米, 现有员工1000多人。富士达专业生产各种充电宝, 良好的声誉确保我们有能力安全快速地为亚马逊、沃尔玛、百思买、塔吉特等众多知名公司提供高效的服务; 富士达拥有强大的制造研发能力, 我们完善的设备设施和卓越的质量控制使我们能够保证客户满意。如果您对我们的任何产品感兴趣, 或者想讨论OEM和ODM设计, 请随时与我们联系。



► CATALOGUE

产品目录



Power Bank

Magnetic Wireless (磁吸/无线充)

2

130W/100W/65W Power Bank (大功率)

16

Business / Portable (商务/便携)

20

Outdoor / Waterproof (户外/防水)

26

Built-in Cables (自带线)

28



MagSafe Power Bank

背吸移动电源

PC978
Battery Capacity: 3.8V / 5000mAh
Type-C Input: 5V=2.4A, 9V=2A
Type-C Output: 5V=3A, 9V=2.22A, 12V=1.67A
Wireless Output: 5W, 7.5W, 10W, 15W
Size: 104x68.7x12.5mm

5000mAh

PC979
Battery Capacity: 3.6V / 10000mAh
Type-C Input: 5V=3A, 9V=3A
Type-C Output: 5V=3A, 9V=3A, 12V=2.5A, 15V=2A, 20V=1.5A(30W Max)
Wireless Output: 5W, 7.5W, 10W, 15W
Size: 104x68.7x19.2mm

10000mAh



25W Magnetic Power Bank

25W磁吸无线充

PC985
Battery Capacity: 3.6V / 10000mAh / 36Wh
Type-C Input: 5V=3A, 9V=3A
Type-C Output: 5V=3A, 9V=3A, 12V=2.5A, 15V=2A, 20V=1.5A(30W Max)
Wireless Output: 5W, 7.5W, 10W, 15W, 25W(Max)
Size: 104x68x18mm

10000mAh



25W Magnetic & Stand

25W磁吸无线充&支架

PC986

Battery Capacity: 3.6V / 10000mAh / 36Wh
Type-C Input: 5V=3A, 9V=2A, 12V=1.5A
Type-C Output: 5V=3A, 9V=2.22A, 12V=1.67A
Wireless Output: 5W, 7.5W, 10W, 15W, 25W(Max)
Size: 104x70x18mm

10000mAh



All-in-One Power Bank

AC直充&挂绳自带线&无线充

PC988

Battery Capacity: 3.85V / 10000mAh / 38.5Wh
AC Input: 110-240V ~50/60Hz 0.3A
Type-C1 Input: 5V=3A, 9V=1.6A
Type-C2 Input: 5V=2A, 9V=2A
Type-C1/C2 Output: 5V=3A, 9V=2.22A, 12V=1.67A, 10V=2.25A(SCP)
USB-A Output: 5V=3A, 9V=2A, 12V=1.5A, 10V=2.25A(SCP)
Wireless Output: 5W, 7.5W, 10W, 15W
Size: 101x63.5x29mm

10000mAh



Magnetic Power Bank

经典磁吸移动电源

YR002

Battery Capacity: 3.7V / 5000mAh
Type-C Input: 5V=2.4A
Type-C Output: 5V=2.4A
Wireless Output: 7.5W
Size: 93x63x15mm

5000mAh



Magnetic & LED Display

磁吸 & 数显移动电源

DS07B

Battery Capacity: 3.85V / 10000mAh / 38.5Wh
Type-C Input: 5V=3A, 9V=2A, 12V=1.5A
Type-C Output: 5V=2.4A, 9V=2.22A, 12V=1.67A
USB-A Output: 4.5V=5A(SCP), 5V=4.5A(SCP), 9V=2A, 12V=1.5A
Wireless Output: 5W, 7.5W, 10W, 15W
Size: 120x69.4x17.4mm

10000mAh



3-in-1 Wireless Charging

支架手表无线充

YM1163(5000mAh) YM1164(10000mAh)

Type-C Input: 5V=3A, 9V=2A, 12V=1.5A
Type-C Output: 5V=3A, 9V=2.22A, 12V=1.67A, 10V=2.25A(SCP)
Wireless Output: 5W, 7.5W, 10W, 15W
Size: 97x67x15.5mm / 107x71.5x19.5mm



3-in-1 Wireless Charging

支架手表无线充

YM1192

Battery Capacity: 3.7V / 10000mAh
Type-C Input: 5V=3A, 9V=2A, 12V=1.5A
Lightning Input: 5V=3A, 9V=2A, 12V=1.5A
Type-C Output: 5V=3A, 9V=2.22A, 12V=1.67A, 10V=2.25A(SCP)
Wireless Output: 5W, 7.5W, 10W, 15W
Size: 109x71.4x19.5mm

10000mAh



Lanyard & Wireless Charging

挂绳自带线手表无线充

YM1193

Battery Capacity: 3.7V / 10000mAh
Type-C Input: 5V=2A, 9V=2A, 12V=1.5A
Lightning Input: 5V=2A, 9V=2A, 12V=1.5A
Type-C Output: 5V=3A, 9V=2.22A, 12V=1.67A
Lightning Output: 5V=2.4A
Wireless Output: 5W, 7.5W, 10W, 15W
Size: 108x68.5x20mm

10000mAh



2-in-1 Power Bank

2节手表无线充自带双线

YM1055

Battery Capacity: 3.7V / 10000mAh
Type-C Input: 5V=3A, 9V=2A, 12V=1.5A
Lightning Input: 5V=3A, 9V=2A, 12V=1.5A
Type-C Output: 5V=3A, 9V=2.22A, 12V=1.67A
Type-C Cable Output: 5V=3A, 9V=2A, 12V=1.5A, 10V=2.25A, 10V=2.25A
Lightning Cable Output: 5V=3A, 9V=2.22A
iWatch Wireless Charging: 5W
Size: 105x53x29.5mm

10000mAh



Built-in 2 Cables & Wireless Charging

自带双线&无线充

YM1250

Battery Capacity: 3.7V / 10000mAh
 Type-C Input: 5V=2A, 9V=2A, 12V=1.5A
 Type-C Cable Input: 5V=2A
 Type-C Output: 5V=3A, 9V=2.22A, 12V=1.67A
 Type-C Cable Output: 5V=3A, 9V=2A, 12V=1.5A, 10V=2.25A(SCP)
 Lightning Cable Output: 5V=2.4A
 Wireless Output: 5W, 7.5W, 10W, 15W
 Size: 110x69.5x20.2mm

10000mAh



Ultra-Thin Magnetic

超薄磁吸移动电源

YM122

Battery Capacity: 3.7V / 5000mAh
 Type-C Input: 5V=3A, 9V=2A, 12V=1.5A(PD18W)
 Type-C Output: 5V=3A, 9V=2.22A, 12V=1.67A, 10V=2.25A(SCP)
 Wireless Output: 5W, 7.5W, 10W, 15W
 Size: 103.5x48x12mm

5000mAh



Large Digital Display Magnetic

大数显磁吸移动电源

YM123 (5000mAh) / YM125 (10000mAh)

Type-C Input: 5V $\rightarrow$ 3A, 9V $\rightarrow$ 2A, 12V $\rightarrow$ 1.5A
 Type-C Output: 5V $\rightarrow$ 3A, 9V $\rightarrow$ 2A, 12V $\rightarrow$ 1.5A
 Wireless Output: 5W, 7.5W, 10W, 15W
 Size: 104x66x9.8mm / 104x66x15mm



Magnetic & Aluminum alloy

铝合金磁吸移动电源

YM116

Battery Capacity: 3.8V / 5000mAh
 Type-C Input: 5V $\rightarrow$ 2A, 9V $\rightarrow$ 2A
 Type-C Output: 5V $\rightarrow$ 2.4A, 9V $\rightarrow$ 2A
 Wireless Output: 5W, 7.5W, 10W, 15W
 Size: 102x68x10mm

5000mAh

YM117

Battery Capacity: 3.8V / 10000mAh
 Type-C Input: 5V $\rightarrow$ 2A, 9V $\rightarrow$ 2A
 Type-C Output: 5V $\rightarrow$ 2.4A, 9V $\rightarrow$ 2A
 Wireless Output: 5W, 7.5W, 10W, 15W
 Size: 102x68x16mm

10000mAh

130W Fast Charging

130W大功率快充

PC980

Battery Capacity: 27600mAh / 99.3Wh
Type-C1 Input: 5V=3A, 9V=3A, 12V=3A, 15V=3A, 20V=5A(100W Max)
Type-C1 Output: 5V=3A, 9V=3A, 12V=3A, 15V=3A, 20V=5A(100W Max)
Type-C2 Output: 5V=3A, 9V=3A, 12V=2.5A, 15V=2A(30W Max)
USB-A Output: 5V=3A, 9V=4.5A, 4.5V=5A, 9V=2.5A, 12V=2A, (24W Max)
Output(C1+C2+A): 100W+30W(Total 130W Max)

27600mAh



100W Fast Charging

100W大功率快充

YM1058

Battery Capacity: 3.7V / 20000mAh
Type-C1 Input: 5V=3A, 9V=3A, 12V=3A, 15V=2.33A, 20V=1.75A
Type-C2 Input: 5V=3A, 9V=3A, 12V=3A, 15V=3A, 20V=3A
Type-C1 Output: 5V=3A, 9V=3A, 12V=3A, 15V=2.33A, 20V=1.75A
Type-C2 Output: 5V=3A, 9V=3A, 12V=3A, 15V=3A, 20V=5A(100W Max)
USB-A Output: 5V=3A, 9V=2A, 12V=1.5A, 10V=2.25A
Size: 156X52.5X36.5mm

20000mAh



Fast Charging Digital Display

酷酷2节大功率快充

YM1057

Battery Capacity: 3.7V / 10000mAh
Type-C1/C2 Input: 5V=3A, 9V=3A, 12V=2.5A, 15V=2A, 20V=1.5A
Type-C1/C2 Output: 5V=3A, 9V=3A, 12V=2.9A, 15V=2.33A 20V=1.75A(35W)
USB-A Output: 5V=3A, 9V=2A, 12V=1.5A, 10V=2.25A
Size: 85x52.5x36.5mm

10000mAh



65W Laptop Portable

65W移动电源

PC970

Battery Capacity: 3.7V / 30000mAh / 111Wh
Type-C Input: 5V=3A, 9V=3A, 12V=3A, 15V=3A, 20V=3A
Type-C Output: 5V=3A, 9V=3A, 12V=3A, 15V=3A, 20V=3.25A
USB-A1/A2 Output: 5V=3A, 9V=2A, 12V=1.5A, 10V=2.25A(SCP)
Size: 158*71.3*42.6mm

30000mAh



TFT Screen Display

22.5W TFT屏移动电源

PC982(10000mAh) PC983(20000mAh)

Battery Capacity: 3.7V / 10000mAh
Type-C1/C2 Input: 5V=3A, 9V=2A, 12V=1.5A
Type-C1/C2 Output: 5V=3A, 9V=2.22A, 12V=1.67A
USB-A Output: 5V=3A, 9V=2A, 12V=1.5A, 10V=2.25A(SCP)
Size: 145x68x17.5mm / 145x68x30mm



TFT Screen Display

22.5W TFT屏移动电源

YM1251(10000mAh) YM1252(20000mAh)

Type-C Input: 5V=2A, 9V=2A, 12V=1.5A
Type-C Output: 5V=3A, 9V=2.2A, 12V=1.65A
USB-A Output: 5V=3A, 9V=2A, 12V=1.5A, 10V=2.25A(SCP)
Lightning Output: 5V=2.4A
Size: 109x68.3x20mm / 109x68.3x34mm



NJ004

Battery Capacity: 3.7V / 10000mAh / 37Wh
Type-C Input: 5V=3A, 9V=2A, 12V=1.5A
Type-C Output: 5V=2.4A, 9V=2.22A, 12V=1.67A
USB-A Output: 5V=3A, 9V=2A, 12V=1.5A
5V=4.5A(SCP), 4.5V=5A(SCP)
Size: 80.8x60.5x25.6mm

10000mAh

NJ005

Battery Capacity: 3.7V / 20000mAh / 74Wh
Type-C Input 5V=3A, 9V=3A, 12V=2.5A, 15V=2A, 20V=1.5A
Type-C Output1: 5V=3A, 9V=3A, 12V=2.5A, 15V=2A, 20V=1.5A
Type-C Output2: 5V=3A, 9V=3A, 12V=2.5A, 15V=2A, 20V=1.5A
Total: 30W Max
Size: 131x69.2x25.8mm

20000mAh



Power anything anywhere

Portable Power Bank

商务便携移动电源

Power anything anywhere

2-in-1 Battery + Charger

分离式AC插头二合一

PC981

AC Input: 100-240V~50/60Hz 0.4A
Output: Type-C 5V=3A, 9V=2.22A, 12V=1.67A
Pogo pin 5V=3A
Power bank Input: Type-C 5V=3A, 9V=2A, 12V=1.5A
Pogo pin 5V=3A
Type-C Output: 5V=3A, 9V=2.22A, 12V=1.67A
USB-A Output: 5V=2.4A

15000mAh



Portable Power Bank

商务便携移动电源

PC971

Battery Capacity: 3.8V / 10000mAh / 38Wh
Type-C Input: 5V≡3A, 9V≡2A
Type-C Output: 5V≡3A, 9V≡2A, 12V≡1.5A
USB-A1/A2 Output: 5V≡3A, 9V≡2A, 12V≡1.5A
10V≡2.25A(SCP)
Size: 142.8x69x15.9mm

10000mAh

PC972

Battery Capacity: 3.8V / 20000mAh / 76Wh
Type-C Input: 5V≡3A, 9V≡2A
Type-C Output: 5V≡3A, 9V≡2A, 12V≡1.5A
USB-A1/A2 Output: 5V≡3A, 9V≡2A, 12V≡1.5A
10V≡2.25A(SCP)
Size: 144.8x69x28.5mm

20000mAh



Portable Power Bank

商务便携移动电源

PC975

Battery Capacity: 3.7V / 10000mAh / 37Wh
Type-C Input: 5V≡3A
Type-C Output: 5V≡3A
USB-A1/A2 Output: 5V≡2.1A
Size: 95.5x63x23.5mm

10000mAh

PC976

Battery Capacity: 3.7V / 20000mAh / 74Wh
Type-C1 / C2 Input: 5V≡3A, 9V≡2A, 12V≡1.5A
Type-C1 / C2 Output: 5V≡3A, 9V≡2.22A, 12V≡1.67A
USB-A Output: 5V≡3A, 9V≡2A, 12V≡1.5A, 10V≡2.25A
Size: 130x70x26.5mm

20000mAh



Outdoor & Built-in Cables

唯美灯塔2万自带双线



YM1027

Battery Capacity: 3.7V / 20000mAh
Type-C Input: 5V==3A, 9V==2A, 12V==1.5A
Type-C Output: 5V==3A, 9V==2.22A, 12V==1.67A
USB-A Output: 5V==3A, 9V==2.22A, 12V==1.67A, 10V==2.25A
Type-C Cable Output: 5V==3A, 9V==2.22A, 12V==1.67A, 10V==2.25A
Lightning Cable Output: 5V==2.4A
Size: 114x52.5x52.5mm

20000mAh

Outdoor Waterproof

IP65户外防水



PC860Q

Battery Capacity: 3.7V / 10000mAh / 37Wh
Type-C Input: 5V==3A, 9V==2A
Type-C Output: 5V==3A, 9V==2A, 12V==1.5A
USB-A Output: 5V==3A, 9V==2A, 12V==1.5A
Size: 96.6x67x28mm

10000mAh



Built-in Cable Power Bank

自带线移动电源

PC987

Battery Capacity: 3.7V / 10000mAh
Type-C Input: 5V=2A, 9V=2A, 12V=1.5A
Type-C Cable Input: 5V=2A, 9V=2A, 12V=1.5A
Type-C Output: 5V=2.4A, 9V=2.22A, 12V=1.67A
Type-C Cable Output: 5V=2.4A, 9V=2.22A, 12V=1.67A
USB-A Output: 5V=3A, 9V=2A, 12V=1.5A, 10V=2.25A(SCP)
Size: 104x56x26mm

10000mAh



Built-in Cable with Clip

自带线背夹移动电源

YR001C

Battery Capacity: 3.85V / 10000mAh
Type-C Input: 5V=3A, 9V=2A, 12V=1.5A
Type-C Output: 5V=3A, 9V=2.22A, 12V=1.67A, 5V=4.5A(SCP)
Type-C Cable Output: 5V=3A, 9V=2.22A, 12V=1.67A, 5V=4.5A(SCP)
Size: 113x69.2x17.5mm

10000mAh



Built-in 2 Cables

自带双线移动电源

Q10-M4

Battery Capacity: 3.7V / 10000mAh
Type-C Input: 5V=3A, 9V=2A, 12V=1.5A
Type-C Output: 5V=3A, 9V=2.22A, 12V=1.67A, 10V=2.25A(SCP)
USB-A Output: 5V=3A, 9V=2A, 12V=1.5A, 10V=2.25A(SCP)
Type-C Cable Output: 5V=3A, 9V=2.22A, 12V=1.67A, 10V=2.25A(SCP)
Lightning Cable Output: 5V=2A
Size: 112x68.3x33mm

10000mAh



Built-in 2 Cables

自带线移动电源

Q9-M4

Battery Capacity: 3.7V / 10000mAh
Type-C Input: 5V=3A, 9V=2A, 12V=1.5A
Type-C Cable Output: 5V=3A, 9V=2A, 12V=1.5A
Type-C Output: 5V=3A, 9V=2.22A, 12V=1.67A, 10V=2.25A
USB-A Output: 5V=3A, 9V=2A, 12V=1.5A, 10V=2.25A
Type-C Cable Output: 5V=3A, 9V=2.22A, 12V=1.67A, 10V=2.25A
Lightning Cable Output: 5V=2A

10000mAh



Built-in Retractable Cable

60CM抽拉双线

Q12-M15

- Battery Capacity: 3.7V / 10000mAh
- Type-C Input: 5V=3A, 9V=2A, 12V=1.5A
- Type-C Cable Input: 5V=3A, 9V=2A, 12V=1.5A
- Type-C Output: 5V=3A, 9V=2.22A, 12V=1.67A, 10V=2.25A(SCP)
- USB-A Output: 5V=3A, 9V=2A, 12V=1.5A, 10V=2.25A(SCP)
- Type-C Cable Output: 5V=3A, 9V=2.22A, 12V=1.67A, 10V=2.25A(SCP)
- Lightning Cable Output: 5V=2A

10000mAh



AC Plug & Built-in Cable

AC直充&自带线

Q15-M4

- Battery Capacity: 3.7V / 10000mAh
- AC Input: 110-240V ~50/60Hz 0.3A
- Type-C Input: 5V=2A, 9V=2A, 12V=1.5A
- Type-C Cable Input: 5V=2A, 9V=2A, 12V=1.5A
- Type-C Output: 5V=3A, 9V=2.22A, 12V=1.67A, 10V=2.25A(SCP)
- Type-C Cable Output: 5V=3A, 9V=2.22A, 12V=1.67A, 10V=2.25A(SCP)
- Size: 96x62x29.2mm

10000mAh



Built-in 2 Cables

百事圆屏两节自带双线

YM1000

Type-C Input: 5V=3A, 9V=2A, 12V=1.5A
Type-C Output: 5V=3A, 9V=2.22A, 12V=1.67A, 10V=2.25A(SCP)
USB-A Output: 5V=3A, 9V=2A, 12V=1.5A
Type-C Cable Output: 5V=3A, 9V=2.22A, 12V=1.67A, 10V=2.25A(SCP)
Lightning Cable Output: 5V=2.4A
Size: 104x52x27mm

10000mAh



Built-in 4 Cables

晨光四方全面屏自带四线

YM1008(10000mAh) YM1009(20000mAh)

Micro Input: 5V=2A
USB Cable Input: 5V=2A
Type-C Input: 5V=3A, 9V=2A, 12V=1.5A
Type-C Output: 5V=3A, 9V=2A, 12V=1.5A, 10V=2.25A
Type-C Cable Output: 5V=3A, 9V=2A, 12V=1.5A, 10V=2.25A
Micro Cable Output: 5V=2A
Lightning Cable Output: 5V=2.4A



Built-in 3 Cables

波浪纹款自带三线

YM1060(10000mAh) YM1061(20000mAh)

Type-C Input: 5V=3A, 9V=2A, 12V=1.5A
USB Cable Input: 5V=3A, 9V=2A, 12V=1.5A
Type-C Output: 5V=3A, 9V=2A, 12V=1.5A
Type-C Cable Output: 5V=3A, 9V=2.22A, 12V=1.67A
USB-A Output: 5V=3A, 9V=2.22A, 12V=1.67A
Lightning Cable Output: 5V=2.4A
Size: 90x61.5x28mm / 113.4x69.5x36.2mm



Power Bank with Built-in USB-C Connector

单节尾插胶囊移动电源

YM1079

Battery Capacity: 3.8V / 5000mAh
Type-C Input: 5V=2.4A
Type-C Output: 5V=2.4A
Type-C Plug Output: 5V=2.4A / Lightning Plug Output 5V=2.4A
Size: 78.8x25.3x33mm

5000mAh



Built-in Retractable Cables

圆屏伸缩线

YM1123

Battery Capacity: 3.7V / 10000mAh
Type-C Input: 5V=2A, 9V=2A, 12V=1.5A
Type-C Output: 5V=3A, 9V=2.22A, 12V=1.67A
Type-C Cable Output: 5V=3A, 9V=2A, 12V=1.5A, 10V=2.25A(SCP)
Lightning Cable Output: 5V=2.4A
Size: 126x56.5x29mm

10000mAh



Built-in Retractable Cables

全面屏伸缩线

YM1124

Battery Capacity: 3.7V / 10000mAh
Type-C Input: 5V=2A, 9V=2A, 12V=1.5A
Type-C Output: 5V=3A, 9V=2.22A, 12V=1.67A
Type-C Cable Output: 5V=3A, 9V=2A, 12V=1.5A, 10V=2.25A(SCP)
Lightning Cable Output: 5V=2.4A
Size: 126x56.5x28.5mm

10000mAh



Built-in 2 Cables

半面屏自带双线

YM1129(10000mAh) YM1130(20000mAh)

Type-C Input: 5V=2A, 9V=2A, 12V=1.5A
Type-C Output: 5V=3A, 9V=2.22A, 12V=1.67A
USB-A Output: 5V=3A, 9V=2A, 12V=1.5A, 10V=2.25A(YM1130)
Type-C Cable Output: 5V=3A, 9V=2A, 12V=1.5A, 10V=2.25A
Lightning Cable Output: 5V=2.4A
Size: 91x62x27.7mm / 118.5x72x30.5mm

10000mAh



Built-in 4 Cables

自带四线移动电源

YM1145(10000mAh) YM1146(20000mAh)

Type-C Input: 5V=2A, 9V=2A, 12V=1.5A
USB Cable Input: 5V=2A
Type-C Output: 5V=3A, 9V=2.22A, 12V=1.67A
USB-A1 Output: 5V=3A, 9V=2A, 12V=1.5A, 10V=2.25A(SCP)
USB-A2 Output: 5V=2A
Type-C Cable Output: 5V=3A, 9V=2A, 12V=1.5A, 10V=2.25A(SCP)
Lightning Cable Output: 5V=2.4A
Micro Cable Output: 5V=2A
Size: 149x69x20mm / 149x69x32mm



Lanyard & Charging Cable

挂绳自带线快充

YM1179

Battery Capacity: 3.6V / 10000mAh
Type-C Input: 5V=2A, 9V=2A, 12V=1.5A
Lightning Input: 5V=2A, 9V=2A, 12V=1.5A
Type-C Output: 5V=3A, 9V=2A, 12V=1.5A
Lightning Output: 5V=2.4A, 9V=2.22A
Size: 71x60x26mm

10000mAh



Built-in Cables Power Bank

铝合金自带快充线

YM1194(10000mAh) YM1195(20000mAh)

Type-C Input: 5V=3A, 9V=2A, 12V=1.5A
Type-C Output: 5V=3A, 9V=2.22A, 12V=1.67A
Type-C Cable Output: 5V=3A, 9V=2A, 12V=1.5A, 10V=2.25A(SCP)
Lightning Cable Output: 5V=2.4A, 9V=2.22A



Cute Pet with Built-in Cables

萌宠自带线移动电源

YM1216

Battery Capacity: 3.7V / 10000mAh
Type-C Input: 5V=2.1A
Type-C Output: 5V=2.1A
USB-A Output: 5V=2.1A
Type-C Cable Output: 5V=2.1A
Lightning Cable Output: 5V=2A
Size: 92x92x35.9mm

10000mAh



Built-in 4 Cables & Flashlight

波浪纹款自带四线&LED灯

YM1217

Battery Capacity: 3.7V / 10000mAh
Type-C Input: 5V=2A, 9V=2A, 12V=1.5A
USB Cable Input: 5V=2A
Type-C Output: 5V=3A, 9V=2.22A, 12V=1.67A
Micro Output: 5V=2A
USB-A Output: 5V=3A, 9V=2A, 12V=1.5A, 10V=2.25A(SCP)
Type-C Cable Output: 5V=3A, 9V=2A, 12V=1.5A, 10V=2.25A(SCP)
Lightning Cable Output: 5V=2.4A
Micro Cable Output: 5V=2A
Size: 101x66x27.6mm

10000mAh



Built-in 2 Cables

自带双线

YM1222(10000mAh) YM1223(20000mAh)

Type-C Input:	5V≡2A, 9V≡2A, 12V≡1.5A
Type-C Cable input:	5V≡2A, 9V≡2A, 12V≡1.5A
USB-A Output:	5V≡3A, 9V≡2A, 12V≡1.5A, 10V≡2.25A(YM1223)
Type-C Output:	5V≡3A, 9V≡2.22A, 12V≡1.67A
Type-C Cable Output:	5V≡3A, 9V≡2A, 12V≡1.5A, 10V≡2.25A
Lightning Cable Output:	5V≡2.4A
Size:	106x68x18.5mm / 106x68x32.5mm