



SOLAR LIGHT CATALOGUE

www.zsy nghao.com



Scan here to find more

“ WHO WE ARE

企业简介 ABOUT US

中山市颖豪太阳能科技有限公司成立于2011年，总部位于中国广东中山。公司专注于太阳能花园灯和太阳能路灯的研发、生产和销售，产品涵盖太阳能草坪灯、太阳能射灯、太阳能壁灯、太阳能庭院灯、太阳能路灯、太阳能便携式储能照明系统等，产品广泛应用于室内外照明、园艺装饰、景观工程、道路照明、野外宿营等领域。多年来，我们与全球各大跨境电商、商超、大品牌商及工程商保持战略合作，产品主要销往欧美及亚非拉等60多个国家和地区。

公司致力于太阳能应用产品的持续技术创新和高投入，旨在打造颖豪太阳能的绿色技术壁垒。于2018年公司被评为高新技术企业，秉承OBM、ODM自主创新理念，发展具有自主知识产权的精品、爆品、差异化产品，目前已拥有145项自主专利，以及由20多位专业工程师和产品设计师组成的强大研发团队。

公司设有8000平方米的现代化独立工业园，包括光伏板、太阳能花园灯和太阳能路灯自动化生产工厂。通过ISO9001、ISO14001、BSCI、C-TPAT管理体系认证，配备完善的实验室设备，确保产品的卓越品质。强大的营销团队不定期参与国内外展会，并实地拜访客户，始终将客户置于首位，为客户提供最大的价值和服务。

我们专注于绿色、环保、节能的太阳能应用产品，始终定位在自研自产、引领创新与品牌出海。我们的愿景是成为全球太阳能应用产品的一站式方案解决服务商，传递绿色、创新、利他、共赢的价值理念，保护大自然，倡导绿色生活，将绿色太阳能产品带入全球千家万户。选择太阳能，就选颖豪！

Zhongshan Yinghao Solar Technology Co., Ltd. was founded in 2011 and is headquartered in Zhongshan, Guangdong, China. We specialize in the research, development, production, and sales of solar garden lights and solar street lights, encompassing solar lawn lights, solar spotlights, solar wall lights, solar garden lights, solar street lights, solar portable energy storage lighting systems, and more. Our products find wide applications in indoor and outdoor lighting, horticultural decorations, landscaping projects, road lighting, wild camping, and other fields. Over the years, we have maintained strategic cooperation with major global cross-border e-commerce platforms, supermarkets, big brands, and engineering companies. Our products are primarily sold to Europe, America, Asia, Africa, and Latin America, spanning over 60 countries and regions.

We are committed to continuous technological innovation and high investment in solar energy application products, with the aim of building Yinghao Solar's green technology barriers. In 2018, we were honored as a high-tech enterprise, adhering to the OBM, ODM independent innovation concept. We develop high-quality products with independent intellectual property rights, explosive products, and differentiated products. Currently, we hold 145 independent patents, supported by a strong R & D team consisting of more than 20 professional engineers and product designers.

Our company boasts a modern and independent industrial park spanning 8,000 square meters, housing automated production factories for photovoltaic panels, solar garden lights, and solar street lights. We have obtained ISO9001, ISO14001, BSCI, and C-TPAT management system certifications and are equipped with state-of-the-art laboratory facilities to ensure the excellent quality of our products. Our strong marketing team participates in domestic and international exhibitions, visiting customers on-site, always prioritizing customers and providing the greatest value and service.

We specialize in green, environmentally friendly, energy-saving solar energy application products, positioning ourselves in self-research and self-production, leading innovation, and branding overseas. Our vision is to become a one-stop solution provider of solar energy application products worldwide, delivering the values of green, innovation, altruism, and win-win. We aim to protect nature, advocate green life, and bring green solar energy products to thousands of households globally. Choose solar energy, choose Yinghao!



愿景 Vision

颖豪致力成为全球太阳能应用产品的一站式方案解决服务商
YINGHAO is committed to being a one-stop solution provider for solar energy applications worldwide.

使命 Mission

颖豪专注于太阳能应用产品的技术持续创新，倡导绿色生活，将绿色太阳能产品带入全球千家万户
YINGHAO is dedicated to continuously innovating in solar energy application products, promoting green living, and bringing green solar products to households worldwide.

价值观 Value

绿色 创新 利他 共赢
Green, Innovation, Altruism, Win-Win

企业认证 Company Certification



产品认证 Product Certification



公司荣誉 Company Awards



制造能力 Manufacturing Capability



研发能力 Professional R&D Capability



检测能力 Testing Capability



CONTENTS

■ Solar Garden Light	01-38
<u>Solar Spotlight</u>	01-05
<u>Sunset Spotlight</u>	06
<u>Security Spotlight-with Motion Sensor</u>	07-08
<u>Dual Solar Security Spotlight</u>	09-10
<u>Spotlight with Remote Solar Panel</u>	11-14
<u>Solar Landscape Light</u>	15-18
<u>Solar Pool Light</u>	19
<u>Solar Table Light</u>	20
<u>Solar Fence Light</u>	21-26
<u>Solar Step Light</u>	27-28
<u>Solar Door Sign Light</u>	29
<u>Solar Wall Light</u>	30-34
<u>Solar Double Sided Light</u>	35
<u>Solar Flagpole Light</u>	36
<u>Solar Decoration Light-hanging light</u>	37-38

■ Solar Pendant Light	39-40
■ Solar Home Lighting System	41-42
■ Solar Floor Light	43
■ Solar Flood Light	44
■ Solar Courtyard Light	45-46
■ Solar Street Light	47-54



YH0502C

Solar Panel	Crystalline 5V 2W
Light Source	4x0.5W LED
Battery	3.7V 2200mAh
Colour Temperature	3000±200K/6250±250K/RGB
Charge Time	5-6 hours
Illumination Time	8-10 hours
Product Dimensione	29x9x34 cm



YH0505

Solar Panel	Crystalline 5V 2W
Light Source	6x0.5W LED
Battery	3.7V 2200mAh
Colour Temperature	6250±250K
Charge Time	5-6 hours
Illumination Time	6-8 hours
Product Dimension	21.3x11.5x48.7 cm



YH0513

Solar Panel	Crystalline 5V 2W
Light Source	12x0.5W LED
Battery	3.7V/2200mAh
Colour Temperature	6250±250K
Charge Time	4-6 hours
Illumination Time	6-8 hours
Product Dimension	16.4x11.6x30.3 cm



YH0516

Solar Panel	Crystalline 5V 2W
Light Source	8x0.5W LED
Battery	3.7V 2200mAh
Colour Temperature	6250±250K
Charge Time	5-6 hours
Illumination Time	6-8 hours
Product Dimension	20x11x32 cm





YH0528A

Solar Panel	Crystalline 5V 0.8W
Light Source	24x0.2W LED
Battery	3.7V 1800mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	5-6 hours
Illumination Time	8-10 hours
Product Dimension	12.6x10.2x27.9 cm



YH0528B

Solar Panel	Crystalline 5V 0.8W
Light Source	58x0.2W LED
Battery	3.7V 1800mAh
Colour Temperature	3000±200K/6250±250K/RGB
Charge Time	5-6 hours
Illumination Time	8-10 hours
Product Dimension	12.6x10.2x27.9 cm



YH0514E

Solar Panel	Crystalline 5V 2W
Light Source	7x0.5W LED
Battery	3.7V 2200mAh
Colour Temperature	6250±250K
Charge Time	5-6 hours
Illumination Time	6-8 hours
Product Dimension	16.5x11.6x30.8 cm



YH0514A

Solar Panel	Crystalline 5V 2W
Light Source	21x0.2W LED
Battery	3.7V 2200mAh
Colour Temperature	6250±250K
Charge Time	4-6 hours
Illumination Time	6-8 hours
Product Dimension	16.5x11.6x30.8 cm



YH0517

Solar Panel	Crystalline 5V 2W
Light Source	32x0.2W LED
Battery	3.7V 2200mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	4-6 hours
Illumination Time	6-8 hours
Product Dimension	14.2x9x46.5 cm



YH0517D

Solar Panel	Crystalline 5V 2W
Light Source	2x32x0.2W LED
Battery	3.7V 2200mAh
Colour Temperature	6250±250K
Charge Time	4-6 hours
Illumination Time	6-8 hours
Product Dimension	14.2x9x46.5 cm





YH0638

Solar Panel	Crystalline 5V 2.5W
Light Source	58x0.2W LED
Battery	3.7V 2600mAh
Colour Temperature	6250±250K
Charge Time	5-6 hours
Illumination Time	8-12 hours
Product Dimensione	18x18x65.3/19.7 cm



YH0519

Solar Panel	Crystalline 5V 2W
Light Source	1W LED
Battery	3.7V 2200mAh
Colour Temperature	3000±200K/6250±250K/RGB
Charge Time	5-6 hours
Illumination Time	8-10 hours
Product Dimensione	25.9x10.4x30.6 cm



YH0529

Solar Panel	Crystalline 5V 2W
Light Source	1W LED
Battery	3.7V 1800mAh
Colour Temperature	3000±200K
Charge Time	5-6 hours
Illumination Time	6-8 hours
Product Dimensione	8.5x14.2x30.5 cm





YH0528C-PIR

Solar Panel	Crystalline 5V 0.8W
Light Source	48x0.2W LED
Battery	3.7V 1800mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	5-6 hours
Illumination Time	8-10 hours
Product Dimensione	12.6x10.2x27.9 cm



YH0502C-PIR

Solar Panel	Crystalline 5V 2W
Light Source	6x0.5W LED
Battery	3.7V 2200mAh
Colour Temperature	6250±250K
Charge Time	4-6 hours
Illumination Time	6-10 hours
Product Dimension	29x9x45 cm



YH0523-PIR

Solar Panel	Crystalline 5V 2W
Light Source	6x0.5W LED
Battery	3.7V/2200mAh
Colour Temperature	6250±250K
Charge Time	4-6 hours
Illumination Time	6-10 hours
Product Dimension	10.5x24x47 cm



YH0526-PIR

Solar Panel	Crystalline 5V 2W
Light Source	18x0.2W LED
Battery	3.7V 2200mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	5-6 hours
Illumination Time	6-10 hours
Product Dimension	16.2x11x40.5 cm



YH0530-PIR

Solar Panel	Crystalline 5V 2.5W
Light Source	38x0.2W LED
Battery	3.7V 2500mAh
Colour Temperature	6250±250K
Charge Time	4-6 hours
Illumination Time	6-10 hours
Product Dimension	24.7x11.7x10.4 cm






YH0518-PIR

Solar Panel	Crystalline 5V 2W
Light Source	2x16x0.2W LED
Battery	3.7V 2200mAh
Colour Temperature	6250±250K
Charge Time	4-6 hours
Illumination Time	8-10 hours
Product Dimensione	28.6x15.4x42.6 cm



YH0524-PIR

Solar Panel	Crystalline 5V 3W
Light Source	2x6x 0.5W LED
Battery	2x3.7V 2200mAh
Colour Temperature	6250±250K
Charge Time	4-6 hours
Illumination Time	6-10 hours
Product Dimensione	21.8x17.8x57 cm



YH0508-PIR

Solar Panel	Crystalline 5V 3W
Light Source	2x20x0.2W LED
Battery	2x3.7V 2200mAh
Colour Temperature	6250±250K
Charge Time	4-6 hours
Illumination Time	8-10 hours
Product Dimension	27.3x14.7x71 cm



YH0509-PIR

Solar Panel	Crystalline 5V 3W
Light Source	2x6x0.5W LED
Battery	2x3.7V 2200mAh
Colour Temperature	6250±250K
Charge Time	5-6 hours
Illumination Time	6-10 hours
Product Dimension	37x14.7x71 cm



YH0520 without motion sensor

Solar Panel	Crystalline 5V 3W
Light Source	2 X 1W LED
Battery	2 X 3.7V 2200mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	5-6 hours
Illumination Time	6-10 hours
Product Dimension	36.5x14.7x71 cm



YH0520-PIR

Solar Panel	Crystalline 5V 3W
Light Source	2 x 1W LED
Battery	2x3.7V 2200mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	5-6 hours
Illumination Time	6-10 hours
Product Dimension	36.5x14.7x71 cm



YH0625-PIR



Solar Panel	Crystalline 5V 0.8W
Light Source	76x0.2W LED
Battery	3.7V 1500mAh
Colour Temperature	6250±250K
Charge Time	8-10 hours
Illumination Time	8-10 hours
Product Dimensione	12.2x11.9x9.1 cm

YH0633-PIR



Solar Panel	Crystalline 5V 3W
Light Source	73x0.2W LED
Battery	2x3.7V 2000mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	5-6 hours
Illumination Time	6-10 hours
Product Dimensione	21.4x12.6x15.7 cm

YH1203



Solar Panel	Crystalline 5V 4.5W
Light Source	84x0.2W LED
Battery	2x3.7V 2200mAh
Colour Temperature	6250±250K
Charge Time	5-6 hours
Illumination Time	5/8/10/12 hours
Product Dimensione	22x15x4.3 cm



YH0502D

Solar Panel	Crystalline 5V 2W
Light Source	4x0.5W LED
Battery	3.7V 2200mAh
Colour Temperature	6250±250K
Charge Time	5-6 hours
Illumination Time	6-8 hours
Product Dimension	29x9x45 cm



YH0510A

Solar Panel	Crystalline 5V 3W
Light Source	2 X 4x0.5W LED
Battery	2X 3.7V 2200mAh
Colour Temperature	6250±250K
Charge Time	5-6 hours
Illumination Time	6-8 hours
Product Dimension	solar panel 16.8x13.8 cm



YH0510-PIR

Solar Panel	Crystalline 5V 3W
Light Source	2 X 6x0.5W LED
Battery	2 X 3.7V 2200mAh
Colour Temperature	6250±250K
Charge Time	5-6 hours
Illumination Time	6-10 hours
Product Dimension	solar panel 16.8x13.8 cm



YH0525-PIR

Solar Panel	Crystalline 5V 3W
Light Source	2 X 6x0.5W LED
Battery	2 X 3.7V 2200mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	4-6 hours
Illumination Time	6-10 hours
Product Dimension	20x11x32 cm





YH0527-4

Solar Panel	Crystalline 5V 3W
Light Source	4x1W LED
Battery	2x3.7V 2200mAh
Colour Temperature	3000±200K
Charge Time	4-6 hours
Illumination Time	8-10 hours
Product Dimensione	light: ϕ 3x6.1 cm, line length:1+0.5x3 M



YH0527-2

Solar Panel	Crystalline 5V 2W
Light Source	2x1W
Battery	3.7V 2200mAh
Colour Temperature	3000±200K
Charge Time	4-6 hours
Illumination Time	6-8 hours
Product Dimension	light: ϕ 3x6.1 cm, line length:1+0.5 M



YH0527-8

Solar Panel	Crystalline 5V 3W
Light Source	8x1W
Battery	2x3.7V 2200mAh
Colour Temperature	3000±200K
Charge Time	4-6 hours
Illumination Time	6-8 hours
Product Dimension	light: ϕ 3x6.1 cm, line length:1+0.5x7 M



YH0522-2

Solar Panel	Crystalline 5V 2W
Light Source	2x1W
Battery	3.7V 2200mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	4-6 hours
Illumination Time	6-8 hours
Product Dimension	light: ϕ 4.3x6.1 cm, line length:5M



YH0522-4


Solar Panel	Crystalline 5V 3W
Light Source	4x1W
Battery	2X 3.7V 2200mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	5-6 hours
Illumination Time	6-10 hours
Product Dimension	light: ϕ 4.3x6.1 cm, line length:5M





YH0801-PIR

Solar Panel	Crystalline 5V 2W
Light Source	30x0.2W LED
Battery	3.7V 2200mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	5-6 hours
Illumination Time	8-10 hours
Product Dimensione	16.2x9x57.3 cm



YH0802-PIR

Solar Panel	Crystalline 5V 2W
Light Source	30x0.2W LED
Battery	3.7V 2200mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	5-6 hours
Illumination Time	8-10 hours
Product Dimensione	16.2x9x57.3 cm



YH0801

Solar Panel	Crystalline 5V 2W
Light Source	30x0.2W LED
Battery	3.7V 2200mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	5-6 hours
Illumination Time	8-10 hours
Product Dimensione	16.2x9x57.3 cm



YH0802

Solar Panel	Crystalline 5V 2W
Light Source	30x0.2W LED
Battery	3.7V 2200mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	5-6 hours
Illumination Time	8-10 hours
Product Dimensione	16.2x9x57.3 cm



YH0818

Solar Panel	Crystalline 5V 0.65W
Light Source	20x0.2W LED
Battery	3.7V 500mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	5-6 hours
Illumination Time	8-10 hours
Product Dimension	14x5x53.2 cm





YH0804B

Solar Panel	Crystalline 5V 1.5W
Light Source	20x0.2W LED
Battery	3.7V 2200mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	5-6 hours
Illumination Time	8-10 hours
Product Dimensione	10.5x2.5x65 cm



YH0804C

Solar Panel	Crystalline 5V 2W
Light Source	40x0.2W LED
Battery	3.7V 2200mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	5-6 hours
Illumination Time	8-10 hours
Product Dimensione	10.5x2.5x65 cm



YH0815

Solar Panel	Crystalline 4.5V 5W
Light Source	32x0.5W LED
Battery	3.2V 6Ah
Colour Temperature	3000±200K/6250±250K
Charge Time	5-6 hours
Illumination Time	8-10 hours
Product Dimensione	33x11x124 cm



YH0816

Solar Panel	Crystalline 5V 3.7W
Light Source	32x0.2W LED
Battery	3.7V 3.6Ah
Colour Temperature	3000±200K/6250±250K
Charge Time	5-6 hours
Illumination Time	8-10 hours
Product Dimensione	33x11x94 cm



Solar Pool Light



YH1401

Solar Panel	Crystalline 5V 0.85W
Light Source	1x0.5W LED
Battery	3.7V 500mAh
Colour Temperature	RGB
Charge Time	5-6 hours
Illumination Time	6-8 hours
Product Dimension	Φ 11x5.3 cm



YH1402

Solar Panel	Crystalline 5V 1W
Light Source	1+12pcs LED
Battery	3.7V 1500mAh*2
Colour Temperature	RGB
Charge Time	6-8 hours
Illumination Time	10-12 hours
Product Dimension	Φ 16.3x5.6 cm



YH1403

Solar Panel	Crystalline 5V 1.1W
Light Source	1+12pcs LED
Battery	3.7V 1800mAh*2
Colour Temperature	RGB
Charge Time	6-8 hours
Illumination Time	10-12 hours
Product Dimension	Φ 16.3x7.8 cm



Solar Table Light

YH1901

Solar Panel	Crystalline 5V 0.6W
Light Source	20x0.2W LED
Battery	3.7V 2200mAh
Colour Temperature	4000-4500K
Charge Time	3H by Type C
Illumination Time	4-17 hours
Product Dimension	Φ 15.3x13.5 cm



YH1902

Solar Panel	Crystalline 5V 0.6W
Light Source	20X0.2W LED
Battery	3.7V 2200mAh
Colour Temperature	4000-4500K
Charge Time	3H by Type C
Illumination Time	4-17 hours
Product Dimension	Φ 15x18 cm



YH1903

Solar Panel	Crystalline 5V 0.45W
Light Source	28X0.2W LED
Battery	3.7V 2200mAh
Colour Temperature	4000-4500K
Charge Time	2H by Type C
Illumination Time	4-17 hours
Product Dimension	Φ 9.5x13.1 cm



YH0614



Solar Panel	Crystalline 4V 0.25W
Light Source	4x0.2W LED
Battery	3.2V 500mAh
Colour Temperature	3000±200K
Charge Time	4-6 hours
Illumination Time	8-10 hours
Product Dimensione	9x5.3x12 cm



YH0613

Solar Panel	Crystalline 4V 0.25W
Light Source	4x0.2W LED
Battery	3.2V 500mAh
Colour Temperature	3000±200K
Charge Time	4-6 hours
Illumination Time	6-10 hours
Product Dimension	10.2x5.7x11 cm



YH0618

Solar Panel	Crystalline 4V 0.25W
Light Source	4 X 0.2W LED
Battery	3.2V 500mAh
Colour Temperature	3000±200K
Charge Time	5-6 hours
Illumination Time	8-12 hours
Product Dimension	11x10x7 cm



YH0604A


Solar Panel	Crystalline 2V 0.25W
Light Source	2x 0.2W LED
Battery	1.2V 1200mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	4-6 hours
Illumination Time	6-8 hours
Product Dimension	9x5.1x13 cm



YH0615



Solar Panel	Crystalline 5V 0.7W
Light Source	2x0.5W LED
Battery	3.7V 1800mAh
Colour Temperature	3000±200K
Charge Time	4-6 hours
Illumination Time	8-10 hours
Product Dimensione	11.4x5.4x6 cm



YH0622

Solar Panel	Crystalline 2V 0.4W
Light Source	0.5W LED
Battery	1.2V 800mAh
Colour Temperature	3000±200K
Charge Time	4-6 hours
Illumination Time	6-8 hours
Product Dimension	6.6x5.1x5.8 cm



YH0623

Solar Panel	Crystalline 5V 0.7W
Light Source	2x0.5W LED
Battery	3.7V 1800mAh
Colour Temperature	3000±200K
Charge Time	4-6 hours
Illumination Time	6-8 hours
Product Dimension	11.3x5.1x5.8 cm



YH0624

Solar Panel	Crystalline 5V 1W
Light Source	3x0.5W LED
Battery	3.7V 1800mAh
Colour Temperature	3000±200K
Charge Time	5-6 hours
Illumination Time	8-10 hours
Product Dimension	14x5.1x5.8 cm



YH0626

Solar Panel	Crystalline 2V 0.6W
Light Source	2x0.5W LED
Battery	Ni-MH 1.2V 1000mAh
Colour Temperature	3000±200K
Charge Time	5-6 hours
Illumination Time	6-10 hours
Product Dimensione	10x6.7x3.6 cm





YH0616

Solar Panel	Crystalline 5V 1.5W
Light Source	4x0.5W LED
Battery	3.7V 1500mAh
Colour Temperature	3000±200K
Charge Time	5-6 hours
Illumination Time	8-10 hours
Product Dimensione	14.2x7.3x8 cm



YH0630

Solar Panel	Crystalline 5V 1.5W
Light Source	2x0.5W LED
Battery	3.7V 2000mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	5-6 hours
Illumination Time	8-10 hours
Product Dimensione	10x4.4x16.2 cm




YH0635

Solar Panel	Crystalline 5V 0.65W
Light Source	2x0.5W LED
Battery	3.7V 1200mAh
Colour Temperature	3000±200K/6250±250K/RGB
Charge Time	7-8 hours
Illumination Time	10-12 hours
Product Dimensione	5.2x6.8x12 cm



YH0628

Solar Panel	Crystalline 5V 1.5W
Light Source	3x0.5W LED
Battery	3.7V 1800mAh
Colour Temperature	3000±200K
Charge Time	5-6 hours
Illumination Time	8-10 hours
Product Dimensione	14.2x5.8x8.8 cm



YH0409



Solar Panel	Crystalline 2V 0.4W
Light Source	2x0.5W LED
Battery	1.2V 800mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	4-6 hours
Illumination Time	8-10 hours
Product Dimensione	10.8x2.9x6.2 cm



YH0405

Solar Panel	Crystalline 2V 90MA
Light Source	6x0.2W LED
Battery	1.2V 700mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	5-6 hours
Illumination Time	8-10 hours
Product Dimension	10x8.2x2.8 cm



YH0407

Solar Panel	Crystalline 4V 100MA
Light Source	5x0.2W LED
Battery	3.2V 200mAh
Colour Temperature	6250±250K
Charge Time	5-6 hours
Illumination Time	8-10 hours
Product Dimension	12x8.5x3.2 cm



YH0408

Solar Panel	Crystalline 2V 0.58W
Light Source	8x0.2W LED
Battery	1.2V 1000mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	5-6 hours
Illumination Time	8-10 hours
Product Dimension	13.1x3.1x8.7 cm





YH1101

Solar Panel	Crystalline 4V 0.6W
Light Source	8x0.2W LED
Battery	3.2V/500mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	5-6 hours
Illumination Time	8-10 hours
Product Dimension	18x5x20 cm



YH1102



YH1104

Solar Panel	Crystalline 4V 0.6W / 4V 0.9W
Light Source	45x0.2W LED
Battery	3.2V 500mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	6-9 hours
Illumination Time	8-10 hours
Product Dimension	30.5x19.5x4.2 cm / 18.5x4.2x22.3 cm



YH0636-RGB-PIR

Solar Panel	Crystalline 5V 2.5W
Light Source	29x0.2W LED + 12x0.2W RGB
Battery	3.7V/3600mAh
Colour Temperature	6250±250K / RGB
Charge Time	5-6 hours
Illumination Time	8-10 hours
Product Dimension	27.3x10.4x28.1 cm

YH0416B

Solar Panel	Crystalline 5V 0.8W
Light Source	12x0.2W LED
Battery	3.7V 1200mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	5-6 hours
Illumination Time	8-10 hours
Product Dimension	12x12x5 cm



YH0606

Solar Panel	Crystalline 5V 2W
Light Source	10x0.2W LED
Battery	3.7V 1500mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	4-6 hours
Illumination Time	8-10 hours
Product Dimension	16.9x11.7x6 cm



YH0617

Solar Panel	Crystalline 5V 2.5W
Light Source	33x0.2W LED
Battery	3.2V/2200mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	4-6 hours
Illumination Time	8-10 hours
Product Dimension	26x7.4x9.3 cm



YH0607-PIR



Solar Panel	Crystalline 4V 0.4W
Light Source	2x0.2W LED
Battery	3.2V 500mAh
Colour Temperature	6250±250K
Charge Time	5-6 hours
Illumination Time	8-10 hours
Product Dimensione	17x8x5 cm

YH0609-PIR



Solar Panel	Crystalline 5V 2W
Light Source	21x0.2W LED
Battery	3.7V 2200mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	5-6 hours
Illumination Time	8-10 hours
Product Dimensione	16.4x10.9x8.4 cm

YH0412



Solar Panel	Crystalline 5V 0.85W
Light Source	1x0.5W LED
Battery	3.7V 1800mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	5-6 hours
Illumination Time	10-12 hours
Product Dimensione	9.2x4.9x9.4 cm



YH0417-PIR

Solar Panel	Crystalline 5V 2W
Light Source	10x0.5W LED
Battery	3.7V 1200mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	5-6 hours
Illumination Time	8-10 hours
Product Dimension	20.8x12.4x5 cm



YH0611-PIR

Solar Panel	Crystalline 5V 2W
Light Source	18x0.2W LED
Battery	3.7V 2200mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	4-6 hours
Illumination Time	8-10 hours
Product Dimension	15.1x10.4x4.5 cm



Solar Wall Light-with motion sensor

YH0617-PIR



Solar Panel	Crystalline 5V 2.5W
Light Source	33x0.2W LED
Battery	3.7V 2200mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	5-6 hours
Illumination Time	8-10 hours
Product Dimensione	26x7.4x9.3 cm

YH0619-PIR



Solar Panel	Crystalline 5V 1W
Light Source	18x0.2W LED
Battery	3.7V 1800mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	5-6 hours
Illumination Time	8-10 hours
Product Dimensione	12.7x10.5x17.9 cm

YH0620-PIR



Solar Panel	Crystalline 5V 1W
Light Source	18x0.2W LED
Battery	3.7V 1800mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	5-6 hours
Illumination Time	8-10 hours
Product Dimensione	12.7x10.5x16.6 cm



Solar Wall Light-with motion sensor

YH0631-PIR



Solar Panel	Crystalline 5V 2.5W
Light Source	73x0.2W LED
Battery	2x3.7V 1800mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	5-6 hours
Illumination Time	6-8 hours
Product Dimensione	25.5x9.7x11.8 cm

YH0632-PIR



Solar Panel	Crystalline 5V 2.2W
Light Source	72x0.2W LED
Battery	2x3.7V 1800mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	5-6 hours
Illumination Time	6-8 hours
Product Dimensione	22.3x14.8x9.1 cm





YH1105

Solar Panel	Crystalline 5V 0.22W*2
Light Source	8x0.2W LED
Battery	3.7V 500mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	6-8 hours
Illumination Time	8-12 hours
Product Dimensione	13x7x1.5 cm

YH0634

Solar Panel	Crystalline 5V 1W
Light Source	48x0.2W LED
Battery	3.7V 1800mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	5-6 hours
Illumination Time	8-12 hours
Product Dimensione	17.2x7.1x3.7 cm





YH0810

Solar Panel	Crystalline 2V 50MA
Light Source	1x0.1W LED
Battery	1.2V 1200mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	5-6 hours
Illumination Time	8-10 hours
Product Dimensione	12x12x6.3 cm



YH0811

Solar Panel	Crystalline 2V 0.5W
Light Source	9x0.1W LED
Battery	1.2V 1000mAh
Colour Temperature	3000±200K
Charge Time	4-6 hours
Illumination Time	8-10 hours
Product Dimension	9x9x13.5 cm



YH0812

Solar Panel	Crystalline 4V 0.6W
Light Source	75x0.1W LED
Battery	3.2V 1500mAh
Colour Temperature	3000±200K
Charge Time	4-6 hours
Illumination Time	8-10 hours
Product Dimension	9x9x13 cm



YH0808

Solar Panel	Crystalline 5V 2W
Light Source	75x0.1W LED
Battery	3.7V 2200mAh
Colour Temperature	3000±200K
Charge Time	5-6 hours
Illumination Time	8-10 hours
Product Dimension	11x11x17.5 cm





YH1001A

Solar Panel	Crystalline 5V 3.5W
Light Source	24x0.2W LED
Battery	2 X 3.7V 2200mAh
Colour Temperature	2300-2800K/ 4000-4300K/6000-6500K
Charge Time	4-6 hours
Illumination Time	5-14 hours
Product Dimensione	Φ18x9 cm, wire 4.8 meters



YH1001-2

Solar Panel	Crystalline 5V 3.5W
Light Source	2 X 16x0.2W LED
Battery	2 X 3.7V 2200mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	5-6 hours
Illumination Time	6-12 hours
Product Dimension	Φ18x9 cm,wire 4.8 meters



YH1202

Solar Panel	Crystalline 5V 3.5W
Light Source	16x0.2W LED
Battery	2 X 3.7V 2200mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	4-6 hours
Illumination Time	6-12 hours
Product Dimension	Φ14.2x9 cm,wire 4.8 meters



YH1203

Solar Panel	Crystalline 5V 5.5W
Light Source	2 X 16x0.2W LED
Battery	2x3.7V 2200mAh
Colour Temperature	3000±200K/6250±250K
Charge Time	4-6 hours
Illumination Time	6-12 hours
Product Dimension	Φ14.2x9cm,wire 4.8meters



YH1013



Solar Panel	Crystalline 5V 20W
Light Source	4x2W LED bulbs
Battery	3.2V 20AH
Colour Temperature	6250±250K
Charge Time	4-6 hours
Illumination Time	5-14 hours
Product Dimensione	20.2x8.2x15.5 cm



YH1002

Solar Panel	Crystalline 5V 5.5W
Light Source	1x1W+1x2W LED bulbs
Battery	2x3.7V 2200mAh
Colour Temperature	6250±250K
Charge Time	4-6 hours
Illumination Time	5-14 hours
Product Dimension	12.8x3x9 cm



YH1006

Solar Panel	Crystalline 10V 12W
Light Source	2x1W+2x2W LED bulbs
Battery	6.4V 6000mAh
Colour Temperature	6250±250K
Charge Time	5-6 hours
Illumination Time	5-13 hours
Product Dimension	17.2x3.8x10.3 cm



YH1003


Solar Panel	Crystalline 14V 26W
Light Source	2x2W+2x3W LED bulbs
Battery	9.6V 12AH
Colour Temperature	6250±250K
Charge Time	4-6 hours
Illumination Time	6-14 hours
Product Dimension	11.2x18x7.9cm



YH1013A


Solar Panel	Crystalline 10V 40W
Light Source	4x5W LED LAMP
Battery	6.4V 20AH
Colour Temperature	6250±250K
Charge Time	4-6 hours
Illumination Time	5-14 hours
Product Dimension	20.2x8.2x15.5 cm





YH2401

Solar Panel	Crystalline 5V 1.3W
Light Source	40x0.2W LED
Battery	3.7V 2200mAh
Colour Temperature	3000±200K/RGB
Charge Time	5-6 hours
Illumination Time	8-10 hours
Product Dimensione	φ 20.3x107.3 cm



YH1200

Solar Panel	Crystalline 5V 12W
Light Source	78x0.2W LED
Battery	3.2V 14AH
Colour Temperature	6250±250K
Charge Time	5-6 hours
Illumination Time	Auto/5H/8H/12H
Product Dimensione	24x16.5x7.2 cm



YH1201

Solar Panel	Crystalline 5V 18W
Light Source	119x0.2W LED
Battery	3.2V 20AH
Colour Temperature	6250±250K
Charge Time	5-6 hours
Illumination Time	Auto/5H/8H/12H
Product Dimensione	26x18x7 cm





YH0210B

Solar Panel	Crystalline 5V 3.5W
Light Source	120x0.2W LED
Battery	2 X 3.7V 2200mAh
Colour Temperature	3000±200K/4000±250K/6250±250K
Charge Time	6-9 hours
Illumination Time	6-12 hours
Product Dimensione	24.7x24x42.4 cm



YH0210A

Solar Panel	Crystalline 5V 3.5W
Light Source	120x0.2W LED
Battery	2 X 3.7V 2200mAh
Colour Temperature	3000±200K/4000±250K/6250±250K
Charge Time	4-6 hours
Illumination Time	6-12 hours
Product Dimension	27x24.7x33.5 cm



YH0210C

Solar Panel	Crystalline 5V 3.5W
Light Source	120x0.2W LED
Battery	2 X 3.7V 2200mAh
Colour Temperature	3000±200K/4000±250K/6250±250K
Charge Time	6-9 hours
Illumination Time	6-12 hours
Product Dimension	24.7x24x87 cm



YH0210E

Solar Panel	Crystalline 5V 3.5W
Light Source	120x0.2W LED
Battery	2 X 3.7V 2200mAh
Colour Temperature	3000±200K/4000±250K/6250±250K
Charge Time	6-9 hours
Illumination Time	6-12 hours
Product Dimension	24.7x24x222 cm



YH0210D


Solar Panel	Crystalline 5V 3.5W
Light Source	120x0.2W LED x2
Battery	2 X 3.7V 2200mAh
Colour Temperature	3000±200K/4000±250K/6250±250K
Charge Time	6-9 hours
Illumination Time	6-12 hours
Product Dimension	72x26x222 cm



— All in One Solar Street Light-Aluminum —



Light Distribution
Diagram:



Material:Die-cast Aluminum+PC
Solar Panel: Crystalline Silicon
Battery: LiFePO4
Color Temperature: White/Warm
Function:
Light-sensitive control+ time control
Waterproof Rating: IP66
Angle of Lens: 145° x 80°
Mounting Arm Angle: 15°

Model	Solar Panel	Battery	Lumen	Light Source	Product Dimension
YH 0103A	12W	45Wh	1100LM	43PCSx1W	33.8x20.8x7cm
YH 0104A	18W	58Wh	1400LM	85PCSx1W	48.8x20.8x7cm
YH 0105A	22W	64Wh	2200LM	120PCSx1W	60.8x20.8x7cm



Wall Mounted



Wall Mounted with Pole




Pole +Wall Mounted



— All in One Solar Street Light-ABS —



Light Distribution
Diagram:



Material: ABS + PC
Solar Panel: Crystalline Silicon
Battery: LiFePO4
Color Temperature: White/Warm
Function:
Light-sensitive Control+ Time Control
Waterproof Rating: IP66
Attributes: Motion Sensor
Angle of Lens: 145° x 80°
Mounting Arm Angle: 15°

Model	Solar Panel	Battery	Lumen	Light Source	Product Dimension
YH 0103	12W	45Wh	1100LM	43PCSx1W	33.8x20.8x7cm
YH 0104	18W	58Wh	1400LM	85PCSx1W	48.8x20.8x7cm
YH 0105	22W	64Wh	2200LM	120PCSx1W	60.8x20.8x7cm



Wall Mounted



Wall Mounted with Pole



Pole +Wall Mounted





Light Distribution Diagram:

Material:Die-cast Aluminum+PC
Solar Panel: Crystalline Silicon
Battery: LiFePO4
Color Temperature: White/Warm
Function:
light-sensitive Control+ Time Control
Waterproof Rating: IP65
Angle of Lens: 135° x 45°
Mounting Arm Angle: 15°

Model	Solar Panel	Battery	Lumen	Light Source	Product Dimension
YH 0101	20W	64Wh	1500LM	55PCSx1W	78x45x20cm



Light Distribution Diagram:

Material:Die-cast Aluminum+PC
Solar Panel: Crystalline Silicon
Battery: LiFePO4
Color Temperature: White/Warm
Function:
light-sensitive Control+ Time Control
Waterproof Rating: IP65
Angle of Lens: 130° x 65°
Installation of Pole: ϕ 60-75mm

Model	Solar Panel	Battery	Lumen	Light Source	Product Dimension
YH 0101A	40W	128Wh	3500LM	70PCSx1W	34.9x21x6.6cm
YH 0101B	60W	192Wh	5000LM	70PCSx1W	34.9x21x6.6cm
YH 0102A	80W	275Wh	7000LM	126PCSx1W	55.5x26x9cm
YH 0102	90W	500Wh	9500LM	126PCSx1W	55.5x26x9cm



— All in One Solar Street Light-Aluminum —



Material:Die-cast Aluminum+PC
Solar Panel: Crystalline Silicon
Battery: LiFePO4
Color Temperature: White/Warm
Function:
Light-sensitive Control+ Time Control
Waterproof Rating: IP65
Angle of Lens: 130° x 65°
Installation of Pole: ϕ 60-75mm

Model	Solar Panel	Battery	Lumen	Light Source	Product Dimension
YH 0218	60W	320Wh	3500LM	45PCSx1W	112.5x37.2x23.4cm
YH 0220	90W	480Wh	5000LM	72PCSx1W	150x37.2x23.4cm



— All in One Solar Street Light-Aluminum —




Material:Die-cast Aluminum+PC
Solar Panel: Crystalline Silicon
Battery: LiFePO4
Color Temperature: White/Warm
Function:
Light-sensitive Control+ Time Control
Attributes: Motion Sensor
Waterproof Rating: IP65
Angle of Lens: 130° x 65°
Installation of Pole: ϕ 60-75mm

Model	Solar Panel	Battery	Lumen	Light Source	Product Dimension
YH 0221	46W	364Wh	3000LM	18PCSx1W	77.4x35.1x31.4cm




Light Distribution
Diagram:



Material: Die-cast Aluminum + PC
Solar Panel: Crystalline Silicon
Battery: LiFePO4
Color Temperature: White/Warm
Function:
Light-sensitive Control+ Time Control
Waterproof Rating: IP66
Angle of Lens: 145° x 80°
Installation of Pole: $\phi 60\text{mm}$

Model	Solar Panel	Battery	Lumen	Light Source	Product Dimension
YH 0106	18W x2	64Wh x2	1400LM x2	2x85PCS x1W	96x20.8x27.5cm

Light Distribution
Diagram:



Material: Die-cast Aluminum + PC
Solar Panel: Crystalline Silicon
Battery: LiFePO4
Color Temperature: White/Warm
Function:
Light-sensitive Control+ Time Control
Waterproof Rating: IP66
Angle of Lens: 145° x 80°
Installation of Pole: $\phi 60\text{mm}$

Model	Solar Panel	Battery	Lumen	Light Source	Product Dimension
YH 0107	22W	64Wh	2200LM	120PCSx1W	60.8x20.8x10.5cm

