



荣合电子
RHE ELECTRONIC



专注研发、制造数据线、充电器17年

Focus on R & D, Manufacturing USB Data Cable&

Wall Charger for 17 Years

2025



东莞市荣合电子有限公司
Dongguan Ronghe Electronic Co., Ltd

Sales Manager
Rachel
何 锐



Mobile: +86 18571549085

E-mail: sales17@rong-he.cn

Web: www.rong-he.cn

Add: 东莞市塘厦镇林村林东三路5号
No. 5, Lindong 3rd Road, Lincun, Tangxia
Town, Dongguan City



荣合电子

RHE ELECTRONIC

WIRELESS
iPhone | iPad | iPod

OEM/ODM



微信(Wechat)



WhatsApp

Cable | Wall Charger | Wireless Charger



Dongguan Ronghe Electronic Co., Ltd was established in 2009 in a 25,000 sqm facility with 500 employees , mainly focus on designing, developing and manufacturing of 3C Mobile Accessories, Such as USB Data Cables and Wall Chargers. We have also set up branch factories in Jiangxi, Hunan and Hubei, total around 1,000 staff and daily production capacity of 400,000 pieces. We have been adhering to customer satisfaction, continuous innovation and optimization The business philosophy of cost and income improvement, is committed to creating a platform for co-creation, sharing and fun, so that more people can realize their self-worth.

Dongguan Ronghe Electronic is an innovative design factory, we committed to creating e-commerce popular products on the basis of product quality, and has established strategic partnerships with many brands.

We advocate minimalism, and strive to produce products that are low-key and unique, and simple to show the pursuit of quality. Every time we innovate, just to make your life easier.

Our company is a high-tech enterprise, has obtained BSCI certification, products meet CE, ROHS requirements, has a number of invention patents, more than 7 Invention patents, 97 utility model patents, and 62 appearance design patents.



Ultra-thin Flat Data Cable

RH-CA-120

Material: Zinc+Nylon

Function: Charging+480Mbps

Max Power:

C-C: 60W/100W/240W, C-L:30W



UJ-CA-79

Lanyard Data Cable

Material:Zinc+Nylon

Function:Charging+480Mbps

Max Power:

C-C:60W,C-L:30W



RH-CA-124

Press and Rebound Data Cable

Material: Zinc+Nylon

Function: Charging+480Mbps

Max Power: C-C: 60W



RH-CA-80

Key Chain Cable

Material:Zinc+Nylon

Function:Charging+480Mbps

Max Power:

C-L:30W,C-C: 60W



RH-CA-74

Key Chain Cable

Material:Zinc+Nylon


Function:Charging+480Mbps

Max Power:

C-L:30W,C-C: 60W

A-C:5V/3A,A-L:5V/2.4A





Lanyard Data Cable

RH-CA-72

Material: Zinc + Nylon
Function: Charging + 480Mbps
Max Power:
C-C: 60W, C-L: 30W



RH-CA-97

USB Data Cable

Material: TPE + Nylon
Function: Charging + 480Mbps
Max Power: A-C: 5V/3A, A-L: 5V/2.4A,
C-L: 30W, C-C: 60W/100W/240W



RH-CA-101

USB Data Cable

Material: TPE + Nylon
Function: Charging + 480Mbps
Max Power: A-C: 5V/3A, A-L: 5V/2.4A,
C-L: 30W, C-C: 60W/100W/240W



RH-CA-123

Intelligent Power-Off Display Data Cable

Material: Zinc + Nylon
Function: Charging + 480Mbps
Max Power: A-C: 100W, A-L: 15W,
C-C: 100W, C-L: 30W



RH-CA-07

Power Display Zinc Nylon Cable

Material: Zinc + Nylon
Function: Charging + 480Mbps
Max Power:
A-M: 5V/2A, A-C: 11V/6A, A-L: 5V/2.4A,
C-L: 30W, C-C: 100W/240W



RH-CA-67

Transparent USB Data Cable

Material: Aluminum Alloy + Nylon
Function: Charging + 480Mbps
Max Power:
A-L: 5V/2.4A, A-C: 5V/3A,
C-L: 30W, C-C: 60W/100W/240W



RH-CA-77

Magnetic Data Cable

Material: Aluminum + Nylon
Function: Charging + 480Mbps
Max Power:
A-C: 5V/3A, C-C: 60W/100W/240W
A-L: 5V/2.4A, C-L: 30W



RH-CA-84

4 in 1 Power Display Cable

Material: Aluminum Alloy + Nylon
Function: Charging + 480Mbps
Max Power:
A-C: 5V/3A, C-C: 60W
A-L: 5V/2.4A, C-L: 30W



XC-CA-05U

Top-Speed Series USB 4.0 Magnetic Cable

Material: Aluminum + Nylon
Function: Charging + 20Gbps/
40Gbps/80Gbps
Max Power:
C-C: 240W + 20Gbps + 4K
C-C: 240W + 40Gbps + 8K



RH-CA-85

4 in 1 USB TO TYPE-C & TYPE-C TO Lightning Zinc PD Cable

Material: Zinc Alloy + Silicone
Function: Charging + Data Sync
Max Power:
A-C: 15W, A-L: 12W, C-C: 60W/240W, C-L: 30W



RH-CA-96

USB TO TYPE-C & TYPE-C TO Lightning Zinc PD Cable


Material: Zinc Alloy + Nylon
Function: Charging + Data Sync
Max Power: A-C: 15W, A-L: 12W,
C-L: 30W, C-C: 60W/240W



Magnetic Data Cable

RH-CA-77


Material: Aluminum + Nylon
Function: Charging + 480Mbps
Max Power:
A-C: 5V/3A, C-C: 60W/100W/240W
A-L: 5V/2.4A, C-L: 30W




RH-CA-12

USB C to MagSafe 3 140W Adapter

Material: Aluminum
Function: Charging
Max Power: 140W



Fast Charge



100% Full Charge

RH-CA-30

USB-C to MagSafe 3 140W Fast Charging Cable

Material: Aluminum + Nylon
Function: Only Charging
Output: 28V/5A 140W Max



RH-CA-81

2 IN 1 TO C 240W + 140W Magsafe 3 Cable

Material: Aluminum Alloy + Nylon
Function: Charging + 480Mbps
Max Power:
C TO Magsafe3: 140W Max
C TO C: 240W Max



XC-CA-05

Top-Speed Series USB 4.0 Cable

Material: Aluminum + Nylon
Function: Charging + 20Gbps/
40Gbps/80Gbps
Max Power:
C-C: 240W + 20Gbps + 4K
C-C: 240W + 40Gbps + 8K



RH-CA-86

USB 4.0 240W Power Display Cable

Material: Aluminum Alloy + Nylon
Function: Charging + 40Gbps
Max Power:
C-C: 240W



Made for
iPhone | iPad | iPod

XC-CA-05

Top-Speed Series MFi USB Data Cable

Material: Aluminum + Nylon
Function: Charging + 480Mbps
Max Power:
A-C: 5V/3A, A-C: 11V/6A, A-L: 5V/2.4A,
C-L: 30W, C-C: 60W/100W/240W



XC-CA-11

Top-Speed Series Lightning to DC3.5mm Audio Cable

Material: Aluminum + Nylon
MFi Male to DC Female Function: Call + In-Line
Control + Listening + Music
MFi Male to DC Male Function: Expand Audio



RH-CA-27

Top-Speed Series USB-C to DC3.5mm Audio Cable

Material: Aluminum + Nylon
C Male to DC Female Function: Call + In-Line
Control + Listening + Music
C Male to DC Male Function: Expand Audio



Made for
iPhone | iPad | iPod

XC-CA-11

RH-CA-27

Power Display Data Cable

RH-CA-122

Material: Zinc + Nylon
Function: Charging + 480Mbps
Max Power: A-C: 66W, A-L: 12W,
C-C: 100W, C-L: 30W
● ○ ○



RH-CA-20

3 in 1 Retractable USB Data Cable
Material: ABS Cover + Aluminum + TPE Cable
Function: Charging + 480Mbps
A-M + C + L 3A and A-M + C + L 6A
Max Power:
A-M: 5V/2A, A-C: 5V/3A, A-L: 5V/2.4A
A-M: 5V/2A, A-C: 11V/6A, A-L: 5V/2.4A
C-M + C + L and C-C + C, C-C + L
Max Power:
C-M: 10W, C-L: 30W, C-C: 60W/100W
● ○ ● ● ● ●



RH-CA-21

3 in 1 Retractable USB Data Cable
Material: ABS Cover + Aluminum + TPE Cable
Function: Charging + 480Mbps
A-M + C + L 3A and A-M + C + L 6A
Max Power:
A-M: 5V/2A, A-C: 5V/3A, A-L: 5V/2.4A
A-M: 5V/2A, A-C: 11V/6A, A-L: 5V/2.4A
C-M + C + L and C-C + C, C-C + L
Max Power:
C-M: 10W, C-L: 30W, C-C: 60W/100W
● ○ ● ● ● ●



RH-CA-83

3 in 1 Silicone Retractable Cable
Material: Silicone Cover + TPE
Function: Charging + 480Mbps
A-M + C + L 3A and A-M + C + L 6A
Max Power:
A-M: 5V/2A, A-C: 5V/3A, A-L: 5V/2.4A
A-M: 5V/2A, A-C: 11V/6A, A-L: 5V/2.4A
C-M + C + L and C-C + C, C-C + L
Max Power:
C-M: 10W, C-L: 30W, C-C: 60W/100W
● ○ ● ● ● ●



RH-CA-90

5 in 1 Storage Box With Retractable Cable
Cable Storage/Charging/Memory Card/Adapter/
Data Transmission, All in One Multifunction
Storage Box
Material: ABS + Aluminum + TPE + PC
Function: Charging + 480Mbps
Max Power:
A-M: 5V/2A, A-C: 5V/3A, A-L: 5V/2.4A,
C-C: 60W, C-L: 30W, C-M: 10W
● ● ● ● ● ●




RH-CA-88

2 in 1 C TO C+ C 100W Data Cable
Material: Aluminum + Nylon
Function: Charging + 480Mbps
Max Power:
C-C1/C2: 100W Max
C-C1 + C2: 100W Max
(Intelligent Allocation)
● ● ●



RH-CA-89

2 in 1 C TO C+ L 100W Data Cable
Material: Aluminum + Nylon
Function: Charging + 480Mbps
Max Power:
C-C: 100W Max, C-L: 30W Max
C-C + L: 9V/3A (Intelligent Allocation)
● ● ●



RH-CA-125

Adapter Series
Material: Aluminum
Function: Charging + 480Mbps + Supports USB Flash Drive Reading
● ○ ○

25W Qi2.2/15W Qi2.1 Phone Wireless Charger

YC-WH113

Material: Aluminum + PC/Aluminum + Glass
Function: Wireless Charging
Max Power: 15W/25W



YC-WH112

25W Qi2.2/15W Qi2.1 Car Wireless Charger with Retractable Cable

Material: Plastic Shell + PC + 1M TPE Cable
Function: Wireless Charging
Max Power: 15W/25W



YC-WH006-A

15W Car Wireless Charger With Retractable Cable

Material: PC + Aluminum + Glass
Function: Wireless Charging
Max Power: 15W



YC-WH111

25W Qi2.1-2.2 Car Wireless Charger

Material: PC
Function: Wireless Charging
Max Power: 15W/25W



YC-WH046

2 in 1 Retractable Cable with iWatch Charger

Material: ABS + Aluminum Alloy
Function: Charging for Mobile Phones and Apple Watch
Max Power: C-C 100W, C-L 30W, iWatch 2.5W



Patent Application No: 202430174823.0

25W Qi2.2/15W Qi2.1 Folding Wireless Charger With Fan Cooling

YC-WH091

Material:PC+Aluminum+Glass

Function:Wireless Charging

Built in fan fast cooling, improve charging efficiency

Max power:15/25W

Qi2 CE FC RoHS



YC-WH092B

**25W Qi2.2 /15W Qi2.1 Car Wireless
Charger with With Fan Cooling**

Material:PC+Aluminum+Glass

Function:Wireless Charging

Built in fan fast cooling,

improve charging efficiency

Max Power: 15W/25W



YC-WH092A

25W Qi2.2 /15W Qi2.1 Car Wireless Charger with Fan Cooling

Material:PC+Aluminum+Glass

Function:Wireless Charging Built in fan fast cooling,

improve charging efficiency

Max Power: 15W/25W



YC-WH037

3 IN 1 iWatch Wireless Charger

Material:ABS+Aluminum+Nylon

Function:

Wireless Charging

Max Power:

C-W: 2.5W, C-C: 100W, C-L:27W



YC-WH040

2 IN 1 Watch Wireless Charger

Material:ABS+Aluminum+Nylon

Function:Wireless Charging

Max Power:

C-W: 2.5W/5W, C-C:100W



YC-WH121

5W iWatch Wireless Charger

Material:Aluminum+PC+Nylon

Function:Wireless Charging

Max Power:5W



YC-WH068

2 IN 1 iWatch Wireless Charger

Material:PC+Aluminum+Nylon

Function:Wireless Charging

Max Power:C-W: 2.5W, C-C: 60W



YC-WH069

2 IN 1 Samsung watch Wireless Charger

Material:PC+Aluminum+Nylon

Function:Wireless Charging

Max Power:

C-W: 2.5W,C-C: 60W,C-L: 27W



YC-WH022A

15W Qi2 2 IN 1 Folding Wireless Charger

Material: Aluminum + PC

Function: Wireless Charging

Max Power: 15W for Mobile Phone, 5W for Airpods

YC-WH022B

15W Qi2 2 IN 1 Folding Wireless Charger

Material: Aluminum + PC

Function: Wireless Charging

Max Power: 15W for Mobile Phone, 2.5W for Apple Watch



YC-DB024

2.5W IWatch Wireless Charger With Cable

Material: PC + ABS + Silicone + TPE

Function: Wireless Charging

Max Power: C-W: 2.5W, C-C: 60W

Patent Application No: 202430093409.7



YC-WH070

Zinc Apple Watch Charger

Material: Zinc

Function: Wireless Charging

Max Power: 2.5W

CE FCC RoHS

YC-WH119

5W Watch Wireless Charger With Retractable Cable

Material: PC + Aluminum

Function: Wireless Charging

Max Power: 5W



HB-80A

Magnetic Phone Folding Holder

Material: Zinc

Function: Phone Bracket



HB-90B

Magnetic Phone Folding Holder

Material: Zinc + ABS + PC

Function: Phone Bracket



HB-90C

Magnetic Phone Folding Holder

Material: Zinc + ABS + PC

Function: Phone Bracket



TC-108CA65G ⚡65W

Input: 110-240Vac 50/60Hz 1.5A
Output:
USB-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A, PPS5-11V/4.5A
USB-C2: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A, PPS 5-11V/3A
USB-A: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A;
Total Output:
USB-C1 + USB-C2: 45W + 20W; USB-C1 + USB-A: 45W + 18W
USB-C2 + USB-A: 5V/3A; USB-C1 + (USB-C2 + USB-A): 45W + 15W
Material: Fireproof PC

TC-108C65G ⚡65W

Input: 110-240Vac 50/60Hz 1.5A
Output:
USB-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
PPS 5-11V/5A;
Material: Fireproof PC

CN US EU JP



TC-097CA20G ⚡20W

Input: 110-240Vac 50/60Hz 0.5A
USB-C1/C2 Output: 5V/3A, 9V/2.22A, 10V/2A/ 12V/1.67A,
PPS 3.3-5.9V/3A, 5-11V/1.8A (20W)
USB-A Output: 5V/3A, 9V/2A, 10V/2A, 12V/1.5A (20W)
Total Output: C1 + C2: 5V/3A; C1 + A: 5V/3A;
C2 + A: 5V/3A; C1 + C2 + A: 5V/3A
Material: Fireproof PC

TC-097CA30G ⚡30W

Input: 110-240Vac 50/60Hz 0.8A
USB-C1/C2 Output: 5V/3A, 9V/3A, 10V/2A, 12V/2.5A,
15V/2A, 20V/1.5A, PPS 5-11V/3A (33W)
USB-A Output: 5V/3A, 9V/3A, 10V/2A, 12V/2.5A, 20V/1.5A (33W)
Total Output: C1 + C2: 5V/3A; C1 + A: 5V/3A;
C2 + A: 5V/3A; C1 + C2 + A: 5V/3A
Material: Fireproof PC

CN US EU JP UK THAI



TC-097CC45G ⚡45W

Input: 110-240Vac 50/60Hz 1.2A
USB-C1/C2 Output: 5V/3A, 9V/3A, 12V/3A,
15V/3A, 20V/2.25A PPS: 5-11V-3A(45W)
USB-C1 + USB-C2 Output: 20W + 20W
Material: Fireproof PC

CN US EU JP THAI



TC-097CC65G ⚡65W

Input: 110-240Vac 50/60Hz 1.5A
USB-C/Cable Output: 5V/3A, 9V/3A, 12V/3A, 15V/3A,
20V/3.25A, PPS 5-21V/3A (65W)
USB-C + Cable Output: 45W(5V/3A, 9V/3A, 12V/3A,
15V/3A, 20V/2.25A) + 20W(5V/3A, 9V/2.22A, 12V/1.67A)
Material: Fireproof PC



TC-097CC30G ⚡30W

Input: 110-240Vac 50/60Hz 0.8A
USB-C1/C2 Output: 5V/3A, 9V/3A, 12V/2.5A,
15V/2A, 20V/1.5A PPS 5-11V/3A(30W)
Total Output: 5V/3A(15W)
Material: Fireproof PC

CN US EU UK JP THAI



TC-106AC20G ⚡⚡20W

Input: 110-240Vac 50/60Hz 0.5A
USB-C Output: 5V/3A, 9V/2.22A, 12V/1.67A, PPS 5-11V/2A
USB-A: 5A/3A, 9V/2A, 12V/1.5A
Total Output: USB-C+USB-A: 5V/3A
Material: Fireproof PC

TC-106AC30G ⚡⚡30W

Input: 110-240Vac 50/60Hz 0.8A
USB-C Output: 5V/3A, 9V/3A, 12V/2.5A, PPS 5-11V/3A
USB-A: 5A/3A, 9V/3A, 12V/2.25A
Total Output: USB-C+USB-A: 5V/3A
Material: Fireproof PC

TC-106C20G ⚡⚡20W

Input: 110-240Vac 50/60Hz 0.5A
USB-C Output: 5V/3A, 9V/2.22A, 12V/1.67A, PPS 5-11V/2A
Material: Fireproof PC

TC-106C25G ⚡⚡25W

Input: 110-240Vac 50/60Hz 0.65A
USB-C Output: 5V/3A, 9V/2.77A, 12V/2.08A, PPS 5-11V/2.25A
Material: Fireproof PC

TC-106C30G ⚡⚡30W

Input: 110-240Vac 50/60Hz 0.8A
USB-C Output: 5V/3A, 9V/3A, 12V/2.5A, PPS 5-11V/3A
Material: Fireproof PC



TC-087AC20G ⚡⚡20W

Input: 100-240Vac 50/60Hz 0.5A
USB-C Output: 5V/3A, 9V/2.22A, 10V/2A, 12V/1.67A, PPS 5-11V/1.8A (20W)
USB-A Output: 5V/3A, 9V/2A, 10V/2A, 12V/1.5A (20W)
Total Output(A+C): 5V/3A (15W)
Material: Fireproof PC

TC-087AC30G ⚡⚡30W

Input: 110-240Vac 50/60Hz 0.8A
USB-C Output: 5V/3A, 9V/3A, 10V/2A, 12V/2.5A, 15V/2A, 20V/1.5A, PPS 5-11V/3A (33W)
USB-A Output: 5V/3A, 9V/3A, 10V/2A, 12V/2.5A, 20V/1.5A (30W)
Total Output(A+C): 5V/3A (15W)
Material: Fireproof PC

TC-087AC35G ⚡⚡35W

Input: 110-240Vac 50/60Hz 0.9A
USB-C Output: 5V/3A, 9V/3A, 10V/2A, 12V/2.91A, 15V/2.33A, 20V/1.75A, PPS 5-11V/3A (35W)
USB-A Output: 5V/3A, 9V/3A, 10V/2A, 12V/2.5A, 20V/1.5A (30W)
Total Output(A+C): 5V/3A (15W)
Material: Fireproof PC

TC-087C20G ⚡⚡20W

Input: 100-240Vac 50/60Hz 0.5A
USB-C Output: 5V/3A, 9V/2.22A, 10V/2A, 12V/1.67A, PPS 5-11V/1.8A (20W)
Material: Fireproof PC

TC-087C30G ⚡⚡30W

Input: 110-240Vac 50/60Hz 0.8A
USB-C Output: 5V/3A, 9V/3A, 10V/2A, 12V/2.5A, 15V/2A, 20V/1.5A, PPS 5-11V/3A (33W)
Material: Fireproof PC

TC-087C35G ⚡⚡35W

Input: 110-240Vac 50/60Hz 0.9A
USB-C Output: 5V/3A, 9V/3A, 10V/2A, 12V/2.91A, 15V/2.33A, 20V/1.75A, PPS 5-11V/3A (35W)
Material: Fireproof PC

CN US EU UK JP KR AU IN THAI



TC-087C65G ⚡⚡65W

Input: 110-240Vac 50/60Hz 1.5A
USB-C Output: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A, PPS 5-11V/5A (65W)
Material: Fireproof PC

TC-087CC65G ⚡⚡65W

Input: 110-240Vac 50/60Hz 1.5A
USB-C 1 Output: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A, PPS 5-11V/5A (65W)
USB-C 2 Output: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A, PPS 5-11V/5A (65W)
Total Output: C1+C2: 45W+20W
Material: Fireproof PC

TC-087AC65G ⚡⚡65W

Input: 110-240Vac 50/60Hz 1.5A
USB-C Output: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A, PPS 5-11V/5A (65W)
USB-A Output: 4.5V/5A, 5V/4.5A, 9V/3A, 4.5V/5A, 5V/4.5A, 9V/3A, 12V/2.5A, 20V/1.5A (30W)
Total Output(A+C): C1+A: 45W+18W
Material: Fireproof PC

TC-087CA65G ⚡⚡65W

Input: 110-240Vac 50/60Hz 1.5A
USB-C1/C2 Output: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A, PPS 5-11V/5A (65W)
USB-A Output: 5V/3A, 9V/3A, 12V/2.5, 20V/1.5A (30W)
USB-C1+USB-C2: 45W+20W
USB-C1+USB-A: 45W+18W
USB-C2+USB-A: 5V-3A
USB-C1+USB-C2+USB-A: 45W+15W
Material: Fireproof PC

CN US EU JP THAI



TC-107AC30G ⚡⚡30W

Input:110-240Vac 50/60Hz 1.0A
Output:USB-C Cable: 5V/3A, 9V/3A, 12V/2.5A, PPS:5-11V/3A
USB-A: 5V/3A, 9V/3A, 12V/2.25A
Total Output:USB-C Cable + USB-A:15W (5V/3A)
Material:Fireproof PC

TC-107AC45G ⚡⚡45W

Input: 110-240Vac 50/60Hz 1.0A
Output:USB-C Cable: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A, PPS:5-11V/4.5A
USB-A: 5V/3A, 9V/3A, 12V/2.5A, 20V/1.5A
Total Output:USB-C Cable + USB-A: 30W+10W (5V/2A)
Material:Fireproof PC

TC-107CC45G ⚡⚡45W

Input:110-240Vac 50/60Hz 1.0A
Output: USB-C Cable:5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A, PPS:5-11V/4.5A
USB-C:5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A, PPS:5-11V/4.5A
Total Output:USB-C Cable+USB-A:30W+10W (5V/2A)
Material:Fireproof PC



TC-107CA65G ⚡⚡65W

Input:110-240Vac 50/60Hz 1.5A
Output: USB-C Cable:5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A, PPS:5-11V/4.5A
USB-C:5V/3A, 9V/2.22A, 12V/1.67A, PPS:5-11V/2A
USB-A:5V/3A, 9V/2A, 12V/1.5A
Total Output:USB-C1+USB-C2:45W+20W;USB-C1+USB-A:45W+18W
USB-C1+(USB-C2+USB-A):45W+15W
Material:Fireproof PC



TC-107AC30G ⚡⚡30W

Input:110-240Vac 50/60Hz 1.0A
Output: USB-C:5V/3A, 9V/3A, 12V/2.5A, PPS:5-11V,3A
USB-A:5V/3A, 9V/3A, 12V/2.5A
Total Output:15W (5V/3A)
Material:Fireproof PC

TC-107C45G ⚡⚡45W

Input:110-240Vac 50/60Hz 1.0A
Output:5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A, PPS:5-11V/4.5A
Material:Fireproof PC

TC-107AC45G ⚡⚡45W

Input:110-240Vac 50/60Hz 1.0A
Output: USB-C:5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A, PPS:5-11V/4.5A
USB-A:5V/3A, 9V/3A, 12V/2.5A, 20V/1.5A
Total Output:USB-C+USB-A:30W+10W (5V/2A)
Material:Fireproof PC

TC-107CC45G ⚡⚡45W

Input:110-240Vac 50/60Hz 1.0A
Output:USB-C 1: 15V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A, PPS:5-11V/4.5A
USB-C 2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A, PPS:5-11V/4.5A;
Total Output:USB-C1+USB-C2:30W+10W (5V/2A);
Material:Fireproof PC



TC-095C65G ⚡⚡65W

Input:110-240Vac 50/60Hz 1.5A
USB-C Output: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A, PPS 5-11V/5A (65W)
Material:Fireproof PC

TC-095CC65G ⚡⚡65W

Input:110-240Vac 50/60Hz 1.5A
USB-C 1 Output:5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A, PPS 5-11V/5A (65W)
USB-C 2 Output:5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A PPS 5-11V/5A (65W)
Total Output:C1+C2:45W+20W
Material:Fireproof PC
Material:Fireproof PC

TC-095AC65G ⚡⚡65W

Input:110-240Vac 50/60Hz 1.5A
USB-C Output:5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A PPS 5-11V/5A (65W)
USB-A Output:4.5V/5A, 5V/4.5A 9V/3A, 4.5V/5A, 5V/4.5A, 9V/3A, 12V/2.5A, 20V/1.5A (30W)
Total Output(A+C): C1+A:45W+18W
Material:Fireproof PC

TC-095CA65G ⚡⚡65W

Input:110-240Vac 50/60Hz 1.5A
USB-C1/C2 Output:5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A PPS:5-21V/3A(65W)
USB-A Output:5V/3A, 9V/3A, 12V/2.5A, 20V/1.5A(30W)
Total Output: USB-C1+USB-C2:45W+20W
USB-C1+USB-A:45W+20W
USB-C2+USB-A:5V/3A
USB-C1+USB-C2+USB-A:45W+15W
Material:Fireproof PC





TC-101AC20G ⚡⚡20W

Input:100-240Vac 50/60Hz 0.5A
 USB-C Output:5V/3A,9V/2.22A,
 10V/2A,12V/1.67A,
 PPS 5-11V/1.8A(20W)
 USB-A Output:5V/3A,9V/2A,10V/2A,
 12V/1.5A(20W)
 Total Output(A+C):5V/3A(15W)
 Material:Fireproof PC

TC-101AC30G ⚡⚡30W

Input:110-240Vac 50/60Hz 0.8A
 USB-C Output:5V/3A,9V/3A,10V/2A,
 12V/2.5A,15V/2A,20V/1.5A,
 PPS 5-11V/3A(33W)
 USB-A Output:5V/3A,9V/3A,10V/2A,
 12V/2.5A,20V/1.5A(30W)
 Total Output(A+C):5V/3A(15W)
 Material:Fireproof PC

TC-101AC35G ⚡⚡35W

Input:110-240Vac 50/60Hz 0.9A
 USB-C Output:5V/3A,9V/3A,10V/2A,
 12V/2.91A,15V/2.33A,
 20V/1.75A,PPS:5-11V/3A(35W)
 USB-A Output:5V/3A,9V/3A,10V/2A,
 12V/2.5A,20V/1.5A(30W)
 Total Output(A+C):5V/3A(15W)
 Material:Fireproof PC

TC-101C20G ⚡⚡20W

Input:100-240Vac 50/60Hz 0.5A
 USB-C Output:5V/3A,9V/2.22A,
 10V/2A,12V/1.67A,
 PPS 5-11V/1.8A(20W)
 Material:Fireproof PC

TC-101C30G ⚡⚡30W

Input:110-240Vac 50/60Hz 0.8A
 USB-C Output:5V/3A,9V/3A,10V/2A,
 12V/2.5A,15V/2A,20V/1.5A,
 PPS 5-11V/3A(33W)
 Material:Fireproof PC

TC-101C35G ⚡⚡35W

Input:110-240Vac 50/60Hz 0.9A
 USB-C Output:5V/3A,9V/3A,10V/2A,
 12V/2.91A,15V/2.33A,20V/1.75A,
 PPS 5-11V/3A(35W)
 Material:Fireproof PC

CN US EU UK JP KR AU IN THAI



TC-102AC20G ⚡⚡20W

Input:100-240Vac 50/60Hz 0.5A
 USB-C Output:5V/3A,9V/2.22A,
 10V/2A,12V/1.67A,
 PPS 5-11V/1.8A(20W)
 USB-A Output:5V/3A,9V/2A,10V/2A,
 12V/1.5A(20W)
 Total Output(A+C):5V/3A(15W)
 Material:Fireproof PC

TC-102AC30G ⚡⚡30W

Input:110-240Vac 50/60Hz 0.8A
 USB-C Output:5V/3A,9V/3A,10V/2A,
 12V/2.5A,15V/2A,20V/1.5A,
 PPS 5-11V/3A(33W)
 USB-A Output:5V/3A,9V/3A,10V/2A,
 12V/2.5A,20V/1.5A(30W)
 Total Output(A+C):5V/3A(15W)
 Material:Fireproof PC

TC-102AC35G ⚡⚡35W

Input:110-240Vac 50/60Hz 0.9A
 USB-C Output:5V/3A,9V/3A,10V/2A,
 12V/2.91A,15V/2.33A,
 20V/1.75A,PPS:5-11V/3A(35W)
 USB-A Output:5V/3A,9V/3A,10V/2A,
 12V/2.5A,20V/1.5A(30W)
 Total Output(A+C):5V/3A(15W)
 Material:Fireproof PC

TC-102C20G ⚡⚡20W

Input:100-240Vac 50/60Hz 0.5A
 USB-C Output:5V/3A,9V/2.22A,
 10V/2A,12V/1.67A,
 PPS 5-11V/1.8A(20W)
 Material:Fireproof PC

TC-102C30G ⚡⚡30W

Input:110-240Vac 50/60Hz 0.8A
 USB-C Output:5V/3A,9V/3A,10V/2A,
 12V/2.5A,15V/2A,20V/1.5A,
 PPS 5-11V/3A(33W)
 Material:Fireproof PC

TC-102C35G ⚡⚡35W

Input:110-240Vac 50/60Hz 0.9A
 USB-C Output:5V/3A,9V/3A,10V/2A,
 12V/2.91A,15V/2.33A,20V/1.75A,
 PPS 5-11V/3A(35W)
 Material:Fireproof PC

CN US EU UK JP KR AU IN THAI

Super mini



TC-105C65G ⚡⚡65W

Input:110-240V~50/60Hz 1.5A
 Output:5V/3A,9V/3A,12V/3A,
 15V/3A,20V/3.25A,PPS:5-11V/4.5A;
 Material: Fireproof PC

TC-92C30G ⚡⚡30W

Input:100-240V~50/60Hz 0.8A
 Output:5V/3A,9V/3A,10V/2A,
 12V/2.5A,15V/2A,20V/1.5A,
 PPS 5-11V/3A(33W)
 Material: Fireproof PC

TC-92C35G ⚡⚡35W

Input:110-240V~50/60Hz 0.9A
 Output:5V/3A,9V/3A,10V/2A,
 12V/2.91A,15V/2.33A,20V/1.75A,
 PPS:5-11V=3A(35W)
 Material: Fireproof PC

CN US JP

CN US JP



TC-082AC20G ⚡⚡20W

Input: 100-240Vac 50/60Hz 0.5A
USB-C Output: 5V/3A, 9V/2.22A, 10V/2A, 12V/1.67A,
PPS 5-11V/1.8A (20W)
USB-A Output: 5V/3A, 9V/2A, 10V/2A, 12V/1.5A (20W)
Total Output: 5V/3A (15W)
Material: Fireproof PC

TC-082AC30G ⚡⚡30W

Input: 110-240Vac 50/60Hz 0.8A
USB-C Output: 5V/3A, 9V/3A, 10V/2A, 12V/2.5A, 15V/2A, 20V/1.5A
PPS 5-11V/3A (33W)
USB-A Output: 5V/3A, 9V/3A, 10V/2A, 12V/2.5A, 20V/1.5A (30W)
Total Output: 5V/3A (15W)
Material: Fireproof PC

TC-082AC35G ⚡⚡35W

Input: 110-240Vac 50/60Hz 0.9A
USB-C Output: 5V/3A, 9V/3A, 10V/2A, 12V/2.91A, 15V/2.33A, 20V/1.75A,
PPS 5-11V/3A (35W)
USB-A Output: 5V/3A, 9V/3A, 10V/2A, 12V/2.5A, 20V/1.5A (30W)
Total Output: 5V/3A (15W)
Material: Fireproof PC

TC-082C20G ⚡⚡20W

Input: 100-240Vac 50/60Hz 0.5A
USB-C Output: 5V/3A, 9V/2.22A, 10V/2A, 12V/1.67A,
PPS 5-11V/1.8A (20W)
Material: Fireproof PC

TC-082C30G ⚡⚡30W

Input: 110-240Vac 50/60Hz 0.8A
USB-C Output: 5V/3A, 9V/3A, 10V/2A, 12V/2.5A, 15V/2A, 20V/1.5A,
PPS 5-11V/3A (33W)
Material: Fireproof PC

TC-082C35G ⚡⚡35W

Input: 110-240Vac 50/60Hz 0.9A
USB-C Output: 5V/3A, 9V/3A, 10V/2A, 12V/2.91A, 15V/2.33A, 20V/1.75A,
PPS 5-11V/3A (35W)
Material: Fireproof PC



TC-095AC20G ⚡⚡20W

Input: 100-240Vac 50/60Hz 0.5A
USB-C Output: 5V/3A, 9V/2.22A, 10V/2A, 12V/1.67A,
PPS 5-11V/1.8A (20W)
USB-A Output: 5V/3A, 9V/2A, 10V/2A, 12V/1.5A (20W)
Total Output: 5V/3A (15W)
Material: Fireproof PC

TC-095AC30G ⚡⚡30W

Input: 110-240Vac 50/60Hz 0.8A
USB-C Output: 5V/3A, 9V/3A, 10V/2A, 12V/2.5A, 15V/2A, 20V/1.5A
PPS 5-11V/3A (33W)
USB-A Output: 5V/3A, 9V/3A, 10V/2A, 12V/2.5A, 20V/1.5A (30W)
Total Output: 5V/3A (15W)
Material: Fireproof PC

TC-095AC35G ⚡⚡35W

Input: 110-240Vac 50/60Hz 0.9A
USB-C Output: 5V/3A, 9V/3A, 10V/2A, 12V/2.91A, 15V/2.33A, 20V/1.75A,
PPS 5-11V/3A (35W)
USB-A Output: 5V/3A, 9V/3A, 10V/2A, 12V/2.5A, 20V/1.5A (30W)
Total Output: 5V/3A (15W)
Material: Fireproof PC

TC-095C20G ⚡⚡20W

Input: 100-240Vac 50/60Hz 0.5A
USB-C Output: 5V/3A, 9V/2.22A, 10V/2A, 12V/1.67A,
PPS 5-11V/1.8A (20W)
Material: Fireproof PC

TC-095C30G ⚡⚡30W

Input: 110-240Vac 50/60Hz 0.8A
USB-C Output: 5V/3A, 9V/3A, 10V/2A, 12V/2.5A, 15V/2A, 20V/1.5A,
PPS 5-11V/3A (33W)
Material: Fireproof PC

TC-095C35G ⚡⚡35W

Input: 110-240Vac 50/60Hz 0.9A
USB-C Output: 5V/3A, 9V/3A, 10V/2A, 12V/2.91A, 15V/2.33A, 20V/1.75A,
PPS 5-11V/3A (35W)
Material: Fireproof PC



TC-075CA100G ⚡⚡100W

Input: 110-240Vac 50/60Hz 2.5A
USB-C1/C2 Output: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A
USB-A: 4.5V/5A, 5V/4.5A, 9V/3A, 12V/2.5A, 20V/1.5A
Total Output:
C1+C2: 65W+30W
C1+A: 65W+30W
C1+(C2+A): 65W+15W
Material: Fireproof PC

TC-075CA140G ⚡⚡140W

Input: 110-240Vac 50/60Hz 3.5A
USB-C1/C2 Output: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A, 28V/5A
PPS: 5-21V/5A (140W)
USB-A: 4.5V/5A, 5V/4.5A, 9V/3A, 12V/3A, 20/3A (60W)
Total Output:
C1+C2: 65W+65W
C1+A: 65W+60W
C1+(C2+A): 100W+20W
Material: Fireproof PC





TC-069AC656 ⚡65W

Input:110-240Vac 50/60Hz 1.5A
USB-C Output:PD3.0 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A(65W)
USB-A Output:5V/3A, 9V/2A, 12V/1.5A (18W)
Total Output(A+C):~45W+12W
Material:Fireproof PC

TC-069CA656 ⚡65W

Input:110-240V~50/60Hz 1.5A
Output:USB-C1/C2:5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A(65W)
PPS:5-11V/3A, UFCS:5-11V/3A(33W)
USB-A:5V/3A, 9V/3A, 12V/2.5A, 20V/1.5A (30W) UFCS:5-11V/3A(33W)
Total Output:USB-C1+USB-C2:45W+20W, USB-C1+USB-A:45W+18W,
USB-C2+USB-A:15W, USB-C1+USB-C2+USB-A:45W+15W
Material:Fireproof PC

TC-069C656 ⚡65W

Input:110-240Vac 50/60Hz 1.5A
USB-C Output:PD3.0 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A(65W)
Material:Fireproof PC



TC-069CC656 ⚡65W

Input:110-240Vac 50/60Hz 1.5A
Output:USB-C1/C2:PD3.0 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A(65W)
USB-A:5V/3A, 9V/3A, 12V/2.5A, 20V/1.5A (30W) UFCS:5-11V/3A(33W)
Total Output:USB-C1+USB-C2:45W+20W
Material:Fireproof PC



TC-103AC20G ⚡20W

Input:110-240V~50/60Hz 0.5A
USB-C Output:5V/3A, 9V-2.22A, 12V/1.67A,PPS:5-11V-2A(20W)
USB-A Output:
5V/3A, 9V/2A, 12V-1.5A(18W)
Total Output(A+C):5V/3A (15W)
Material:Fireproof PC

TC-103AC30G ⚡30W

Input:110-240Vac 50/60Hz 0.8A
USB-C Output:5V/3A, 9V/3A, 12V/2.5A
PPS:5.0-11V/3A (30W)
USB-A Output:
5V/3A, 9V/2A, 12V/1.5A (18W)
Total Output(A+C):5V/3A (15W)
Material:Fireproof PC

TC-103C20G ⚡20W

Input:110-240V~50/60Hz0.5A
USB-C Output:5V/3A, 9V/2.22A, 12V/1.67A,PPS:5-11V/2A(20W)
Material:Fireproof PC

TC-103C30G ⚡30W

Input:110-240V~50/60Hz 0.8A
USB-C Output:5V/3A, 9V/3A, 12V/2.5A,PPS:5-11V/3A (30W)
Material:Fireproof PC



TC-064CH65 ⚡65W

Input:100-240Vac 50/60Hz 1.5A
USB-C Output:5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.1A (62W)
USB-A Output:5V/0.6A (3W)
HDMI Output:4K/60Hz HD Audio/Video Projection
Total Output:62W+3W=65W Max
Material:Fireproof PC



P30 D ⚡30W

Input:100-240Vac~,50/60Hz, 1.0A
Output:5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A ,PPS:3.3V-11V/2.7A
Material: Fireproof PC

