



Sanlida Electrical Technology Co., Ltd

Tel:+86-755-8451 5064

www.sanlidaco.com

No.27, Jiangjunmao Industrial area, Wulian community, Longgang street,
Longgang district,Shenzhen City,Guangdong Province, China 518083



Sanlida

Professional Manufacturer For Kitchen Appliances

SHENZHEN • CHINA

KITCHEN APPLIANCES

2025 Collection



www.sanlidaco.com

Hi Friends!


Sanlida was established in March **2014**, specializing in the production of **Small Kitchen Electric Appliances** including stand mixers, meat grinder, coffee grinder, soda makers, ice makers, hand mixer and hand blender. More than **400** products.

Through independent research and development, production, and sales operations, we have established a leading position in the stand mixer industry and has become the **Top 1 stand mixer manufacturer** in China.

Currently, the group operates **7 production bases** across its operations. And **5 Offices** worldwide, which is **Hangzhou, Xinjiang and Shenzhen office in China, Brazil Office and Poland Office**.

Sanlida always welcome all friends in the worldwide!

Production Bases



Company Overview





01

**Metal Housing Stand Mixer
(4L/4.5L/5L/5.5L/6.5L/7L/8L/10L/12L)**

SM-1578-1-1578-8 series ······ 05-08
SM-1579-1-1579-2 series ······ 09
SM-1523-1529 series ······ 10-16
SM-1570-1575 series ······ 17-20
SM-1515-1516 series ······ 21-22

02

**Large Capacity Plastic Stand Mixer
(6L/6.5L/7L/8L/10L/12L)**

23-24 ······ SM-1559-1-1559-12 series
25-26 ······ SM-1560-1-1560-9 series
27-30 ······ SM-1511-1507 series
31-35 ······ SM-1550-1556 series
36 ······ SM-1508 series
37 ······ SM-1520 series



03

Classical Plastic Stand Mixer(4L/4.5L/5L/5.5L/6.2L)

SM-1503-1505 series ······ 38-41
SM-1512 series ······ 42
SM-1555 series ······ 43
SM-1560 series ······ 44
SM-1518-1519 series ······ 45-46



04

**Compact Plastic Stand Mixer
(2L/2.5L/3L/4L/4.5L/5L/5.5L/6L)**

47-48 ······ SM-1509-1510-1521 series
49-50 ······ SM-1530-1536 series
51-52 ······ SM-1590-1592 series
53-56 ······ SM-2540-2549 series



05

**Innovative decoration stand mixer (Leather/Metal/PC)
(2L/2.5L/3L/4L/4.5L/5.2L/6L/6.5L/7L/8L/10L)**

SM-1580-1588 series ······ 57-60



06

**Commercial Stand Mixer
(8L/10L/12L)**

61-62 ······ SM-1576-SM-1576-1 series
63 ······ Innovative functions
64 ······ More Accessories



07

Meat Grinder

MG3610-3649 Series ······ 65-74
MG3651-3666 Series ······ 75-78



08

Coffee Grinder

79-80 ······ GD-3402-3405 Series
81 ······ GD-3430-3432 Series
82-84 ······ GD-3451-3455 Series



09

Hand Mixer Series

HM-3001-3003 & HM-3011-3014 AC hand mixer series ······ 85-86
HM-3005/R-3016/R DC hand mixer series ······ 87-88
HM-3040 mixer with stand series ······ 89-90

Stick Blender Series

HB-4602-4622/R Series ······ 91-94



10

95-96 ······ **Soda Maker Series** (SD-7001-7009)
97 ······ **Ice Maker Series** (IM-8016-8017)
98 ······ **Vacuum Sealer** (VS-2101-2102)
99 ······ **Meat Slicer** (MS-4001-4002)
100 ······ **Food Processor** (FP-4101)
101-102 ······ **Meat Slicer** (MS-4003)
103-104 ······ **FUFU Machine** (FF-2601-2603)



METAL HOUSING STAND MIXER



Metal Housing Stand Mixer

Motor temperature protection level: CLASS F-CLASS 155°C



Ball bearing



Integrated gearbox



DC motor with dual ventilation cooling system





SM-1578-7

- **DC** pure copper motor
- Metal housing
- **6L** SUS304 bowl
- **6** speeds with pulse function
- Full metal gears + ball bearing + belt structure
- Low operation noise

DC 220-240V, 50-60Hz, **2000W**(CE)
DC 220-240V, 50-60Hz, **450W**(CB)
DC 120V, 60Hz, **300W**(ETL)

ALTERNATIVES

- **7L/8L/6+7+8L** SUS304 mixing bowl
- **6L** ceramic bowl
- **LED** display + time controller
- Fermentation function



Model	PCS/CTN	20"GP/40"GP/40"HQ
SM-1578-1	1	530/1100/1250
SM-1578-2	2	580/1200/1340
SM-1578-3/3C	2	550/1120/1290
SM-1578-4	2	630/1260/1440
SM-1578-5	2	548/1090/1212
SM-1578-6	2	532/1060/1244
SM-1578-7	2	580/1168/1296
SM-1578-8	2	620/1300/1430




SM-1578-5



6+7+8L bowl

OPTIONAL ACCESSORIES



SM-1578-1

SM-1578-1

SM-1578-2

SM-1578-2

01

01

02

02



SM-1578-3

SM-1578-3C

SM-1578-4

SM-1578-4

03

3C

04

04



SM-1578-5

SM-1578-5

SM-1578-6

SM-1578-6

05

05

06

06



SM-1578-7

SM-1578-7

SM-1578-8

SM-1578-8

07

07

08

08



SM-1579-1



SM-1579-2

Model	PCS/CTN	20'GP/40'GP/40'HQ
SM-1579-1	2	760/1600/1800
SM-1579-2	2	760/1600/1850

- **DC** pure copper motor
- Metal housing
- **4L** SUS304 bowl
- **6** speeds with pulse function
- Full metal gears + ball bearing + belt structure
- Low operation noise

DC 220-240V, 50-60Hz, **2000W**(CE)
DC 220-240V, 50-60Hz, **450W**(CB)
DC 120V, 60Hz, **300W**(ETL)

ALTERNATIVES

- **5L/6L/4+5+6L SUS304** mixing bowl
- **LED** display + time controller
- Fermentation function



4+5+6L bowl

OPTIONAL ACCESSORIES



METAL HOUSING STAND MIXER



AC/DC Motor System for option

Motor temperature protection level: CLASS F-CLASS 155°C
The motor adopts eddy current heat dissipation technology, radial + axial double blade heat dissipation design.

DC motor parameters

4450 pure copper motor
1000W for CCC standard
800W for CB standard
1000W for CE standard
600W for ETL standard

AC motor parameters

8840 pure copper motor
2200W for CCC standard
1200W for CB standard
1800W for CE standard
800W for MET standard

SM-1529/1523



SM-1529



Digital display for optional

- **AC** pure copper motor
- Die-cast metal body
- **6.5L** SUS304 mixing bowl
- **6** speeds with pulse function
- LED indicator light
- Full metal gearbox + worm spiral structure
- Low operation noise: **68~75dB**

ALTERNATIVES

- **5.5L/7L/8L/6+7L SUS304** mixing bowl
- **5L** glass bowl / **6L** Ceramic bowl
- **LED** display + Time controller
- Fermenting function
- Variable speeds + Pulse
- **DC** motor
- Top cover with big touch screen + Electronic Switch knob + Manual & automatic integrated control

AC MOTOR

AC 220-240V, 50-60Hz, **1800W**(CE)
AC 220-240V, 50-60Hz, **1200W**(CB)
AC 120V, 60Hz, **800W**(MET)

DC MOTOR

DC 220-240V, 50-60Hz, **1000W**(CE)
DC 220-240V, 50-60Hz, **800W**(CB)
DC 120V, 60Hz, **600W**(ETL)

Model	Gift box size	Carton box size	PCS/CTN	N.W./G.W.	20'GP/40'GP/40'HQ
SM-1523	42.8x29.4x38.0cm	60.5x44.4x39.8cm	2	14.2/17.25kg	534/1100/1270
SM-1529	43.8x30.4x40.0cm	62.6x45.4x41.8cm	2	16.0/19.8kg	510/1060/1196

OPTIONAL ACCESSORIES



SS Dough Hook



Double Dough Hooks



Metal Head Whisk



SS Beater



Flex Edge Beater



SS Pasta Maker



Cookie Maker



Sausage Stuffer



Egg White Separator



Spatula



Cover



Glass Bowl



Meat Grinder



Slicer



SM-1523



SM-1523 YM



SM-1523 XM



SM-1523 ZM



SM-1523 NM



SM-1523YTD

SM-1524N



SM-1524 N



SM-1524 NM



SM-1524



SM-1524 M



SM-1524 HMTD

- **AC** pure copper motor
- Die-cast metal body
- **6.5L** SUS304 mixing bowl
- **10** speeds with pulse function
- Full metal gearbox + worm spiral structure
- Low operation noise: **68~75dB**

AC MOTOR
AC 220-240V, 50-60Hz, **1800W**(CE)
AC 220-240V, 50-60Hz, **1200W**(CB)
AC 120V, 60Hz, **800W**(MET)


DC MOTOR
DC 220-240V, 50-60Hz, **1000W**(CE)
DC 220-240V, 50-60Hz, **800W**(CB)
DC 120V, 60Hz, **600W**(ETL)

Gift box size	Carton box size	PCS/CTN	N.W./G.W.	20'GP/40'GP/40'HQ
40.7x25.2x37.0cm	52.0x42.2x38.8cm	2	16.0/19.8kg	680/1420/1640

ALTERNATIVES

- **5.5L/7L/8L/6+7L SUS304** mixing bowl
- **5L** glass bowl
- **6L** Ceramic bowl
- **LED** display + Time controller
- Fermenting function
- Rolling light bar
- **DC** motor
- Top cover with big touch screen + Electronic Switch knob + Manual & automatic integrated control

OPTIONAL ACCESSORIES



SM-1525/1526



SM-1525




- **AC** pure copper motor
- Die-cast metal body
- **6.5L** SUS304 mixing bowl
- LED display + Time controller
- Full metal gearbox + worm spiral structure
- Low operation noise: **68~75dB**

ALTERNATIVES

- **5.5L/7L/8L/6+7L SUS304** mixing bowl
- **5L** glass bowl
- **6L** Ceramic bowl

Model	Gift box size	Carton box size	PCS/CTN	N.W./G.W.	20'GP/40'GP/40'HQ
SM-1525	42.4x26.5x37.6cm	54.6x43.9x39.4cm	2	17.3/20.6kg	620/1295/1478
SM-1526					

OPTIONAL ACCESSORIES



SM-1525 M



SM-1526



SM-1526 M

SM-1527/1528



SM-1527 M



SM-1527 N



SM-1527 XM



SM-1528



SM-1528 M



SM-1527

- **AC** pure copper motor
- Die-cast metal body
- **6.5L** SUS304 mixing bowl
- LED display + Time controller
- Full metal gearbox + worm spiral structure
- Low operation noise: **68~75dB**

ALTERNATIVES


- **5.5L/7L/8L/6+7L SUS304** mixing bowl
- **5L** glass bowl
- **6L** Ceramic bowl
- **DC** motor

Model	Gift box size	Carton box size	PCS/CTN	N.W./G.W.	20'GP/40'GP/40'HQ
SM-1527	42.5x26.4x38.7cm	54.4x44.0x40.5cm	2	19.46/22.60kg	616/1274/1430
SM-1528	41.9x26.4x38.7cm	54.4x43.4x40.5cm	2	19.46/22.60kg	624/1270/1458

- AC MOTOR**
AC 220-240V, 50-60Hz, **1800W**(CE)
AC 220-240V, 50-60Hz, **1200W**(CB)
AC 120V, 60Hz, **800W**(MET)
- DC MOTOR**
DC 220-240V, 50-60Hz, **1000W**(CE)
DC 220-240V, 50-60Hz, **800W**(CB)
DC 120V, 60Hz, **600W**(ETL)



OPTIONAL ACCESSORIES



SM-1572



SM-1572

- **AC** pure copper motor
- Die-cast metal body
- **6.5L** SUS304 mixing bowl
- LED display + Time controller
- Full metal gearbox + worm spiral structure
- Low operation noise: **68~75dB**

ALTERNATIVES


- **7L/8L/6+7L/7+8L SUS304** mixing bowl
- **DC** motor
- Fermenting function

- AC MOTOR**
AC 220-240V, 50-60Hz, **1800W**(CE)
AC 220-240V, 50-60Hz, **1200W**(CB)
AC 120V, 60Hz, **800W**(MET)
- DC MOTOR**
DC 220-240V, 50-60Hz, **1000W**(CE)
DC 220-240V, 50-60Hz, **800W**(CB)
DC 120V, 60Hz, **600W**(ETL)

Gift box size	44.8x28.8x40.0 cm
Carton box size	59.0x46.4x41.8 cm
PCS / CTN	2
N.W. / G.W.	19.84/23.52 kg
20'GP/40'GP/40'HQ	505/1050/1220



OPTIONAL ACCESSORIES



SM-1572 N



SM-1572 M



SM-1572 NM

SM-1570



SM-1570



SM-1570 N



SM-1570 NL



SM-1570 BM



SM-1570 L

- **AC** pure copper motor
- Die-cast metal body
- **6.5L** SUS304 mixing bowl
- **6** speeds with pulse function
- LED indicator light
- Full metal gears + ball bearing + belt structure
- Low operation noise: **68~75dB**


ALTERNATIVES

- **7L/8L/10L/6+7L/7+8L SUS304** mixing bowl
- **LED** display + Time controller
- Fermenting function
- **DC** motor
- Electronic scale

- AC MOTOR**
AC 220-240V, 50-60Hz, **1800W**(CE)
AC 220-240V, 50-60Hz, **1350W**(CB)
AC 120V, 60Hz, **800W**(MET)
- DC MOTOR**
DC 220-240V, 50-60Hz, **1000W**(CE)
DC 220-240V, 50-60Hz, **800W**(CB)
DC 120V, 60Hz, **500W**(ETL)

Gift box size	46.0x28.2x40.5 cm
Carton box size	58.0x47.2x41.4 cm
PCS / CTN	2
N.W. / G.W.	16.80/19.65 kg
20'GP/40'GP/40'HQ	516/1056/1150

OPTIONAL ACCESSORIES



SM-1571



SM-1571

- **AC** pure copper motor
- Die-cast metal body
- **6.5L** SUS304 mixing bowl
- **6** speeds with pulse function
- LED indicator light
- Full metal gears + ball bearing + belt structure
- Low operation noise: **68~75dB**

ALTERNATIVES

- **7L/8L/6+7L/7+8L SUS304** mixing bowl
- **LED** display + Time controller
- Fermenting function
- **DC** motor
- Electronic scale

- AC MOTOR**
AC 220-240V, 50-60Hz, **1800W**(CE)
AC 220-240V, 50-60Hz, **1350W**(CB)
AC 120V, 60Hz, **800W**(MET)
- DC MOTOR**
DC 220-240V, 50-60Hz, **1000W**(CE)
DC 220-240V, 50-60Hz, **800W**(CB)
DC 120V, 60Hz, **500W**(ETL)

Gift box size	44.6x29.4x37.4 cm
Carton box size	60.0x46.2x39.0 cm
PCS / CTN	2
N.W. / G.W.	13.98/17.74 kg
20'GP/40'GP/40'HQ	522/1118/1290

OPTIONAL ACCESSORIES



SM-1571 L



SM-1571 N



SM-1571 NL



SM-1571 BM

SM-1575



SM-1575



SM-1575 BM



SM-1575



- **AC** pure copper motor
- Die-cast metal body
- **6.5L** SUS304 mixing bowl
- **10** speeds with pulse function
- LED indicator light
- Full metal gears + ball bearing + belt structure
- Low operation noise: **68-75dB**


ALTERNATIVES

- **7L/8L/6+7L/7+8L SUS304** mixing bowl
- **6L** Ceramic bowl
- **LED** display + Time controller
- Fermenting function
- **DC** motor

- AC MOTOR**
AC 220-240V, 50-60Hz, **1800W**(CE)
AC 220-240V, 50-60Hz, **1350W**(CB)
AC 120V, 60Hz, **800W**(MET)
- DC MOTOR**
DC 220-240V, 50-60Hz, **1000W**(CE)
DC 220-240V, 50-60Hz, **800W**(CB)
DC 120V, 60Hz, **500W**(ETL)

Gift box size	44.4x29.8x36.8 cm
Carton box size	61.4x46.0x38.6 cm
PCS / CTN	2
N.W. / G.W.	13.20/15.80 kg
20'GP/40'GP/40'HQ	540/1120/1560

OPTIONAL ACCESSORIES



SM-1573



SM-1573



- **AC** pure copper motor
- Die-cast metal body
- **10L** SUS304 mixing bowl
- **10** speeds with pulse function
- LED indicator light
- Full metal gears + ball bearing + belt structure
- Low operation noise: **68-75dB**


ALTERNATIVES

- **12L/15L SUS304** mixing bowl
- **LED** display + Time controller
- Fermenting function
- **DC** motor
- Electronic scale

- AC MOTOR**
AC 220-240V, 50-60Hz, **1800W**(CE)
AC 220-240V, 50-60Hz, **1350W**(CB)
AC 120V, 60Hz, **800W**(MET)
- DC MOTOR**
DC 220-240V, 50-60Hz, **1000W**(CE)
DC 220-240V, 50-60Hz, **800W**(CB)
DC 120V, 60Hz, **500W**(ETL)

Gift box size	46.5x28.3x46.5 cm
Carton box size	60.0x48.2x48.5 cm
PCS / CTN	2
N.W. / G.W.	19.40/21.60 kg
20'GP/40'GP/40'HQ	420/865/995

OPTIONAL ACCESSORIES



SM-1573



SM-1573 N

SM-1515



SM-1515 B



SM-1515 BM



SM-1515




- **AC** pure copper motor
- Die-cast metal body
- **4.5L** SUS304 mixing bowl
- **6** speeds with pulse function
- LED indicator light
- Full metal gears + ball bearing + belt structure
- Low operation noise: **68-75dB**

ALTERNATIVES

- **5.5L/4+4.5L/5+5.5L SUS304** mixing bowl

AC 220-240V, 50-60Hz,	1500W(CE)
AC 220-240V, 50-60Hz,	600W(CB)
AC 120V, 60Hz,	600W(ETL)
Gift box size	37.0x24.0x30.3 cm
Carton box size	49.2x38.6x31.8 cm
PCS / CTN	2
N.W. / G.W.	9.90/12.46 kg
20'GP/40'GP/40'HQ	1000/2068/2280

OPTIONAL ACCESSORIES



SM-1516



SM-1516



- **AC** pure copper motor
- Die-cast metal body
- **5.5L** SUS304 mixing bowl
- **6** speeds with pulse function
- LED indicator light
- Full metal gears + ball bearing + belt structure
- Low operation noise: **68-75dB**

ALTERNATIVES

- **6.2L/5+6.2L SUS304** mixing bowl
- **5L** glass bowl

AC 220-240V, 50-60Hz, 1500W (CE)	
AC 220-240V, 50-60Hz, 1020W (CB)	
AC 120V, 60Hz, 700W (ETL)	
Gift box size	39.6x25.0x31.0 cm
Carton box size	51.2x41.2x32.5 cm
PCS / CTN	2
N.W. / G.W.	12.2/14.4 kg
20'GP/40'GP/40'HQ	880/1812/2044

OPTIONAL ACCESSORIES



SM-1516 B



SM-1516 BM




SM-1559-1

- **DC** pure copper motor
- ABS plastic housing
- **6L** SUS304 bowl
- **6** speeds with pulse function
- Full metal gears + ball bearing + belt structure
- Low operation noise

DC 220-240V, 50-60Hz, **2000W**(CE)
DC 220-240V, 50-60Hz, **450W**(CB)
DC 120V, 60Hz, **300W**(ETL)

ALTERNATIVES

- **SM-1559-1/2/4/5/9/10/12**
7L/8L/6+7+8L mixing bowl
- **SM-1559-3/6/7/8/11**
7L/6+7L SUS304 mixing bowl
- **6L** ceramic bowl
- **LED** display + time controller
- Fermentation function




Model	PCS/CTN	20"GP/40"GP/40"HQ
SM-1559-1	1	600/1190/1340
SM-1559-2	2	560/1150/1280
SM-1559-3	2	540/1080/1220
SM-1559-4	2	550/1080/1240
SM-1559-5	2	510/1000/1020
SM-1559-6	2	560/1165/1340
SM-1559-7	2	526/1120/1230
SM-1559-8/9	2	550/1100/1270
SM-1559-10	2	528/1130/1300
SM-1559-11	2	590/120/1340
SM-1559-12	2	555/1135/1285



6+7+8L bowl

OPTIONAL ACCESSORIES



SM-1559-1



SM-1559-2



SM-1559-3



SM-1559-4



SM-1559-5



SM-1559-6



SM-1559-7



SM-1559-8



SM-1559-9



SM-1559-10



SM-1559-11



SM-1559-12



SM-1560-1



Model	PCS/CTN	20"GP/40"GP/40"HQ
SM-1560-1	2	860/1720/1980
SM-1560-2	2	800/1620/1900
SM-1560-3	2	780/1620/1920
SM-1560-4	2	800/1600/1800
SM-1560-5	2	860/1700/2030
SM-1560-6	2	808/1650/1910
SM-1560-7	2	820/1640/1920
SM-1560-8	2	550/1100/1270
SM-1560-9	2	840/1640/1980

- **DC** pure copper motor
- ABS plastic housing
- **4L** SUS304 bowl
- **6** speeds with pulse function
- Full metal gears + ball bearing + belt structure
- Low operation noise

DC 220-240V, 50-60Hz, **2000W**(CE)
DC 220-240V, 50-60Hz, **450W**(CB)
DC 120V, 60Hz, **300W**(ETL)

ALTERNATIVES

- **5L/6L/4+5+6L SUS304** mixing bowl
- **LED** display + time controller
- Fermentation function



5L/6L/4+5+6L bowl



SM-1560-1

OPTIONAL ACCESSORIES



Double Dough Hooks



Metal Head Whisk



Flex Edge Beater



Spatula



Cover



Egg White Separator



SM-1560-2



SM-1560-2



SM-1560-3



SM-1560-3

01

01

02

02



SM-1560-4



SM-1560-4



SM-1560-5



SM-1560-5

03

03

04

04



SM-1560-6



SM-1560-6



SM-1560-7



SM-1560-7

05

05

06

06



SM-1560-8



SM-1560-8



SM-1560-9



SM-1560-9

07

07

08

08

LARGE CAPACITY PLASTIC
STAND MIXER



SM-1511



SM-1511



SM-1511 X



SM-1511 N



SM-1511 Z



SM-1511 L



SM-1511 NBM



SM-1511MT

ALTERNATIVES

- 7L/8L/10L/12L/6+7L/7+8L mixing bowl
- 6L Ceramic bowl
- LED display + Time controller
- Fermenting function
- DC motor
- Electronic scale
- Top cover with big touch screen + Electronic switch knob + Manual & automatic integrated control
- Competitive motor & PCB option:
Stepless 10 speeds + Pulse
(CE 1300W/CB 600W motor)

- AC pure copper motor
- ABS plastic housing
- 6.5L SUS304 bowl
- 6 speeds with pulse function
- LED indicator light
- Full metal gears + ball bearing + belt structure
- Low operation noise: 68~75dB

AC 220-240V, 50-60Hz, 1900W/2000W(CE)
AC 220-240V, 50-60Hz, 1100W(CB)
AC 120V, 60Hz, 660W(ETL)

Gift box size	42.0x25.1x37.9 cm
Carton box size	51.2x43.5x39.2 cm
PCS / CTN	2
N.W. / G.W.	11.22/14.20 kg
20'GP/40'GP/40'HQ	664/1410/1610

OPTIONAL ACCESSORIES



SS Dough Hook



Double Dough Hooks



Metal Head Whisk



SS Beater



Flex Edge Beater



SS Pasta Maker



Cookie Maker



Sausage Stuffer



Slicer



Electronic Scales



Spatula



Cover



Plastic Pasta Maker



EK1 Glass Jar



Glass Jar



400ml Plastic Jar



Meat Grinder



Dry Grinder

SM-1507



SM-1507



SM-1507 X



SM-1507 L



SM-1507 B



SM-1507 BM



SM-1507MT

- **AC** pure copper motor
- ABS plastic housing
- **7L** SUS304 bowl
- **6** speeds with pulse function
- LED indicator light
- Full metal gears + ball bearing + belt structure
- Low operation noise: **68~75dB**


AC 220-240V, 50-60Hz, **1900W/2000W**(CE)
AC 220-240V, 50-60Hz, **1100W**(CB)
AC 120V, 60Hz, **660W**(ETL)

Gift box size	41.7x25.6x35.6 cm
Carton box size	52.2x43.2x36.9 cm
PCS / CTN	2
N.W. / G.W.	10.86/13.20 kg
20'GP/40'GP/40'HQ	720/1440/1680

ALTERNATIVES

- **6L/8L/10L/6+7L SUS304** mixing bowl
- **6L** Ceramic bowl
- **LED** display + Time controller
- Fermenting function
- **DC** motor
- Electronic scale
- Top cover with big touch screen + Electronic switch knob + Manual & automatic integrated control
- **Competitive motor & PCB option:** Stepless 10 speeds + Pulse (CE 1300W/CB 600W motor)

OPTIONAL ACCESSORIES



SM-1551



SM-1551



SM-1551 X



SM-1551 N



SM-1551 L



SM-1551 BML



SM-1551MT

ALTERNATIVES

- **7L/8L/10L/6+7L/7+8L SUS304** mixing bowl
- **6L** Ceramic bowl
- **LED** display + Time controller
- Fermenting function
- **DC** motor
- Electronic scale
- Top cover with big touch screen + Electronic switch knob + Manual & automatic integrated control + Recipe tips
- **Competitive motor & PCB option:** Stepless 10 speeds + Pulse (CE 1300W/CB 600W motor)

OPTIONAL ACCESSORIES



- **AC** pure copper motor
- ABS plastic housing
- **6.5L** SUS304 bowl
- **6** speeds with pulse function
- LED indicator light
- Full metal gears + ball bearing + belt structure
- Low operation noise: **68~75dB**

AC 220-240V, 50-60Hz, **1900W/2000W**(CE)
AC 220-240V, 50-60Hz, **1100W**(CB)
AC 120V, 60Hz, **660W**(ETL)

Gift box size	41.3x24.8x37.7 cm
Carton box size	50.6x42.8x39.0 cm
PCS / CTN	2
N.W. / G.W.	10.9/13.8 kg
20'GP/40'GP/40'HQ	664/1390/1640

SM-1550



SM-1550



SM-1550 X



SM-1550 H



SM-1550 NL



SM-1550 BML



SM-1550 YL



- **AC** pure copper motor
- ABS plastic housing
- **6.5L** SUS304 bowl
- **6** speeds with pulse function
- LED indicator light
- Full metal gears + ball bearing + belt structure
- Low operation noise: **68~75dB**

AC 220-240V, 50-60Hz, **1900W/2000W**(CE)
AC 220-240V, 50-60Hz, **1100W**(CB)
AC 120V, 60Hz, **660W**(ETL)

ALTERNATIVES

- **7L/8L/10L/6+7L/7+8L SUS304** mixing bowl
- **6L** Ceramic bowl
- **LED** display + Time controller
- Fermenting function
- **DC** motor
- Electronic scale
- **Competitive motor & PCB option:** Stepless 10 speeds + Pulse (CE 1300W/CB 600W motor)

Gift box size	Carton box size	PCS/CTN	N.W./G.W.	20'GP/40'GP/40'HQ
41.3x24.8x37.7cm	50.6x42.8x39.0cm	2	11.80/14.25kg	664/1390/1640

OPTIONAL ACCESSORIES



SM-1552



SM-1552



SM-1552 X



SM-1552 YL



SM-1552 H



SM-1552 BML



SM-1552 NL



- **AC** pure copper motor
- ABS plastic housing
- **6.5L** SUS304 mixing bowl
- **6** speeds with pulse function
- LED indicator light
- Full metal gears + ball bearing + belt structure
- Low operation noise

AC 220-240V, 50-60Hz, **1900W/2000W**(CE)
AC 220-240V, 50-60Hz, **1100W**(CB)
AC 120V, 60Hz, **660W**(ETL)

ALTERNATIVES

- **7L/8L/10L/6+7L/7+8L SUS304** mixing bowl
- **6L** Ceramic bowl
- **LED** display + Time controller
- Fermenting function
- **DC** motor
- Electronic scale
- **Competitive motor & PCB option:** Stepless 10 speeds + Pulse (CE 1300W/CB 600W motor)

Gift box size	Carton box size	PCS/CTN	N.W./G.W.	20'GP/40'GP/40'HQ
44.3x27.9x37.7cm	56.8x45.8x39.0cm	2	11.50/15.05kg	580/1190/1350

OPTIONAL ACCESSORIES



SM-1553



SM-1553



SM-1553 X



SM-1553 Z



SM-1553 YL



SM-1553 NL



- **AC** pure copper motor
- ABS plastic housing
- **6.5L** SUS304 bowl
- **6** speeds with pulse function
- LED indicator light
- Full metal gears + ball bearing + belt structure
- Low operation noise: **68~75dB**

AC 220-240V, 50-60Hz, **1900W/2000W**(CE)
AC 220-240V, 50-60Hz, **1100W**(CB)
AC 120V, 60Hz, **660W**(ETL)

ALTERNATIVES

- **7L/8L/6+7L/7+8L SUS304** mixing bowl
- **6L** Ceramic bowl
- LED display + Time controller
- Fermenting function
- **DC** motor
- **Competitive motor & PCB option:** Stepless 10 speeds + Pulse (CE 1300W/CB 600W motor)

Gift box size	Carton box size	PCS/CTN	N.W./G.W.	20'GP/40'GP/40'HQ
42.5x25.5x37.9cm	52.0x44.0x39.2cm	2	11.78/15.10kg	640/1316/1550

OPTIONAL ACCESSORIES



SM-1554



SM-1554



SM-1554 N



SM-1554 X-B



SM-1554 H



SM-1554 BML



SM-1554 X-AL




- **AC** pure copper motor
- ABS plastic housing
- **6.5L** SUS304 mixing bowl
- **6** speeds with pulse function
- LED indicator light
- Full metal gears + ball bearing + belt structure
- Low operation noise

AC 220-240V, 50-60Hz, **1900W/2000W**(CE)
AC 220-240V, 50-60Hz, **1100W**(CB)
AC 120V, 60Hz, **660W**(ETL)

ALTERNATIVES

- **7L/8L/10L/6+7L/7+8L SUS304** mixing bowl
- **6L** Ceramic bowl
- **LED** display + Time controller
- Fermenting function
- **DC** motor
- Electronic scale
- **Competitive motor & PCB option:** Stepless 10 speeds + Pulse (CE 1300W/CB 600W motor)

OPTIONAL ACCESSORIES



SM-1556



SM-1556



SM-1556



SM-1556 X



SM-1556 L



- **AC** pure copper motor
- ABS plastic housing
- **6.5L** SUS304 mixing bowl
- **6** speeds with pulse function
- LED indicator light
- Full metal gears + ball bearing + belt structure
- Low operation noise

AC 220-240V, 50-60Hz, **1900W/2000W**(CE)
AC 220-240V, 50-60Hz, **1100W**(CB)
AC 120V, 60Hz, **660W**(ETL)

Gift box size	Carton box size	PCS/CTN	N.W./G.W.	20'GP/40'GP/40'HQ
45.2x29.8x37.8cm	60.8x46.8x39.4cm	2	11.42/14.13kg	520/1070/1220

ALTERNATIVES

- **7L/8L/6+7L/7+8L SUS304** mixing bowl
- **6L** Ceramic bowl
- **LED** timer
- **Competitive motor & PCB option:** Stepless 10 speeds + Pulse (CE 1300W/CB 600W motor)

OPTIONAL ACCESSORIES



SM-1508



SM-1508



SM-1508-1



SM-1508



- **AC** pure copper motor
- ABS plastic housing
- **7L** SUS304 mixing bowl
- **6** speeds with pulse function
- LED indicator light
- Full metal gears + ball bearing + belt structure
- Low operation noise: **68-75dB**


AC 220-240V, 50-60Hz, **1900W/2000W**(CE)
AC 220-240V, 50-60Hz, **1100W**(CB)
AC 120V, 60Hz, **660W**(ETL)

ALTERNATIVES

- **6L/8L/6+7L SUS304** mixing bowl
- **DC** motor
- **6L** Ceramic bowl
- Electronic scale
- **Competitive motor & PCB option:** Stepless 10 speeds + Pulse (CE 1300W/CB 600W motor)

Gift box size	Carton box size	PCS/CTN	N.W./G.W.	20'GP/40'GP/40'HQ
41.8x26.3x35.3cm	53.6x43.3x36.6cm	2	11.38/13.90kg	702/1420/1656

OPTIONAL ACCESSORIES



SM-1508 B



SM-1508 BM

SM-1520



SM-1520 Z



SM-1520 U



SM-1520 N



SM-1520 Y



SM-1520 BM



SM-1520



- **AC** pure copper motor
- ABS plastic housing
- **7L** SUS304 mixing bowl
- **6** speeds with pulse function
- LED indicator light
- Full metal gears + ball bearing + belt structure
- Low operation noise: **68~75dB**


AC 220-240V, 50-60Hz, **1900W/2000W**(CE)
AC 220-240V, 50-60Hz, **1100W**(CB)
AC 120V, 60Hz, **660W**(ETL)

ALTERNATIVES

- **6L/8L/6+7L SUS304** mixing bowl
- **6L** Ceramic bowl
- **LED** display + Time controller
- Fermenting function
- **Competitive motor & PCB option:**
Stepless 10 speeds + Pulse
(CE 1300W/CB 600W motor)

Gift box size	Carton box size	PCS/CTN	N.W./G.W.	20'GP/40'GP/40'HQ
40.4x26.1x33.4cm	53.2x41.9x34.7cm	2	10.60/12.80kg	780/1560/1800

OPTIONAL ACCESSORIES



CLASSICAL PLASTIC STAND MIXER



SM-1503



SM-1503



SM-1503 HN



SM-1503 HL



SM-1503 N



SM-1503 BM



SM-1503T

- **AC** pure copper motor
- ABS plastic housing
- **5.5L** SUS304 mixing bowl
- **6** speeds with pulse function
- LED indicator light
- Full metal gears + ball bearing + belt structure
- Low operation noise: **68~75dB**


AC 220-240V, 50-60Hz, **1900W/2000W**(CE)
AC 220-240V, 50-60Hz, **1100W**(CB)
AC 120V, 60Hz, **660W**(ETL)

Gift box size	Carton box size	PCS/CTN	N.W./G.W.	20'GP/40'GP/40'HQ
39.5x24.5x32.2cm	50.0x41.0x33.5cm	2	10.3/12.6kg	865/1730/2030


ALTERNATIVES

- **6.2L/5+6.2L SUS304** mixing bowl
- **5L** glass bowl
- **LED** display+Time controller
- Fermenting function
- **DC** motor
- Electronic scale
- Top cover with big touch screen + Electronic switch knob + Manual & automatic integrated control
- **Competitive motor & PCB option:** Stepless 10 speeds + Pulse (CE 1300W/CB 600W motor)

OPTIONAL ACCESSORIES



OPTIONAL ACCESSORIES



- **AC** pure copper motor
- ABS plastic housing
- **5.5L** SUS304 bowl
- **6** speeds with pulse function
- LED indicator light
- Full metal gears + ball bearing+ belt structure
- Low operation noise: **68~75dB**

AC 220-240V, 50-60Hz, **1900W/2000W**(CE)
AC 220-240V, 50-60Hz, **1100W**(CB)
AC 120V, 60Hz, **660W**(ETL)

Gift box size	Carton box size	PCS/CTN	N.W./G.W.	20'GP/40'GP/40'HQ
39.8x24.5x34.0cm	50.0x41.3x35.3cm	2	10.50/13.20kg	820/1660/1895

ALTERNATIVES

- **6.2L/5+6.2L SUS304** mixing bowl
- **5L** glass bowl
- **LED** display + Time controller
- Fermenting function
- **DC** motor
- Electronic scale
- Top cover with touch screen
- **Competitive motor & PCB option:** Stepless 10 speeds + Pulse (CE 1300W/CB 600W motor)



SM-1504HBM

SM-1504



SM-1504



SM-1504 X



SM-1504 L



SM-1504 N



1504HBM



SM-1504 NBM

SM-1505



SM-1505



SM-1505 N



SM-1505 M



SM-1505 HBM



SM-1505 BL



SM-1505 HL

- **AC** pure copper motor
- ABS plastic housing
- **5.5L** SUS304 mixing bowl
- **6** speeds with pulse function
- LED indicator light
- Full metal gears + ball bearing + belt structure
- Low operation noise: **68~75dB**


AC 220-240V, 50-60Hz, **1900W/2000W**(CE)
AC 220-240V, 50-60Hz, **1100W**(CB)
AC 120V, 60Hz, **660W**(ETL)

Gift box size	Carton box size	PCS/CTN	N.W./G.W.	20'GP/40'GP/40'HQ
40.2x24.3x35.6cm	49.6x41.7x36.9cm	2	10.60/13.05kg	780/1580/1830

ALTERNATIVES

- **6.2L/5+6.2L SUS304** mixing bowl
- **5L** glass bowl
- **LED** display + Time controller
- Fermenting function
- **DC** motor
- Electronic scale
- **Competitive motor & PCB option:**
Stepless 10 speeds + Pulse
(CE 1300W/CB 600W motor)

OPTIONAL ACCESSORIES



SM-1512



SM-1512L

- **AC** pure copper motor
- ABS plastic housing
- **5.5L** SUS304 bowl
- **6** speeds with pulse function
- LED indicator light
- Full metal gears + ball bearing + belt structure
- Low operation noise: **68~75dB**

AC 220-240V, 50-60Hz, **1900W/2000W**(CE)
AC 220-240V, 50-60Hz, **1100W**(CB)
AC 120V, 60Hz, **660W**(ETL)

Gift box size	Carton box size	PCS/CTN	N.W./G.W.	20'GP/40'GP/40'HQ
40.1x24.0x32.8cm	49.0x41.6x34.1cm	2	10.40/12.80kg	860/1740/2005

ALTERNATIVES

- **4.5L/4+4.5L/5+5.5L SUS304** mixing bowl
- **LED** display + Time controller
- Fermenting function
- **DC** motor
- **Competitive motor & PCB option:**
Stepless 10 speeds + Pulse
(CE 1300W/CB 600W motor)

OPTIONAL ACCESSORIES



SM-1512



SM-1512 X

SM-1555



SM-1555



SM-1555 X



SM-1555 BM



SM-1555NM

- **AC** pure copper motor
- ABS plastic housing
- **5.5L** SUS304 bowl
- **6** speeds with pulse function
- LED indicator light
- Full metal gears + ball bearing + belt structure
- Low operation noise: **68~75dB**

AC 220-240V, 50-60Hz, **1900W/2000W**(CE)
AC 220-240V, 50-60Hz, **1100W**(CB)
AC 120V, 60Hz, **660W**(ETL)

Gift box size	Carton box size	PCS/CTN	N.W./G.W.	20'GP/40'GP/40'HQ
40.9x25.3x35.7cm	51.6x42.4x37.0cm	2	12.70/14.20kg	740/1480/1730

ALTERNATIVES

- **6.2L/5+6.2L SUS304** mixing bowl
- Fermenting function
- Electronic scale
- Top cover with big touch screen + Electronic switch knob + Manual & automatic integrated control
- **DC** motor

OPTIONAL ACCESSORIES



Ice Cream Maker



Electronic Scales



SS Dough Hook



Double Dough Hooks



Metal Head Whisk



SS Beater



Flex Edge Beater



Pasta Maker



Cookie Maker



Sausage Stuffer



Glass Jar



EK1 Glass Jar



400ml Plastic Jar



Plastic Pasta Maker



Egg White Separator



Spatula



Cover



Meat Grinder



Slicer



Dry Grinder

SM-1560



SM-1560



SM-1560 N



SM-1560 UM



SM-1560TD

- **AC** pure copper motor
- ABS plastic housing
- **5.5L** SUS304 bowl
- **6** speeds with pulse function
- LED indicator light
- Full metal gears + ball bearing + belt structure
- Low operation noise: **68~75dB**

AC 220-240V, 50-60Hz, **1900W/2000W**(CE)
AC 220-240V, 50-60Hz, **1100W**(CB)
AC 120V, 60Hz, **660W**(ETL)

ALTERNATIVES

- **6.2L/5+6.2L SUS304** mixing bowl
- **5L** glass bowl
- **Competitive motor & PCB option:**
Stepless 10 speeds + Pulse
(CE 1300W/CB 600W motor)

Gift box size	Carton box size	PCS/CTN	N.W./G.W.	20'GP/40'GP/40'HQ
42.1x24.3x34.5cm	49.6x43.6x35.8cm	2	11.00/14.90kg	780/1564/1780

OPTIONAL ACCESSORIES



SS Dough Hook



Double Dough Hooks



Metal Head Whisk



SS Beater



Flex Edge Beater



Spatula



Cover



Egg White Separator



Glass Bowl



Ice Cream Maker

SM-1518



SM-1518 H



SM-1518 M



SM-1518 HBM



SM-1518 BM



SM-1518



- **AC** pure copper motor
- ABS plastic housing
- **5.5L** SUS304 bowl
- **6** speeds with pulse function
- LED indicator light
- Full metal gears + ball bearing + belt structure
- Low operation noise: **68~75dB**


AC 220-240V, 50-60Hz, **1900W/2000W**(CE)
AC 220-240V, 50-60Hz, **1100W**(CB)
AC 120V, 60Hz, **660W**(ETL)

Gift box size	Carton box size	PCS/CTN	N.W./G.W.	20'GP/40'GP/40'HQ
40.5x25.5x31.5cm	52.0x42.0x32.8cm	2	9.40/11.80kg	825/1682/1964

ALTERNATIVES

- **6.2L/5+6.2L SUS304** mixing bowl
- **5L** glass bowl
- **LED** display + Time controller
- Fermenting function
- Electronic scale
- **DC** motor
- **Competitive motor & PCB option:**
Stepless 10 speeds + Pulse
(CE 1300W/CB 600W motor)

OPTIONAL ACCESSORIES



SM-1519



SM-1519 N



SM-1519 Y



SM-1519 NL



SM-1519 BM



SM-1519



- **AC** pure copper motor
- ABS plastic housing
- **4.5L** SUS304 mixing bowl
- **6** speeds with pulse function
- LED indicator light
- Full metal gears + ball bearing + belt structure
- Low operation noise: **68~75dB**


AC 220-240V, 50-60Hz, **1900W/2000W**(CE)
AC 220-240V, 50-60Hz, **1100W**(CB)
AC 120V, 60Hz, **660W**(ETL)

Gift box size	Carton box size	PCS/CTN	N.W./G.W.	20'GP/40'GP/40'HQ
40.2x25.1x31.4cm	51.2x41.7x32.7cm	2	10.80/12.00kg	840/1740/2000

ALTERNATIVES

- **5.5L/4+4.5L/5+5.5L SUS304** mixing bowl
- **LED** display + Time controller
- Fermenting function
- **DC** motor
- **Competitive motor & PCB option:**
Stepless 10 speeds + Pulse
(CE 1300W/CB 600W motor)

OPTIONAL ACCESSORIES



COMPACT PLASTIC STAND MIXER



SM-1510/1509/1521



SM-1510



- **AC** pure copper motor
- ABS plastic housing
- **4.5L** SUS304 bowl
- **8** speeds with pulse function
- LED indicator light
- Worm gears transmission structure
- Low operation noise: **68~75dB**

ALTERNATIVES

- **4+4.5L SUS304** mixing bowl

AC 220-240V, 50-60Hz, **1000W/1300W**(CE)
AC 220-240V, 50-60Hz, **400W**(CB)
AC 120V, 60Hz, **380W**(ETL)

Model	Gift box size	Carton box size	PCS/CTN	N.W./G.W.	20'GP/40'GP/40'HQ
SM-1509	36.6x24.6x30.8cm	50.5x38.2x32.3cm	2	6.60/8.30kg	924/1932/2208
SM-1510	39.8x24.6x30.8cm	50.5x41.4x32.3cm	2	6.90/8.80kg	860/1790/2068
SM-1521	35.2x24.2x29.8cm	49.5x36.8x31.3cm	2	6.90/8.60kg	1016/2136/2400

OPTIONAL ACCESSORIES



SM-1509



SM-1510 H



SM-1510 N



SM-1510 X



SM-1521



SM-1521 HX

SM-1530/1533/1535/1536



SM-1533



SM-1533 N



SM-1533 X



SM-1535



SM-1536



SM-1530



- **AC** pure copper motor
- ABS plastic housing
- **4.5L** SUS304 bowl
- **10** speeds with pulse function
- LED indicator light
- Full metal gears + ball bearing + belt structure
- Low operation noise: **68~75dB**

ALTERNATIVES

- **5.5L/4+4.5L SUS304** mixing bowl
- **5L** plastic bowl
- **DC** motor
- ★ **SM-1535:** Electronic scale

AC 220-240V, 50-60Hz, **800W/1300W**(CE)
AC 220-240V, 50-60Hz, **450W/550W**(CB)
AC 120V, 60Hz, **350W/380W/450W**(MET)

Model	Gift box size	Carton box size	PCS/CTN	N.W./G.W.	20"GP/40"GP/40"HQ
SM-1530	36.0x22.6x33.6cm	46.5x37.6x35.2cm	2	7.90/10.20kg	955/1950/2230
SM-1533	36.3x23.0x34.0cm	47.0x37.8x35.3cm	2	7.50/8.80kg	920/1910/2208
SM-1535	39.0x26.0x37.0cm	53.2x40.6x38.5cm	2	8.26/10.60kg	720/1520/1680
SM-1536	38.5x23.1x34.7cm	47.2x40.0x36.0cm	2	8.20/10.70kg	888/1800/2030

OPTIONAL ACCESSORIES



SM-1531/1532/1534



SM-1531



- **AC** pure copper motor
- ABS plastic housing
- **4.5L** SUS304 bowl
- **10** speeds with pulse function
- LED indicator light
- Full metal gears + ball bearing + belt structure
- Low operation noise: **68~75dB**


ALTERNATIVES

- **5.5L/4+4.5L SUS304** mixing bowl
- **5L** plastic bowl
- **DC** motor

AC 220-240V, 50-60Hz, **800W/1300W**(CE)
AC 220-240V, 50-60Hz, **450W/550W**(CB)
AC 120V, 60Hz, **350W/380W/450W**(MET)

Model	Gift box size	Carton box size	PCS/CTN	N.W./G.W.	20"GP/40"GP/40"HQ
SM-1531	35.3x23.0x32.7cm	47.0x36.8x34.0cm	2	7.20/8.20kg	1005/2055/2376
SM-1532	35.5x22.9x32.7cm	46.8x37.0x34.0cm	2	7.20/8.20kg	1000/2030/2340
SM-1534	36.8x22.6x35.0cm	46.5x38.4x36.5cm	2	7.60/9.60kg	880/1830/2140

OPTIONAL ACCESSORIES



SM-1531 N



SM-1531 BM



SM-1532



SM-1532 BM



SM-1534



SM-1534 BM

SM-1591/1590



SM-1590



SM-1590



SM-1591



SM-1591



- Pure copper wire **DC** motor with super quiet design
- Plastic housing
- **5L** SUS304 bowl
- Individual digital control buttons for kneading & fermenting
- Function selection and time adjustment with LED display
- Kneading time is adjustable at 5 variable settings(**5mins, 7mins, 9mins, 13mins and 15mins**), just press twice “dough” button with left light flash for time selection.
- Fermenting for leaven dough on 40℃ and time is adjustable from 15mins up to 105mins, just press twice “ferment” button with right light flash for time selection.
- Kneading & fermenting function can be adjust together with respectively time selection, machine will complete kneading operation and continue fermenting automatically.
- Stop function can be operated at any time during the process.
- Standard accessory: dough hook
- Strong gears + worm spiral structure
- Low operation noise,**68-75dB** within 1M

DC 220-240V, 50-60Hz, **480W**(CE)
DC 220-240V, 50-60Hz, **260W**(CB)
DC 120V, 60Hz, **230W**(MET)

Model	Gift box size	Carton box size	PCS/CTN	N.W./G.W.	20'GP/40'GP/40'HQ
SM-1590	41.8x26.4x28.4cm	54.5x43.4x30.2cm	2	6.60/8.50kg	818/1696/1928
SM-1591					

SM-1592



- Pure copper wire **DC** motor with super quiet design
- Plastic housing
- **5L** SUS304 bowl
- Touch control panel for time adjustment with LED display
- Kneading time is adjustable at 5 variable settings(**5mins, 7mins, 9mins, 13mins and 15mins**), just click count up or count down for option.
- Fermenting for leaven dough on 40℃ and time is adjustable from 15mins up to 105mins
- Standard accessory: dough hook
- Strong gears + worm spiral structure
- Low operation noise, **68-75dB** within 1M

DC 220-240V, 50-60Hz, **550W**(CE)
DC 220-240V, 50-60Hz, **260W**(CB)
DC 120V, 60Hz, **230W**(MET)

Gift box size	Carton box size	PCS/CTN	N.W./G.W.	20'GP/40'GP/40'HQ
26.0x31.6x32.8cm	53.2x33.2x34.6cm	2	6.00/7.20kg	940/1940/2230



SM-1592



SM-1592



SM-1592



SM-2542

- AC motor
- ABS plastic housing
- 4L SUS304 bowl
- 10 speeds with pulse function
- Worm gears transmission structure
- Low noise

ALTERNATIVES


- 4.5L/5.2L/6L/4+4.5+5.2L SUS304 mixing bowl
- 5L Glass bowl
- 5L Ceramic bowl
- LED display + time controller
- Fermenting function
- Metal Gear

AC 220-240V, 50-60Hz, 1500W(CE)
AC 220-240V, 50-60Hz, 400W(CB)
AC 120V, 60Hz, 300W(ETL)



Model	PCS/CTN	20"GP/40"GP/40"HQ
SM-2540/2541	2	1030/2098/2400
SM-2542/2544/2546	2	1026/2032/2380
SM-2543	2	920/1860/2120
SM-2545	2	1020/2100/2358
SM-2547	2	970/1980/2270
SM-2548/2548A	2	1040/2140/2434

OPTIONAL ACCESSORIES



SM-2540



Digital display for optional



SM-2540 BM



SM-2541



SM-2541 H



SM-2541 HN



SM-2541 BM



SM-2542 N



SM-2542 BM



SM-2543



SM-2543 BM



SM-2544



SM-2544 BM



SM-2545



SM-2545 BM



SM-2546



SM-2546 BM



SM-2547



SM-2547 BM



SM-2548



SM-2548 BM



SM-2548A

Control the working time automatically, free you life!

Model with Timer



3 bowls in 1, save kitchen space, different food with different bowls. Meets various needs of you!



4+4.5+5.2L BOWL



- AC motor
- ABS plastic housing
- 2L SUS304 bowl
- 10 speeds with pulse function
- Worm gears transmission structure
- Low noise

AC 220-240V, 50-60Hz, 1500W(CE)
AC 220-240V, 50-60Hz, 400W(CB)
AC 120V, 60Hz, 300W(ETL)

Model	Gift box size	Carton box size	PCS/CTN	20'GP/40'GP/40'HQ
SM-2549	30.1x19.3x26.7cm	39.6x31.6x28.0cm	2	1700/3420/3930
SM-2549A	31.1x19.3x27.7cm	39.6x32.6x29.0cm	2	1603/3205/3793

- ALTERNATIVES
- 2.5L/3L/2+2.5+3L SUS304 mixing bowl



OPTIONAL ACCESSORIES



Egg White Separator Spatula

INNOVATIVE DECORATION
STAND MIXER



SM-1580~1585

- **AC** pure copper motor
- ABS plastic housing
- **6L** SUS304 bowl
- **6** speeds with pulse function
- Full metal gears + ball bearing + belt structure
- Low operation noise


DC 220-240V, 50-60Hz, **1900W/2000W**(CE)
DC 220-240V, 50-60Hz, **1100W**(CB)
DC 120V, 60Hz, **660W**(ETL)

ALTERNATIVES

- **7L/8.5L/10L/6+7+8.5L** SUS304 mixing bowl
- **6L** ceramic bowl
- **LED** display + time controller
- Fermentation function
- **DC** motor




SM-1580



Model	PCS/CTN	20'GP/40'GP/40'HQ
SM-1580	2	600/1360/1560
SM-1581	2	680/1400/1616
SM-1582	2	680/1400/1616
SM-1583	2	630/1310/1490
SM-1584	2	873/1745/2066
SM-1585	2	820/1670/1900

OPTIONAL ACCESSORIES





SM-1580BM



SM-1580BML



SM-1581



SM-1581BM



SM-1581BML



SM-1582



SM-1582BM



SM-1583



SM-1583BM



SM-1584



SM-1584BM



SM-1585

- **AC** motor
- ABS plastic housing
- **4L** SUS304 bowl
- **10** speeds with pulse function
- Worm gears transmission structure
- Low noise

DC 220-240V, 50-60Hz, **1500W**(CE)
DC 220-240V, 50-60Hz, **400W**(CB)
DC 120V, 60Hz, **300W**(ETL)

ALTERNATIVES


- Collocation of different decorative materials
- SM-1586: With leather decorate parts
- **4.5L/5.2L/6L/4+4.5+5.2L SUS304** mixing bowl
- **5L** Glass bowl
- **5L** Ceramic bowl
- **LED** display+time controller
- Fermentation function



SM-1586



OPTIONAL ACCESSORIES



Model	PCS/CTN	20'GP/40'GP/40'HQ
SM-1586	2	1002/2004/2372
SM-1587	2	986/1972/2334
SM-1588	2	994/1987/2352



SM-1587



SM-1587BM



SM-1588



SM-1576

- **AC** pure copper motor
- Meatl housing
- **8L** SUS304 bowl
- **11** speeds setting
- Full metal gears + ball bearing + belt structure
- Low operation noise
- Product Size: 458x320x465mm

AC 220-240V, 50-60Hz, **2000W**(CE)
AC 220-240V, 50-60Hz, **1500W**(CB)
AC 120V, 60Hz, **800W**(ETL)

ALTERNATIVES

- **8L/10L/12L SUS304** mixing bowl
- **DC** motor



Gift box size	Carton box size	PCS/CTN	20'GP/40'GP/40'HQ
48.5x35.4x50.5cm	49.5x36.4x52.0cm	2	315/640/735



SM-1576-8L



SM-1576-10L



SM-1576-12L

OPTIONAL ACCESSORIES



SS Dough Hook



Double Dough Hooks



Metal Head Whisk



SS Beater



Flex Edge Beater



Egg White Separator



Spatula



Cover



SM-1576-1

- **AC** pure copper motor
- Meatl housing
- **7L** SUS304 bowl
- **6** speeds setting
- Full metal gears + ball bearing + belt structure
- Low operation noise
- Product Size: 402x292x371.6mm

AC 220-240V, 50-60Hz, **2000W**(CE)
AC 220-240V, 50-60Hz, **1100W** (CB)
AC 120V, 60Hz, **660W** (ETL)

ALTERNATIVES

DC 220-240V, 50-60Hz, **2000W**(CE)
DC 220-240V, 50-60Hz, **450W** (CB)
DC 120V, 60Hz, **300W**(ETL)



Gift box size	Carton box size	PCS/CTN	20'GP/40'GP/40'HQ
43.7x31.7x39.9 cm	64.9x44.9x41.3 cm	2	470 /920/1120



SM-1576-1 7L



SM-1576-1 7L



SM-1576-1 7L

OPTIONAL ACCESSORIES



SS Dough Hook



Double Dough Hooks



Metal Head Whisk



SS Beater



Flex Edge Beater



Egg White Separator



Spatula




Cover



1 min whisking



1 min kneading



Milk frother



RGB128 color breathing atmosphere light



Vacuum bowl



Vacuum blender



Electronic Scale



Low speed 0 noise



Double Hooks




Fermentation



Bluetooth 5.0 Speaker



Tomato juicer



Citrus Juicer



Slow Juicer



Grinder



Meat Tenderizer



Plastic Meat Grinder



3 in 1 Pasta Maker



Plastic Pasta Maker



Cream accessories



Ice cream maker



Ice shaver



Ice packs



Slicer



Slicer



Yogurt whey separator



Dumpling Accessory



Dumpling Accessory



Dumpling Accessory

MEAT GRINDER

an indispensable tool for home cooks and professional chefs.
Ideal for beef, chicken, pork, fish and more.



DC Motor
Low Noise



High Efficiency
& Powerful



100% Copper
Motor



Overheat
Protection



Metal Gears



Food Grade
Plates



Meat Grinder Attachment



Meat Grinder



Slow Juicer



Food Tray
(SUS, Aluminum, PP)



Sausage Stuffer



Hamburger attachment



Slicer



Slicer



Tomato juicer



3 in 1 pasta maker



SUS Pasta Maker



SUS Pasta Maker




Plastic Pasta Maker



Cookie Maker



SUS Knives



SUS Discs



Ice shaver



MG3610

- DC motor
- High meat output: **0.8-1.0KG/min**
- Plastic housing
- On/Off & reverse function
- Half metal gears & plastic gear box
- **5#** plastic grinder head & plastic tray
- **2pcs** disc and 1pc stainless steel knife
- 1 set of sausage maker
- 1 pc plastic pusher
- Storage box for option
- Stainless steel grinder head for option
- Stainless steel tray for option

DC 220-240V, 50-60Hz, **1000/1200/1800W**(CE)
DC 220-240V, 50-60Hz, **280/300/350W**(CB)
DC 120V, 60Hz, **200/250/300W**(ETL)

Model	PCS/CTN	20'GP/40'GP/40'HQ
MG3610	1	530/1100/1250
MG3612	2	580/1200/1340
MG3614	2	550/1120/1290



MG3610



MG3612



MG3614





MG3621

- DC motor
- Meat output: **1.0-1.5KG/min**
- Plastic housing
- On/Off & reverse function
- Half metal gears & plastic gear box
- **5#** grinder head (8# grinder head for option)
- **5#** metal grinder head & plastic tray
- **2pcs** disc and 1pc stainless steel knife
- 1 set of sausage maker
- 1 pc plastic pusher
- LED display for option
- Metal/leather/PC decorate parts for option (3621)
- Stainless steel tray for option

DC 220-240V, 50-60Hz, **2000W/2400W**(CE)
DC 220-240V, 50-60Hz, **450W/600W**(CB)
DC 120V, 60Hz, **300W/400W**(ETL)

Model	PCS/CTN	20'GP/40'GP/40'HQ
MG3621	1	1340/2730/3100
MG3622	2	1320/2690/3040
MG3623	2	1540/2950/3360
MG3624	2	1490/3020/3500
MG3625	2	1415/2850/3230



MG3621



MG3622



MG3623



MG3624



MG3625





- DC motor
- Meat output: **1.5-2.0kg/min**
- Plastic housing
- On/Off & reverse function
- Full Metal gears & Metal Gear box
- **5#** metal grinder head with plastic tray
- 1 set of sausage maker
- 1 pc plastic pusher
- **3pcs** disc and 1pc stainless steel knife
- **8#** grinder head for option
- Metal/leather/PC decorate parts for option (3631 & 3632 & 3633 & 3638-01)
- Stainless steel tray for option

DC 220-240V, 50-60Hz, **2000W/2400W**(CE)
DC 220-240V, 50-60Hz, **450W/600W**(CB)
DC 120V, 60Hz, **300W/400W**(ETL)

Model	PCS/CTN	20'GP/40'GP/40'HQ
MG3631	1	1220/2520/2850
MG3632	2	1360/2740/3120
MG3633	2	1420/2800/3300
MG3634	2	1420/2960/3400
MG3635	2	1248/2568/2920
MG3636	2	1348/2790/3200
MG3636-01	2	548/1090/1212
MG3638-01	2	1350/2750/3190



MG3631



MG3632



MG3633



MG3634



MG3635



MG3636



MG3636-01



MG3638-01



MG3641

- DC motor
- Meat output: **1.5-2.0KG/min**
- Plastic housing (With metal decoration: 3643)
- On/Off & reverse function
- Full Metal gears & Metal Gear box
- **5#** metal grinder head with plastic tray
- 1 set of sausage maker
- 1 pc plastic pusher
- **3pcs** disc and 1pc stainless steel knife
- **8#** grinder head for option
- Metal decorate parts for option (3646)
- LED display for option (3641-D)
- Stainless steel tray for option

DC 220-240V, 50-60Hz, **2000W/2400W**(CE)
DC 220-240V, 50-60Hz, **450W/600W**(CB)
DC 120V, 60Hz, **150W/300W**(ETL)

Model	PCS/CTN	20'GP/40'GP/40'HQ
MG3641	1	1360/2705/3060
MG3641-D	2	1400/2740/3200
MG3642	2	1500/3010/3500
MG3643	2	1430/2960/3350
MG3644	2	1340/2700/3100
MG3645	2	1620/3320/3700
MG3646	2	1340/2700/3150
MG3649-02	2	548/1090/1212
MG3649-02B	2	548/1090/1212



MG3641



MG3641-D



MG3642



MG3643



MG3644



MG3645



MG3646



MG3649-02



MG3649-02-B





MG3651

- DC motor
- Meat output: **1.5~3.0KG/min**
- Metal+Plastic housing
- On/Off & reverse function
- Full Metal gears & Metal Gear box
- **5#** metal grinder head with SS tray
- 1 set of sausage maker
- 1 pc plastic pusher
- **3pcs** disc and 1pc stainless steel knife
- **8#** grinder head for option
- LED display for option (3651-D & 3654-D)

DC 220-240V, 50-60Hz, **2000W/2400W**(CE)

DC 220-240V, 50-60Hz, **450W/600W**(CB)

DC 120V, 60Hz, **150W/300W**(ETL)

Model	PCS/CTN	20'GP/40'GP/40'HQ
MG3651	1	1520/2960/3520
MG3651-D	2	1540/3080/3400
MG3652	2	1515/2290/3610
MG3653	2	1520/3110/3520
MG3654	2	1560/3120/3546
MG3654-D	2	1140/2360/2680



MG3651



MG3651-D



MG3652



MG3653



MG3654

MG3654-D



MG3661

- DC motor
- Meat output: **1.5~3.0KG/min**
- Full metal housing
- On/Off & reverse function
- Full Metal gears & Metal Gear box
- **5#** metal grinder head with SS tray
- 1 set of sausage maker
- 1 pc plastic pusher
- **3pcs** disc and 1pc stainless steel knife
- **8#** grinder head for option
- LED display for option (3661-D & 3662-D)

DC 220-240V, 50-60Hz, **2000W/2400W**(CE)

DC 220-240V, 50-60Hz, **450W/600W**(CB)

DC 120V, 60Hz, **150W/300W**(ETL)

Model	PCS/CTN	20'GP/40'GP/40'HQ
MG3661	1	1490/2930/3400
MG3661-D	2	1500/3040/3460
MG3662	2	1430/2880/3180
MG3662-D	2	1340/2760/3110
MG3664	2	1450/3000/3360
MG3665	2	1520/3040/3500
MG3666	2	1440/2930/3400



MG3661



MG3661-D



MG3662



MG3662-D



MG3664



MG3665



MG3666



The Modern Minimalist Coffee Grinder

With Sanlida Patents!

Grind Smarter, Brew Better. Begin Your Coffee Story Now!



GD-3402~GD-3405

- 220-240V-50-60Hz,**300W**
- **DC motor**
- Adopt the straight powder grinding method
- Metal Body
- Food contact safety materials
- **200ml** Plastic Bean box, Detachable and adopts anti-dropping design.
- **150ml** AL Powder jar
- Powder outlet and powder box are detachable (magnetic)
- One-button start, metal button switch
- Removable blade, easy to clean
- Removable magnetic Powder outlet, easy to clean
- Removable magnetic powder jar, strong stability
- Grinding speed: **800RPM**
- Stepless adjustable powder coarseness, easily adjust the grinding fineness

ALTERNATIVES

External power adapter: **DC 24V**
Chargeable: **DC7.4V, 2000mA**
Cleaning brush



GD-3402

Model	PCS/CTN	20'GP/40'GP/40'HQ
GD-3402	2	3300/6700/7920
GD-3403	2	3400/6920/8200

Model	PCS/CTN	20'GP/40'GP/40'HQ
GD-3404	2	3200/6520/7710
GD-3405	2	3350/6890/8100



GD-3403



GD-3404



GD-3405



GD-3430

- 220-240V-50-60Hz,**300W**
- **DC motor**
- Adopt the straight powder grinding method
- Metal Body
- Food contact safety materials
- **100ml** Plastic Bean box, Detachable and adopts anti-dropping design.
- **150ml** AL Powder jar
- Powder outlet and powder box are detachable (magnetic)
- One-button start, metal button switch
- Removable blade, easy to clean
- Removable magnetic Powder outlet, easy to clean
- Removable magnetic powder jar, strong stability
- Grinding speed: **160RPM**
- Stepless adjustable powder coarseness, easily adjust the grinding fineness

ALTERNATIVES

External power adapter: **DC 24V**
Cleaning brush
Air bag

Model	PCS/CTN	20'GP/40'GP/40'HQ
GD-3430	2	5700/11600/13710
GD-3431	2	4480/9100/10800
GD-3432	2	4340/8840/10450



GD-3451

- 220-240V-50-60Hz,**300W**
- **DC motor**
- Adopt the straight powder grinding method
- Metal Body
- Food contact safety materials
- **100ml** Plastic Bean box, Detachable and adopts anti-dropping design.
- **150ml** AL Powder jar
- Powder outlet and powder box are detachable (magnetic)
- One-button start, metal button switch
- Removable blade, easy to clean
- Removable magnetic Powder outlet, easy to clean
- Removable magnetic powder jar, strong stability
- Grinding speed: **160RPM**
- Stepless adjustable powder coarseness, easily adjust the grinding fineness

ALTERNATIVES

External power adapter: **DC 24V**
Chargeable: **DC7.4V, 2000mA**
Cleaning brush

Model	PCS/CTN	20'GP/40'GP/40'HQ
GD-3451	2	6050/12300/14500
GD-3453	2	6050/12300/14500
GD-3454	2	4400/9000/10650



GD-3430

GD-3431

GD-3432



GD-3451

GD-3453

GD-3454



GD-3452

- 220-240V~50-60Hz,**300W**
- **DC motor**
- Adopt the straight powder grinding method
- Metal Body
- Food contact safety materials
- **50ml** Plastic Bean box, Detachable and adopts anti-dropping design.
- **100ml** AL Powder jar
- Powder outlet and powder box are detachable (magnetic)
- One-button start
- Removable blade, easy to clean
- Removable magnetic Powder outlet, easy to clean
- Removable magnetic powder jar, strong stability
- Grinding speed: **160RPM**
- Stepless adjustable powder coarseness, easily adjust the grinding fineness

ALTERNATIVES

External power adapter: **DC 24V**
Cleaning brush

Model	PCS/CTN	20'GP/40'GP/40'HQ
GD-3452	2	6700/13620/16100



- 220-240V~50-60Hz,**300W**
- **DC motor**
- Adopt the straight powder grinding method
- Metal Body
- Food contact safety materials
- **50ml** Plastic Bean box, Detachable and adopts anti-dropping design.
- **100ml** AL Powder jar
- Powder outlet and powder box are detachable (magnetic)
- One-button start
- Removable blade, easy to clean
- Removable magnetic Powder outlet, easy to clean
- Removable magnetic powder jar, strong stability
- Grinding speed: **160RPM**
- Stepless adjustable powder coarseness, easily adjust the grinding fineness

ALTERNATIVES

External power adapter: **DC 24V**
Cleaning brush

Model	PCS/CTN	20'GP/40'GP/40'HQ
GD-3455	2	4900/10000/11850



GD- 3455





HM-3001

- ABS plastic housing
- **5 speeds** with eject button
- With 1 pair of chrome plated beaters
- Optional accessories: dough hooks, whisk

HM-3001-3002
AC 220-240V,50-60Hz, **200/250W**(CE/CB)
AC 120V, 60Hz, **100/150W**(ETL)

HM-3003-3014
AC 220-240V,50-60Hz, **200/250/300/400/500W**(CE/CB)



OPTIONAL ACCESSORIES

Model	PCS/CTN	20'GP/40'GP/40'HQ
HM-3001	10	6840/14000/15700
HM-3002	10	6840/14000/15700
HM-3003	8	6840/14000/15700

Model	PCS/CTN	20'GP/40'GP/40'HQ
HM-3012	8	5400/10800/12960
HM-3013	8	5400/10800/12960
HM-3014	8	5400/10800/12960



HM-3001



HM-3002



HM-3003



HM-3001



HM-3002



HM-3003



HM-3012



HM-3013



HM-3014



HM-3012



HM-3013



HM-3014



HM-3005

- ABS plastic housing
- **5 speeds** setting (HM-3005/07/08 9 speeds)
- With 1 pair of chrome plated beaters
- Optional LED display(HM-3005/07/08)
- Optional accessories: dough hooks, whisk

DC 220-240V, 50-60Hz, **200W** (CE/CB)

RECHARGEABLE

- ABS plastic housing
- Type-C charging port
- Within 2 hours charging time supports **5-10 times** wireless use (2mins/time)
- 30W, 3.7V **1500mAh** re-chargeable battery
- With 1 pair of chrome plated beaters
- Optional LED display (HM-3005/07/08)
- Optional accessories: dough hooks, whisk



OPTIONAL ACCESSORIES

Model	PCS/CTN	20'GP/40'GP/40'HQ
HM-3005/R	8	7084/14168/16168
HM-3006/R	8	8160/16640/18760
HM-3007/R	8	7084/14168/16168
HM-3008/R	8	5220/10440/11880

HM-3009/R	8	5220/10440/11880
HM-3010/R	8	7084/14168/16168
HM-3011R	8	8160/16640/18760
HM-3015/R	10	7600/15600/17800
HM-3016/R	10	7450/14800/17000



HM-3005/R



HM-3006/R



HM-3007/R



HM-3005/R



HM-3006/R



HM-3007/R



HM-3008/R



HM-3009/R



HM-3010/R



HM-3011R



HM-3015/R



HM-3016/R

HM-3040




- Mixer with Stand
- ABS plastic housing
- 5 speeds with turbo & eject button
- 4/5L plastic bowl
- With one pair of chrome plated beaters and dough hooks

CHARGEABLE

AC 220-240V, 50-60Hz, 400W(CE)
AC 220-240V, 50-60Hz, 200W(CB)

Model	PCS/CTN	20'GP/40'GP/40'HQ
HM-3040	2	1800/3620/4240



STANDARD ACCESSORIES




Mixer With Stand

Portable hand mixer freedom your space,
Stand freedom your hands. Meets any cooking needs of you.



Wireless Freedom Hand Blender

For healthy drinks, shakes, sauces, soups, and more!



HB-4602~4603

- Powerful DC motor
- ABS plastic housing
- **2 speeds** control
- With SS blending rod and ss blade
- Optional accessories: 0.6L mixing cup, 0.5L chopping assembly, whisk


DC 220-240V, 50-60Hz, **400/600/800W**(CCC/CE)
DC 220-240V, 50-60Hz, **200/300/400W**(CB)
DC 120V, 60Hz, **200/300/400W**(MET)

Model	PCS/CTN	20'GP/40'GP/40'HQ
HB-4602	10	7980/16470/18860
HB-4603	8	5880/11760/13680



HB-4602 HB-4603

OPTIONAL ACCESSORIES






HB-4605/R

- Powerful DC motor
- ABS plastic housing
- **2 speeds** control (HB-4606/10: 6 speeds)
- With SS blending rod and ss blade
- Optional accessories: 0.6L mixing cup, 0.5L chopping assembly, whisk

DC 220-240V,50-60Hz, **400/600/800/1000W**(CE/CB)
DC 120V, 60Hz, **150/200/300/400W**(ETL)

RECHARGEABLE

- Variable speed control
- Type-C charging port
- Within 2 hours charging time supports 8 times wireless use (60s/time)
- 80W, 7.4V 1500mAh re-chargeable battery
With SS blending rod and SS blade
- Optional accessories: 0.6L mixing cup, 0.5L chopping assembly, whisk



OPTIONAL ACCESSORIES

Model	PCS/CTN	20'GP/40'GP/40'HQ
HB-4605/R	8	5880/11760/13680
HB-4606/R	8	5880/11760/13680
HB-4607/R	8	5880/11760/13680
HB-4608/R	8	5880/11760/13680
HB-4609/R	8	5880/11760/13680
HB-4610/R	8	5880/11760/13680

HB-4611/R	8	5880/11760/13680
HB-4612/R	8	5880/11760/13680
HB-4613/R	8	5880/11760/13680
HB-4614/R	8	5880/11760/13680
HB-4615/R	8	5880/11760/13680
HB-4620	20	11000/22000/25000
HB-4621	20	10400/20800/24000



HB-4606/R — HB-4606/R HB-4607/R — HB-4607/R HB-4608/R — HB-4608/R



HB-4609/R — HB-4609/R HB-4610/R — HB-4610/R HB-4611/R — HB-4611/R



HB-4612/R — HB-4612/R HB-4613/R — HB-4613/R HB-4614/R — HB-4614/R



HB-4615/R — HB-4615/R HB-4620 — HB-4620 HB-4621 — HB-4621



SD-7001/7002/7003/7005

Soda Maker

- Making soda water.
- Easy operation, make fresh soda water with just a pressing of a button.
- Energy efficient, powered by CO2 cylinder. Each cylinder carbonates up to **60L** water.
- Powered by CO2 cylinder, no electricity or battery required.
- **1 Liter** reusable carbonating bottle, BPA-free.
- Get creative, drink healthier, and have fun with this machine.

Model	Gift box size	Carton box size	PCS/CTN	20'GP/40'GP/40'HQ
SD-7001	26.4x14.7x46.5cm	61.0x54.8x48.0cm	8	1488/2292/3408
SD-7002				
SD-7003				
SD-7005				

SD-7006/7008/7009

Soda Maker

- Making soda water.
- Easy operation, make fresh soda water with just a pressing of a button.
- Energy efficient, powered by CO2 cylinder. Each cylinder carbonates up to **60L** water.
- Powered by CO2 cylinder, no electricity or battery required.
- **1 Liter** reusable carbonating bottle, BPA-free.
- Get creative, drink healthier, and have fun with this machine.

Model	Gift box size	Carton box size	PCS/CTN	20'GP/40'GP/40'HQ
SD-7006	26.4x14.7x46.5cm	61.0x54.8x48.0cm	8	1488/2292/3408
SD-7008				
SD-7009				

IM-8016/8017



IM-8016

- Small ice 22x25mm, Large ice 25x30mm
- Make 9pcs bullet shape ice in 6-8mins each circle, 15kg/24hrs
- Eco friendly Refrigerant R600a
- SN, N, ST,T Climate Type
- Noise≤40dB
- 3 years lifetime
- 2.2 Water Tank, 0.8kg Ice Basket
- Push-button control panel, quick ice making process.
- Intelligent Indicators, full ice indicator light, water shortage indicator light.
- Transparent window, visible working process.
- Stainless steel durable body, Simple wipe and clean easily.

AC 220-240V 50-60Hz 105W(CE/CB)
AC 120V 60Hz 1.7A (MET)

Model	Gift box size	Carton box size	PCS/CTN	N.W./G.W.	20'GP/40'GP/40'HQ
IM-8016	45.6x33.0x42.5 cm	67.6x47.2x44.6 cm	2	10.10/10.86 kg	410/840/930
IM-8017					

IM-8017



- Small ice 22x25mm, Large ice 25x30mm
- Make 9pcs bullet shape ice in 6-8mins each circle, 15kg/24hrs
- Eco friendly Refrigerant R600a
- SN, N, ST,T Climate Type
- Noise≤40dB
- 3 years lifetime
- 2.2 Water Tank, 0.8kg Ice Basket
- Push-button control panel, quick ice making process.
- Intelligent Indicators, full ice indicator light, water shortage indicator light.
- Transparent window, visible working process.
- Stainless steel durable body, Simple wipe and clean easily.

AC 220-240V 50-60Hz 105W(CE/CB)
AC 120V 60Hz 1.7A (MET)

VS-2101/2102

VS-2101

- Vacuuming and sealing
- DRY/WET/EXTRA WET, three modes
- 6~7L/min vacuum rate, 8-10s sealing time
- -80Kpa vacuum pressure
- 1.5mmx2 sealing wire width
- Suitable for bags with width less than 30cm
- Noise less than 68dB
- 3 years lifetime
- Optional accessories of External Vacuum Tube, Vacuum Bag,
- NTC overheating protection.
- Low voltage and double heating wires to ensure sturdy and smooth sealing.
- Wide sealing line, can Vac & Seal several bags at the same time.
- Electrical touching button for easy operation.
- Compact design, smooth surface easy cleaning.

AC 220-240V 50-60Hz 125W(CCC/CE/CB)
AC 120V 60Hz 125W(ETL)

Model	Gift box size	Carton box size	PCS/CTN	N.W./G.W.	20'GP/40'GP/40'HQ
VS-2101	40.3x12.7x18.5 cm	54.0x41.6x39.4 cm	8	9.52/11.6 kg	2480/5248/6096
VS-2102					



VS-2102

- Vacuuming and sealing
- DRY/WET/EXTRA WET, three modes
- 6~7L/min vacuum rate, 8-10s sealing time
- -80Kpa vacuum pressure
- 1.5mmx2 sealing wire width
- Suitable for bags with width less than 30cm
- Noise less than 68dB
- 3 years lifetime
- Optional accessories of External Vacuum Tube, Vacuum Bag,
- NTC overheating protection.
- Low voltage and double heating wires to ensure sturdy and smooth sealing.
- Wide sealing line, can Vac & Seal several bags at the same time.
- Electrical touching button for easy operation.
- Compact design, smooth surface easy cleaning.

AC 220-240V 50-60Hz 125W(CCC/CE/CB)
AC 120V 60Hz 125W(ETL)



MS-4001



- Boneless frozen meat/sausage/potato/fruit /bread slicing
- Adjustable slicing thickness (0-18mm)
- Foldable design for convenient storage, transportation cost reduced by 70%
- Noise less than 70dB
- 3 years lifetime
- Detachable feeding table and cutting plate, easy to clean.
- Inching and constant working switch, personalize the slicing time.
- Recessed switch, safe and convenient to use.
- With overheat protection.
- Food-grade stainless steel blade.

AC 220-240V 50-60Hz **160W**(CCC/CE/CB/S-MARK)
AC 120V 60Hz **120W**(ETL)

Model	Gift box size	Carton box size	PCS/CTN	20'GP/40'GP/40'HQ
MS-4001	41.5x16.5x25.8 cm	43.0x35.5x27.3 cm	2	1200/2410/2670
MS-4002	41.5x18.6x25.8 cm	44.0x38.4x27.4 cm	2	1275/2600/2900

MS-4002



- Boneless frozen meat/sausage/potato/fruit /bread slicing
- Adjustable slicing thickness (0-18mm)
- Foldable design for convenient storage, transportation cost reduced by 70%
- Noise less than 70dB
- 3 years lifetime
- Detachable feeding table and cutting plate, easy to clean.
- Inching and constant working switch, personalize the slicing time.
- Recessed switch, safe and convenient to use.
- With overheat protection.
- Food-grade stainless steel blade.

AC 220-240V 50-60Hz **160W**(CCC/CE/CB/S-MARK)
AC 120V 60Hz **120W**(ETL)

FP-4101

- Supports rough and fine chopping of boneless meat and vegetable
- Noise less than 75dB
- 3000hrs lifetime
- 4.5L large capacity, super long and continuous working time,
- Good for commercial purpose.
- Pure copper induction motor (capacitor start mode).
- Easy to use, just feed ingredients into the container to get food processed.
- Safety protection, both power switch and start switch need to be turned on to activate the processor. S blade stops running in 2s once the protective lid is opened.
- The turntable, S-blade and lid could be easily detached and cleaned.

AC 220-240V 50-60Hz **100W**(CCC/CE/CB)
AC 120V 60Hz **80W**(ETL)

Gift box size	Carton box size	PCS/CTN	N.W./G.W.	20'GP/40'GP/40'HQ
64.8x31.4x42.5 cm	65.8x32.4x44.0 cm	1	11.7/13.0 kg	315/655/755



MS-4003



MS-4003

- Boneless frozen meat/sausage potato/fruit/bread slicing
- Detachable sliding platform for easier cleaning
- With collecting tray
- 170mm SUS420 serrated blades
- Carriage with finger protection and end-piece holder
- Adjustable slicing thickness (0-23mm)
- Noise: 65-70db
- I O II safety switch
- Non-slip feet

220-240V~, 50-60Hz, 160W
120V~ 60Hz, 160W

Model	PCS/CTN	20'GP/40'GP/40'HQ
MS-4003	2	1140/2320/2620



Smooth Blade

OPTIONAL ACCESSORIES



MS-4003



MS-4003



FUFU-2601~2603



FUFU-2601



- 220-240V~ 50/60Hz, CE 750W
- Heating Power: 650W
- Mixing Power: 200W
- Low Noise $\leq 65\text{dB}$
- Temperature: **40-100°C**
- Blending Speed: **40-100rpm**
- Time Controller: **0-90mins**
- External heating plate,
- pot and base can be separated
- **5L** Alu. bowl with dual handle
- Touch sensor panel
- Digital display
- Glass Cover with plastic handle
- Function: FUFU making
- Dough hook, fermentation
- Product Size: L270xW280xH290

Model	PCS/CTN	20'GP/40'GP/40'HQ
FUFU-2601	2	1140/2320/2620
FUFU-2602	2	1140/2320/2620
FUFU-2603	2	1140/2320/2620



OPTIONAL ACCESSORIES



FUFU-2602



FUFU-2603

