


Bluetimes 蓝之洋

Catalog 2026

Global Brand Manufacturer





// TAKE POWER SUPPLIES INTO THE NEXT GENERATION

Bluetimes, with over 14 years of expertise in the development and production of mobile power solutions, stands at the forefront of portable charging innovation. Our expansive facility spans over 123,000 square meters, where we harness cutting-edge technology and a solid infrastructure to deliver premium Power Banks designed for modern businesses. Our dedication to precision and reliability guides every step from design to production, ensuring we offer scalable and customizable charging solutions that meet your business's unique needs. As a trusted provider of professional OEM/ODM services to numerous leading international brands, Bluetimes commits to superior quality and reliability in portable power, making us your ideal partner for excellence in mobile energy solutions.

MFi Member

Made for
iPhone | iPad | iPod



RoHS



COSTCO



BSCI



TUV AUDIT



SOP ITS



EN 60950



PSE



APPLE MFI



IEC 60950



ISO 9001



ISO 14001



IEC 62133



QC3.0

Contents

Semi-Solid-State Battery Power Banks -----	05~18
High Capacity Power Banks -----	19~27
Wireless Power Banks -----	28~36
Built-In Cable Power Banks -----	37~48
Classic Power Banks -----	49~56
Desktop Power Strips -----	57~67

Semi-Solid-State Battery

Power Banks





1. What Is A Solid-State Battery?

A Solid-State Battery Is A Type Of Battery Technology That Falls Between Traditional Liquid Lithium Batteries And Fully Solid-State Batteries. It Uses A Solid Electrolyte To Replace Some Or All Of The Liquid Electrolyte, Offering Higher Safety, Energy Density, And Stability.

2. What Are The Advantages Of Power Banks Made With Solid-State Batteries Compared To Regular Power Banks?

Compared To Regular Power Banks, Power Banks Made With Solid-State Batteries Have These Advantages:

1. Higher Safety: Solid Electrolytes Are Less Likely To Leak Or Catch Fire, Reducing Risks Of Overheating And Explosions.
2. Longer Lifespan: Solid-State Batteries Can Handle More Charge Cycles, Making Them More Durable.
3. Higher Energy Density: They Store More Power In A Smaller Size, Making Them Easier To Carry.
4. Faster Charging: They Support More Efficient Charging Technology, Reducing Wait Times.
5. Better Environmental Adaptability: They Perform More Stably In Extreme Temperatures.

LP-1029AXC/LP-2029AXC

10,000mAh/20,000mAh Built-in Cable Semi-Solid-State Power Bank

Built-In
USB-C Cable



USB-A
Output Max

22.5W



Specs

• Input:

USB-C: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

Built-In Cable USB-C: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

• Output:

USB-C: 5V/3A, 9V/2.22A, 12V/1.67A

Built-In Cable USB-C: 5V/3A, 9V/2.22A, 12V/1.67A

USB-A: 5V/3A, 9V/2A, 12V/1.5A (22.5W Max)

• Total Output: 22.5W Max

• Dimension: (16*69*114)±0.5mm, (29*69*114)±0.5mm

Key Features

- Ready-to-Use Built-In Cable – No Extra Cables Needed
- Charges 3 Devices Simultaneously
- Digital Display – Battery Level At A Glance
- USB-A Single-Port Max 22.5W Output
- 10,000mAh Compact Design – Easily Fits In Your Pocket

LP-10XXAXC

10,000mAh Built-in Cable Semi-Solid-State Power Bank

Built-In
USB-C Cable



USB-A
Output Max

22.5W



Specs

•Input:

USB-C1: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

USB-C2: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

•Output:

USB-C1/2: 5V/3A, 9V/2.22A, 12V/1.67A

Built-In Cable USB-C1: 5V/3A, 9V/2.22A, 12V/1.67A

Built-In Cable USB-C2: 5V/3A, 9V/2.22A, 12V/1.67A

USB-A: 5V/3A, 9V/2A, 12V/1.5A (22.5W Max)

•Total Output: 22.5W Max

•Dimension: (17*68*133)±0.5mm

Key Features

- Dual Built-In Cables – No Need To Carry Extra Lines
- Charges 5 Devices Simultaneously
- Digital Display – Battery Level At A Glance
- USB-A Single-Port Max 22.5W Output
- Compact Design – Easily Fits in Your Bag

LP-10XXA02C

10,000mAh Built-in Cable Semi-Solid-State Power Bank

Built-In
USB-C Cable



USB-C
Output Max

30W



Specs

•Input:

USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A (30W Max)

Built-In Cable USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
(30W Max)

•Output:

USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A (30W Max)

Built-In Cable USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
(30W Max)

USB-A: 5V/3A, 9V/2A, 10V/2.25A, 12V/1.5A (22.5W Max)

Lightning: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

•Total Output: 30W Max

•Dimension: (94*65*24)±0.5mm

Key Features

- Semi-Solid-State Battery – Safer & Longer-Lasting
- Digital Display – Battery Level At A Glance
- Ultra-Compact Design – Pocket-Friendly Size
- Charges 4 Devices Simultaneously
- Ready-to-Use Built-In Cable – No Extra Cables Needed

LWP-0500XA02

5,000mAh Magnetic Wireless Semi-Solid-State Power Bank

Qi 2.0 Fast
Wireless Charging



Specs

- Input:
USB-C: 5V/2.4A
- Output:
USB-C: 5V/3A, 9V/2A, 10V/2.25A, 12V/1.5A (22.5W Max)
- Wireless Output: 15W/10W/7.5W
- Dimension Choose: 103.8*69.8*6mm, 103.8*69.8*8.4mm

Key Features

- 5,000mAh Magnetic Wireless Power Bank
- Ultra-Slim Design – Pocket-Friendly Comfort
- 15W Fast Magnetic Wireless Charging
- Charges 2 Devices Simultaneously
- Strong Magnet Alignment – Secure & Stable Attachment

LWP-10137A02 **Qi 2.2** LWP-10137A01 **Qi 2.0**
10,000mAh Wireless with Foldable Stand Semi-Solid-State Power Bank

Built-In
USB-C Cable



Qi 2.2 Fast
Wireless Charging



Qi 2.2

- USB-C/Built-In Cable USB-C Input : 5V/1.5A, 5V/2.4A, 5V/3A, 9V/3A, 15V/2A, 20V/1.5A, 5V/3A, 12V/2.5A (30W Max)
- USB-C/Built-In Cable USB-C Output: 5V/1.5A, 5V/2.4A, 5V/3A, 9V/3A, 15V/2A, 20V/1.5A, 12V/2.5A, 10V/2.25A (30W Max)
- Wireless Output: 5W/7.5W/10W/15W/25W
- (USB-C+Built-In Cable USB-C Output)+Wireless Output=15W+5W
- USB-C Output+Built-In Cable USB-C Output=24W
- Dimension: (106*69*18)±0.5mm

Qi 2.0

- USB-C/Built-In Cable USB-C Input: 5V/1.5A, 5V/2.4A, 5V/3A, 9V/2.22A, 9V/2A, 12V/1.5A (20W Max)
- USB-C/Built-In Cable USB-C Output: 5V/1.5A, 5V/2.4A, 5V/3A, 9V/2.22A, 9V/2A, 12V/1.5A, 10V/2.25A (22.5W Max)
- Wireless Output: 5W/7.5W/10W/15W
- (USB-C+Built-In Cable USB-C Output)+Wireless Output=15W+5W
- USB-C Output+Built-In Cable USB-C Output=24W
- Dimension: (106*69*18)±0.5mm



CP-05129A01

5,000mAh Semi-Solid-State Power Bank

Built-In
USB-C Cable



USB-C
Output Max

22.5W



Specs

•Input:

USB-C: 5V/2.4A

Built-In Cable USB-C: 5V/3A

•Output:

USB-C: 5V/3A, 9V/2A, 10V/2.25A, 12V/1.5A (22.5W Max)

Built-In Cable USB-C: 5V/3A, 9V/2A, 10V/2.25A, 12V/1.5A
(22.5W Max)

•Dimension: (105*65*11)±0.5mm

Key Features

- 5,000mAh Semi-Solid-State Power Bank
- Ultra-Slim Design – Pocket-Friendly Comfort
- Ready-to-Use Built-In Cable – No Extra Cables Needed
- Charges 2 Devices Simultaneously
- Semi-Solid-State Battery – Safer & Longer-Lasting

WP-05129A01

5,000mAh Magnetic Wireless Semi-Solid-State Power Bank

Qi 2.0 Fast
Wireless Charging



Specs

- Input:
USB-C: 5V/2.4A
- Output:
USB-C: 5V/3A, 9V/2A, 10V/2.25A, 12V/1.5A (22.5W Max)
- Wireless Output: 15W/10W/7.5W
- Dimension: (105*65*11)±0.5mm

Key Features

- 5,000mAh Magnetic Wireless Power Bank
- Ultra-Slim Design – Pocket-Friendly Comfort
- Clear LED Indicators – Battery Level at a Glance
- Charges 2 Devices Simultaneously
- Semi-Solid-State Battery – Safer & Longer-Lasting



Specs

- Input:
USB-C: 5V/2.4A, 9V/2A, 12V/1.5A
- Output:
USB-A: 5~6.5V/3A, 6.5V~9V/2A, 9V~12V/1.5A, 5V/4.5A,
12/1.5A, 4.5V/5A (22.5W Max)
USB-C: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)
- Wireless Output: 15W/10W/7.5W
- Indicators: 4 LED indicator
- Net Weight: 240±10g
- Dimension: (110*69*17.5)±0.5mm

Key Features

- 10,000mAh Magnetic Wireless Power Bank
- Ultra-Slim Design – Pocket-Friendly Comfort
- Clear LED Indicators – Battery Level at a Glance
- Charges 3 Devices Simultaneously
- Semi-Solid-State Battery – Safer & Longer-Lasting

LP-1008A

10,000mAh Semi-Solid-State Power Bank

USB-C
Output Max

30W

Mini
Series



Specs

•Input:

Micro USB: 5V/2A

USB-C: 5V/3A, 9V/2A

•Output:

USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A (30W Max)

USB-A: 5V/3A, 9V/2A, 10V/2.25A, 12V/1.5A (22.5W Max)

•Total Output: 30W Max

•Dimension: (94*64*24)±0.5mm

Key Features

- 10,000mAh Semi-Solid-State Power Bank
- Credit-Card Length And Width – Slides Right Into Pocket
- Clear LED Indicators – Battery Level at a Glance
- Charges 3 Devices Simultaneously
- Semi-Solid-State Battery – Safer & Longer-Lasting

LP-509A

5,000mAh Semi-Solid-State Power Bank

USB-C
Output Max

20W

Mini
Series



Specs

• Input:

USB-C: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

• Output:

USB-C: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

USB-A1: 5V/3A, 9V/2A, 10V/2.25A, 12V/1.5A (22.5W Max)

USB-A2: 5V/3A, 9V/2A, 10V/2.25A, 12V/1.5A (22.5W Max)

• Total Output: 20W Max

• Dimension: (91*64*13)±0.5mm

Key Features

- 5,000mAh Semi-Solid-State Power Bank
- Credit-Card Length And Width – Slides Right Into Pocket
- Clear LED Indicators – Battery Level at a Glance
- Charges 3 Devices Simultaneously
- Semi-Solid-State Battery – Safer & Longer-Lasting

LP-1029AQC/LP-2029AQC

10,000mAh/20,000mAh Semi-Solid-State Power Bank

USB-C
Output Max

20W

USB-A
Output Max

22.5W



Specs

•Input:

USB-C: 5V/3A, 9V/2.0A, 12V/1.5A

•Output:

USB-C: 5V/3.0A, 9V/2.22A, 12V/1.67A (20W Max)

USB-A1/2: 4.5V/5.0A, 5V/4.5A, 9V/2.0A, 12V/1.5A (22.5W Max)

•Battery Display: LED Display Screen

•Net Weight: 181g/317g

•Dimension: (114*70*17)±0.5mm/(118*72*29)±0.5mm

•Battery Options: Semi-Solid-State Battery/ Conventional Battery

Key Features

- 22.5W Fast Charging with Smart Voltage Boost
- 10,000mAh / 20,000mAh High-Capacity Power on the Go
- Ultra-Slim & Lightweight Portable Design
- Charges 3 Devices Simultaneously
- Two Battery Type Options

WP-1023A

10,000mAh Magnetic Wireless Semi-Solid-State Power Bank

Qi Fast
Wireless Charging



Specs

- Input:
USB-C: 5V/3A, 9V/2A
- Output:
USB-A: 5~6.5V/3A, 6.5V~9V/2A, 9V~12V/1.5A, 5V/4.5A, 4.5V/5A, 12V/1.5A (22.5W Max)
USB-C: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)
- Wireless Output: 15W/10W/7.5W
- Indicators: 4 LED indicator
- Net Weight: 240±10g
- Dimension: (112*68.5*18)±0.5mm

Key Features

- 10,000mAh Magnetic Wireless Power Bank
- Ultra-Slim Design – Pocket-Friendly Comfort
- 15W Fast Magnetic Wireless Charging
- Charges 3 Devices Simultaneously
- Strong Magnet Alignment – Secure & Stable Attachment

High Capacity Power Banks



LP-2775B02

27,000mAh Power Bank for Laptop

Screen Display
Technology



USB-C
Output Max



Specs

- Input:
USB-C1/2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A, 28V/5A (140W Max)
- Output:
USB-C1/2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A, 28V/5A (140W Max)
USB-A: 5V/3A, 9V/3A, 12V/2.5A, 10V/2.25A (36W Max)
USB-C1+USB-C2: 100W+30W
USB-C1+USB-A: 100W+30W
USB-C2+USB-A: 100W+30W
USB-C1+USB-C2+USB-A: 100W+12W+12W
- Total Output: 140W Max
- Indicators: Intelligent digital display screen
- Net Weight: 635g
- Dimension: (156*56*53)±0.5mm

Key Features

- High-Capacity Battery – Longer Lasting Power
- 140W PD Fast Charging – Powers Most Laptops & Devices
- 140W Input & Output – Faster Full Charge
- Charges 3 Devices Simultaneously
- Digital Display – Battery Level At A Glance

LP-2775B01

27,000mAh Power Bank for Laptop

USB-C
Output Max

140W



Specs

- Input:
USB-C1/2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A, 28V/5A (140W Max)
- Output:
USB-C1/2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A, 28V/5A (140W Max)
USB-A: 5V/3A, 9V/3A, 12V/2.5A, 10V/2.25A (36W Max)
USB-C1+USB-C2: 100W+30W
USB-C1+USB-A: 100W+30W
USB-C2+USB-A: 100W+30W
USB-C1+USB-C2+USB-A: 100W+12W+12W
- Total Output: 140W Max
- Indicators: Intelligent digital display screen
- Net Weight: 635g
- Dimension: (156*56*53)±0.5mm

Key Features

- High-Capacity Battery – Longer Lasting Power
- 140W PD Fast Charging – Powers Most Laptops & Devices
- 140W Input & Output – Faster Full Charge
- Charges 3 Devices Simultaneously
- Digital Display – Battery Level At A Glance

LP-20XXD01C

20,000mAh Power Bank for Laptop

Built-in
Retractable Cable



Total Power

200W



Specs

•Input:

Retractable Cable USB-C/ USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A,
20V/5A (100W Max)

•Output:

Retractable Cable USB-C/USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A,
20V/5A (100W Max)

USB-A: 5V/3A, 9V/2~3A, 10V/2.25A, 11V/3A, 12V/1.5~2.75A (33W Max)

•2 ports: 100W + 100W, 3 ports: 85W + 85W + 30W

•Retractable Cable length: 27.6" (70cm)

•Dimension: 60.3*47*106mm

Key Features

- High-Capacity Battery – Longer Lasting Power
- 100W PD Fast Charging – Powers Most Laptops & Devices
- Built-In Retractable Cable – No More Cable Hassles
- Charges 3 Devices Simultaneously
- Digital Display – Battery Level At A Glance

LP-10156B01C

10,000mAh Power Bank for Laptop

AC
Foldable plug



Built-in
Retractable Cable



USB-C
Output Max

65W



Specs

•Input:

AC: 100-240V 50/60Hz

USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A (30W Max)

•Output:

Retractable Cable USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A,
20V/3.25A (65W Max)

USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (65W Max)

•Retractable Cable length: 39.4" (100cm)

•Dimension: (104*64*37)±0.5mm

Key Features

- Built-in Foldable AC Plug for Direct Wall Charging
- 65W PD Fast Charging – Powers Most Laptops & Devices
- Built-In Retractable Cable – No More Cable Hassles
- Charges 2 Devices Simultaneously
- Digital Display – Battery Level At A Glance

LP-20XXC01C

20,000mAh Power Bank for Laptop

Built-in
Retractable Cable



Total Power

155W



Specs

•Input:

Retractable Cable USB-C/USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A,
20V/2.75A (55W Max)

•Output:

Retractable Cable USB-C/USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A,
20V/5A (100W Max)

USB-A: 5V/3A, 9V/2~3A, 10V/2.25A, 11V/3A, 12V/1.5~2.75A (33W Max)

•2 ports: 100W + 55W, 3 ports: 55W + 55W + 30W

•Retractable Cable length: 27.6" (70cm)

•Dimension: 45*55*133mm

Key Features

- High-Capacity Battery – Longer Lasting Power
- 100W PD Fast Charging – Powers Most Laptops & Devices
- Built-In Retractable Cable – No More Cable Hassles
- Charges 3 Devices Simultaneously
- Digital Display – Battery Level At A Glance

LP-4072A

40,000mAh PPower Bank for Laptop

USB-C
Output Max

65W



Specs

- Input:
USB-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A (45W Max)
- Output:
USB-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (Max 65W)
USB-C2: 5V/3A, 9V/3A, 12V/2.5A (Max 30W)
USB-A1: 5V/3A, 9V/2A, 12V/1.5A, 10V/2.25A (22.5W Max)
USB-A2: 5V/3A
USB-C1+USB-C2: 45W+20W
- Total Output: 65W Max
- Net Weight: 656.5g
- Dimension: (149*65*46)±0.5mm

Key Features

- High-Capacity Battery – Longer Lasting Power
- 65W PD Fast Charging – Powers Most Laptops & Devices
- LED Indicators Show Remaining Power Clearly
- Charges 4 Devices Simultaneously
- Compact Size Design – Easily Fits in Your Bag

LP-2091B

20,000mAh Power Bank for Laptop

USB-C
Output Max

65W



Specs

- Input:
USB-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A (45W Max)
- Output:
USB-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (65W Max)
USB-C2: 5V/3A, 9V/3A, 12V/2.5A (30W Max)
USB-A1: 5V/3A, 9V/2A, 12V/1.5A, 10V/2.25A (22.5W Max)
USB-A2: 5V/3A
USB-C1+USB-C2: 45W+20W
- Total Output: 65W Max
- Net Weight: 388.5g
- Dimension: (120*53*49)±0.5mm

Key Features

- High-Capacity Battery – Longer Lasting Power
- 65W PD Fast Charging – Powers Most Laptops & Devices
- LED Indicators Show Remaining Power Clearly
- Charges 4 Devices Simultaneously
- Compact Size Design – Easily Fits in Your Bag

LP-2680A

26,800mAh Power Bank for Laptop

USB-C
Output Max

65W



Specs

- Input:
USB-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A (45W Max)
- Output:
USB-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (65W Max)
USB-C2: 5V/3A, 9V/3A, 12V/2.5A (30W Max)
USB-A1: 5V/3A, 9V/2A, 12V/1.5A, 10V/2.25A (22.5W Max)
USB-A2: 5V/3A
USB-C1+USB-C2: 45W+20W
- Total Output: 65W Max
- Net Weight: 498.9g
- Dimension: (107*70*41)±0.5mm

Key Features

- High-Capacity Battery – Longer Lasting Power
- 65W PD Fast Charging – Powers Most Laptops & Devices
- LED Indicators Show Remaining Power Clearly
- Charges 4 Devices Simultaneously
- Compact Size Design – Easily Fits in Your Bag

Wireless Power Banks





Specs

- USB-C/Built-In Cable USB-C Input : 5V/1.5A, 5V/2.4A, 5V/3A, 9V/3A, 15V/2A, 20V/1.5A, 5V/3A, 12V/2.5A (30W Max)
- USB-C/Built-In Cable USB-C Output: 5V/1.5A, 5V/2.4A, 5V/3A, 9V/3A, 15V/2A, 20V/1.5A, 12V/2.5A, 10V/2.25A (30W Max)
- Wireless Output: 5W/7.5W/10W/15W/25W
- (USB-C+Built-In Cable USB-C Output)+Wireless Output=15W+5W
- USB-C Output+Built-In Cable USB-C Output=24W
- Dimension: (106*69*18)±0.5mm



Key Features

- 10,000mAh Magnetic Wireless Power Bank With Foldable Stand
- 25W Fast Magnetic Wireless Charging
- Built-In Foldable Stand – Hands-Free Viewing Anytime
- Charges 3 Devices Simultaneously
- Ready-to-Use Built-In Cable – No Extra Cables Needed



Specs

- USB-C Input : 5V/1.5A, 5V/2.4A, 5V/3A, 9V/3A, 15V/2A, 20V/1.5A, 12V/2.5A (30W Max)
- USB-C Output: 5V/1.5A, 5V/2.4A, 5V/3A, 9V/3A, 15V/2A, 20V/1.5A, 12V/2.5A, 10V/2.25A (30W Max)
- Wireless Output: 5W/7.5W/10W/15W/25W
- USB-C Output+Wireless Output=15W+5W
- Indicators: 5 LED indicator
- Dimension: (106*69*18)±0.5mm



Key Features

- 10,000mAh Magnetic Wireless Power Bank With Foldable Stand
- 25W Fast Magnetic Wireless Charging
- Built-In Foldable Stand – Ideal For Hands-Free Viewing
- Charges 2 Devices Simultaneously
- Ultra-Slim Design – Pocket-Friendly Comfort

Wireless
Power Banks





Specs

- Input:
USB-C: 5V/2.4A, 9V/2A
- Output:
USB-A: 5~6.5V/3A, 6.5V~9V/2A, 9V~12V/1.5A, 5V/4.5A,
4.5V/5A (22.5W Max)
USB-C: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)
- Wireless Output: 15W/10W/7.5W
- Indicators: 4 LED indicator
- Dimension: (110*69*17.5)±0.5mm

Key Features

- 10,000mAh Magnetic Wireless Power Bank With Foldable Stand
- 15W Fast Magnetic Wireless Charging
- Built-In Foldable Stand – Perfect For Desk Or Travel
- Charges 3 Devices Simultaneously
- Ultra-Slim Design – Pocket-Friendly Comfort

LWP-1000XA01

10,000mAh Magnetic Wireless Power Bank

Aluminum Alloy
Midsection



Qi 2.0 Fast
Wireless Charging



Specs

- USB-C Input: 5V/3A, 9V/2A (18W Max)
- USB-C Output: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A (30W Max)
- Wireless Output: 5W/7.5W/ 10W/15W (15W Max)
- Indicators: 5 LED indicator
- Dimension: (104*71*15)±0.5mm

Key Features

- 10,000mAh Magnetic Wireless Power Bank
- Ultra-Slim Design – Pocket-Friendly Comfort
- 15W Fast Magnetic Wireless Charging
- Supports Simultaneous Charging for 2 Devices
- Clear LED Indicators – Battery Level at a Glance

LWP-05135A01

5,000mAh Magnetic Wireless Power Bank

Qi 2.0 Fast
Wireless Charging



Specs

- USB-C Input : 5V/3A, 9V/2.22A, 12V/1.67A
- USB-C Output: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)
- Wireless Output: 5W/7.5W/10W/15W
- USB-C Output+Wireless Output=10W+5W
- Indicators: 5 LED indicator
- Dimension: (105*70*9.5)±0.5mm

Key Features

- 5,000mAh Magnetic Wireless Power Bank
- Ultra-Slim 0.37in Design – Pocket-Thin Comfort
- 15W Fast Magnetic Wireless Charging For iPhone
- Supports Simultaneous Charging for 2 Devices
- Strong Magnet – Perfect Alignment Every Time

Wireless
Power Banks



WP-523A

5,000mAh Magnetic Wireless Power Bank

Qi Fast
Wireless Charging



Specs

- Input:
USB-C: 5V/2A
- Output:
USB-C: 5V/2.4A
- Wireless Output: 10W/7.5W/5W
- Indicators: 4 LED indicator
- Net Weight: 150±10g
- Dimension: (98*64*15.5)±0.5mm

Key Features

- 5,000mAh Magnetic Wireless Power Bank
- 10W Fast Wireless Charging For iPhone & Android
- Ultra-Slim & Lightweight – Only 150g
- Supports Simultaneous Charging for 2 Devices
- 4-LED Battery Indicator – Easy Power Level Check

Built-In Cable Power Banks



LWP-10127B01C

10,000mAh Built-in Cable Power Bank

Apple Watch
Charging



Built-In
USB-C Cable



USB-C
Output Max

45W



Specs

•Input:

USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A

Built-In Cable USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A

•Output:

USB-C: 5V/3A, 9V/2A, 12V/3A, 15V/3A, 20V/2.25A (45W Max)

Built-In Cable USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A,
20V/2.25A (45W Max)

USB-A: 5V/3A, 9V/2A, 10V/2.25A, 12V/1.5A (22.5W Max)

Wireless Charger: 5W Max (For Apple Watch)

•Dimension: (102*50*31)±0.5mm

Key Features

- USB-C Single-Port Max Output 45W
- 10,000mAh Power Bank – Compact Design
- 5W Wireless for Apple Watch
- Built-in USB-C Cable – No Extra Cable Needed
- Charges 4 Devices Simultaneously

LP-10XXA01C

10,000mAh Built-in Cable Power Bank

AC
Foldable plug



Built-In
USB-C Cable



USB-C
Output Max

45W



Specs

•Input:

AC: 100-240V 50/60Hz

USB-C: 5V/3A, 9V/2A, 12V/3A, 15V/3A, 20V/2.25A (45W Max)

Built-In Cable USB-C: 5V/3A, 9V/2A, 12V/3A, 15V/3A, 20V/2.25A
(45W Max)

•Output:

USB-C: 5V/3A, 9V/2A, 12V/3A, 15V/3A, 20V/2.25A (45W Max)

Built-In Cable USB-C: 5V/3A, 9V/2A, 12V/3A, 15V/3A,
20V/2.25A (45W Max)

•Dimension: (105*54*37)±0.5mm

Key Features

- 45W PD Fast Charging with Built-In USB-C Cable
- All-in-One Power Bank with Foldable Plug
- 10,000mAh Ultra-Compact Design – Pocket-Sized Power
- 2-Device Charging + Pass-Through Support
- Global 100-240V Input – Charge Anywhere, Anytime

LP-20XXA01C

20,000mAh Built-in Cable Power Bank

Built-In
USB-C Cable



USB-C
Output Max

45W



Specs

•Input:

USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A (30W Max)

Built-In Cable USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
(30W Max)

•Output:

USB-C: 5V/3A, 9V/2A, 12V/3A, 15V/3A, 20V/2.25A (45W Max)

Built-In Cable USB-C: 5V/3A, 9V/2A, 12V/3A, 15V/3A, 20V/2.25A
(45W Max)

USB-A: 4.5V/5A, 5V/4.5A, 5V/2.4A, 9V/2A, 12V/1.5A (22.5W Max)

•Total Output: 15W Max

•Dimension: (143*73*20)±0.5mm

Key Features

- Built-in USB-C Cable with 45W Max Output
- LCD Display Shows Remaining Power Instantly
- 20,000mAh Power Bank – Pocket-Friendly Design
- Built-in USB-C Cable – No Extra Cable Needed
- Charges 3 Devices Simultaneously

LP-20XXA02C

20,000mAh Built-in Cable Power Bank

Built-In
USB-C Cable



USB-C
Output Max

22.5W



Specs

•Input:

USB-C: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

Built-In Cable USB-C: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

•Output:

USB-C: 5V/3A, 9V/2A, 10V/2.25A, 12V/1.5A (22.5W Max)

Built-In Cable USB-C: 5V/3A, 9V/2A, 10V/2.25A, 12V/1.5A
(22.5W Max)

USB-A: 5V/3A, 9V/2A, 10V/2.25A, 12V/1.5A (22.5W Max)

•Total Output: 15W Max

•Dimension: (143*73*20)±0.5mm

Key Features

- Single-Port Output up to 22.5W
- Slim & Lightweight 20,000mAh Power Bank
- Built-in USB-C Cable – No Extra Cable Needed
- Charges 3 Devices Simultaneously
- Smart Power Sharing – Charge Multiple Devices Safely

CP-20200B01

20,000mAh Built-in Cable Power Bank

Built-In
USB-C Cable



USB-C
Output Max

67W



Specs

•Input:

USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.35A (67W Max)

•Output:

USB-C: 5V/3A, 9V/3A, 10V/3A, 12V/3A, 15V/3A, 20V/3.35A (67W Max)

Built-In Cable USB-C: 5V/3A, 9V/3A, 10V/3A, 12V/3A, 15V/3A,
20V/3.35A (67W Max)

USB-A: 5V/3A, 9V/3A, 10V/2.25A, 12V2.5A (30W Max)

•Dimension: (167*65.5*26)±0.5mm

•Supports 15W simultaneous charge and discharge efficiently

Key Features

- 67W PD Fast Charging for Laptops
- 20,000mAh High-Capacity Power Bank
- Built-in Retractable USB-C Charging Cable
- Charges 3 Devices Simultaneously
- Supports 15W Pass-Through Charging

CP-10116U01

10,000mAh Power Bank with Built-In Plug and Integrated Cable

Built-In USB-C
Lightning



AC
Plug



Specs

•Charger Mode:

AC Input: 100~240V 50/60Hz

USB-C Output: 5V/2.4A

Built-In Cable USB-C Output: 5V/2.4A

•Power Bank Mode:

USB-C Input: 5V/3A, 9V/2A (18W Max)

USB-C Output: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

Built-In Cable USB-C Output: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

USB-A Output: 5V/3A, 9V/2A, 12V/1.5A (18W Max)

•Dimension: (134*70*17.5)±0.5mm

Key Features

- 20W PD Fast Charging with Built-In USB-C Cable
- Foldable AC Plug Power Bank
- 10,000mAh Ultra-Slim Design – Slimmer Than Ever
- Charges 3 Devices Simultaneously
- Global 100-240V Input – Travel-Ready Anywhere

LP-10117B01

10,000mAh Built-in Retractable Cable Power Bank

Built-In
USB-C Cable



USB-C
Output Max

45W



Specs

•Input:

USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A

Built-In Cable USB-C: 55V/3A, 9V/3A, 12V/2.5A, 15V/2A

•Output:

USB-C: 5V/3A, 9V/2A, 12V/3A, 15V/3A, 20V/2.25A (45W Max)

Built-In Cable USB-C: 5V/3A, 9V/2A, 12V/3A, 15V/3A, 20V/2.25A
(45W Max)

USB-A: 5V/3A, 9V/2A, 10V/2.25A, 12V/1.5A (22.5W Max)

Built-In Cable USB-C+USB-A=30W

•Dimension: (90*49*37)±0.5mm

Key Features

- 45W PD Fast Charging with Built-In Retractable USB-C Cable
- 10,000mAh Ultra-Compact Power Bank – Slim & Pocket-Ready
- 45W Max Output via USB-C + Retractable Cable
- Charges 3 Devices Simultaneously
- Integrated Retractable Cable – Always Ready, No Extra Wires

LP-10111B01

10,000mAh Built-in Cable Power Bank

Built-In
USB-C Cable



USB-C
Output Max

30W



Specs

•Input:

USB-C: 5V/3A, 9V/2.22A, 12V/1.67A

Built-In Cable USB-C: 5V/3A, 9V/2.22A, 12V/1.67A

•Output:

USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A (30W Max)

Built-In Cable USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
(30W Max)

USB-A: 5~6.5V/3A, 6.5V~9V/2A, 9V~12V/1.5A, 5V/4.5A, 4.5V/5A
(22.5W Max)

Built-In Cable USB-C+USB-A: 15W

Built-In Cable USB-C+USB-C: 15W

USB-C+USB-A: 15W

Built-In Cable USB-C+USB-C+USB-A: 15W

•Dimension: (90*59*26)±0.5mm

Key Features

- 30W PD Fast Charging with Built-In USB-C Cable
- 10,000mAh Ultra-Compact Power Bank – Pocket-Friendly Size
- Real-Time Battery Level Display
- Ready-to-Use Built-In Cable – Never Forget Your Charger Again
- Charges 4 Devices Simultaneously

LP-20100A01C

20,000mAh Built-in Cable Power Bank

Built-In
USB-C Cable



USB-C
Output Max

22.5W



Specs

•Input:

USB-C1: 5V/1.8A, 9V/1.8A

Built-In Cable USB-C2: 5V/1.8A, 9V/1.8A

•Output:

USB-C1: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

Built-In Cable USB-C2: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

Built-In Cable USB-C3: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

USB-A1: 5V/3A, 9V/2A, 12V/1.5A (22.5W Max)

•The output power of two or more ports shares 15W

•Dimension: (151*70*33)±0.5mm

Key Features

- 3 USB-C Outputs – Up to 20W per Port
- 20,000mAh Power Bank That Charges 4 Devices Simultaneously
- Ultra-Slim Design with Integrated Charging Cable
- Built-in Dual USB-C Charging Cables
- Ready-to-Use Built-In Cable – No Extra Cables Needed

LP-10101A01C

10,000mAh Built-in Cable Power Bank

Built-In
USB-C Cable



USB-C
Output Max

22.5W



Specs

•Input:

USB-C1: 5V/1.8A, 9V/1.8A

Built-In Cable USB-C2: 5V/1.8A, 9V/1.8A

•Output:

USB-C1: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

Built-In Cable USB-C2: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

Built-In Cable USB-C3: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

USB-A1: 5V/3A, 9V/2A, 12V/1.5A (22.5W Max)

•The output power of two or more ports shares 15W

•Dimension: (151*68*20)±0.5mm

Key Features

- 3 USB-C Outputs – Up to 20W per Port
- 10,000mAh Power Bank That Charges 4 Devices Simultaneously
- Ultra-Slim Design with Integrated Charging Cable
- Built-in Dual USB-C Charging Cables
- Ready-to-Use Built-In Cable – No Extra Cables Needed

LTP-2059B01

5,000mAh Foldable Plug Power Bank

AC
Foldable plug



1 Pc
Built-In Cable



USB-C
Output Max

20W



Specs

•Input:

AC: 100~240V 50/60Hz

USB-C: 5V/3A, 9V/2A

Built-In Cable USB-C: 5V/3A, 9V/2A

•Output:

USB-C: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

Built-In Cable USB-C: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

Built-In Cable USB-C+USB-C: 15W

•Dimension: (120*34*34)±0.5mm

Key Features

- Built-in Foldable AC Plug for Direct Wall Charging
- Ultra-Compact Rectangular Block Design – Pocket-Friendly
- Supports Pass-Through Charging
- Charges 2 Devices Simultaneously
- Global 100~240V Input – Charge Anywhere Effortlessly

Classic

Power Banks



LP-1073B01

10,000mAh Slim and Compact Power Bank

Mini
Series



Digital
Screen



USB-C
Output Max

30W



Specs

• Input:

USB-C1: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

• Output:

USB-C1/2: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A (30W Max)

USB-A: 5V/3A, 9V/2A, 12V/1.5A

• Total Output: 15W

• Indicators: LCD Display

• Net Weight: 270g

• Dimension: (107*52*26)±0.5mm

Key Features

- 30W PD Fast Charging via Dual USB-C Ports
- 10,000mAh Slim Power Bank with LCD Display
- Ultra-Compact & Lightweight Everyday Carry
- Smart Multi-Device Charging with Total 15W Output
- Fast 20W Recharging through USB-C Input



Specs

Power Bank*3

- Capacity: 5,000mAh
- USB-C1/2 Input: 5V/3A, 9V/2A, 12V/1.5A
- USB-C1/2 Output: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)
- Total Output: 20W Max
- Dimension: (78.5*35*25)±0.5mm

Charging Dock*1

- USB-C1: 5V/3A
- USB-C2: 5V/3A
- USB-C3: 5V/3A
- USB-C1+USB-C2+USB-C3: 5V/9A
- Dimension: (116*60*45)±0.5mm

Key Features

- 5,000mAh Power Bank with 20W PD Fast Charging
- 3-in-1 Charging Dock + Three Ultra-Compact Power Banks
- Pocket Lipstick Power Bank – Tiny Yet Mighty
- Simultaneous 20W Fast Charging for Multiple Devices
- Portable Power Banks Snap into Dock for Easy Recharging

LP-0584B02

5,000mAh Power Bank

USB-C
Port



Mini
Series



Specs

- Display: LCD Indicator
- USB-C Input: 5V/2.4A, 9V/2A, 12V/1.5A (18W Max)
- USB-C Output: 5V/3.0A, 9V/2.22A, 12V/1.67A (20W Max)
- Total Output: 15W
- Dimensions: (80*39*28)±0.5mm
- The USB-C plug and stand can be folded



Key Features

- 18W Fast Recharging with USB-C PD Input
- 5,000mAh Ultra-Compact Power Bank with LCD Display
- Foldable USB-C Plug & Built-in Stand for Convenience
- 20W PD Fast Charging Output via USB-C
- Lipstick-Size Design – Plug Straight into Your Phone

LP-1089B

10,000mAh Power Bank

Mini
Series



USB-C
Output Max

30W



Specs

• Input:

USB-C: 5V/3A, 9V/2A, 12V/1.5A

• Output:

USB-C: 5V/3A, 9V/3A, 12V/2.25A, 15V/2A, 20V/1.5A

(30W Max)

USB-A: 5~6.5V/3A, 6.5V~9V/2A, 9V~12V/1.5A, 5V/4.5A, 4.5V/5A

(22.5W Max)

• Net Weight: 205g

• Dimension: (82*62*26)±0.5mm

Key Features

- 30W PD Fast Charging via USB-C
- 10,000mAh Slim & Lightweight Power Bank
- Ultra-Compact Pocket-Sized Design
- Dual Output Ports for Simultaneous Charging
- Fast Recharging with PD Input Support

GP-1000AQC01/GP-2000AQC01 10,000mAh/20,000mAh Power Bank

USB-C
Output Max

20W

USB-A
Output Max

22.5W



Specs

•Input:

Micro USB: 5V/2A

USB-C: 5V/3A, 9V/2A

•Output:

USB-A1/2: 5~6.5V/3A, 6.5V~9V/2A, 9V~12V/1.5A, 5V/4.5A,
4.5V/5A (22.5W Max)

USB-C: 5V/3A, 9V/2.22A, 12V/1.67A(20W Max)

•Net Weight: 228g/430g

•Dimension: (143*68*16)±0.5mm/(143*68*28)±0.5mm

Key Features

- 22.5W Super Fast Charging Output
- 10,000mAh or 20,000mAh High-Capacity Portable Power
- Compact & Lightweight Design for Easy Carry
- Dual USB-A + USB-C Ports for Simultaneous Charging
- Fast Recharging with USB-C PD Input Support

LP-1062AQC/LP-2062AQC 10,000mAh/20,000mAh Power Bank

USB-C
Output Max

20W

USB-A
Output Max

22.5W



Specs

•Input:

Micro USB: 5V/3A

USB-C: 5V/2A, 9V/2A

•Output:

USB-A1/2: 5~6.5V/3A, 6.5V~9V/2A, 9V~12V/1.5A, 5V/4.5A,
4.5V/5A (22.5W Max)

USB-C: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)

•Net Weight: 228g/430g

•Dimension: (143*68*16)±0.5mm/(143*73*29)±0.5mm

Key Features

- 22.5W Fast Charging with Smart Voltage Boost
- 10,000mAh / 20,000mAh High-Capacity Power on the Go
- Ultra-Slim & Lightweight Portable Design
- Dual USB-A + USB-C Outputs for Multiple Devices
- Fast Recharging via USB-C or Micro USB Input

LP-565A/LP-1065A/LP-1565A/LP-2065A 5,000mAh/10,000mAh/15,000mAh/20,000mAh Power Bank

Mini
Series



USB-C
Output Max

65W



Specs

•Input:

Micro USB: 5V/2A

USB-C: 5V/3A, 9V/2A

•Output:

USB-C1: DC5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (Max 65W)

USB-C2: DC5V/2.4A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A

(30W Max)

USB-A: DC5~6.5V/3A, 6.5V~9V/2A, 9V~12V/1.5A, 5V/4.5A, 4.5V/5A
(22.5W Max)

• Indicators: 4 LED indicators

• Net Weight: 103g, 173g, 300g, 380g

• Dimension: (50*14*103)±0.5mm, (50*25*109)±0.5mm (71.5*25*125)±0.5mm, (82*28*135)±0.5mm

•LP-2065A

USB-C1 Input: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A (45W Max)

USB-C1 Output: DV/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (65W Max)

USB-C2 Output: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A (30W Max)

USB-A Output: 5V/3A, 9V 2A, 12V/1.5A, 5V/4.5A, 4.5V/5A (22.5W Max)

Desktop Power Strips



LA-30145A01 (Chinese Plug | 65W) 7-in-1 Desktop Power Strip

3*
AC Outlets



2*
USB-A Ports



2*
USB-C Ports



Specs

- Rated voltage: 220V~
- Rated current: 10A Max
- Rated power: 2200W Max
- Input: AC 100-240V 50/60Hz, 1.8A Max
- USB-C1 Output: 5V/1.5A, 5V/2.4A, 5V/3A, 9V/2A, 12V/2.5A, 5V/3A, 9V/3A, 15V/2A, 20V/1.5A, 5~11V/2.7A (65W Max)
- USB-C2 Output: 5V/1.5A, 5V/2.4A, 5V/3A (20W Max)
- USB-A1/2 Output: 5V/1.5A, 5V/2.4A, 5V/3A (20W Max)
- USB-C1+USB-C2 Output: 45W+20W
- USB-C1+USB-A Output: 45W+20W
- USB-C1+(USB-C2+USB-A1) Output: 45W+15W
- USB-C1+(USB-C2+USB-A2) Output: 45W+15W
- USB-C1+(USB-A2+USB-A2) Output: 45W+15W
- USB-C2+USB-A2+USB-A2 Output: 15W
- USB-C1+(USB-C2+USB-A1+USB-A2) Output: 45W+15W
- Dimension: (102*78*32.5)±0.5mm

Key Features

- 65W PD Fast Charging USB-C Port
- 7-in-1 Compact Desktop Charging Station
- Tiny Cube Design Fits Anywhere
- Smart Multi-Device Charging Solution
- Reliable 2200W AC Outlet with USB Ports

LA-30145A01 (Chinese Plug | 30W) 7-in-1 Desktop Power Strip

3*
AC Outlets



2*
USB-A Ports



2*
USB-C Ports



Specs

- Rated voltage: 220V~
- Rated current: 10A Max
- Rated power: 2200W Max
- Input: AC 100-240V 50/60Hz, 1.8A Max
- USB-C1 Output: 5V/1.5A, 5V/2.4A, 5V/3A, 9V/2A, 12V/2.5A, 5V/3A, 9V/3A, 15V/2A, 20V/1.5A, 5~11V/2.7A (30W Max)
- USB-C2 Output: 5V/1.5A, 5V/2.4A, 5V/3A (15W Max)
- USB-A1/2 Output: 5V/1.5A, 5V/2.4A, 5V/3A (15W Max)
- Total Output: 15W Max
- Dimension: (102*78*32.5)±0.5mm

Key Features

- 30W PD Fast Charging USB-C Port
- 7-in-1 Compact Desktop Charging Station
- Ultra-Slim & Space-Saving Design
- Multi-Device Charging with Smart Allocation
- Reliable 2200W AC Outlet for Everyday Use

LA-30144A01 (Chinese Plug) 7-in-1 Desktop Power Strip

3*
AC Outlets



2*
USB-A Ports



2*
USB-C Ports



Specs

- Rated voltage: 220V~
- Rated current: 10A Max
- Rated power: 2200W Max
- Input: AC 100~240V 50/60Hz, 1.8A Max
- USB-C1 Output: 5V/1.5A, 5V/2.4A, 5V/3A, 9V/2A, 12V/2.5A, 5V/3A, 9V/3A, 15V/2A, 20V/1.5A, 5~11V/2.7A (30W Max)
- USB-C2 Output: 5V/1.5A, 5V/2.4A, 5V/3A (15W Max)
- USB-A1/2 Output: 5V/1.5A, 5V/2.4A, 5V/3A (15W Max)
- Total Output: 15W Max
- Dimension: (60*60*65)±0.5mm

Key Features

- 30W PD Fast Charging USB-C Port
- 7-in-1 Compact Desktop Charging Station
- Tiny Cube Design Fits Anywhere
- Smart Multi-Device Charging Solution
- Reliable 2200W AC Outlet with USB Ports

LA-20119A01 (USA Plug)

9-in-1 Desktop Power Strip with Retractable USB-C Cable

Built-in
USB-C Cable



USB-C
Output Max

85w



Specs

- Rated voltage: 240V~
- Rated current: 10A Max
- Rated power: 1250W Max
- Input: AC 100-240V 50/60Hz, 1.8A Max
- Output
 - USB-C1/2 Output: 5V/3A, 9V/1.67A, 12V/1.25A, 15V/1A, 20V/0.75A, 5V/17A, 9V/9.44A, 12V/7.08A, 15V/5.67A, 20V/4.25A (85W Max)
 - USB-A1/2 : 5V/3.6A, 9V/2A, 12V/1.5A (18W Max)
 - Wireless Output: 15W Max
 - Built-In Cable USB-C1/2 Output: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)
- Dimension: (75*75*130)±0.5mm

Key Features

- 85W PD Fast Charging with Dual USB-C Ports
- 9-in-1 All-in-One Desktop Power Station
- Built-in Retractable USB-C Cable for Instant Charging
- 15W Wireless Charging + Multi-Port USB Charging
- Compact Cylindrical Design with 1250W Reliable AC Outlet

LA-6505A01 (USA Plug) 6-in-1 Desktop Power Strip

USB-C
Output Max

67W



Specs

- Rated voltage: 120V~
- Rated current: 16A Max
- Rated power: 1920W Max
- Input: AC 100-240V 50/60Hz, 1.5A Max
- Output
 - USB-C1/2: 5.0V/3.0A, 9.0V/3.0A, 12.0V/3.0A, 15.0V/3.0A, 20.0V/3.35A (67W Max)
 - USB-A: 5.0V/3.0A, 9.0V/3.0A, 12V/3.0A, 20V/3.0A (60W Max)
 - USB-C1 + USB-C2 = 65W Max, USB-C1+ USB-A = 63W Max
 - USB-C1+ USB-A = 63W Max, USB-C2+ USB-A = 20W Max
 - USB-C1 + USB-C2 + USB-A = 65W Max
- Line Length: 1.5M
- Overall Dimensions: (117.8*44*37)±0.5mm
- Charger Dimensions: (65*44*37)±0.5mm
- Power Strip Dimensions: (52.8*44*37)±0.5mm

Key Features

- 67W PD Fast Charging with Dual USB-C Ports
- Versatile 6-in-1 USA Power Strip & Charger
- Ultra-Compact Slim Design with 1.5m Cord
- Smart Power Sharing up to 65W Across Ports
- High-Capacity 1920W AC Outlet for Reliable Power

LA-6505A02 (USA Plug) 9-in-1 Desktop Power Strip

USB-C
Output Max

65w



Specs

- Rated voltage: 125V~
- Rated current: 10A Max
- Rated power: 1250W Max
- Input: AC 100-240V 50/60Hz, 1.8A Max
- USB-C Output: 5.0V/3.0A, 9.0V/3.0A, 12.0V/3.0A, 15.0V/3.0A, 20.0V/3.25A (65W Max)
- USB-A1 Output: 5.0V/4.5A, 5.0V/3.0A, 9.0V/2.6A, 12.0V/2.0A
- USB-A2 Output: 5.0V/3.0A
- Total Output: 65W Max
- Dimension: (111*47.5*38)±0.5mm

Key Features

- 65W PD Fast Charging for Laptops & Devices
- 9-in-1 Compact USA Desktop Power Station
- Ultra-Slim & Space-Saving Footprint
- Smart & Efficient Power Delivery
- Reliable 1250W AC Outlet with Multi-Port USB

LA6501F (USA Plug)

6-in-1 Desktop Power Strip

USB-C
Output Max

65W



Specs

- Rated voltage: 125V~
- Rated current: 10A Max
- Rated power: 1250W Max
- Input: AC 100~240V 50/60Hz, 1.8A Max
- USB-C1/2 Output: 5.0V/3.0A, 9.0V/3.0A, 12.0V/3.0A, 15.0V/3.0A, 20.0V/3.25A (65W Max)
- PPS: 3.3~20.0V/3.0A
- USB-A1 Output: 5.0V/4.5A, 5.0V/3.0A, 9.0V/2.6A, 12.0V/2.0A
- USB-A2 Output: 5.0V/3.0A
- USB-C1+ (USB-C2+ USB-A1) + USB-A2 Output: 45W+15W+5W
- Weight: 335±5g
- Dimension: (100*66*35)±0.5mm

Key Features

- 65W PD Fast Charging with PPS Support
- Compact 6-in-1 USA Desktop Power Strip
- Slim & Desk-Friendly Design
- Smart Power Sharing for Multiple Devices
- Reliable 1250W AC Outlet with Wide Voltage Input

LA6502F (EU Plug)

6-in-1 Desktop Power Strip

USB-C
Output Max

65w



Specs

- Rated voltage: 240V~
- Rated current: 16A Max
- Rated power: 3840W Max
- Input: AC 100-240V 50/60Hz, 1.8A Max
- USB-C1/2 Output: 5.0V/3.0A, 9.0V/3.0A, 12.0V/3.0A, 15.0V/3.0A, 20.0V/3.25A (65W Max)
- PPS: 3.3-20.0V/3.0A
- USB-A1 Output: 5.0V/4.5A, 5.0V/3.0A, 9.0V/2.6A, 12.0V/2.0A
- USB-A2 Output: 5.0V/3.0A
- USB-C1+USB-C2+USB-A1+USB-A2 Output: 45W+15W+5W
- Weight: 395±5g
- Dimension: (116*80*35)±0.5mm

Key Features

- 65W PD Fast Charging with PPS Support
- Powerful 6-in-1 EU Desktop Charging
- Slim & Space-Saving Design
- Smart Multi-Device Power Sharing
- High-Capacity 3840W Safe AC Outlet

LA6503F (Chinese Plug)

6-in-1 Desktop Power Strip

USB-C
Output Max

65W



Specs

- Rated voltage: 220V~
- Rated current: 10A Max
- Rated power: 2200W Max
- Input: AC 100~240V 50/60Hz, 1.8A Max
- USB-C1/2 Output: 5.0V/3.0A, 9.0V/3.0A, 12.0V/3.0A, 15.0V/3.0A, 20.0V/3.25A (65W Max)
- PPS: 3.3~20.0V/3.0A
- USB-A1 Output: 5.0V/4.5A, 5.0V/3.0A, 9.0V/2.6A, 12.0V/2.0A
- USB-A2 Output: 5.0V/3.0A
- USB-C1+ (USB-C2+ USB-A1) + USB-A2 Output: 45W+15W+5W
- Weight: 335g±5g
- Dimension: 100*66*35)±0.5mm

Key Features

- 65W Ultra-Fast USB-C Charging
- Versatile 6-in-1 Desktop Solution
- Compact & Travel-Ready Design
- Intelligent Power Allocation
- Safe, Reliable Performance

LA6504F (Japanese Plug)

6-in-1 Desktop Power Strip

USB-C
Output Max

65W



Specs

- Rated voltage: 125V~
- Rated current: 10A Max
- Rated power: 1250W Max
- Input: AC 100-240V 50/60Hz, 1.8A Max
- USB-C1/2 Output: 5.0V/3.0A, 9.0V/3.0A, 12.0V/3.0A, 15.0V/3.0A, 20.0V/3.25A (65W Max)
- PPS: 3.3-20.0V/3.0A
- USB-A1 Output: 5.0V/4.5A, 5.0V/3.0A, 9.0V/2.6A, 12.0V/2.0A
- USB-A2 Output: 5.0V/3.0A
- USB-C1+USB-C2+USB-A1+USB-A2 Output: 45W+15W+5W
- Weight: 335g±5g
- Dimension: (100*66*35)±0.5mm

Key Features

- 65W Ultra-Fast USB-C Charging
- Japanese-Style Plug + 6-in-1 Versatility
- PPS Smart Fast Charging
- Ultra-Compact & Travel-Ready
- Wide Voltage 100-240V Input

Bluetimes 蓝之洋

Shenzhen Blue Times Technology Co., Ltd.

Add: 5th Floor, Tower B, Taixinglong Industrial Park, Hezhou, Xixiang Town, Bao'an District, 518106, Shenzhen, China

Tel: +86-755-2731 8883

E-mail: info@ebluetimes.com

ebluetimes.com

