


Dongguan Anju Electronic Technology Co., Ltd

东莞市安聚电子科技有限公司

新 产 品 设 计 介 绍

2026 New Product Introduction

● Product Roadmap/产品路标



● TM series fast charging charger



TM 20W 1C

20W single channel PD charger

Materials:PC,Electronic Parts Rated

Input:AC100V-240V~50Hz/60Hz 0.8A Max

Output C :5V=3A,9V=2.22A,12V=1.67A

Dimension:32*32*47.05mm_uc

32*32*47.05mm_us

32*32*68.30mm_kr

32*32*68.30mm_ue

Color:Barbie pink/Crystal white/Advanced


gray/Peachy pink/Cheese yellow/Grape

purple/Deep sea blue

● TM series fast charging charger

Nine Temperature-controlled protection

Low temperature No hot



30W USB-C GaN Quick Charger

Beautiful and Refined Arbitrarily Selection

Crystal shell, Diamond corner design refract shine light
Smells absolutely gorgeous



Common Choice of Apple fans

Very Beautiful charger for Iphone



TM 30W 1C

30W single channel PD charger

Materials:PC,Electronic Parts Rated

Input:100V-240V~50/60Hz 1.0A Max

Output :5V=3A,9V=3A,12V=2.5A,

15V=2.0A,20V=1.5A

PPS:3.3-11V=3A,3.3-16V=2A,30W Max

Output C =30W Max

Dimension:32*32*51.50mm_uc

32*32*51.50mm_us

32*32*72.80mm_kr

32*32*72.80mm_ue

Color:Barbie pink/Crystal white/Advanced
gray/Peachy pink/Cheese yellow/Grape
purple/Deep sea blue

●TM series fast charging charger



TM 30W 1C1A

30W Dual Port PD Power Charger

Materials:PC,Electronic Parts Rated

Input:100-240V~1.0A Max 50/60Hz

Output Type-C :5V $\equiv$ 3A,9V $\equiv$ 3A,12V $\equiv$ 2.5A,

15V $\equiv$ 2A,20V $\equiv$ 1.5A;30W Max

USB-A :5V $\equiv$ 3A,9V $\equiv$ 3A,

12V $\equiv$ 2.5A,20V $\equiv$ 1.5A;30W Max

Type-C+USB-A :5V $\equiv$ 3A 15W Max

Dimension:36*34.50*46mm_uc

36*34.50*46mm_us

50.70*46.70*68.70mm_kr


36*34.50.83.50mm_ue

Color:Light pink/Sierra blue/Grey/White/Black

● TM series fast charging charger

Nine Temperature-controlled protection

Low temperature No hot



- Overcharge protection
- Over-discharge protection
- Overcurrent protection
- Overpower protection
- Over-voltage protection
- High-temperature protection
- Low Temperature protection
- Short circuit protection
- EMF protection

35W USB-C GaN Quick Charger

Beautiful and Refined
Arbitrarily Selection

Crystal shell,Diamond corner design refract shine light
Smells absolutely gorgeous



Common Choice of Apple fans

Very Beautiful charger for Iphone



TM 35W 1C

35W single channel PD charger

Materials:PC,Electronic Parts Rated

Input:100V-240V~1.0A Max 50/60Hz

Output :5V=3A,9V=3A,12V=2.5A,

15V=2.33A,20V=1.75A

PPS:3.3-11V=3A,3.3-16V=2A,30W Max

Dimension:32*32*51.50mm_uc

32*32*51.50mm_us

32*32*72.80mm_kr

32*32*72.80mm_ue

Color:Barbie pink/Crystal white/Advanced gray/Peachy
pink/Cheese yellow/Grape purple/Deep sea blue

● TM series fast charging charger



TM 35W 1C1A

35W Dual Port PD Power Charger

Materials:PC,Electronic Parts Rated

Input:100-240V~1.0A Max 50/60Hz

Output Type-C :5V $\equiv$ 3A,9V $\equiv$ 3A,12V $\equiv$ 2.5A,

15V $\equiv$ 2.33A,20V $\equiv$ 1.75A 35W Max

USB-A :5V $\equiv$ 3A,9V $\equiv$ 3A,

12V $\equiv$ 2.5A,20V $\equiv$ 1.5A;30W Max

Type-C+USB-A :5V $\equiv$ 3A 15W Max

Dimension:36*34.50*46mm_uc

36*34.50*46mm_us

50.70*46.70*68.70mm_kr

36*34.50*83.50mm_ue

Color:Light pink/Sierra blue/Grey/White/Black

● TM series fast charging charger



TM 40W 2 C

40W Dual channel PD charger

Materials:PC,Electronic Parts Rated

Input:100-240V~1.2A Max 50/60Hz

Output Type-C1:5V $\overline{\overline{=}}$ 3A,9V $\overline{\overline{=}}$ 3A,12V $\overline{\overline{=}}$ 3A,15V $\overline{\overline{=}}$ 2.67A,20V $\overline{\overline{=}}$ 2A

PPS1:3.3-11V $\overline{\overline{=}}$ 3A

PPS2:3.3-20V $\overline{\overline{=}}$ 2A 40W Max

Type-C2 : :5V $\overline{\overline{=}}$ 3A,9V $\overline{\overline{=}}$ 3A,12V $\overline{\overline{=}}$ 3A,15V $\overline{\overline{=}}$ 2.67A,20V $\overline{\overline{=}}$ 2A

PPS1:3.3-11V $\overline{\overline{=}}$ 3A

PPS2:3.3-20V $\overline{\overline{=}}$ 2A 40W Max

Output =20W+20W 40W Max

Dimension:37.50*36*48.50mm_uc


37.50*36*48.50mm_us

50.70*46.70*71.20mm_kr

37.50*36*85.80mm_ue

Color:Light pink/Sierra blue/Grey/White/Black

● TM series fast charging charger



TM 45W 1C

45W single channel PD charger

Materials:PC,Electronic Parts Rated

Input:100-240V~1.2A Max 50/60Hz

Output Type-C :5V $\overline{\text{---}}$ 3A,9V $\overline{\text{---}}$ 3A,12V $\overline{\text{---}}$ 3A,

15V $\overline{\text{---}}$ 3A,20V $\overline{\text{---}}$ 2.25A

PPS:5-11V $\overline{\text{---}}$ 4A

AVS:9-15V $\overline{\text{---}}$ 3.0A;15-20V $\overline{\text{---}}$ 2.25A 45W Max

Dimension:37.50*36*48.50mm_uc

37.50*36*48.50mm_us

50.70*46.70*71.20mm_kr

37.50*36*85.80mm_ue

Color:Light pink/Sierra blue/Grey/White/Black

● TM series fast charging charger



TM 45W 2 C

45W Dual Port PD Power Charger

Materials:PC,Electronic Parts Rated

Input:100-240V~1.2A Max 50/60Hz

Output Type-C1 :5V $\equiv$ 3A,9V $\equiv$ 3A,12V $\equiv$ 3A,15V $\equiv$ 3A,20V $\equiv$ 2.25A 45W Max

PPS1:3.3-11V $\equiv$ 4A

PPS2:3.3-21V $\equiv$ 2A

Type-C2 :5V $\equiv$ 3A,9V $\equiv$ 3A,12V $\equiv$ 3A,15V $\equiv$ 3A,20V $\equiv$ 2.25A 45W Max

PPS1:3.3-11V $\equiv$ 4A

PPS2:3.3-21V $\equiv$ 2A

Output =20W+20W 40W Max

Dimension:37.50*36*48.50mm_uc

37.50*36*48.50mm_us

50.70*46.70*71.20mm_kr

37.50*36*85.80mm_ue

Color:Light pink/Sierra blue/Grey/White/Black

● TM series fast charging charger



TM 65W 1 C1A

65W Dual Port PD Power Charger

Materials:PC,Electronic Parts Rated

Input:110-240V~1.8A Max 50/60Hz

Output Type-C :5V $\overline{\text{---}}$ 3A,9V $\overline{\text{---}}$ 3A,10V $\overline{\text{---}}$ 2A,

12V $\overline{\text{---}}$ 3A,15V $\overline{\text{---}}$ 3A,20V $\overline{\text{---}}$ 3.25A

PPS:3.3-21V 65W Max

USB-A :5V $\overline{\text{---}}$ 3A,9V $\overline{\text{---}}$ 2A,12V $\overline{\text{---}}$ 1.5A,22.5W Max,

Type-C+USB-A :45W+15W

Output =60W Max

Dimension:40*38.50*50.80mm_uc

40*38.50*50.80mm_us

40*38.50*88.10mm_kr

40*38.50*88.10mm_ue

50.70*46.70*73.50mm_uk

Color:Light pink/Sierra blue/Grey/White/Black

● TM series fast charging charger



TM 67W 2C

67W Dual Port PD Power Charger

Materials:PC,Electronic Parts Rated

Input:110-240V~1.8A Max 50/60Hz

Output Type-C1/C2 :5V $\equiv$ 3A,9V $\equiv$ 3A,10V $\equiv$ 2A,

12V $\equiv$ 3A,15V $\equiv$ 3A,20V $\equiv$ 3.35A

Type-C1+Type-C2 :5V $\equiv$ 3A,9V $\equiv$ 3A,10V $\equiv$ 2A,

12V $\equiv$ 2.5A,15V $\equiv$ 2.2A,20V $\equiv$ 1.65A

Single port output =67W Max

Double port output =33W+33W 66W Max

Dimension:40*38.50*50.80mm_uc

40*38.50*50.80mm_us

40*38.50*88.10mm_kr

40*38.50*88.10mm_ue

50.70*46.70*73.50mm_uk

Color:Light pink/Sierra blue/Grey/White/Black

● TM series fast charging charger



TM 70W 1 C1A

70W Dual Port PD Power Charger

Materials:PC,Electronic Parts Rated

Input:110-240V~1.8A Max 50/60Hz

Output Type-C :5V $\overline{\text{---}}$ 3A,9V $\overline{\text{---}}$ 3A,10V $\overline{\text{---}}$ 2A,

12V $\overline{\text{---}}$ 3A,15V $\overline{\text{---}}$ 3A,20V $\overline{\text{---}}$ 3.5A

PPS:3.3-21V $\overline{\text{---}}$ 70W

USB-A :5V $\overline{\text{---}}$ 3A,9V $\overline{\text{---}}$ 2A,10V $\overline{\text{---}}$ 2.25A,12V $\overline{\text{---}}$ 1.5A;22.5W

Type-C+USB-A :60W

Type-C :5V $\overline{\text{---}}$ 3A,9V $\overline{\text{---}}$ 3A,10V $\overline{\text{---}}$ 2A,

12V $\overline{\text{---}}$ 3A,15V $\overline{\text{---}}$ 3A,20V $\overline{\text{---}}$ 2.25A

PPS:3.3-21V $\overline{\text{---}}$ 45W

USB-A :5V $\overline{\text{---}}$ 3A,15W

Dimension:40*38.50*50.80mm_uc

40*38.50*50.80mm_us

40*38.50*88.10mm_kr

40*38.50*88.10mm_ue

50.70*46.70*73.50mm_uk

Color:Light pink/Sierra blue/Grey/White/Black

● TM series fast charging charger

LS 65W 2 C1A



65W GaN Retractable Cable Charger

Materials:PC,Electronic Parts Rated

Input:110-240V~, 50/60Hz ,1.6A Max

Output Type-C line :5V $\overline{\text{---}}$ 3A,9V $\overline{\text{---}}$ 3A,
12V $\overline{\text{---}}$ 3A,15V $\overline{\text{---}}$ 3A,20V $\overline{\text{---}}$ 3.25A, 65W Max

Type-C :5V $\overline{\text{---}}$ 3A,9V $\overline{\text{---}}$ 3A,
12V $\overline{\text{---}}$ 3A,15V $\overline{\text{---}}$ 3A,20V $\overline{\text{---}}$ 3.25A, 65W Max

USB-A :5V $\overline{\text{---}}$ 3A,9V $\overline{\text{---}}$ 3A,12V $\overline{\text{---}}$ 3A,
20V $\overline{\text{---}}$ 3.25A, 45W Max,

Type-C line +Type-C:45W+20W

Type-C +USB-A:45W+18W

Type-C line +Type-C +USB-A :45W+15W

Dimension:62*58*38mm_uc

62*58*38mm_us

62*58*38mm_ue

Color:Grey/White/Black

- Quick charging charger for cans



LK 45W 2 C

45W Dual Port PD Power Charger

Materials:PC,Electronic Parts Rated

Input:100-240V~50/60Hz,1.6A Max

Output Type-C1/Type-C2 :5V $\equiv$ 3A,9V $\equiv$ 3A,12V $\equiv$ 3A,

15V $\equiv$ 3A,20V $\equiv$ 2.25A 45W Max

Type-C1/Type-C2 :30W+15W 45W Max

Dimension:41*52mm_uc

41*52mm_us

41*52mm_jp

41*89.70mm_kr

41*89.70mm_ue

Color:Black (Mushroom Head Animated Pattern)

Note: Product ID is co branded with Mushroom Head IP

45W Display Screen Charger
Materials:PC,Electronic Parts Rated
Input:100-240V~, 50/60Hz , 1.2A Max
Output Type-C :5V ---3A,9V ---3A,12V ---3A,
15V ---3A,20V ---2.25A
PPS:5-11V --- 4.5A
9-15V ---3.0A;15-20V---2.25A 45W Max



● Digital fast charging charger

LP 67W 2 C1A



67W Display Screen Charger

Materials:PC,Electronic Parts Rated

Input:100-240V~,1.8A Max ,50/60Hz

Output:USB-C1/USB-C2:5V 3A, 5V 3A, 5V 3A, 5V 4A, 5V 3.3A, 67W
Max

A1: 30W (5V 3A, 9V 3A, 10V 2A, 12V 2.5A, 20V 1.5A)

C1+C2:65W(5V 3A, 9V 3A, 12V 3A, 15V 2A, 20V 1.5A)

+30W(5V 3A, 9V 3A, 12V 2.5A, 15V 2A, 20V 1.5A)

C1+A1:65W(5V 3A, 9V 3A, 12V 3A, 15V 2A, 20V 1.5A)

+30W(5V 3A, 9V 3A, 10V 2.25A, 12V 2.5A, 20V 1.5A)

C2+A1:5V 4A 20W Max

C1+C2+A1:70W+15W

Dimension:70.50*34.50*58.50mm_uc

70.50*34.50*50.50mm_us

Color:Gunmetal

● Digital fast charging charger

LP 100W 2 C1A



100W three port PD power charger

Materials:PC,Electronic Parts Rated

Input:110-240V~2.5A Max 50/60Hz

Output C1/C2:100W (5V $\overline{\text{---}}$ 3A,9V $\overline{\text{---}}$ 3A,12V $\overline{\text{---}}$ 3A,15V $\overline{\text{---}}$ 3A,20V $\overline{\text{---}}$ 5A)

A1: 30W (5V $\overline{\text{---}}$ 3A,9V $\overline{\text{---}}$ 3A,10V $\overline{\text{---}}$ 2.25A,12V $\overline{\text{---}}$ 2.5A,20V $\overline{\text{---}}$ 1.5A)

C1+C2:65W(5V $\overline{\text{---}}$ 3A,9V $\overline{\text{---}}$ 3A,12V $\overline{\text{---}}$ 3A,15V $\overline{\text{---}}$ 3A,20V $\overline{\text{---}}$ 3.25A)

+30W(5V $\overline{\text{---}}$ 3A,9V $\overline{\text{---}}$ 3A,12V $\overline{\text{---}}$ 2.5A,15V $\overline{\text{---}}$ 2A,20V $\overline{\text{---}}$ 1.5A)

C1+A1:65W(5V $\overline{\text{---}}$ 3A,9V $\overline{\text{---}}$ 3A,12V $\overline{\text{---}}$ 3A,15V $\overline{\text{---}}$ 3A,20V $\overline{\text{---}}$ 3.25A)

+30W(5V $\overline{\text{---}}$ 3A,9V $\overline{\text{---}}$ 3A,10V $\overline{\text{---}}$ 2.25A,12V $\overline{\text{---}}$ 2.5A,20V $\overline{\text{---}}$ 1.5A)

C2+A1:5V $\overline{\text{---}}$ 4A 20W Max

C1+C2+A1:70W+15W

Dimension:70.50*34.50*58.50mm_uc

70.50*34.50*50.50mm_us

Color:Gunmetal

● Digital fast charging charger

LP 140W 3 C1A



140W four port PD power charger

Materials:PC,Electronic Parts Rated

Input:110-240V~2.7A Max 50/60Hz

Output C1/C2 :5V ⚡ 3A,9V ⚡ 3A,12V ⚡ 3A,

15V ⚡ 3A,28V ⚡ 5A(140W Max)

C3 :5V ⚡ 3A,9V ⚡ 3A,12V ⚡ 3A,15V ⚡ 2.67A,20V ⚡ 2A(40W Max)

A1 :5V ⚡ 3A,9V ⚡ 3A,10V ⚡ 2.25A,11V ⚡ 3A,12V ⚡ 1.5A

C1+C2 :70W+70W

C1+C2+C3 :65W+45W+30W

C1/C2+C3 :100W+40W

C1/C2+A1 :100W+33W

C3+A1 :24W

C1+C2+C3/A1 :65W+45W+30W

C1/C2+(C3+A1) :100W+24W

C1+C2+(C3+A1) :65W+45W+24W

Dimension:72*35.20*70.08mm_uc

72*35.20*70.08mm_us

72*35.20*108.1mm_ue

79*50.20*100.50mm_uk

Color:Gunmetal

● Digital fast charging charger

TB 45W 1 C

Ultra- slim 45W GaN Charger

Materials:PC,Electronic Parts Rated

Input:100-240V~ 50/60Hz ,0.9A Max

Output : Type-C :5V $\overline{\text{---}}$ 3A,9V $\overline{\text{---}}$ 3A,12V $\overline{\text{---}}$ 3A,


15V $\overline{\text{---}}$ 3A,20V $\overline{\text{---}}$ 2.25A,45W Max

Dimension:67*42*13.5mm_uc

67*42*13.5mm_us

Color:Gunmetal





Color:Gunmetal

● Digital fast charging charger

LH - 45 W - 1 C + 2 W / 5 W

45W 2-in-1 GaN Charger

Materials:PC,Electronic Parts Rated

Input:100-240V~, 50/60Hz ,1.2A Max

Output Type-C : 5V ⚡3A,9V ⚡3A,12V ⚡3A,15V ⚡3A,20V ⚡2.25A, 45W Max

Wireless Charging Output: 2W/5W Max

Type- C + Wireless Charging Output: 30W+5W

Dimension:42.3*42.3*56.7mm_uc


42.3*42.3*56.7mm_us

42.3*42.3*56.7mm_eu

Color:Light pink/Sierra blue/White/Black



● Wireless charger products



IWATCH 2.5W

2.5W wireless charger

Materials:PC,Electronic Parts Rated


Input:DC-5V 0.42A

Output =2.5W Max

Dimension:67.3*35*18mm

Color:Pink/Blue/White

- Wireless charger products



HT100BUT

Cookies wireless charger

Materials:PC,Electronic Parts Rated

Input:DC-5V 3A,9V 3A

Output =BPP5W/EPP15W

Efficiency:75% Min

Dimension:60*13.63mm

Color:Common color of cookies

- 100W-150W adapter series products



S-120-240-05000

120W power adapter

Materials:PC,Electronic Parts Rated

Input:100-240V~2.0A 50/60Hz

Output : DC 24V $\pm$ 5% 5A 120W Max

Dimension:172.50*72.50*35mm

Color:Black

- 100W-150W adapter series products



S-150-200-07500

150W power adapter

Materials:PC,Electronic Parts Rated

Input:100-240V~4.0A 50/60Hz

Output : DC 20V 7.50A 150W Max

Dimension:172.50*72.50*35mm

Color:Black

● 150W-250W adapter series products



S-176-195-09000

176W power adapter

Materials:PC,Electronic Parts Rated

Input:100-240V~4.0A 50/60Hz

Output : DC 19.5V 9A 176W Max

Dimension:172.50*72.50*35mm

Color:Black

- 150W-250W adapter series products



S-192-480-04000

192W power adapter

Materials:PC,Electronic Parts Rated

Input:100-240V~4.0A 50/60Hz

Output : DC 48V 4A 192W Max

Dimension:174*74.10*37.27mm

Color:Black

● 150W-250W adapter series products



S-240-120-20000

240W power adapter

Materials:PC,Electronic Parts Rated

Input:100-240V~4.5A 50/60Hz

Output : DC 12V 20A 240W Max

Dimension:200.50*93.50*38mm

Color:Black

● 150W-250W adapter series products



S-250-480-05200

250W power adapter

Materials:PC,Electronic Parts Rated

Input:100-240V~5.0A 50/60Hz

Output : DC 48V 5.2A 250W Max

Dimension:172.50*72.50*35mm

Color:Black

● 300W-360W adapter series products



S-304-320-09500

304W power adapter

Materials:PC,Electronic Parts Rated

Input:100-240V~4.5A 50/60Hz

Output : DC 32-33.6V 9.5A 304W Max

Dimension:200.50*93.50*38mm

Color:Black

● 300W-360W adapter series products



S-315-630-00500

315W power adapter

Materials:PC,Electronic Parts Rated

Input:100-240V~4.5A 50/60Hz

Output : DC 63V 5A 315W Max

Dimension:200.50*93.50*38mm

Color:Black

● 300W-360W adapter series products



S-320-200-16000

320W power adapter

Materials:PC,Electronic Parts Rated

Input:100-240V~4.5A 50/60Hz

Output : DC 20V 16A 320W Max

Dimension:200.50*93.50*38mm

Color:Black

● 300W-360W adapter series products



S-324-360-09000

324W power adapter

Materials:PC,Electronic Parts Rated

Input:100-240V~4.5A 50/60Hz

Output : DC 36V 9A 324W Max

Dimension:200.50*93.50*38mm

Color:Black

- 300W-360W adapter series products



S-328-546-06000

328W power adapter

Materials:PC,Electronic Parts Rated

Input:100-240V~4.5A 50/60Hz

Output : DC 54.6V 6A 328W Max

Dimension:200.50*93.50*38mm

Color:Black

- 300W-360W adapter series products



S-360-48.0-7.5

360W power adapter

Materials:PC,Electronic Parts Rated

Input:100-240V~4.5A 50/60Hz

Output : DC 48V 7.5A 360W Max

Dimension:200.50*93.50*38mm

Color:Black

- 300W-360W adapter series products



S-360-480-07500

360W power adapter

Materials:PC,Electronic Parts Rated

Input:100-240V~4.5A 50/60Hz

Output : DC 48V 7.5A 360W Max

Dimension:200.50*93.50*38mm

Color:Black

THANKS!

- Contact Us



Email : mary@anju-ltd.com



Phone: +86 15768874130



Website : www.anju-ltd.com