



SHAREEZ

CONTACT US

SHAREEZ TECHNOLOGY CO., LTD

Web: <http://www.shareez.com>

Tel: +86-755-27990358

Office add: No.114 zhiyulanwan ,No.100 GuanLan road,XinHe community , Fucheng ,long hua Shenzhen

Factory add: 4 Floor Building 2 , Peijia Industrial Park, No. 37 Chunfeng Road, Longbeiling, Tangxia Town, Dongguan City, Guangdong Province

Wireless TWS

ANC
ENC
LED display



Z50 Pro

Version: JL6.0
Speaker:13mm
Working Hours: 4H
Charging time: 1H
Battery capacity:
Earphone- 30MAH
case-230MAH

ANC
ENC



Z10

Version: JL6.0
Speaker:13mm
Working Hours: 5H
Charging time: 1H
Battery capacity:
Earphone- 40MAH
case-380MAH

ANC
ENC



A8 Pro

AI:Heart rate/Blood
oxygen detection

Version: JL6.0
Speaker:13mm
Working Hours: 6H
Charging time: 1H
Battery capacity:
Earphone- 30MAH
case-300MAH



TR26

Version: JL6.0
Speaker:13mm
Working Hours: 4-5H
Charging time: 1H
Battery capacity:
Earphone- 25MAH
case-200MAH



M20

2 in 1 power bank
TWS earbuds

Version: JL6.0
Speaker:13mm
Working Hours: 4-5H
Charging time: 1H
Battery capacity:
Earphone- 25MAH
Power bank-5000MAH



TWS-Z01

6mics

Version: JL6.0
Speaker:13mm
Working Hours: 4-5H
Charging time: 1H
Battery capacity:
Earphone- 30MAH
case-200MAH

ANC
ENC
Hybrid



WT01

AI translator
earbuds

Version: JL6.0
Speaker:10mm
Working Hours: 7-8H
Charging time: 1-2H
Battery capacity:
Earphone- 40MAH
case-400MAH



T05

Version: JL6.0
Speaker:13mm
Working Hours: 4-5H
Charging time: 1H
Battery capacity:
Earphone- 30MAH
case-250MAH



T20

ANC with TF
card

Version: JL6.0
Speaker:16mm
Working Hours: 20H
Charging time: 1H
Battery capacity:
Earphone- 25MAH
case-500MAH



C12

Version: 6.0
Speaker:13mm
Working Hours: 4-5H
Charging time: 1H
Battery capacity:
Earphone-30MAH
case-300MAH

ANC
ENC



JH01

sleeping
earphone

Version: JL6.0
Speaker:6mm
Working Hours: 4-5H
Charging time: 1H
Battery capacity:
Earphone- 25MAH
case-300MAH



TWS-Z07

Gaming

Version: 6.0
Speaker:13mm
Working Hours: 5-6H
Charging time: 1H
Battery capacity:
Earphone- 40MAH
case-380MAH



Buds 9PRO Gaming

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:16.2mm
Wireless range:over 10 Meters
Battery capacity:
Earphone- 30MAH
case-200MAH



11S

Version: 6.0
Speaker:15mm
Working Hours: 7-8H
Charging time: 1H
Battery capacity:
Earphone- 25MAH
case-200MAH



S61

Version: 6.0
Speaker:10mm
Working Hours: 4-5H
Charging time: 1H
Battery capacity:
Earphone- 30MAH
case-300MAH

ANC
ENC
Hybrid



OWS-12

Version: JL6.0
Speaker:13mm
Working Hours: 4-5H
Charging time: 1H
Battery capacity:
Earphone- 30MAH
case-300MAH

BT headphones



V919

Version: 6.0
Speaker:12mm
Working Hours: 4-5H
Charging time: 1H
Battery capacity:
Earphone- 30MAH
case-250MAH



CX10

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:16.2mm
Wireless range:over 10 Meters
Battery capacity:
Earphone- 50MAH
case-300MAH



OWS-S55

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:16.2mm
Wireless range:over 10 Meters
Battery capacity:
Earphone- 110MAH
case-360MAH



OWS-39A

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:16.2mm
Wireless range:over 10 Meters
Battery capacity:
Earphone- 110MAH
case-360MAH



H1 PLUS

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:36mm
Wireless range:over 10 Meters
Battery Capacity 120mAh*2pcs
Charging time 2Hours
Work time over:10 Hours



BT-42

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 400mAh
Charging time 2Hours
Work time over:30 Hours



BT-39

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 200mAh
Charging time 2Hours
Work time over:8 Hours



BT-24

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 200mAh
Charging time 2Hours
Work time over:10 Hours



ANC

BT-57

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 200mAh
Charging time 2Hours
Work time over: 10Hours



ANC

BT-49PRO

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 400mAh
Charging time 2Hours
Work time over:30Hours



BT-64

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 200mAh
Charging time 2Hours
Work time over:8 Hours



ANC

BT-P23

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 400mAh
Charging time 2Hours
Work time over:30 Hours



ANC

BT-33

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 400mAh
Charging time 2Hours
Work time over:30 Hours



ANC Hybrid

BT-35

Bluetooth 6.0
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 400mAh
Charging time 2Hours
Work time over:26Hours



ANC

BT-47

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 400mAh
Charging time 2Hours
Work time over: 30Hours



ANC

R2

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 400mAh
Charging time 2Hours
Work time over: 30Hours



ANC Hybrid

BT-41

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 400mAh
Charging time 2Hours
Work time over:26 Hours



ANC

BT-53

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 400mAh
Charging time 2Hours
Work time over:26Hours



ANC

BT-45

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 400mAh
Charging time 2Hours
Work time over:30 Hours



ANC Hybrid

BT-56

Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 400mAh
Charging time 2Hours
Work time over:30 Hours

Call center headset



BT-43
Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 400mAh
Charging time 2Hours
Work time over:30 Hours



BT-50
Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 400mAh
Charging time 2Hours
Work time over: 30 Hours



BT-55
Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 300mAh
Charging time 2Hours
Work time over: 20Hours



BT-51
Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 400mAh
Charging time 2Hours
Work time over: 30Hours



BT-60
Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 400mAh
Charging time 2Hours
Work time over:30 Hours



BT-61
Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 400mAh
Charging time 2Hours
Work time over:30 Hours



BT-62
Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 400mAh
Charging time 2Hours
Work time over:30 Hours



BT-63
Bluetooth 6.0 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 400mAh
Charging time 2Hours
Work time over:30 Hours



P2
Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ40mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:6*5mm
Wire Length:3.5mm=1.2M/USB=2m



3033/3031
Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ40mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:9*7mm
Wire Length:3.5mm=1.2M/USB=2m



430/431
Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ40mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:9*7mm
Wire Length:3.5mm=1.2M/USB=2m



113
Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ40mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:9*7mm
Wire Length:3.5mm=1.2M/USB=2m



S180
Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ40mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:40*15mm
Wire Length:3.5mm=1.2M/USB=2m



A9 **Wireless**
Bluetooth 5.4 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 200mAh
Charging time 2Hours
Work time over: 15Hours



P1 **Wireless**
Bluetooth 5.4 JL
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 200mAh
Charging time 2Hours
Work time over: 10Hours



A10/S151 **Wireless**
Bluetooth 6.0JL
Impedance 32Ω
Speaker diameter:30mm
Wireless range:over 10 Meters
Battery Capacity 200mAh
Charging time 2Hours
Work time over:10 Hours

Gaming headsets



X21
Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ40mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:9*7mm
Wire Length:3.5mm=1.2M/USB=2m



T03
Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ40mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:9*7mm
Wire Length:3.5mm=1.2M/USB=2m



T04
Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ50mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:9*7mm
Wire Length:3.5mm=1.2M/USB=2m



G5
Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ53mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:6*5mm
Wire Length:3.5mm=1.2M/USB=2m



X1

Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ40mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:9*7mm
Wire Length:3.5mm=1.2M/USB=2m



C20

Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ40mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:9*7mm
Wire Length:3.5mm=1.2M/USB=2m



X3 Pro

Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ40mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:9*7mm
Wire Length:3.5mm=1.2M/USB=2m



X5

Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ40mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:9*7mm
Wire Length:3.5mm=1.2M/USB=2m



X8

Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ40mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:9*7mm
Wire Length:3.5mm=1.2M/USB=2m



X17

Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ50mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:9*7mm
Wire Length:3.5mm=1.2M/USB=2m



X18

Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ40mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:9*7mm
Wire Length:3.5mm=1.2M/USB=2m



S1

Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ40mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:9*7mm
Wire Length:3.5mm=1.2M/USB=2m



S2

Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ40mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:9*7mm
Wire Length:3.5mm=1.2M/USB=2m



S4

Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ50mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:6*5mm
Wire Length:3.5mm=1.2M/USB=2m



S6

Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ50mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:6*5mm
Wire Length:3.5mm=1.2M/USB=2m



G15

Type:3.5MM Stereo/USB Stereo
Speaker diameter:Φ50mm
Speaker Impedance:32Ω
Speaker Sensitivity:110dB±3dB
Microphone Specification:6*5mm
Wire Length:3.5mm=1.2M/USB=2m

2.4G+BT Wireless



GW17

2.4G+BT
Wireless
(Multifunction)

Version:2.4G/5.4
Impedance 32Ω
Speaker diameter:50mm
Wireless range:over 10 Meters
Battery Capacity 1100mAh
Charging time 2Hours
Work time over:20 Hours



GW18

2.4G+BT
Wireless
(Multifunction)

Version:2.4G/5.4
Impedance 32Ω
Speaker diameter:50mm
Wireless range:over 10 Meters
Battery Capacity 1000mAh
Charging time 2Hours
Work time over:20Hours



GW08

2.4G+BT
Wireless
(Multifunction)

Version:2.4G/5.4
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 400mAh
Charging time 2Hours
Work time over:30Hours



GW10

2.4G+BT
Wireless
(Multifunction)

Version:2.4G/5.4
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 400mAh
Charging time 2Hours
Work time over:30Hours



GW13

2.4G+BT
Wireless
(Multifunction)

Version:2.4G/5.4
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 600mAh
Charging time 2Hours
Work time over:15Hours



GW15

2.4G+BT
Wireless
(Multifunction)

Version:2.4G/5.4
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 600mAh
Charging time 2Hours
Work time over:15Hours



GW16

2.4G+BT
Wireless
(Multifunction)

Version:2.4G/5.4
Impedance 32Ω
Speaker diameter:40mm
Wireless range:over 10 Meters
Battery Capacity 600mAh
Charging time 2Hours
Work time over:15Hours